### Climatography of the United States No. 20 1971-2000

**National Climatic Data Center Federal Building** 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 104831** 

Station: KELLOGG, ID

**Climate Division: ID 4** 

**NWS Call Sign:** 

Elevation: 2,320 Feet Lat: 47°32N Lon: 116°08W

									ŗ	Гетр	eratur	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes					Degree Base To	•		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	35.7	20.9	28.3	58	1953	12	34.7	1981	-27	1937	20	14.6	1979	1137	0	.0	.0	.6	8.9	27.3	1.6
Feb	41.6	24.0	32.8	68	1968	29	38.9	1991	-26	1933	9	23.4	1989	902	0	.0	.0	4.4	3.5	23.5	1.0
Mar	49.5	28.8	39.2	78	1978	30	45.6	1992	-9	1955	5	35.0	1971	801	0	.0	.0	14.7	.3	21.8	.0
Apr	58.6	33.9	46.3	93+	1987	28	52.0	1987	6	1936	1	41.6	1972	563	0	.0	.1	24.6	.0	12.7	.0
May	67.5	40.5	54.0	101	1986	31	59.9	1993	20	1969	3	50.0	1996	347	5	.1	.9	30.3	.0	2.2	.0
Jun	74.6	46.5	60.6	103	1973	22	65.8	1986	23	1923	14	55.9	1981	168	34	.1	3.1	29.9	.0	.2	.0
Jul	82.6	50.2	66.4	109	1934	28	72.8	1998	31	1969	20	58.6	1993	78	122	1.1	10.4	31.0	.0	.0	.0
Aug	82.6	49.4	66.0	111	1961	5	71.0	1971	28+	1969	29	61.2	1995	77	108	.8	10.3	31.0	.0	@	.0
Sep	72.2	41.7	57.0	102	1938	4	64.0	1990	11	1926	24	51.7	1986	268	27	@	1.8	29.8	.0	2.1	.0
Oct	58.4	33.4	45.9	92+	1935	3	52.1	1988	0	1935	31	42.6	1984	591	0	.0	.0	26.3	@	14.2	.0
Nov	42.7	28.1	35.4	69	1999	13	40.7	1998	-11	1955	16	24.6	1985	889	0	.0	.0	6.5	2.0	21.4	.3
Dec	35.3	21.9	28.6	61+	1980	27	34.5	1979	-36	1968	30	18.3	1983	1130	0	.0	.0	1.0	9.8	27.0	1.1
Ann	58.4	34.9	46.7	111	Aug 1961	5	72.8	Jul 1998	-36	Dec 1968	30	14.6	Jan 1979	6951	296	2.1	26.6	230.1	24.5	152.4	4.0

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 056-A

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1905-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: KELLOGG, ID COOP ID: 104831

Climate Division: ID 4 NWS Call Sign: Elevation: 2,320 Feet Lat: 47°32N Lon: 116°08W

										Pı	recipi	tation	(incl	hes)										
		ans/	P	recip	itatio	on Total					ean N of D	ays (3	)	Proba		M	nonthly/	annual j indic	precipitation	babilit ation will nount vs Probal incomplet	ll be equ	els		ın the
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	3.89	3.77	1.84	1948	7	6.91	1990	.57	1985	17.2	11.1	1.9	.3	1.47	1.84	2.35	2.79	3.20	3.62	4.07	4.60	5.27	6.30	7.24
Feb	2.96	2.75	1.58	1968	19	6.12	1996	.94	1973	14.3	9.4	1.4	.2	.98	1.26	1.67	2.02	2.36	2.70	3.08	3.53	4.09	4.98	5.79
Mar	3.03	3.08	1.61	1934	29	5.45	1995	.69	1992	16.2	9.5	1.1	.1	1.27	1.54	1.93	2.25	2.55	2.85	3.18	3.55	4.03	4.75	5.41
Apr	2.57	2.47	1.82	1996	24	5.76	1996	.35	1973	14.0	7.9	1.0	.1	.76	1.00	1.37	1.69	1.99	2.31	2.67	3.08	3.62	4.47	5.25
May	2.79	2.59								14.3	7.7	1.5	.3	1.04	1.31	1.68	1.99	2.29	2.59	2.92	3.30	3.79	4.54	5.23
Jun	2.23	1.86	1.68	1964	8	4.93	1981	.38	1979	11.6	6.2	1.1	.1	.67	.89	1.20	1.47	1.74	2.01	2.32	2.67	3.13	3.85	4.52
Jul	1.43	1.13	2.20	1998	30	4.62	1993	.00+	1985	7.4	3.6	.7	.2	.00	.19	.47	.70	.93	1.17	1.46	1.79	2.24	2.98	3.69
Aug	1.38	1.19	1.49	1923	20	3.89	1989	.02	1994	6.8	3.5	.6	.2	.09	.17	.35	.53	.75	.99	1.29	1.67	2.19	3.09	3.97
Sep	1.69	1.65	1.98	1909	29	4.11	1985	.03	1990	8.3	4.3	.7	.1	.10	.20	.41	.64	.90	1.21	1.58	2.05	2.71	3.83	4.95
Oct	2.25	1.89	1.87	1990	30	6.10	1990	.01	1987	10.9	6.4	1.0	.2	.19	.34	.64	.95	1.29	1.68	2.15	2.73	3.54	4.90	6.23
Nov	4.24	4.30	2.05	1946	18	8.66	1973	1.32	1972	17.1	10.9	2.1	.4	1.26	1.66	2.27	2.79	3.30	3.83	4.41	5.09	5.98	7.37	8.66
Dec	4.31	4.16	4.00	1987	9	10.39	1996	1.12	1985	17.1	11.2	2.1	.4	1.53	1.94	2.53	3.02	3.49	3.97	4.50	5.11	5.89	7.10	8.21
Ann	32.77	31.17	4.00	Dec 1987	9	10.39	Dec 1996	.00+	Jul 1985	155.2	91.7	15.2	2.6	23.83	25.58	27.80	29.49	30.98	32.42	33.90	35.54	37.52	40.39	42.86

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1905-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 104831** 

Station: KELLOGG, ID

Climate Division: ID 4 NWS Call Sign: Elevation: 2,320 Feet Lat: 47°32N Lon: 116°08W

										Snov	v (incl	hes)											
						Sno	ow To	tals									Mea	n Nui	nber	of Day	<b>ys</b> (1)		
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10		
Jan	13.3	14.5	5	3	15.0	1991	7	29.2	1982	24	1979	31	18	1979	7.2	4.9	1.6	.5	.1	20.4	15.3	12.6	6.7
Feb	8.0	7.0	3	1	7.0	1996	23	21.5	1985	26	1979	5	15	1985	4.1	2.9	.6	.2	.0	13.2	5.9	4.5	2.6
Mar	3.6	2.3	#	#	7.5	1998	2	17.2	1989	13	1985	3	7	1985	2.3	1.4	.3	.1	.0	2.3	.8	.0	.0
Apr	.9	.0	#	0	8.0	1982	4	9.0	1982	8	1982	4	1	1982	.5	.4	@	@	.0	.6	.1	.1	.0
May	#	.0	#	0	#	1996	3	#+	1996	#+	1999	8	#+	1999	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.1	.0	#	0	1.0	1984	27	2.0	1984	1	1984	28	#+	1985	.2	.1	.0	.0	.0	.1	.0	.0	.0
Nov	5.8	5.3	#	#	7.0	1978	28	16.4	1994	13	1985	27	4	1985	3.6	2.1	.6	.3	.0	4.7	2.6	1.0	.3
Dec	16.7	13.9	3	1	9.0	1984	30	46.5	1984	23	1984	31	9	1978	7.6	5.4	2.0	.7	.0	17.0	10.6	7.5	2.3
Ann	48.4	43.0	N/A	N/A	15.0	Jan 1991	7	46.5	Dec 1984	26	Feb 1979	5	18	Jan 1979	25.5	17.2	5.1	1.8	.1	58.3	35.3	25.7	11.9

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 104831** 

**Station: KELLOGG, ID** 

Climate Division: ID 4 NWS Call Sign:

Elevation: 2,320 Feet

Lat: 47°32N Lon: 116°08W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated(	(*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/24	6/17	6/12	6/08	6/04	5/31	5/27	5/22	5/15
32	5/27	5/22	5/18	5/15	5/12	5/09	5/06	5/02	4/26
28	5/05	4/29	4/25	4/22	4/19	4/16	4/12	4/08	4/03
24	4/16	4/09	4/04	3/30	3/26	3/22	3/18	3/13	3/06
20	4/01	3/24	3/18	3/13	3/08	3/03	2/26	2/20	2/12
16	3/25	3/13	3/05	2/27	2/20	2/14	2/07	1/30	1/19
_			Fal	l Freeze Da	tes (Month/D	ay)			
Temp (F)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	8/27	9/02	9/07	9/10	9/14	9/18	9/22	9/26	10/03
32	9/09	9/15	9/19	9/22	9/26	9/29	10/02	10/06	10/12
28	9/22	9/28	10/02	10/06	10/09	10/13	10/16	10/21	10/27
24	10/05	10/11	10/16	10/20	10/23	10/27	10/31	11/05	11/11
20	10/14	10/22	10/28	11/02	11/06	11/11	11/16	11/21	11/29
16	11/01	11/10	11/17	11/22	11/28	12/03	12/08	12/15	12/24
1		1	•	Freeze F	ree Period			1	•
Tomp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	128	119	112	107	101	96	90	84	74
32	158	150	145	140	136	132	127	122	114
28	198	190	183	178	173	168	163	156	148
24	235	227	221	215	211	206	200	194	186
20	280	267	258	250	243	235	227	218	205
16	323	308	297	288	280	271	262	251	236

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

### Climatography of the United States No. 20 1971-2000

**National Climatic Data Center Federal Building** 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: KELLOGG, ID

COOP ID: 104831

**Climate Division: ID 4** Lon: 116°08W **NWS Call Sign:** Elevation: 2,320 Feet Lat: 47°32N

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1137	902	801	563	347	168	78	77	268	591	889	1130	6951		
60	982	762	646	414	212	79	26	25	160	437	739	975	5457		
57	889	678	553	328	146	42	12	11	109	346	649	882	4645		
55	827	622	491	272	109	25	7	5	81	286	589	820	4134		
50	672	482	338	152	42	5	0	1	31	154	445	665	2987		
32	204	97	16	0	0	0	0	0	0	1	75	195	588		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	90	119	238	427	681	857	1067	1054	750	432	176	88	5979
55	0	0	0	10	78	192	361	346	140	5	0	0	1132
57	0	0	0	5	52	149	304	290	108	2	0	0	910
60	0	0	0	1	25	96	225	211	70	1	0	0	629
65	0	0	0	0	5	34	122	108	27	0	0	0	296
70	0	0	0	0	0	8	50	40	8	0	0	0	106

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	(Ionthly)								Growi	ng Degre	ee Units (	Accumu	lated Mo	onthly)			
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov De													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	14	68	214	457	647	859	856	554	220	35	3	0	14	82	296	753	1400	2259	3115	3669	3889	3924	3927
45	0 0 17 111 309 498 704 701 405 112 8												0	0	17	128	437	935	1639	2340	2745	2857	2865	2865
50	0 0 0 48 181 354 549 546 266 40 0												0	0	0	48	229	583	1132	1678	1944	1984	1984	1984
55	0	0	0	16	93	219	397	392	150	11	0	0	0	0	0	16	109	328	725	1117	1267	1278	1278	1278
60	0	0	0	2	39	116	253	244	68	1	0	0	0	0	0	2	41	157	410	654	722	723	723	723
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	<b>0/86</b> 0 10 53 149 286 398 528 532 367 164 14												0	10	63	212	498	896	1424	1956	2323	2487	2501	2501

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

#### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

#### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

#### References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf