### Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: BIG SANDY, MT 1971-2000 COOP ID: 240770

Climate Division: MT 3 NWS Call Sign: Elevation: 2,770 Feet Lat: 48°08N Lon: 110°04W

									r	Гетр	eratui	re (°F)									
	Mea	<b>n</b> (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	30.1	4.5	17.3	76	1946	13	32.0	1992	-51	1969	25	-2.1	1979	1479	0	.0	.0	2.5	13.9	30.0	11.9
Feb	37.5	10.5	24.0	76	1992	27	36.8	1991	-52	1936	15	8.5	1979	1149	0	.0	.0	6.5	8.8	26.3	7.2
Mar	48.7	20.1	34.4	78	1999	25	43.1	1986	-44	1951	8	22.3	1996	949	0	.0	.0	16.5	3.8	27.3	1.9
Apr	61.0	29.2	45.1	101	1941	18	52.0	1987	-15	1936	2	33.3	1975	599	1	.0	.1	25.1	.6	16.5	@
May	70.8	38.6	54.7	106	1941	23	59.7	1988	9	1954	2	48.7	1996	328	9	.0	.7	30.0	.0	5.0	.0
Jun	79.2	45.5	62.4	106+	1936	27	71.9	1988	20	1923	15	58.5	1981	135	62	.2	3.9	30.0	.0	.4	.0
Jul	86.7	50.0	68.4	109+	1936	15	73.9	1998	34	1944	5	60.1	1993	60	163	1.0	11.4	31.0	.0	.0	.0
Aug	86.3	48.1	67.2	111	1961	5	74.5	1971	25	1992	25	61.6	1980	86	160	1.0	12.1	31.0	.0	.2	.0
Sep	74.7	38.1	56.4	106	1941	23	64.6	1998	12	1926	24	49.3	1985	287	29	.0	2.6	29.1	.0	4.5	.0
Oct	62.2	28.4	45.3	92	1942	4	48.3	1986	-19	1991	29	40.3	1991	611	0	.0	@	26.6	.5	16.1	.2
Nov	43.7	16.5	30.1	78+	1999	7	42.1	1999	-33	1985	27	12.2	1985	1047	0	.0	.0	10.8	5.9	26.7	3.2
Dec	33.5	7.5	20.5	75	1930	12	34.0	1999	-50	1983	24	-3.4	1983	1380	0	.0	.0	4.3	11.3	29.9	8.2
Ann	59.5	28.1	43.8	111	Aug 1961	5	74.5	Aug 1971	-52	Feb 1936	15	-3.4	Dec 1983	8110	424	2.2	30.8	243.4	44.8	182.9	32.6

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 010-A

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1921-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 240770** 

Station: BIG SANDY, MT

Climate Division: MT 3 NWS Call Sign: Elevation: 2,770 Feet Lat: 48°08N Lon: 110°04W

										Pı	recipit	tation	(incl	nes)										
	Me	one/	P	recip	itatio	on Total	s			М	ean N	Numbo Pays (3		Proba	ability th		nonthly/	annual j	precipita ated am		ll be equ		less tha	ın the
	Medi					Extremes	S			D	aily Pre	cipitatio	n		Th				_	incomplet			ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.56	.40	.90	1942	4	1.91	1971	.00	1973	4.7	2.0	.1	.0	.04	.10	.18	.27	.35	.44	.55	.69	.87	1.16	1.44
Feb	.34	.29	.99	1977	24	.99	1977	.00	1997	2.8	1.1	@	.0	.03	.06	.12	.17	.22	.28	.34	.42	.53	.70	.87
Mar	.60	.59	1.07	1932	29	1.66	1981	.00	1994	5.3	2.0	.2	.0	.04	.10	.19	.28	.38	.48	.60	.74	.94	1.27	1.58
Apr	1.13	1.13 .78 3.32 1989 6 4.76 1989 .00 1							1977	5.8	3.0	.4	.1	.08	.19	.37	.54	.71	.90	1.12	1.39	1.76	2.35	2.93
May	2.46	1.96	5.91	1961	31	8.58	1974	.43	1988	9.9	5.6	1.4	.6	.48	.70	1.06	1.39	1.73	2.09	2.50	3.00	3.65	4.70	5.70
Jun	2.58	2.18	3.68	1938	22	9.52	1995	.31	1985	9.0	5.4	1.6	.5	.58	.82	1.20	1.54	1.88	2.24	2.64	3.12	3.76	4.77	5.73
Jul	1.64	1.47	2.83	1983	10	4.13	1983	.04	1984	7.8	4.2	.7	.2	.20	.33	.57	.79	1.04	1.30	1.62	2.00	2.52	3.38	4.22
Aug	1.35	1.07	3.20	1968	15	4.22	1974	.12	1988	6.6	3.6	.8	.1	.17	.28	.47	.66	.86	1.08	1.33	1.65	2.08	2.78	3.46
Sep	1.38	.97	1.65	1929	24	4.96	1986	.18+	1994	6.3	3.5	.7	.2	.16	.27	.46	.66	.86	1.09	1.36	1.69	2.13	2.87	3.59
Oct	.75	.73	1.46	1958	20	2.28	1981	.05	1974	4.1	2.1	.4	@	.13	.19	.30	.40	.51	.62	.76	.91	1.13	1.47	1.80
Nov	.49	.38	1.15	1922	17	1.20	1976	.00+	2000	4.2	1.7	.1	.0	.00	.00	.12	.20	.29	.38	.49	.62	.79	1.08	1.37
Dec	.54	.51	4.50	1933	11	2.48	1977	.00+	1999	5.3	1.8	.1	.0	.00	.00	.13	.22	.32	.42	.54	.68	.87	1.19	1.50
Ann	13.82	13.20	5.91	May 1961	31	9.52	Jun 1995	.00+	Nov 2000	71.8	36.0	6.5	1.7	8.04	9.07	10.44	11.51	12.48	13.44	14.44	15.57	16.96	19.02	20.85

<sup>+</sup> Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>#</sup> Denotes amounts of a trace

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>\*\*</sup> Statistics not computed because less than six years out of thirty had measurable precipitation

<sup>(1)</sup> From the 1971-2000 Monthly Normals

<sup>(2)</sup> Derived from station's available digital record: 1921-2001

<sup>(3)</sup> Derived from 1971-2000 serially complete daily data

## Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 240770** 

**Station: BIG SANDY, MT** 

Climate Division: MT 3 NWS Call Sign: Elevation: 2,770 Feet Lat: 48°08N Lon: 110°04W

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	ın Nu	mber	of Da	<b>ys</b> (1)		
	Mean	s/Medi	ians (1)	)					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	4.7	-99.9	2	0	14.0	1984	16	14.0	1984	9	1992	15	6+	1989	.9	.7	.3	.1	.1	-9.9	-9.9	-9.9	-9.9
Feb	3.0	-99.9	1	0	6.0	1977	24	6.0	1977	6	1993	20	6	1993	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9
Mar	2.7	-99.9	#	0	8.0	1996	4	8.0	1996	2+	1995	5	#+	1995	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9
Apr	#	#	#	0	#	1988	25	#+	1988	3	1992	10	#	1992	.0	.0	.0	.0	.0	.0	.0	.0	.0
May	.4	.0	0	0	5.0	1982	29	5.0	1982	0	0	0	0	0	.1	.1	.1	.1	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	#	.0	0	0	#	1983	29	#	1983	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.9	.0	0	0	4.6	1991	27	7.3	1991	7	1991	31	1	1991	.5	.5	.1	.0	.0	.0	.0	.0	.0
Nov	.8	-99.9	#	0	2.5	1984	25	2.5	1984	9	1976	29	2	1991	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9
Dec	1.7	-99.9	1	#	5.0	1995	10	5.0	1995	13	1983	27	9	1983	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9
Ann	14.2	-9.9	N/A	N/A	14.0	Jan 1984	16	14.0	Jan 1984	13	Dec 1983	27	9	Dec 1983	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9

<sup>+</sup> Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

<sup>@</sup> Denotes mean number of days greater than 0 but less than .05

<sup>-9/-9.9</sup> represents missing values Annual statistics for Mean/Median snow depths are not appropriate

<sup>(1)</sup> Derived from Snow Climatology and 1971-2000 daily data

<sup>(2)</sup> Derived from 1971-2000 daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**COOP ID: 240770** 

Lon: 110°04W

**Station: BIG SANDY, MT** 

Climate Division: MT 3 NWS Call Sign:

Elevation: 2,770 Feet Lat: 48°08N

				Freez	e Data										
			Spri	ng Freeze D	ates (Month/	Day)									
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated(	*)							
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	6/21	6/16	6/11	6/08	6/04	6/01	5/28	5/24	5/18						
32	6/09	6/03	5/29	5/25	5/22	5/18	5/14	5/09	5/03						
28	5/24	5/18	5/14	5/11	5/07	5/04	5/01	4/26	4/21						
24	5/07	5/02	4/29	4/26	4/23	4/20	4/17	4/14	4/09						
20	5/04	4/27	4/22	4/18	4/14	4/10	4/05	3/31	3/25						
16	4/17	4/12	4/08	4/04	4/01	3/29	3/25	3/21	3/16						
•		•	Fal	l Freeze Da	tes (Month/D	ay)	•		•						
T (E)	Probability of earlier date in fall (beginning Aug 1) than indicated(*)														
Temb (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	8/20	8/26	8/30	9/02	9/05	9/08	9/12	9/16	9/21						
32	9/01	9/06	9/09	9/12	9/15	9/18	9/21	9/25	9/30						
28	9/09	9/14	9/17	9/20	9/23	9/26	9/29	10/03	10/08						
24	9/19	9/24	9/27	9/30	10/03	10/05	10/08	10/11	10/16						
20	9/30	10/06	10/10	10/14	10/18	10/21	10/25	10/29	11/04						
16	10/15	10/20	10/24	10/27	10/30	11/01	11/05	11/08	11/13						
•			•	Freeze F	ree Period										
Tomp (F)			<b>Probability</b>	of longer th	an indicated	freeze free p	eriod (Days)								
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	116	108	102	97	92	87	82	76	68						
32	145	135	128	122	116	110	104	97	88						
28	162	154	148	143	138	133	129	123	115						
24	185	177	171	166	162	157	152	147	139						
20	216	205	198	192	186	180	174	167	157						
16	232	225	219	215	211	207	202	197	190						

<sup>\*</sup> Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

**0/00** Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

# Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

**Station: BIG SANDY, MT** 

Y, MT COOP ID: 240770

Climate Division: MT 3 NWS Call Sign: Elevation: 2,770 Feet Lat: 48°08N Lon: 110°04W

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1479	1149	949	599	328	135	60	86	287	611	1047	1380	8110
60	1328	1021	794	456	198	60	19	36	178	457	897	1225	6669
57	1241	942	702	375	136	30	9	20	124	366	812	1133	5890
55	1186	890	642	324	102	18	5	13	94	307	757	1082	5420
50	1040	762	499	213	42	3	0	3	39	179	616	935	4331
32	571	381	122	14	0	0	0	0	0	6	223	471	1788

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	115	156	196	407	704	917	1127	1097	732	418	166	114	6149
55	16	21	4	26	93	245	419	397	136	6	10	12	1385
57	9	18	1	18	65	197	361	342	106	2	5	1	1125
60	4	13	0	9	34	136	278	265	69	1	0	0	809
65	0	0	0	1	9	62	163	160	29	0	0	0	424
70	0	0	0	0	0	20	82	83	10	0	0	0	195

										Gro	wing l	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Do													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	4	19	69	228	494	719	914	895	541	254	44	4	4	23	92	320	814	1533	2447	3342	3883	4137	4181	4185
45	0 2 22 132 341 569 759 741 397 144 15											0	0	2	24	156	497	1066	1825	2566	2963	3107	3122	3122
50	0 0 4 67 212 422 604 587 266 70 4											0	0	0	4	71	283	705	1309	1896	2162	2232	2236	2236
55	0	0	0	24	111	276	451	435	154	22	0	0	0	0	0	24	135	411	862	1297	1451	1473	1473	1473
60	0 0 0 11 48 158 305 285 71 3 0										0	0	0	0	11	59	217	522	807	878	881	881	881	
Base	se Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	<b>50/86</b> 2 25 74 187 330 460 583 565 372 213 45 8											8	2	27	101	288	618	1078	1661	2226	2598	2811	2856	2864

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

#### Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
  - c. Only observed validated values were used to select the extreme daily values.
  - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

#### **Data Sources for Tables**

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
  - 1. 1971-2000 Monthly Normals
  - 2. Cooperative Summary of the Day
  - 3. National Weather Service station records
  - 4. 1971-2000 serially complete daily data

- c. Snow Tables
  - 1. Snow Climatology
  - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
  - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
  - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

### References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete\_jam\_0900.pdf