Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 054720

Station: LA JUNTA 4 NNE, CO

Climate Division: CO 1

NWS Call Sign: LHX

Elevation: 4,203 Feet Lat: 38°03N Lon: 103°32W

									ŗ	Гетр	eratur	e (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	•		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	43.9	15.3	29.6	78+	1986	30	40.9	1986	-23	1948	28	15.0	1979	1097	0	.0	.0	12.3	7.5	30.4	2.9
Feb	50.9	20.6	35.8	81	1981	20	43.8	1976	-20	1982	5	24.9	1989	819	0	.0	.0	16.1	3.7	26.2	1.5
Mar	59.5	28.2	43.9	90	1971	26	49.6	1986	-17	1960	3	38.2	1980	657	0	.0	@	23.9	.9	21.0	.1
Apr	67.9	36.4	52.2	95+	2000	18	58.8	1981	10+	1957	8	46.1	1973	394	9	.0	.7	27.6	.1	7.6	.0
May	77.1	47.1	62.1	103	2000	29	67.4	1996	22+	1967	1	57.1	1983	162	71	.2	4.1	30.6	.0	.4	.0
Jun	88.7	56.7	72.7	110	1990	28	77.6	1994	39	1951	2	67.7	1982	16	248	4.0	16.5	30.0	.0	.0	.0
Jul	93.8	62.4	78.1	108+	1981	21	80.5	1980	48	1952	8	74.8	1992	0	406	8.5	24.4	31.0	.0	.0	.0
Aug	91.5	60.6	76.1	107+	1995	11	81.1	1995	43	1993	31	72.4	1992	3	345	4.2	21.3	31.0	.0	.0	.0
Sep	83.1	51.3	67.2	104+	1995	5	72.7	1998	22	1985	30	63.4	1971	52	119	.8	9.9	29.7	.0	.5	.0
Oct	71.2	38.1	54.7	95	1975	12	57.4+	1974	9	1993	30	50.2	1976	323	1	.0	.9	29.6	.2	6.0	.0
Nov	55.0	24.6	39.8	85	1980	8	46.8	1999	-11	1976	28	29.4	1972	756	0	.0	.0	19.4	2.0	24.1	.3
Dec	45.3	16.6	31.0	81	1980	17	39.9	1980	-21	1989	22	18.4	1983	1056	0	.0	.0	12.1	5.9	30.1	2.5
Ann	69.0	38.2	53.6	110	Jun 1990	28	81.1	Aug 1995	-23	Jan 1948	28	15.0	Jan 1979	5335	1199	17.7	77.8	293.3	20.3	146.3	7.3

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 061-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1945-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 054720

Station: LA JUNTA 4 NNE, CO

Climate Division: CO 1 NWS Call Sign: LHX Elevation: 4,203 Feet Lat: 38°03N Lon: 103°32W

										Pı	recipi	tation	(incl	nes)										
	Mo	ans/	P	recip	itatio	on Total	S			М	ean N	Numb Oays (3		Proba	ability th		nonthly/	annual j	precipita ated am	babilit ation will nount vs Probal	ll be equ		less tha	ın the
		ans(1)				Extremes	5			D	aily Pre	cipitatio	n		Th				_	incomplet			ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.32	.26	.73	1962	8	.88	1985	.03	1977	4.0	1.1	@	.0	.04	.07	.11	.16	.20	.25	.31	.38	.48	.64	.79
Feb	.33	.25	.80	1993	10	1.39	1993	.02	1994	3.7	1.0	.1	.0	.03	.05	.09	.14	.19	.25	.32	.41	.53	.73	.93
Mar	.88	.61	1.34	1973	13	3.45	1973	.07	1977	5.7	2.4	.4	.1	.09	.16	.28	.40	.53	.68	.85	1.07	1.37	1.86	2.34
Apr	1.25	1.06	2.21	1983	22	4.66	1999	.23	1987	6.6	3.2	.5	.2	.20	.31	.49	.66	.84	1.03	1.25	1.52	1.88	2.47	3.04
May	1.78	1.69	1.83	1958	22	4.75	1995	.48	1991	9.5	4.2	1.0	.3	.47	.64	.90	1.12	1.35	1.58	1.84	2.15	2.55	3.19	3.78
Jun	1.36	1.43	2.80	1948	19	3.33	1979	.20+	1981	6.3	3.0	.8	.1	.24	.36	.56	.75	.94	1.14	1.37	1.66	2.03	2.64	3.21
Jul	2.04	1.80	2.84	1966	22	5.14	1990	.14	1983	8.3	4.3	1.2	.4	.39	.57	.87	1.15	1.43	1.73	2.07	2.48	3.03	3.91	4.74
Aug	1.58	1.51	2.47	1978	29	4.25	1977	.09	1988	7.5	3.6	1.0	.3	.35	.50	.73	.94	1.15	1.37	1.62	1.92	2.32	2.95	3.54
Sep	.80	.77	2.10	1966	27	2.03	1973	.05	1983	5.3	2.2	.3	@	.10	.16	.27	.39	.51	.64	.79	.98	1.24	1.66	2.08
Oct	.63	.51	1.95+	1965	17	1.70	1984	.00+	1995	4.2	1.7	.3	.1	.00	.03	.12	.21	.32	.44	.59	.77	1.03	1.48	1.91
Nov	.48	.36	1.93	1946	3	1.78	1991	.01	1982	4.4	1.4	.2	@	.02	.04	.09	.15	.22	.31	.42	.57	.78	1.15	1.52
Dec	.27	.22	.45	1984	13	.75	1973	.00	1980	4.0	1.0	@	.0	.01	.03	.06	.10	.15	.20	.26	.33	.44	.61	.79
Ann	11.72	11.78	2.84	Jul 1966	22	5.14	Jul 1990	.00+	Oct 1995	69.5	29.1	5.8	1.5	7.43	8.22	9.26	10.06	10.78	11.49	12.22	13.04	14.04	15.52	16.81

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1945-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 054720

Station: LA JUNTA 4 NNE, CO

Climate Division: CO 1 NWS Call Sign: LHX Elevation: 4,203 Feet Lat: 38°03N Lon: 103°32W

										Snov	w (inc	hes)											
		Fall Depth Median Medi															Mea	n Nu	mber	of Day	VS (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth eshold	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	4.5	4.2	1	1	8.6	1990	19	11.1	1990	11	1990	20	3	1988	3.9	1.7	.3	.1	.0	10.0	2.9	1.1	@
Feb	4.0	3.8	#	1	6.8	1993	10	12.8	1993	10	1974	6	2	1993	3.1	1.4	.4	.1	.0	5.7	1.6	.5	@
Mar	6.9	4.6	#	0	18.8	1973	30	22.9	1980	6	1973	31	#	2000	3.5	2.0	.7	.3	.1	2.0	.5	@	.0
Apr	3.5	1.4	#	0	16.6	1988	1	16.9	1988	16	1988	2	1+	1988	1.6	1.1	.3	.1	@	1.2	.3	.2	@
May	.6	.0	#	0	7.4	1990	2	13.6	1990	8	1990	3	#	2000	.2	.1	.1	.1	.0	.1	.1	@	.0
Jun	.0	.0	#	0	.0	0	0	.0	0	0	0	0	#	1990	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.2	.0	0	0	2.5	1984	28	2.5	1984	#+	1995	21	0	0	.1	.1	.0	.0	.0	.0	.0	.0	.0
Oct	1.2	.0	#	0	5.5	1976	26	9.1	1991	6	1991	31	#	1993	.5	.4	.2	.1	.0	.3	.1	@	.0
Nov	4.4	4.0	#	0	8.0	1972	27	15.3	1972	13	1991	3	2+	1991	2.9	1.5	.5	.2	.0	3.8	1.6	.8	.1
Dec	4.3	3.7	1	1	6.0	1984	13	12.8	1973	8	1979	29	2+	1983	3.3	1.7	.3	.1	.0	7.6	2.4	.7	.0
Ann	29.6	21.7	N/A	N/A	18.8	Mar 1973	30	22.9	Mar 1980	16	Apr 1988	2	3	Jan 1988	19.1	10.0	2.8	1.1	.1	30.7	9.5	3.3	.1

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 054720

Station: LA JUNTA 4 NNE, CO

Climate Division: CO 1 NWS Call Sign: LHX Elevation: 4,203 Feet Lat: 38°03N Lon: 103°32W

				Freez	ze Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
Temp (I')	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/17	5/13	5/10	5/07	5/05	5/03	4/30	4/27	4/23
32	5/09	5/04	5/01	4/28	4/25	4/22	4/19	4/16	4/11
28	4/24	4/20	4/17	4/15	4/13	4/10	4/08	4/05	4/01
24	4/18	4/13	4/10	4/07	4/05	4/02	3/30	3/27	3/23
20	4/09	4/03	3/29	3/25	3/21	3/18	3/14	3/09	3/03
16	3/31	3/24	3/18	3/14	3/10	3/05	3/01	2/23	2/16
1		1	Fal	l Freeze Da	tes (Month/D	ay)	1	II.	1
Town (E)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/20	9/24	9/27	9/30	10/02	10/05	10/07	10/10	10/14
32	9/26	10/01	10/04	10/07	10/10	10/13	10/16	10/20	10/25
28	10/08	10/13	10/16	10/19	10/22	10/25	10/28	11/01	11/06
24	10/18	10/22	10/26	10/29	10/31	11/03	11/06	11/09	11/14
20	10/26	10/30	11/02	11/05	11/07	11/10	11/12	11/16	11/20
16	11/03	11/08	11/12	11/15	11/18	11/20	11/23	11/27	12/02
<u>.</u>		-		Freeze F	ree Period			-	
To (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days))	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	166	160	156	153	149	146	143	139	133
32	188	181	176	172	168	163	159	154	147
28	209	203	199	195	192	189	185	181	175
24	228	221	217	213	209	205	201	196	190
20	254	246	240	235	230	226	221	215	206
16	281	271	264	258	252	247	241	233	224

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 054720

Station: LA JUNTA 4 NNE, CO

Climate Division: CO 1 NWS Call Sign: LHX Elevation: 4,203 Feet Lat: 38°03N Lon: 103°32W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1097	819	657	394	162	16	0	3	52	323	756	1056	5335		
60	942	679	502	263	83	3	0	0	12	180	606	901	4171		
57	849	595	411	197	50	1	0	0	3	112	523	808	3549		
55	789	546	354	158	34	0	0	0	1	78	467	746	3173		
50	645	415	220	80	10	0	0	0	0	27	336	601	2334		
32	219	89	7	0	0	0	0	0	0	0	54	179	548		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	144	194	373	605	932	1222	1429	1365	1056	701	288	146	8455
55	2	6	7	73	253	532	716	652	367	66	11	1	2686
57	0	0	2	52	207	473	654	590	310	39	7	0	2334
60	0	0	0	29	147	385	561	497	228	14	0	0	1861
65	0	0	0	9	71	248	406	345	119	1	0	0	1199
70	0	0	0	2	26	134	252	205	50	0	0	0	669

										Gro	Growing Degree Units (2) Base Growing Degree Units (Monthly) Growing Degree Units (Accumulated Monthly)														
Base					Growing	g Degree	Units (M	(Ionthly)								Growi	ng Degre	ee Units (Accumu	lated Mo	onthly)				
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	
40	26 78 212 411 715 1016 1214 1147 840 485 134													104	316	727	1442	2458	3672	4819	5659	6144	6278	6314	
45	5 4 32 116 279 564 866 1059 992 692 342 67												4	36	152	431	995	1861	2920	3912	4604	4946	5013	5025	
50	0	6	49	167	414	716	904	837	544	213	28	1	0	6	55	222	636	1352	2256	3093	3637	3850	3878	3879	
55	0	0	16	90	271	566	749	682	404	112	4	0	0	0	16	106	377	943	1692	2374	2778	2890	2894	2894	
60	0	0	2	36	153	419	594	527	270	44	0	0	0	0	2	38	191	610	1204	1731	2001	2045	2045	2045	
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)	•			
50/86	50/86 55 100 199 289 448 629 761 728 524 338 138 59												55	155	354	643	1091	1720	2481	3209	3733	4071	4209	4268	

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf