Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 122660

Station: ENGLISH 4 S, IN

Climate Division: IN 8

NWS Call Sign:

Elevation: 510 Feet Lat: 38°17N Lon: 86°28W

	Ionth Daily Max Mean Min Mean Min Wear Daily(2) Year Mean Lowest Daily(2) Year Daily(2) Year Day Month(1) Mean Year Mean Heating Mean Cooling Series >=																					
	Mea	n (1)						Extr	emes						•		Mean Number of Days (3)					
Month		Daily Min Mean Highest Daily(2) Year Day Month(1) Mean Year Lowest Daily(2) Year				Day	Month(1)	Year	Heating	Cooling	>=	>=	>=	<=	<=	Min <= 0						
Jan	41.3	21.1	31.2	72	1986	21	40.5+	1998	-31	1977	17	16.1	1977	1048	0	.0	.0	7.7	7.4	25.2	2.7	
Feb	48.3	24.3	36.3	79	1972	29	44.9	1976	-15	1985	3	23.2	1978	804	0	.0	.0	12.9	3.7	21.5	1.7	
Mar	58.7	32.5	45.6	85+	1981	31	54.4	1973	-10	1978	5	38.7	1996	600	0	.0	.0	23.4	.4	16.9	.1	
Apr	68.9	40.6	54.8	91	1989	26	60.5	1981	15	1982	7	49.7	1982	314	6	.0	.1	28.8	.0	7.6	.0	
May	77.4	49.4	63.4	97	1975	22	69.6	1991	25	1976	4	59.2	1997	131	81	.0	.6	31.0	.0	1.4	.0	
Jun	84.8	58.5	71.7	102	1988	25	75.0	1971	36+	1972	1	67.6	1982	9	209	.1	5.2	30.0	.0	.0	.0	
Jul	88.3	63.2	75.8	104	1983	22	78.7	1993	41	1988	2	72.0	1984	0	332	.3	12.4	31.0	.0	.0	.0	
Aug	87.1	61.1	74.1	102	1983	20	79.4	1983	35	1986	29	69.7	1992	3	285	.1	9.5	31.0	.0	.0	.0	
Sep	80.9	53.2	67.1	98	1999	4	71.6	1972	28	1983	24	62.7	1974	56	118	.0	3.4	30.0	.0	.3	.0	
Oct	70.4	40.7	55.6	90	1971	1	61.6	1971	14+	1981	24	46.9	1987	312	19	.0	@	30.5	.0	7.9	.0	
Nov	57.1	33.8	45.5	84+	1987	1	52.4	1985	1	1976	30	37.0	1976	586	0	.0	.0	21.1	.3	14.8	.0	
Dec	45.6	25.3	35.5	76+	1982	2	45.1	1971	-21	1989	22	22.8	2000	916	0	.0	.0	11.1	4.3	21.9	1.0	
Ann	67.4	42.0	54.7	104	Jul 1983	22	79.4	Aug 1983	-31	Jan 1977	17	16.1	Jan 1977	4779	1050	.5	31.2	288.5	16.1	117.5	5.5	

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 015-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1969-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: ENGLISH 4 S, IN

COOP ID: 122660

Climate Division: IN 8 NWS Call Sign: Elevation: 510 Feet Lat: 38°17N Lon: 86°28W

										Pı	recipi	tation	(incl	nes)													
	Mea Medi		P	recipi	itatio	n Total					ean N of D	ays (3)	Proba		Me	nonthly/ onthly/An	annual j indic	precipita ated am	vs Proba		els	o or less than the				
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95			
Jan	3.68	3.58	5.50	2000	3	9.07	1982	.57	1981	12.2	6.9	2.5	.7	1.00	1.35	1.88	2.34	2.80	3.28	3.81	4.44	5.26	6.54	7.74			
Feb	3.50	3.32	4.30	2000	18	7.98	2000	.92	1978	11.1	6.6	2.1	.8	1.01	1.34	1.84	2.28	2.70	3.15	3.63	4.21	4.96	6.13	7.23			
Mar	4.79	4.58	3.01	1991	22	9.99	1997	1.82	1971	12.9	8.8	3.3	1.3	1.88	2.32	2.95	3.47	3.97	4.47	5.01	5.64	6.44	7.67	8.78			
Apr	4.73	4.33	3.82	1996	29	9.86	1996	1.27	1976	12.6	8.1	3.2	1.2	1.59	2.04	2.69	3.25	3.78	4.34	4.94	5.64	6.55	7.95	9.24			
May	5.06	4.00	4.00	1983	13	14.23	1983	1.92	1991	11.9	8.3	3.6	1.2	1.50	1.98	2.70	3.32	3.93	4.56	5.26	6.08	7.14	8.80	10.34			
Jun	4.80	4.00	3.85	1979	9	9.79	1979	.86	1988	11.0	7.8	3.0	1.3	1.27	1.73	2.42	3.03	3.63	4.26	4.96	5.79	6.88	8.58	10.17			
Jul	4.24	4.40	4.00	1979	27	12.64	1979	.31	1994	9.3	6.5	2.7	1.2	.94	1.33	1.95	2.51	3.07	3.67	4.34	5.14	6.20	7.88	9.47			
Aug	3.89	4.12	2.95	1995	5	7.47	1977	.44	1991	8.8	5.6	2.9	1.1	.98	1.34	1.91	2.41	2.91	3.43	4.01	4.70	5.61	7.03	8.37			
Sep	3.56	3.43	2.55	1996	16	8.96	1996	.40	1998	9.2	5.6	2.4	1.0	.75	1.08	1.60	2.07	2.55	3.06	3.63	4.32	5.23	6.68	8.05			
Oct	3.13	2.68	3.53	1977	1	7.99	1983	.62	1992	9.7	5.1	2.1	.9	.73	1.02	1.48	1.89	2.30	2.73	3.22	3.80	4.56	5.77	6.91			
Nov	4.35	4.60	2.93	1997	30	8.96	1979	1.45	1976	11.7	7.6	3.1	1.2	1.49	1.90	2.50	3.01	3.49	3.99	4.54	5.17	5.99	7.25	8.42			
Dec	3.99	3.51	2.65	1984	21	9.29	1990	.74	1976	11.9	7.3	2.8	1.0	1.28	1.66	2.22	2.70	3.16	3.64	4.16	4.77	5.56	6.79	7.92			
Ann	49.72	49.62	5.50	Jan 2000	3	14.23	May 1983	.31	Jul 1994	132.3	84.2	33.7	12.9	36.11	38.77	42.16	44.73	47.00	49.20	51.46	53.96	56.98	61.35	65.12			

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1969-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 122660

Station: ENGLISH 4 S, IN

Climate Division: IN 8 NWS Call Sign: Elevation: 510 Feet Lat: 38°17N Lon: 86°28W

										Snov	v (incl	hes)											
						Sno	ow To	tals									Mea	n Nui	nber	of Day	VS (1)		
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa					Depth eshold	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	4.9	.5	1	#	6.0	1978	17	24.0	1978	14	1978	17	9	1977	1.1	.9	.3	.1	.0	3.3	2.6	2.4	1.7
Feb	3.1	.5	1	#	10.0	1998	5	24.0	1998	15	1998	7	4	1985	.9	.8	.1	.1	.1	1.3	.9	.8	.3
Mar	.8	#	#	0	4.0	1978	3	6.0	1978	14	1996	20	2	1996	.2	.2	.1	.0	.0	.5	.4	.2	.1
Apr	.0	.0	#	0	1.0	1973	10	1.0	1973	1	1973	10	#+	2000	@	@	.0	.0	.0	@	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	#	.0	#	0	#	1989	19	#	1989	1	1993	30	#+	1993	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.3	.0	#	0	2.5	1971	23	4.5	1971	4	1977	27	#+	1997	.2	.1	.0	.0	.0	.1	@	.0	.0
Dec	.8	.0	#	#	3.0	1973	20	5.0	1973	7	1984	6	2+	2000	.5	.4	.1	.0	.0	.3	@	.0	.0
Ann	9.9	1.0	N/A	N/A	10.0	Feb 1998	5	24.0+	Feb 1998	15	Feb 1998	7	9	Jan 1977	2.9	2.4	.6	.2	.1	5.5	3.9	3.4	2.1

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Station: ENGLISH 4 S, IN

Climate Division: IN 8

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 122660

Lon: 86°28W

Elevation: 510 Feet

Lat: 38°17N

				Freez	e Data									
			Spri	ng Freeze Da	ates (Month/	Day)								
Freeze Data Spring Freeze Dates (Month/Day) Spring Freeze Dates (Mon														
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	6/02	5/26	5/21	5/17	5/14	5/10	5/06	5/01	4/25					
32	5/18	5/13	5/10	5/06	5/03	4/30	4/27	4/24	4/18					
28	4/30	4/26	4/22	4/19	4/17	4/14	4/11	4/08	4/04					
24	4/19	4/15	4/12	4/09	4/07	4/04	4/02	3/29	3/25					
20	4/10	4/05	4/01	3/29	3/26	3/22	3/19	3/15	3/10					
16	3/27	3/20	3/16	3/11	3/07	3/04	2/27	2/22	2/16					
1		•	Fal	l Freeze Dat	es (Month/D	ay)		1	•					
Tomp (F)		Pro	bability of ea	arlier date in	ı fall (beginn	ing Aug 1) t	han indicate	ed(*)						
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	9/14	9/18	9/22	9/24	9/27	9/30	10/03	10/06	10/11					
32	9/27	9/30	10/03	10/05	10/07	10/09	10/11	10/13	10/17					
28	10/02	10/06	10/09	10/11	10/13	10/16	10/18	10/21	10/25					
24	10/13	10/19	10/23	10/26	10/29	11/02	11/05	11/09	11/15					
20	10/21	10/27	11/01	11/05	11/09	11/12	11/16	11/21	11/28					
16	11/01	11/08	11/13	11/18	11/22	11/26	11/30	12/05	12/12					
1		•		Freeze F	ree Period	•		1	•					
Tomp (F)			Probability	of longer tha	an indicated	freeze free p	eriod (Days)							
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90					
36	158	150	145	140	136	131	126	121	113					
32	171	166	162	159	156	152	149	145	140					
28	198	191	187	183	179	175	171	167	160					
24	224	217	213	209	205	201	197	193	186					
20	252	244	238	232	227	222	217	211	202					
16	283	275	269	263	259	254	248	242	234					

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

NWS Call Sign:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: ENGLISH 4 S, IN

COOP ID: 122660

Climate Division: IN 8 NWS Call Sign: Elevation: 510 Feet Lat: 38°17N Lon: 86°28W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree 1	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1048	804	600	314	131	9	0	3	56	312	586	916	4779
60	893	664	454	187	60	1	0	0	17	194	440	761	3671
57	802	584	369	126	32	0	0	0	7	136	357	677	3090
55	748	533	316	92	20	0	0	0	4	105	304	619	2741
50	603	405	203	33	5	0	0	0	0	46	190	479	1964
32	203	90	13	0	0	0	0	0	0	0	9	127	442

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	178	210	436	682	973	1190	1355	1305	1052	730	413	235	8759
55	10	9	26	84	280	500	642	592	366	122	18	13	2662
57	2	4	17	57	230	440	580	530	309	92	11	10	2282
60	0	0	9	29	165	351	487	437	229	56	3	0	1766
65	0	0	0	6	81	209	332	285	118	19	0	0	1050
70	0	0	0	1	29	92	183	151	45	4	0	0	505

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (N	(Ionthly)								Growi	ng Degre	ee Units (Accumu	lated Mo	onthly)			
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	48	93	236	448	727	949	1110	1062	813	486	222	79	48	141	377	825	1552	2501	3611	4673	5486	5972	6194	6273
45												41	23	71	215	526	1098	1897	2852	3759	4422	4765	4896	4937
50												20	5	30	109	303	722	1371	2171	2923	3438	3655	3726	3746
55	0	6	40	109	276	499	645	597	369	120	33	7	0	6	46	155	431	930	1575	2172	2541	2661	2694	2701
60	0	0	14	49	157	351	490	442	237	55	10	0	0	0	14	63	220	571	1061	1503	1740	1795	1805	1805
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)	•	
50/86	50/86 34 69 172 300 478 637 753 718 539 338 148 49												34	103	275	575	1053	1690	2443	3161	3700	4038	4186	4235

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf