Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 244368

Station: ILIAD, MT

Climate Division: MT 3

NWS Call Sign:

Elevation: 2,965 Feet Lat: 47°48N Lon: 109°49W

									ŗ	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	per of Days (3)		
Month	Daily Max	Min Mean Daily(Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	28.4	6.3	17.4	68	1992	31	31.4	1992	-48	1969	24	.4	1979	1476	0	.0	.0	3.0	15.0	30.2	10.6
Feb	36.1	13.5	24.8	74	1992	27	36.7	1991	-35+	1996	2	7.7	1979	1125	0	.0	.0	7.0	9.9	27.0	6.3
Mar	46.4	22.2	34.3	78	1993	23	42.4	1986	-28	1960	3	24.9	1996	953	0	.0	.0	15.0	3.9	27.2	1.5
Apr	58.3	32.3	45.3	90	1980	20	52.1	1980	1	1975	6	35.7	1975	590	0	.0	@	23.7	.7	17.0	.0
May	68.1	41.0	54.6	97	1966	26	58.3	1985	22+	1968	11	49.1	1996	327	4	.0	.4	29.6	.0	3.4	.0
Jun	77.0	49.0	63.0	102	1988	4	71.3	1988	24	1969	13	58.2	1998	123	64	.1	3.1	29.9	.0	.1	.0
Jul	84.2	53.0	68.6	107	1963	22	72.8	1975	31	1966	4	60.8	1993	52	163	.6	8.8	31.0	.0	.4	.0
Aug	84.1	52.3	68.2	112	1961	5	75.2	1971	31	1992	25	62.4	1980	73	172	.9	10.1	30.9	.0	.1	.0
Sep	72.3	41.4	56.9	101	1967	5	64.8	1998	15+	1965	26	48.8	1985	285	41	.0	1.9	28.6	.0	4.5	.0
Oct	59.5	30.6	45.1	90	1964	13	48.9	1979	-15	1991	28	38.7	1991	618	0	.0	.0	25.7	.8	16.8	.3
Nov	41.6	18.5	30.1	79	1975	5	40.3	1999	-31	1959	13	9.8	1985	1050	0	.0	.0	10.2	6.5	27.4	2.9
Dec	31.5	9.4	20.5	68	1980	15	32.9	1999	-43+	1989	22	9	1983	1381	0	.0	.0	4.1	12.6	30.3	7.5
Ann	57.3	30.8	44.1	112	Aug 1961	5	75.2	Aug 1971	-48	Jan 1969	24	9	Dec 1983	8053	444	1.6	24.3	238.7	49.4	184.4	29.1

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 084-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1950-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 244368

Station: ILIAD, MT

Climate Division: MT 3 NWS Call Sign: Elevation: 2,965 Feet Lat: 47°48N Lon: 109°49W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total	S			М	ean N	Numb Oays (3		Proba	ability th		nonthly/	annual j	precipita ated am		ll be equ		· less tha	ın the
		ans(1)				Extremes	5			D	aily Pre	cipitatio	n		Th				_	incomplet			ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.58	.56	.78	1996	3	1.65	1971	.00+	1988	4.8	1.4	.2	.0	.00	.00	.11	.22	.33	.45	.58	.74	.96	1.31	1.66
Feb	.43	.44	.80	1982	22	1.01	1978	.00+	1990	3.5	1.0	@	.0	.00	.08	.17	.24	.30	.37	.45	.53	.65	.84	1.02
Mar	.68	.62	.79	1993	27	1.87	1996	.00	1994	4.5	2.2	.2	.0	.07	.15	.26	.36	.46	.57	.69	.84	1.03	1.35	1.65
Apr	1.15	.94	1.90	1991	28	2.96	1989	.00	1983	4.4	2.8	.6	.1	.16	.31	.51	.67	.83	1.00	1.19	1.42	1.72	2.19	2.63
May	2.34	2.06	2.32	1997	26	5.25	1982	.38	1992	7.7	5.5	1.2	.3	.57	.78	1.12	1.43	1.73	2.05	2.40	2.83	3.38	4.26	5.09
Jun	2.28	1.79	3.00	1974	20	6.32	1993	.76	1985	7.7	5.4	1.3	.3	.67	.89	1.21	1.49	1.77	2.05	2.37	2.74	3.22	3.97	4.67
Jul	1.57	1.34	2.37	1983	10	3.97	1983	.00	1984	5.4	3.6	1.0	.2	.15	.34	.59	.82	1.05	1.30	1.59	1.93	2.39	3.13	3.83
Aug	1.36	1.19	2.02	1968	15	5.28	1985	.00	1988	4.9	3.1	.9	.2	.05	.16	.35	.55	.77	1.01	1.30	1.67	2.17	3.01	3.84
Sep	1.14	.78	1.60	1988	18	4.48	1986	.00	1990	4.1	3.0	.5	.1	.06	.17	.35	.51	.69	.89	1.12	1.40	1.79	2.43	3.04
Oct	.67	.65	1.18	1967	3	1.56	1998	.00	1987	3.3	2.1	.3	.0	.09	.17	.29	.38	.48	.58	.69	.83	1.01	1.29	1.56
Nov	.48	.38	1.00	1959	14	1.28	1978	.00+	2000	3.7	1.4	.1	.0	.00	.00	.13	.22	.31	.40	.50	.61	.77	1.01	1.24
Dec	.41	.31	.70	1977	16	2.61	1977	.00+	2000	3.2	1.2	.1	.0	.00	.00	.00	.08	.17	.27	.38	.52	.71	1.02	1.33
Ann	13.09	12.66	3.00	Jun 1974	20	6.32	Jun 1993	.00+	Dec 2000	57.2	32.7	6.4	1.2	7.54	8.53	9.84	10.86	11.79	12.71	13.67	14.76	16.10	18.08	19.83

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1950-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: ILIAD, MT

Climate Division: MT 3 NWS Call Sign:

Elevation: 2,965 Feet

Lat: 47°48N Lo

Lon: 109°49W

COOP ID: 244368

										Snov	w (inc	hes)											
						Sn	ow To	tals									Mea	n Nu	mber	of Da	ys (1)		
	Mean	s/Medi	ans (1)	ı					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	2.1	-99.9	1	1	7.0	1994	18	10.5	1993	9	1999	10	4	1999	1.2	.7	.3	.1	.0	-9.9	-9.9	-9.9	-9.9
Feb	1.2	-99.9	#	#	6.0	1972	22	6.0+	1972	5+	2000	20	3	1975	1.1	1.0	.3	.1	.0	-9.9	-9.9	-9.9	-9.9
Mar	1.7	.0	1	#	5.0	1977	29	5.0	1977	6+	1996	23	6	1972	.7	.4	.1	.1	.0	-9.9	-9.9	-9.9	-9.9
Apr	1.7	.0	#	0	9.0	1995	9	9.0	1995	6	1997	4	#+	2000	.4	.4	.2	.1	.0	-9.9	-9.9	-9.9	-9.9
May	.4	.0	#	0	8.0	1982	29	8.0+	1982	6	1974	13	#+	1996	.1	.1	.1	.1	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.1	.0	0	0	1.0	1992	23	1.0	1992	0	0	0	0	0	.1	.1	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.9	.0	#	0	6.0	1981	13	8.0	1981	4	1996	20	#+	2000	.4	.2	.1	.1	.0	.1	.0	.0	.0
Nov	4.4	3.5	1	0	4.5	1995	6	12.5	1995	7	1975	27	7	1975	1.1	1.0	.4	.0	.0	-9.9	-9.9	-9.9	-9.9
Dec	1.8	1.1	1	#	8.0	1998	28	8.0	1998	5	1972	2	3	1977	1.0	.9	.4	.2	.0	-9.9	-9.9	-9.9	-9.9
Ann	14.3	-9.9	N/A	N/A	9.0	Apr 1995	9	12.5	Nov 1995	9	Jan 1999	10	7	Nov 1975	6.1	4.8	1.9	.8	.0	-9.9	-9.9	-9.9	-9.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 244368

Lon: 109°49W

Lat: 47°48N

Station: ILIAD, MT

Climate Division: MT 3

NWS Call Sign:

Elevation: 2,965 Feet

				Freez	ze Data										
			Spri	ng Freeze D	ates (Month	/Day)									
Tomn (F)	Spring Freeze Dates (Month/Day)														
Temp (I')	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	7/22	7/11	7/02	6/25	6/18	6/11	6/04	5/26	5/15						
32	6/28	6/17	6/09	6/02	5/26	5/19	5/12	5/04	4/23						
28	5/27	5/19	5/13	5/09	5/04	4/29	4/24	4/19	4/11						
24	5/02	4/28	4/25	4/22	4/20	4/18	4/15	4/12	4/08						
20	4/25	4/19	4/15	4/12	4/09	4/05	4/02	3/29	3/23						
16	4/16	4/10	4/07	4/03	3/31	3/28	3/25	3/21	3/15						
<u>.</u>			Fal	ll Freeze Da	tes (Month/L	Day)	1	1	•						
Town (F)		Pro	bability of ea	arlier date i	n fall (beginr	ning Aug 1) t	han indicate	ed(*)							
temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	8/24	8/28	8/31	9/03	9/06	9/08	9/11	9/14	9/18						
32	9/02	9/07	9/11	9/14	9/17	9/20	9/23	9/26	10/01						
28	9/11	9/15	9/19	9/22	9/24	9/27	9/30	10/03	10/08						
24	9/18	9/24	9/28	10/02	10/05	10/09	10/12	10/17	10/23						
20	9/26	10/03	10/07	10/11	10/15	10/19	10/23	10/27	11/03						
16	10/10	10/17	10/21	10/25	10/29	11/02	11/05	11/10	11/16						
			•	Freeze F	ree Period	1	1	1	•						
To (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)								
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90						
36	119	105	95	87	79	71	62	53	39						
32	153	139	129	121	113	105	97	87	73						
28	170	160	154	148	143	137	131	125	115						
24	192	184	178	172	168	163	158	152	143						
20	217	207	200	194	189	183	177	170	161						
16	235	227	221	216	211	206	201	195	187						

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: ILIAD, MT

, MT COOP ID: 244368

Climate Division: MT 3 NWS Call Sign: Elevation: 2,965 Feet Lat: 47°48N Lon: 109°49W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1476	1125	953	590	327	123	52	73	285	618	1050	1381	8053
60	1322	993	798	449	194	50	15	29	181	464	900	1226	6621
57	1232	915	705	367	129	24	7	16	129	373	819	1135	5851
55	1172	862	645	316	94	14	2	9	100	314	763	1076	5367
50	1030	734	499	205	35	2	0	2	45	183	624	933	4292
32	549	349	113	12	0	0	0	0	0	7	239	462	1731

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	96	148	183	412	700	931	1134	1122	746	412	179	104	6167
55	6	17	2	25	81	255	424	418	156	5	13	5	1407
57	3	14	0	17	54	205	366	363	125	2	10	2	1161
60	0	8	0	8	25	141	282	283	87	1	0	0	835
65	0	0	0	0	4	64	163	172	41	0	0	0	444
70	0	0	0	0	0	20	80	90	16	0	0	0	206

										Gro	wing l	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	Ionthly)								Growi	ng Degre	ee Units (Accumu	lated Mo	onthly)			
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov D												Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	6 21 61 202 466 693 865 871 512 233 38												6	27	88	290	756	1449	2314	3185	3697	3930	3968	3972
45	0 3 20 112 321 543 710 716 373 129 13											2	0	3	23	135	456	999	1709	2425	2798	2927	2940	2942
50	0 0 1 51 187 394 555 563 245 58 3											0	0	0	1	52	239	633	1188	1751	1996	2054	2057	2057
55	0	0	0	16	91	256	401	413	136	18	0	0	0	0	0	16	107	363	764	1177	1313	1331	1331	1331
60	0	0	0	3	36	136	260	268	64	4	0	0	0	0	0	3	39	175	435	703	767	771	771	771
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	1/86 2 28 62 166 306 430 553 550 350 197 44 10											10	2	30	92	258	564	994	1547	2097	2447	2644	2688	2698

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf