Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: MILFORD LAKE, KS 1971-2000 COOP ID: 145306

Climate Division: KS 6 NWS Call Sign: Elevation: 1,210 Feet Lat: 39°04N Lon: 96°54W

									, , , , , , , , , , , , , , , , , , ,	Tempe	eratur	re (°F)									
	Mea	n (1)						Extr	emes					Ü	Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	36.8	14.8	25.8	75	1981	25	36.7	1989	-17+	1985	13	10.7	1979	1216	0	.0	.0	6.0	11.4	29.7	3.6
Feb	43.4	20.0	31.7	79	1972	29	41.4	1976	-18	1979	1	16.3	1979	933	0	.0	.0	10.0	7.2	24.1	2.7
Mar	54.3	30.1	42.2	90	1967	30	48.6	1986	-9+	1978	5	34.0	1975	707	0	.0	.0	19.3	1.5	17.7	.3
Apr	64.9	41.2	53.1	96	1989	26	59.5	1981	8	1975	4	45.2	1983	367	8	.0	.4	27.0	.1	4.9	.0
May	74.3	51.8	63.1	100	1998	31	69.3	1987	29	1981	11	57.3	1995	146	85	@	.8	30.9	.0	.2	.0
Jun	84.0	61.5	72.8	108	1980	28	77.4	1988	41+	1998	6	66.9	1982	16	248	.7	7.7	30.0	.0	.0	.0
Jul	90.0	66.9	78.5	110	1980	15	85.6	1980	47	1972	5	74.2	1971	0	416	3.4	17.2	31.0	.0	.0	.0
Aug	88.2	64.9	76.6	108+	1983	18	84.5	2000	49+	1981	21	71.3	1992	8	366	2.6	14.6	31.0	.0	.0	.0
Sep	80.3	55.3	67.8	109	2000	3	74.0	1998	28	1984	30	60.8	1974	64	147	.6	6.2	29.9	.0	.2	.0
Oct	69.0	42.8	55.9	94+	1994	1	60.7	2000	15	1993	31	50.3	1976	294	12	.0	.4	29.6	.0	3.8	.0
Nov	52.9	30.4	41.7	83+	1999	14	52.0	1999	-1	1976	28	34.4	1985	700	0	.0	.0	18.2	1.4	17.0	.1
Dec	40.8	19.6	30.2	75	1995	1	36.6	1999	-21	1989	22	13.4	1983	1079	0	.0	.0	7.7	7.2	28.6	1.7
Ann	64.9	41.6	53.3	110	Jul 1980	15	85.6	Jul 1980	-21	Dec 1989	22	10.7	Jan 1979	5530	1282	7.3	47.3	270.6	28.8	126.2	8.4

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 071-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1965-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: MILFORD LAKE, KS COOP ID: 145306

Climate Division: KS 6 NWS Call Sign: Elevation: 1,210 Feet Lat: 39°04N Lon: 96°54W

										Pı	recipi	tation	(incl	nes)												
			P	recip	itatio	n Total	s			M	ean N	lumbo ays (3	_	Proba	ability th	nat the n		- annual _J			ies (1)	al to or	less tha	ın the		
	Medi					Extremes	i.			D	aily Pre	cipitatio	n		Th		Monthly/Annual Precipitation vs Probability Levels thus were determined from the incomplete gamma distribution									
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95		
Jan	.72	.69	.91	1980	19	2.50	1979	.00	1986	4.2	2.3	.3	.0	.04	.11	.23	.33	.44	.57	.71	.89	1.14	1.53	1.92		
Feb	.94	.83	2.10	2001	26	2.99	1997	.00+	1996	4.4	2.1	.6	.1	.00	.10	.27	.42	.58	.75	.94	1.17	1.50	2.02	2.53		
Mar	2.50	1.98	2.27	1980	30	8.04	1973	.17	1997	7.1	4.4	1.6	.7	.33	.53	.88	1.23	1.60	2.01	2.48	3.06	3.85	5.13	6.38		
Apr	2.71	2.60	2.29	2001	11	6.99	1999	.39	1989	8.8	5.2	2.0	.6	.58	.83	1.23	1.59	1.95	2.34	2.77	3.29	3.97	5.06	6.10		
May	4.86	4.54	3.13	1995	17	17.22	1995	1.00	1998	11.4	7.7	3.4	1.5	1.19	1.65	2.36	2.98	3.61	4.27	5.00	5.88	7.03	8.84	10.54		
Jun	4.42	3.93	4.78	1977	18	9.55	1977	1.38	1997	9.3	6.3	3.1	1.2	1.87	2.27	2.83	3.29	3.72	4.16	4.63	5.17	5.86	6.90	7.84		
Jul	4.23	3.58	3.12	1973	20	12.32	1992	.04	1983	8.5	5.8	2.7	1.3	.26	.50	1.02	1.60	2.25	3.01	3.93	5.11	6.76	9.57	12.36		
Aug	3.50	2.76	4.73	1990	16	8.39	1977	.00+	2000	8.2	5.3	2.2	1.2	.00	.77	1.50	2.04	2.56	3.10	3.70	4.36	5.27	6.70	8.04		
Sep	3.24	3.08	3.33	1978	20	8.14	1973	.47	1994	7.9	4.8	2.2	1.0	.72	1.02	1.50	1.93	2.36	2.81	3.32	3.93	4.74	6.02	7.23		
Oct	2.51	2.34	3.99	1973	11	6.20	1983	.07	1975	6.4	4.0	1.8	.7	.23	.41	.75	1.10	1.48	1.91	2.42	3.06	3.94	5.41	6.85		
Nov	1.82	1.58	3.03	1998	2	4.40	1998	.00+	1989	5.7	3.4	1.0	.5	.00	.24	.59	.88	1.17	1.49	1.85	2.27	2.86	3.80	4.71		
Dec	1.09	.77	1.98	1980	8	3.33	1980	.00	1976	4.3	2.4	.6	.2	.06	.16	.33	.49	.66	.85	1.07	1.34	1.71	2.32	2.91		
Ann	32.54	31.78	4.78	Jun 1977	18	17.22	May 1995	.00+	Aug 2000	86.2	53.7	21.5	9.0	21.19	23.32	26.08	28.20	30.10	31.96	33.89	36.04	38.67	42.51	45.87		

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1965-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 145306

Station: MILFORD LAKE, KS

Climate Division: KS 6 NWS Call Sign: Elevation: 1,210 Feet Lat: 39°04N Lon: 96°54W

										Snov	w (incl	hes)											
			Median Mean Median Snow Fall Snow Fall Snow Depth Snow Depth														Mea	ın Nu	mber	of Day	VS (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	5.1	4.0	2	1	10.0	1985	10	12.5	1983	13	1979	31	8	1979	2.6	2.0	.6	.2	.1	8.3	5.3	2.5	.4
Feb	3.6	2.8	1	#	10.0	1971	22	16.0	1971	15	1983	6	7	1979	1.5	1.1	.3	.2	@	4.9	2.8	1.9	.1
Mar	1.4	.0	#	0	9.0	1975	10	9.0	1975	9	1975	10	1+	1995	.5	.4	.1	@	.0	1.0	.6	.2	.0
Apr	.3	.0	#	0	3.0	1977	4	3.0+	1977	3+	1997	12	#+	1997	.1	.1	@	.0	.0	.1	.1	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.0	.0	#	0	.0	0	0	.0	0	1	1991	31	#	1991	.0	.0	.0	.0	.0	.0	.0	.0	.0
Nov	.8	.0	#	0	7.0	1975	26	7.3	1975	7	1975	27	1	1975	.3	.2	.1	@	.0	.6	.2	.1	.0
Dec	2.4	.5	1	#	10.0	1983	21	10.0	1983	14	1983	31	7	1983	1.0	.6	.2	@	@	1.9	.7	.1	.0
Ann	13.6	7.3	N/A	N/A	10.0+	Jan 1985	10	16.0	Feb 1971	15	Feb 1983	6	8	Jan 1979	6.0	4.4	1.3	.4	.1	16.8	9.7	4.8	.5

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

- (1) Derived from Snow Climatology and 1971-2000 daily data
- (2) Derived from 1971-2000 daily data

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 145306

Lon: 96°54W

Lat: 39°04N

Station: MILFORD LAKE, KS

Climate Division: KS 6 NWS Call Sign:

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date in	n spring (thr	u Jul 31) tha	n indicated(*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/12	5/07	5/03	4/30	4/27	4/24	4/21	4/18	4/12
32	5/01	4/26	4/22	4/18	4/15	4/12	4/08	4/04	3/30
28	4/15	4/11	4/08	4/06	4/03	4/01	3/30	3/27	3/23
24	4/09	4/03	3/30	3/27	3/24	3/20	3/17	3/13	3/07
20	3/30	3/25	3/21	3/18	3/15	3/12	3/09	3/06	3/01
16	3/23	3/15	3/10	3/05	3/01	2/24	2/20	2/14	2/07
1		•	Fal	l Freeze Dat	tes (Month/D	ay)			•
To (E)		Pro	bability of ea	ırlier date iı	ı fall (beginn	ing Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/21	9/26	9/30	10/03	10/06	10/09	10/12	10/16	10/21
32	9/30	10/06	10/10	10/13	10/17	10/20	10/23	10/27	11/02
28	10/12	10/17	10/21	10/24	10/27	10/30	11/02	11/06	11/11
24	10/23	10/30	11/03	11/08	11/12	11/15	11/20	11/24	12/01
20	11/03	11/09	11/14	11/18	11/21	11/25	11/28	12/03	12/09
16	11/09	11/16	11/21	11/25	11/28	12/02	12/06	12/11	12/17
1		•		Freeze F	ree Period	•	•		•
Town (F)			Probability	of longer tha	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	184	176	171	166	161	157	152	146	138
32	209	201	194	189	184	179	173	167	158
28	224	218	213	210	206	202	199	194	188
24	259	250	243	237	232	227	221	215	205
20	273	265	259	255	250	245	240	235	227
16	303	292	285	278	272	266	259	251	241

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Derived from 1971-2000 serially complete daily data

Complete documentation available from:

Elevation: 1,210 Feet

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 145306

Station: MILFORD LAKE, KS

Climate Division: KS 6 NWS Call Sign: Elevation: 1,210 Feet Lat: 39°04N Lon: 96°54W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1216	933	707	367	146	16	0	8	64	294	700	1079	5530
60	1061	801	556	238	72	3	0	1	21	171	552	924	4400
57	970	723	469	173	42	1	0	0	9	113	468	831	3799
55	910	671	413	136	28	0	0	0	5	83	413	769	3428
50	766	545	285	64	8	0	0	0	0	32	287	625	2612
32	317	206	37	0	0	0	0	0	0	0	34	201	795

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	124	198	353	632	962	1222	1439	1381	1074	741	324	145	8595
55	4	18	16	77	277	532	726	668	388	111	13	1	2831
57	2	14	11	55	229	473	664	606	333	79	8	0	2474
60	0	9	4	30	166	385	571	514	255	44	2	0	1980
65	0	0	0	8	85	248	416	366	147	12	0	0	1282
70	0	0	0	1	34	135	268	233	72	2	0	0	745

										Gro	wing 1	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (M	Ionthly)								Growi	ng Degre	ee Units (Accumu	lated Mo	nthly)			
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	16	65	194	423	727	999	1209	1152	849	517	162	31	16	81	275	698	1425	2424	3633	4785	5634	6151	6313	6344
45													2	33	144	437	1012	1861	2915	3912	4611	4985	5076	5084
50	60 0 9 58 184 423 699 899 842 552 243 43											2	0	9	67	251	674	1373	2272	3114	3666	3909	3952	3954
55	0	1	23	100	282	549	744	687	410	143	16	0	0	1	24	124	406	955	1699	2386	2796	2939	2955	2955
60	0	0	5	49	165	400	589	532	281	70	2	0	0	0	5	54	219	619	1208	1740	2021	2091	2093	2093
Base	ase Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	50/86 22 61 138 261 451 666 808 767 547 325 110 3												22	83	221	482	933	1599	2407	3174	3721	4046	4156	4186

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf