Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 127370

Lon: 84°53W

Station: RICHMOND WTR WKS, IN

Climate Division: IN 6 NWS Call Sign:

	$\begin{array}{c c c c c c c c c c c c c c c c c c c $																				
	Mea	n (1)						Extr	emes						•		Mean	Numb	er of D	Days (3)	1
Month			Mean		Year	Day	Month(1)	Year		Year	Day	Month(1)	Year	Heating	Cooling	>=	>=	>=	<=	<=	Min <= 0
Jan	34.1	17.2	25.7	64+	1995	12	36.0	1998	-27	1994	19	9.2	1977	1220	0	.0	.0	3.6	13.2	27.6	4.6
Feb	39.1	20.7	29.9	74	2000	25	39.2	1998	-20	1985	3	14.6	1978	984	0	.0	.0	6.3	8.9	23.4	2.9
Mar	50.5	30.0	40.3	82+	1981	31	47.4	1973	-9+	1978	5	31.7	1984	768	0	.0	.0	15.7	2.4	19.4	.3
Apr	62.0	38.8	50.4	87	1985	22	55.7	1985	14	1982	7	46.1	1982	439	2	.0	.0	25.4	.1	8.2	.0
May	72.6	49.4	61.0	92	1988	31	68.7	1991	26	1974	7	55.1	1997	196	72	.0	.3	30.8	.0	.8	.0
Jun	81.1	58.0	69.6	99+	1971	28	73.3	1984	36	1969	4	64.6	1972	27	163	.0	3.1	30.0	.0	.0	.0
Jul	84.6	61.6	73.1	100	1988	15	77.0	1999	42	1972	6	68.3	2000	4	255	@	5.8	31.0	.0	.0	.0
Aug	82.6	59.3	71.0	100	1988	17	77.4	1995	41+	1976	2	67.1	1992	19	202	@	3.6	31.0	.0	.0	.0
Sep	76.0	51.5	63.8	94+	1973	2	68.7	1998	30	1974	23	58.2	1974	103	66	.0	1.2	30.0	.0	.1	.0
Oct	64.0	40.2	52.1	88+	1971	1	59.0	1984	16	1976	28	44.8	1988	410	9	.0	.0	28.5	.0	6.0	.0
Nov	50.5	32.2	41.4	78	1987	2	46.3	1994	6+	1976	29	32.4	1976	711	0	.0	.0	15.4	1.0	16.0	.0
Dec	38.8	22.8	30.8	72+	1982	2	39.2	1982	-22	1989	22	17.5	1989	1061	0	.0	.0	5.6	8.3	24.9	1.5
Ann	61.3	40.1	50.8	100+	Aug 1988	17	77.4	Aug 1995	-27	Jan 1994	19	9.2	Jan 1977	5942	769	.0	14.0	253.3	33.9	126.4	9.3

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 047-A

Elevation: 1,015 Feet Lat: 39°53N

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1968-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: RICHMOND WTR WKS, IN COOP ID: 127370

Climate Division: IN 6 NWS Call Sign: Elevation: 1,015 Feet Lat: 39°53N Lon: 84°53W

										Pı	recipi	tation	(incl	nes)										
	N.		P	recip	itatio	on Total	s			M	ean N	lumbo Pays (3		Proba	ability tl	nat the r	nonthly/	annual j	precipita ated am	nount	ll be equ		less tha	ın the
		ans/				Extremes	S			D	aily Pre	cipitatio	n		Th	M ese value	•		•	vs Probal incomplet	•		on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	2.51	2.21	3.19	1999	21	6.46	1999	.18	1981	11.1	6.0	1.4	.4	.66	.89	1.26	1.58	1.89	2.22	2.59	3.03	3.60	4.50	5.34
Feb	2.27	2.06	1.99	1975	23	5.73	1986	.24	1978	9.7	5.1	1.4	.3	.52	.73	1.07	1.36	1.66	1.98	2.33	2.75	3.31	4.19	5.02
Mar	3.16	2.77	2.12	1991	22	6.72	1973	.83	1999	11.7	7.0	2.2	.3	1.17	1.46	1.89	2.24	2.58	2.93	3.30	3.74	4.29	5.15	5.93
Apr	3.84	3.78	2.79	2000	7	8.38	1972	1.03	1997	12.3	8.0	2.5	.8	1.41	1.77	2.29	2.72	3.13	3.55	4.01	4.54	5.22	6.27	7.22
May	4.41	4.12	2.41	1997	31	9.09	1990	1.08	1988	12.7	8.1	3.1	1.2	1.73	2.14	2.72	3.20	3.66	4.12	4.62	5.20	5.94	7.06	8.09
Jun	4.25	4.05	2.57	1998	11	9.38	1998	1.09	1988	10.5	7.6	2.9	1.0	1.64	2.03	2.60	3.06	3.51	3.96	4.45	5.01	5.73	6.83	7.84
Jul	3.79	3.27	4.20	1969	20	10.45	1979	1.09	1982	9.6	6.1	2.9	.9	.92	1.27	1.83	2.32	2.81	3.33	3.91	4.59	5.50	6.92	8.26
Aug	3.55	3.03	2.65	1998	5	8.95	1979	.52	1996	8.8	5.8	2.4	1.0	1.01	1.35	1.86	2.30	2.73	3.18	3.68	4.27	5.03	6.22	7.34
Sep	2.54	1.94	2.41	1996	16	6.45	1984	.14	1998	8.0	4.6	1.7	.6	.31	.51	.87	1.23	1.60	2.02	2.50	3.10	3.91	5.24	6.53
Oct	3.03	2.68	4.53	1986	1	8.66	1986	1.03	1982	9.3	5.7	2.1	.5	.92	1.21	1.64	2.01	2.37	2.74	3.15	3.63	4.25	5.22	6.12
Nov	3.29	2.95	2.41	1985	10	8.92	1985	1.11	1976	10.9	6.4	2.4	.7	1.05	1.36	1.82	2.22	2.60	2.99	3.43	3.93	4.59	5.61	6.55
Dec	2.91	2.70	2.27	1990	30	8.28	1990	.40	1976	11.5	6.1	1.8	.6	.84	1.12	1.53	1.90	2.25	2.62	3.02	3.50	4.12	5.09	6.00
Ann	39.55	39.21	4.53	Oct 1986	1	10.45	Jul 1979	.14	Sep 1998	126.1	76.5	26.8	8.3	29.60	31.56	34.06	35.94	37.60	39.19	40.84	42.64	44.82	47.97	50.67

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1968-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 127370

Station: RICHMOND WTR WKS, IN

Climate Division: IN 6 NWS Call Sign: Elevation: 1,015 Feet Lat: 39°53N Lon: 84°53W

										Snov	w (inc	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ans (1)	1					Extre	mes (2)							ow Fa				Snow = Thr	_	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	6.7	5.2	2	1	11.0	1996	2	27.7	1978	21	1996	11	10	1977	5.1	2.5	.6	.2	@	8.2	4.6	3.0	1.1
Feb	4.9	2.4	2	#	9.0	1984	27	16.7	1979	14	1979	14	9	1979	3.9	1.5	.4	.1	.0	6.3	3.2	2.2	.8
Mar	2.3	1.5	#	#	5.5	1975	14	8.5	1975	6	1978	8	2	1978	2.1	.8	.2	.1	.0	1.6	.6	.1	.0
Apr	.7	.0	#	#	6.0	1974	8	6.4	1973	5	1974	8	#+	2000	.4	.3	.1	@	.0	.2	.1	@	.0
May	#	.0	0	0	#	1989	7	#+	1989	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.2	.0	#	0	4.3	1989	19	5.0	1989	2	1989	19	#+	1993	.1	.1	@	.0	.0	@	.0	.0	.0
Nov	1.0	.0	#	#	5.1	1980	17	5.6	1980	5	1980	17	#+	2000	1.1	.3	.1	@	.0	.3	.1	@	.0
Dec	3.6	2.8	1	#	7.6	1973	20	13.9	1973	7	1995	27	3	1995	3.5	1.1	.3	.1	.0	5.1	2.4	.8	.0
Ann	19.4	11.9	N/A	N/A	11.0	Jan 1996	2	27.7	Jan 1978	21	Jan 1996	11	10	Jan 1977	16.2	6.6	1.7	.5	@	21.7	11.0	6.1	1.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 127370

Lon: 84°53W

Lat: 39°53N

Station: RICHMOND WTR WKS, IN

Climate Division: IN 6

NWS Call Sign:

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated(*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	5/20	5/15	5/12	5/09	5/06	5/03	5/01	4/27	4/23
32	5/12	5/07	5/03	4/30	4/26	4/23	4/20	4/16	4/10
28	4/30	4/25	4/22	4/19	4/16	4/13	4/10	4/06	4/01
24	4/18	4/13	4/09	4/06	4/04	4/01	3/29	3/25	3/20
20	4/07	4/01	3/28	3/25	3/21	3/18	3/15	3/10	3/05
16	4/01	3/25	3/20	3/15	3/11	3/07	3/03	2/26	2/19
<u>.</u>			Fal	l Freeze Da	tes (Month/D	ay)			
Comp (E)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/20	9/24	9/27	9/29	10/01	10/03	10/06	10/08	10/12
32	9/29	10/03	10/06	10/09	10/12	10/14	10/17	10/20	10/24
28	10/08	10/14	10/17	10/21	10/24	10/27	10/30	11/03	11/09
24	10/20	10/25	10/28	11/01	11/03	11/06	11/09	11/13	11/18
20	10/31	11/06	11/11	11/15	11/18	11/22	11/26	11/30	12/07
16	11/08	11/16	11/21	11/26	12/01	12/05	12/10	12/16	12/23
•				Freeze F	ree Period				•
Tomp (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	163	158	154	150	147	144	141	137	131
32	187	181	176	171	167	163	159	154	147
28	214	206	200	195	190	186	181	175	167
24	235	228	222	217	213	209	204	199	191
20	267	258	252	246	241	236	230	224	215
16	292	282	275	269	263	258	252	245	235

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Elevation: 1,015 Feet

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: RICHMOND WTR WKS, IN COOP ID: 127370

Climate Division: IN 6 NWS Call Sign: Elevation: 1,015 Feet Lat: 39°53N Lon: 84°53W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1220	984	768	439	196	27	4	19	103	410	711	1061	5942
60	1065	844	613	296	110	6	0	3	40	277	561	906	4721
57	972	760	526	219	72	2	0	0	19	209	473	813	4065
55	910	707	467	172	51	1	0	0	11	169	415	756	3659
50	766	577	330	80	19	0	0	0	2	89	282	611	2756
32	305	198	45	0	0	0	0	0	0	0	23	201	772

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	108	139	301	552	899	1126	1273	1206	953	623	302	164	7646
55	0	4	10	35	237	437	560	493	273	78	5	5	2137
57	0	0	6	21	195	378	498	431	222	56	2	0	1809
60	0	0	0	9	141	292	405	341	153	31	0	0	1372
65	0	0	0	2	72	163	255	202	66	9	0	0	769
70	0	0	0	0	29	68	123	98	19	1	0	0	338

										Gro	wing]	Degre	e Uni	ts (2)										
Base					Growing	g Degree	Units (N	Ionthly)								Growi	ng Degre	ee Units (Accumu	lated Mo	nthly)			
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov De												Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	24	42	145	337	658	896	1046	985	744	414	155	43	24	66	211	548	1206	2102	3148	4133	4877	5291	5446	5489
45	6 18 83 217 505 746 891 830 594 275 87											21	6	24	107	324	829	1575	2466	3296	3890	4165	4252	4273
50	1 4 41 124 356 596 736 675 445 163 40											6	1	5	46	170	526	1122	1858	2533	2978	3141	3181	3187
55	0	1	22	63	228	446	581	520	305	83	17	0	0	1	23	86	314	760	1341	1861	2166	2249	2266	2266
60	0	0	4	23	124	308	426	365	184	35	2	0	0	0	4	27	151	459	885	1250	1434	1469	1471	1471
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	0/86 5 27 94 209 409 597 709 665 474 251 87											22	5	32	126	335	744	1341	2050	2715	3189	3440	3527	3549

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf