Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 205531

Lon: 84°08W

Station: MIO HYDRO PLANT, MI

Climate Division: MI 4 NWS Call Sign:

									•	Гетр	eratui	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base To	Days (1) emp 65		Mean	Numb	er of I	Days (3))
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	27.2	7.3	17.3	60	1973	27	25.5	1990	-38	1951	30	7.5	1994	1479	0	.0	.0	.2	22.1	30.5	8.8
Feb	30.2	7.2	18.7	61+	1984	24	30.4	1998	-38	1979	17	7.3	1979	1297	0	.0	.0	1.1	16.7	27.4	8.5
Mar	40.3	16.8	28.6	78	2000	9	39.0	2000	-28	1962	2	22.1	1972	1130	0	.0	.0	6.5	6.5	27.5	3.3
Apr	53.6	29.7	41.7	88+	1976	16	47.2	1986	-12	1954	4	36.3	1972	701	0	.0	.0	19.3	.6	18.2	.0
May	67.3	40.5	53.9	93	1986	30	61.2	1998	17	1966	2	46.7	1997	364	21	.0	.6	29.7	.0	6.6	.0
Jun	76.6	50.1	63.4	103	1995	20	67.9	1987	26	1949	8	57.2	1982	117	67	@	1.7	30.0	.0	.4	.0
Jul	81.7	54.9	68.3	101	1988	9	73.3	1983	33	1965	6	62.4	1992	31	133	.1	3.7	31.0	.0	.0	.0
Aug	78.8	52.6	65.7	100	1955	1	70.3	1995	24	1982	28	61.2	1982	78	99	.0	1.6	31.0	.0	.1	.0
Sep	69.8	44.8	57.3	95	1953	2	62.4	1998	23	1965	27	53.1	1993	239	7	.0	.2	29.9	.0	2.4	.0
Oct	57.6	34.4	46.0	85+	1971	2	54.5	1971	13	1965	29	40.7	1980	589	0	.0	.0	24.3	.0	11.8	.0
Nov	43.6	26.0	34.8	75	1950	1	41.2	1999	-11+	1949	26	28.0	1976	907	0	.0	.0	7.8	3.6	22.4	.1
Dec	32.1	15.2	23.7	66	2001	6	32.6	1982	-26+	1951	19	12.2	1989	1282	0	.0	.0	1.4	15.5	29.6	3.9
					Jun			Jul		Feb			Feb								
Ann	54.9	31.6	43.3	103	1995	20	73.3	1983	-38+	1979	17	7.3	1979	8214	327	.1	7.8	212.2	65.0	176.9	24.6

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 073-A

(1) From the 1971-2000 Monthly Normals

Elevation: 960 Feet Lat: 44°40N

- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 205531

Station: MIO HYDRO PLANT, MI

Climate Division: MI 4 NWS Call Sign: Elevation: 960 Feet Lat: 44°40N Lon: 84°08W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total	S			M	ean N	Numbo Pays (3		Proba	ability th		nonthly/	annual j	precipita ated an		ll be equ		· less tha	ın the
		ans(1)				Extremes	8			D	aily Pre	cipitatio	n		Th				_	incomplet			ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	1.60	1.34	1.28	1978	26	2.91	1974	.45	1981	10.1	5.0	.6	.1	.57	.72	.94	1.12	1.29	1.47	1.67	1.89	2.18	2.63	3.04
Feb	1.19	1.15	1.44	1971	20	3.34	1971	.00	1995	7.2	4.1	.4	@	.24	.41	.61	.77	.92	1.08	1.25	1.46	1.72	2.13	2.51
Mar	1.73	1.59	2.12	1998	31	4.98	1976	.15	1993	8.5	5.2	.9	.1	.34	.50	.76	.99	1.22	1.48	1.76	2.11	2.56	3.29	3.99
Apr	2.08	1.94	1.30	1981	9	4.23	1981	.61	1976	8.9	5.8	1.2	.1	.75	.94	1.23	1.46	1.69	1.92	2.18	2.47	2.84	3.42	3.96
May	2.37	2.37	1.70	1973	28	5.68	1983	.44	1992	9.1	6.4	1.4	.2	.85	1.07	1.39	1.66	1.92	2.18	2.47	2.81	3.24	3.90	4.51
Jun	2.62	2.61	2.39	1999	14	5.52	1993	.59	1988	9.0	6.0	1.9	.3	.73	.98	1.36	1.68	2.01	2.34	2.71	3.15	3.72	4.62	5.46
Jul	2.96	2.99	2.51	1960	26	7.25	1994	.62	1989	8.8	5.8	1.9	.7	1.01	1.29	1.70	2.04	2.37	2.71	3.08	3.52	4.07	4.93	5.72
Aug	3.49	3.33	3.13	1990	19	7.74	1990	.76	1999	9.8	7.3	2.3	.6	.89	1.22	1.73	2.18	2.62	3.08	3.60	4.22	5.02	6.29	7.47
Sep	2.88	2.60	1.70	1999	28	8.25	1986	.38	1979	10.0	6.7	1.6	.6	1.01	1.28	1.68	2.01	2.33	2.66	3.01	3.43	3.96	4.78	5.54
Oct	2.26	2.06	2.10	1988	20	7.04	1991	.59	2000	10.0	5.9	1.3	.3	.67	.89	1.21	1.49	1.76	2.04	2.35	2.71	3.19	3.93	4.61
Nov	1.92	1.80	1.50	1988	6	4.42	1988	.32	1996	10.5	5.6	.8	.1	.57	.75	1.03	1.26	1.49	1.73	1.99	2.30	2.70	3.33	3.91
Dec	1.63	1.52	1.36	1971	15	3.84	1971	.20	1997	9.7	5.2	.7	.1	.38	.54	.77	.99	1.20	1.43	1.68	1.98	2.37	3.00	3.59
Ann	26.73	26.91	3.13	Aug 1990	19	8.25	Sep 1986	.00	Feb 1995	111.6	69.0	15.0	3.2	20.94	22.10	23.57	24.67	25.63	26.55	27.50	28.53	29.78	31.57	33.09

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 205531

Station: MIO HYDRO PLANT, MI

Climate Division: MI 4 NWS Call Sign: Elevation: 960 Feet Lat: 44°40N Lon: 84°08W

										Snov	w (incl	hes)											
						Sn	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa					Depth esholo	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	17.5	14.4	9	7	17.0	1978	26	36.0	1978	34	1979	28	25	1979	9.3	5.7	1.6	.6	.1	29.2	27.0	22.0	13.7
Feb	10.1	9.0	11	8	10.0	1981	11	20.0	1985	38	1979	20	33	1979	6.3	3.8	.7	.2	@	26.8	24.1	19.4	12.8
Mar	10.8	10.0	7	5	11.5	1971	19	28.7	1971	33	1971	20	26	1971	5.3	3.3	1.0	.5	@	20.6	16.8	14.4	9.4
Apr	3.1	2.0	1	#	8.0	1973	10	11.0	1979	23	1971	1	11	1972	1.9	1.1	.3	.1	.0	4.5	2.7	1.9	1.1
May	.3	.0	#	0	3.0	1979	1	5.0	1979	4	1994	1	4	1994	.2	.2	@	.0	.0	.1	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	#	.0	0	0	#	1975	13	#	1975	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.2	.0	#	0	3.0	1976	22	4.0	1976	3	1997	27	#+	1997	.3	@	@	.0	.0	.0	.0	.0	.0
Nov	5.1	4.5	1	#	5.5	1977	25	13.9	1971	14	1995	29	4	1995	3.1	1.6	.4	@	.0	4.5	1.8	.6	.0
Dec	13.5	14.0	4	3	10.0	1971	30	32.1	1972	16	1972	30	13	1995	7.5	4.6	1.1	.4	@	21.2	13.5	8.2	3.0
Ann	60.6	53.9	N/A	N/A	17.0	Jan 1978	26	36.0	Jan 1978	38	Feb 1979	20	33	Feb 1979	33.9	20.3	5.1	1.8	.1	106.9	85.9	66.5	40.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 205531

Lon: 84°08W

Lat: 44°40N

Station: MIO HYDRO PLANT, MI

Climate Division: MI 4

NWS Call Sign:

				Freez	e Data				
			Spri	ng Freeze D	ates (Month/	Day)			
Temp (F)		P	robability of	later date i	n spring (thr	u Jul 31) tha	n indicated((*)	
Temp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/19	6/15	6/12	6/09	6/07	6/05	6/02	5/30	5/26
32	6/11	6/06	6/02	5/30	5/27	5/24	5/21	5/17	5/12
28	5/21	5/18	5/15	5/13	5/10	5/08	5/06	5/03	4/29
24	5/06	5/02	4/29	4/27	4/25	4/23	4/20	4/18	4/14
20	4/24	4/21	4/18	4/16	4/15	4/13	4/11	4/08	4/05
16	4/18	4/13	4/10	4/07	4/04	4/02	3/30	3/27	3/22
•			Fal	l Freeze Da	tes (Month/D	ay)		•	1
To (E)		Pro	bability of ea	arlier date i	n fall (beginn	ing Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	8/28	9/02	9/05	9/08	9/11	9/14	9/17	9/21	9/26
32	9/11	9/15	9/18	9/20	9/22	9/25	9/27	9/30	10/04
28	9/21	9/26	9/30	10/03	10/06	10/09	10/13	10/16	10/22
24	9/29	10/07	10/12	10/16	10/20	10/24	10/29	11/03	11/10
20	10/17	10/24	10/28	11/01	11/05	11/09	11/12	11/17	11/23
16	11/01	11/07	11/12	11/16	11/19	11/23	11/26	12/01	12/07
				Freeze F	ree Period				
Temp (F)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	115	108	104	99	96	92	88	83	76
32	134	128	124	121	117	114	111	107	101
28	166	160	155	152	148	145	141	137	130
24	202	194	188	183	178	173	168	162	154
20	228	220	214	209	204	199	193	187	179
16	253	245	238	233	228	223	218	211	203

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Elevation: 960 Feet

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 205531

Station: MIO HYDRO PLANT, MI

Climate Division: MI 4 NWS Call Sign: Elevation: 960 Feet Lat: 44°40N Lon: 84°08W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1479	1297	1130	701	364	117	31	78	239	589	907	1282	8214
60	1324	1157	975	552	243	50	6	24	120	439	757	1127	6774
57	1231	1073	882	464	182	26	0	10	69	354	667	1034	5992
55	1169	1017	820	407	146	16	0	5	45	300	607	972	5504
50	1014	877	666	275	76	4	0	0	11	185	459	817	4384
32	475	399	208	18	0	0	0	0	0	6	67	325	1498

Base		19 26 101 308 679 940 1125 1044 758 440 149 66 56.													
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
32	19	26	101	308	679	940	1125	1044	758	440	149	66	5655		
55	0	0	0	6	113	266	412	336	113		0	0	1267		
57	0	0	0	3	86	216	350	279	77	13	0	0	1024		
60	0	0	0	1	54	150	263	200	38	5	0	0	711		
65	0	0	0	0	21	67	133	99	7	0	0	0	327		
70	0	0	0	0	6	20	50	35	1	0	0	0	112		

	Growing Degree Growing Degree Units (Monthly)																							
Base					Growin	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	1	30	156	464	715	891	817	541	245	55	4	0	1	31	187	651	1366	2257	3074	3615	3860	3915	3919
45	0 0 15 87 322 565 736 662 394 133 22											1	0	0	15	102	424	989	1725	2387	2781	2914	2936	2937
50	0 0 3 43 203 415 581 508 258 66 5											0	0	0	3	46	249	664	1245	1753	2011	2077	2082	2082
55	0	0	0	19	113	277	426	357	147	27	0	0	0	0	0	19	132	409	835	1192	1339	1366	1366	1366
60	0 0 0 10 58 158 278 214 65 4 0										0	0	0	0	10	68	226	504	718	783	787	787	787	
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	6 0 0 24 121 304 456 578 529 337 152 29											1	0	0	24	145	449	905	1483	2012	2349	2501	2530	2531

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf