Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 481000

Lon: 108°10W

Station: BOYSEN DAM, WY

Climate Division: WY 9 NWS Call Sign:

									•	Гетре	eratui	re (°F)									
	Mea	n (1)						Extr	emes					Degree Base T	Days (1) emp 65		Mean	Numb	er of I	Days (3))
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	27.0	3.8	15.4	70	1953	11	27.1	1999	-39	1979	31	-7.6	1979	1537	0	.0	.0	1.7	17.3	30.8	9.3
Feb	35.1	10.2	22.7	69	1951	10	32.2	1991	-32+	1979	3	5.6	1989	1186	0	.0	.0	5.0	9.0	27.9	5.5
Mar	48.3	23.4	35.9	75	1986	28	42.4	1972	-10+	1993	2	27.2	1973	905	0	.0	.0	16.6	2.1	26.4	.4
Apr	57.8	33.0	45.4	84+	1992	30	51.8	1987	2	1975	2	37.9	1973	587	0	.0	.0	25.0	.2	13.4	.0
May	68.4	43.5	56.0	93+	1984	31	62.9	1994	20	1954	1	51.1	1978	300	18	.0	.1	30.0	.0	2.2	.0
Jun	80.4	52.6	66.5	103	1988	25	74.9	1988	30	1951	3	59.4	1998	89	134	.3	6.8	29.9	.0	.1	.0
Jul	88.8	59.2	74.0	108	1954	4	78.4	1988	40	1978	9	68.1	1993	7	285	1.1	17.9	31.0	.0	.0	.0
Aug	87.0	57.8	72.4	104	1979	6	77.2	1983	39	1968	9	68.6+	1978	18	246	.3	15.0	31.0	.0	.0	.0
Sep	74.1	46.7	60.4	99	1998	5	66.7	1990	16	1965	17	55.6	1985	184	47	.0	2.4	29.2	.1	1.1	.0
Oct	60.3	35.1	47.7	89	1971	10	52.9	1988	8	1991	31	42.8	1971	536	0	.0	.0	27.0	.4	8.6	.0
Nov	41.1	20.9	31.0	70+	1999	9	40.6	1999	-15+	1985	24	16.2	1985	1019	0	.0	.0	10.3	5.7	26.6	1.3
Dec	29.2	8.1	18.7	65	1995	4	29.7	1980	-36	1978	31	5.4	1983	1436	0	.0	.0	2.2	16.0	30.8	6.1
Ann	58.1	32.9	45.5	108	Jul 1954	4	78.4	Jul 1988	-39	Jan 1979	31	-7.6	Jan 1979	7804	730	1.7	42.2	238.9	50.8	167.9	22.6

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 012-A

(1) From the 1971-2000 Monthly Normals

Elevation: 4,810 Feet Lat: 43°24N

- (2) Derived from station's available digital record: 1948-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: BOYSEN DAM, WY COOP ID: 481000

Climate Division: WY 9 NWS Call Sign: Elevation: 4,810 Feet Lat: 43°24N Lon: 108°10W

										Pı	recipi	tation	(incl	nes)										
	Mea Medi		P	recipi	itatio	on Total Extremes					ean N of D	ays (3)	Proba		M	nonthly/ onthly/Ar	annual j indic	precipita ated am	ount vs Proba	ies (1) Il be equi	els		ın the
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.28	.27	.50	1964	23	.71	1973	.00+	1999	3.7	1.0	@	.0	.00	.00	.08	.13	.18	.23	.29	.36	.44	.59	.73
Feb	.30	.28	.59	1978	20	.81+	1986	.02+	1990	3.6	1.0	@	.0	.04	.06	.11	.15	.19	.24	.30	.37	.46	.61	.76
Mar	.62	.51	1.05	1973	23	2.28	1998	.04	1994	4.8	1.9	.3	@	.06	.10	.19	.27	.37	.48	.60	.76	.98	1.34	1.69
Apr	1.22	1.03	2.25	1957	23	3.64	1973	.04	1987	6.7	3.3	.5	.1	.14	.23	.40	.57	.76	.96	1.19	1.49	1.88	2.54	3.18
May	1.93	1.76	2.00	1978	18	5.14	1978	.19	1984	8.5	4.5	1.2	.1	.34	.51	.79	1.05	1.32	1.62	1.95	2.35	2.89	3.77	4.60
Jun	1.15	.89	2.51	1964	22	3.35	1993	.12	1978	6.5	2.9	.5	.1	.13	.21	.37	.53	.71	.90	1.13	1.41	1.79	2.42	3.04
Jul	.78	.63	1.53	1997	29	2.36	1977	.00	1976	5.1	2.3	.3	.1	.01	.06	.15	.25	.38	.52	.70	.94	1.26	1.83	2.39
Aug	.54	.46	1.14	1963	31	1.34+	1976	.02	1996	4.5	1.8	.1	@	.04	.08	.15	.22	.30	.40	.51	.65	.85	1.18	1.51
Sep	.92	.73	1.32	1999	4	2.84	1982	.04	1992	5.0	2.5	.5	.1	.06	.12	.24	.36	.51	.67	.86	1.11	1.46	2.04	2.62
Oct	.95	.85	1.25	1971	18	3.53	1971	.02	1988	4.6	2.4	.4	.1	.08	.14	.27	.40	.54	.71	.91	1.16	1.50	2.07	2.64
Nov	.39	.29	.55	1968	25	2.36	1983	.00	1997	4.1	1.1	.0	.0	.02	.05	.11	.17	.23	.30	.38	.48	.62	.85	1.08
Dec	.30	.20	1.25	1982	2	1.89	1982	.00	1971	3.4	1.0	.1	@	.01	.03	.07	.11	.16	.21	.28	.37	.49	.69	.89
Ann	9.38	9.11	2.51	Jun 1964	22	5.14	May 1978	.00+	Jan 1999	60.5	25.7	3.9	.6	5.39	6.10	7.04	7.78	8.45	9.11	9.81	10.59	11.55	12.99	14.25

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 481000

Station: BOYSEN DAM, WY

Climate Division: WY 9 NWS Call Sign: Elevation: 4,810 Feet Lat: 43°24N Lon: 108°10W

										Snov	w (incl	hes)											
						Sno	ow To	tals									Mea	n Nu	mber	of Day	ys (1)		
	Mean	s/Medi	ians (1))					Extre	mes (2)							ow Fa				Snow = Thr	_	
Month	Snow Fall Mean	Snow Fall Median	Snow Depth Mean	Snow Depth Median	Highest Daily Snow Fall	Year	Day	Highest Monthly Snow Fall	Year	Highest Daily Snow Depth	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	2.1	1.0	1	#	4.0	1993	12	6.5	1993	14	1973	4	9	1973	1.2	.7	.2	.0	.0	2.1	.2	.1	.0
Feb	2.9	2.0	1	#	3.0	1971	8	6.5	1971	5+	1998	10	3	1998	1.8	.9	.2	.0	.0	1.8	.4	.0	.0
Mar	1.3	.5	#	0	4.0	1971	17	4.0	1971	10	1973	25	2	1973	.9	.6	.2	.0	.0	.6	.2	.0	.0
Apr	.1	.0	#	0	1.5	1994	28	1.5	1994	18	1973	21	3	1973	.1	.1	.0	.0	.0	.0	.0	.0	.0
May	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	#	0	.0	0	0	.0	0	2	1997	2	#	1997	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.0	.0	#	0	.1	2000	23	.1	2000	#	2000	22	#	2000	.0	.0	.0	.0	.0	.0	.0	.0	.0
Oct	.4	.0	#	0	2.4	1999	16	2.5	1997	14	1996	28	4	1996	.2	.2	.0	.0	.0	.0	.0	.0	.0
Nov	.8	.0	#	0	4.0	2000	7	4.0	2000	4	2000	17	2	2000	.9	.8	.1	.0	.0	.9	.0	.0	.0
Dec	2.2	1.0	1	#	8.0	1972	29	10.0	1972	9	1982	2	9	1982	1.2	.8	.1	.1	.0	6.5	1.0	.3	.0
Ann	9.8	4.5	N/A	N/A	8.0	Dec 1972	29	10.0	Dec 1972	18	Apr 1973	21	9+	Dec 1982	6.3	4.1	.8	.1	.0	11.9	1.8	.4	.0

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 481000

Station: BOYSEN DAM, WY

Climate Division: WY 9

NWS Call Sign:

Elevation: 4,810 Feet

Lat: 43°24N Lon: 108°10W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	ru Jul 31) tha	n indicated((*)	
Temp (I')	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/05	5/30	5/26	5/23	5/20	5/16	5/13	5/09	5/03
32	5/24	5/18	5/14	5/11	5/08	5/05	5/01	4/27	4/22
28	5/13	5/07	5/02	4/28	4/24	4/21	4/17	4/12	4/05
24	5/03	4/27	4/22	4/18	4/14	4/11	4/07	4/02	3/27
20	4/19	4/13	4/09	4/06	4/03	3/30	3/27	3/23	3/17
16	4/17	4/09	4/02	3/28	3/23	3/18	3/13	3/06	2/26
·			Fa	ll Freeze Da	tes (Month/I	Day)		•	
Tomas (E)		Pro	bability of e	arlier date i	n fall (begini	ning Aug 1) t	han indicate	d(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/14	9/18	9/20	9/23	9/25	9/27	9/30	10/03	10/06
32	9/19	9/25	9/28	10/02	10/05	10/08	10/11	10/15	10/20
28	9/28	10/04	10/09	10/12	10/16	10/19	10/23	10/27	11/02
24	10/06	10/12	10/16	10/20	10/24	10/27	10/31	11/05	11/11
20	10/18	10/24	10/28	10/31	11/03	11/06	11/09	11/13	11/18
16	10/28	11/01	11/04	11/07	11/10	11/12	11/15	11/18	11/22
<u> </u>		J		Freeze F	ree Period	-	J	1	1
T (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	150	142	137	132	128	123	119	113	106
32	175	166	160	154	149	144	139	132	123
28	201	192	185	179	174	168	162	155	146
24	217	208	202	197	192	187	181	175	166
20	239	230	224	218	213	208	203	197	188
16	259	249	242	236	231	225	219	213	203

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability. Derived from 1971-2000 serially complete daily data

Complete do

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 481000

Station: BOYSEN DAM, WY

Climate Division: WY 9 NWS Call Sign: Elevation: 4,810 Feet Lat: 43°24N Lon: 108°10W

				Deg	ree Days to	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1537	1186	905	587	300	89	7	18	184	536	1019	1436	7804
60	1382	1046	750	442	180	37	1	4	93	382	869	1281	6467
57	1289	962	657	359	123	19	0	1	55	293	779	1188	5725
55	1227	906	595	307	92	12	0	0	36	237	723	1126	5261
50	1075	777	449	192	37	3	0	0	9	122	583	972	4219
32	572	352	79	7	0	0	0	0	0	3	189	472	1674

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	58	91	197	410	741	1035	1302	1252	853	490	159	59	6647
55	0	0	0	20	120	357	589	539	198	11	3	0	1837
57	0	0	0	12	89	304	527	478	157	5	0	0	1572
60	0	0	0	5	53	232	435	388	106	1	0	0	1220
65	0	0	0	0	18	134	285	246	47	0	0	0	730
70	0	0	0	0	4	65	156	130	16	0	0	0	371

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0	6	72	248	530	827	1082	1036	658	304	40	1	0	6	78	326	856	1683	2765	3801	4459	4763	4803	4804
45	0 0 24 140 380 678 927 881 514 186 9												0	0	24	164	544	1222	2149	3030	3544	3730	3739	3739
50	0 0 0 64 246 529 772 726 373 90 0												0	0	0	64	310	839	1611	2337	2710	2800	2800	2800
55	0	0	0	20	135	383	617	571	249	33	0	0	0	0	0	20	155	538	1155	1726	1975	2008	2008	2008
60	0	0	0	5	61	249	463	416	140	8	0	0	0	0	0	5	66	315	778	1194	1334	1342	1342	1342
Base	Growing Degree Units for Corn (Monthly)													Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)			
50/86	1/86 0 11 72 180 328 523 697 672 419 206 36												0	11	83	263	591	1114	1811	2483	2902	3108	3144	3146

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf