Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 242689

Station: EKALAKA, MT

Climate Division: MT 7

NWS Call Sign:

Elevation: 3,425 Feet Lat: 45°53N Lon: 104°33W

									ŗ	Tempe	eratui	re (°F)									
	Mea	n (1)						Extr	emes						Days (1) emp 65		Mean	Numb	er of I	Days (3)	
Month	Daily Max	Daily Min	Min Mean Daily(2) Year Day Mondi(1) Year Day Daily(2) Year Day				Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0				
Jan	29.8	8.0	18.9	65+	1992	31	29.9	1992	-44	1954	20	2.7	1979	1429	0	.0	.0	1.3	15.4	30.1	10.0
Feb	35.9	13.8	24.9	66+	1995	24	34.3	1992	-43	1936	15	10.0	1989	1124	0	.0	.0	4.6	9.4	26.7	5.3
Mar	45.1	20.9	33.0	83	1910	22	41.3	1986	-32	1960	3	22.8	1996	992	0	.0	.0	12.5	5.3	27.2	2.0
Apr	57.5	30.9	44.2	90	1926	30	51.0	1987	-11	1899	1	36.6	1997	624	0	.0	.0	22.2	.8	17.1	.2
May	68.3	41.1	54.7	98+	1934	28	61.3	1977	8+	1954	3	49.0	1996	336	16	.0	.2	29.6	@	4.8	.0
Jun	77.7	50.4	64.1	105+	1988	20	76.6	1988	27	1919	1	57.4	1998	127	99	.2	2.7	29.9	.0	.3	.0
Jul	85.5	55.9	70.7	108+	1936	5	75.2	1988	30	1945	1	61.6	1993	41	218	1.0	9.8	31.0	.0	.0	.0
Aug	84.4	55.0	69.7	108	1949	7	77.0	1983	26	1974	31	61.0	1974	61	206	.2	9.0	31.0	.0	.1	.0
Sep	72.7	44.1	58.4	103+	1978	5	66.0	1998	13+	1958	30	52.5	1984	247	49	.1	2.0	28.8	.0	3.8	.0
Oct	59.4	33.5	46.5	92	1922	3	50.7	1973	-15	1991	30	42.3	1991	576	0	.0	.0	24.0	.5	14.1	@
Nov	41.7	20.6	31.2	78	1909	2	42.3	1999	-30	1955	13	16.0	1985	1016	0	.0	.0	8.5	7.3	26.5	2.3
Dec	32.9	11.3	22.1	66+	1987	4	31.1	1979	-43	1989	21	3.2	1983	1331	0	.0	.0	2.6	13.1	30.0	7.2
Ann	57.6	32.1	44.9	108+	Aug 1949	7	77.0	Aug 1983	-44	Jan 1954	20	2.7	Jan 1979	7904	588	1.5	23.7	226.0	51.8	180.7	27.0

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 050-A

- (1) From the 1971-2000 Monthly Normals
- (2) Derived from station's available digital record: 1896-2001
- (3) Derived from 1971-2000 serially complete daily data

[@] Denotes mean number of days greater than 0 but less than .05

Station: EKALAKA, MT

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 242689

Climate Division: MT 7 NWS Call Sign: Elevation: 3,425 Feet Lat: 45°53N Lon: 104°33W

										Pı	recipi	tation	(incl	nes)										
	Me	ans/	P	recip	itatio	on Total	s					ays (3	5)	Proba	ability th		nonthly/	annual j	precipita ated am		ll be equ		· less tha	in the
	Medi	ans(1)				Extreme	S			D	aily Pre	cipitatio	n		Th				_	incomplet			ion	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.59	.46	1.23	1997	4	1.63	1997	.04	1974	7.8	2.0	.1	@	.08	.13	.21	.29	.38	.48	.59	.72	.91	1.21	1.50
Feb	.51	.37	.69	1998	25	2.01	1978	.00	1992	6.0	1.4	.1	.0	.02	.06	.14	.21	.29	.38	.49	.62	.80	1.11	1.41
Mar	.81	.67	1.10	1977	29	2.11	1998	.06+	1981	7.6	2.7	.2	@	.12	.18	.30	.41	.53	.66	.81	.99	1.24	1.64	2.03
Apr	1.85	1.89	1.55	1999	21	3.71	1989	.21	1977	8.9	4.3	1.0	.3	.27	.43	.70	.95	1.22	1.51	1.84	2.25	2.81	3.70	4.57
May	2.69	2.19	2.72	1955	3	7.72	1982	.20	1998	11.1	6.0	1.4	.3	.42	.65	1.04	1.41	1.79	2.21	2.70	3.29	4.08	5.36	6.60
Jun	3.16	2.67	3.68	1967	7	8.13	1971	1.14	1988	10.4	6.0	2.1	.6	1.12	1.42	1.85	2.21	2.56	2.91	3.30	3.75	4.32	5.21	6.03
Jul	1.90	1.47	2.35	1997	13	9.03	1993	.24	1976	7.4	3.9	1.2	.4	.23	.38	.65	.91	1.19	1.50	1.87	2.32	2.93	3.93	4.90
Aug	1.27	1.20	2.33	1910	14	3.35	1984	.05	1971	6.8	3.2	.7	.2	.21	.32	.51	.68	.86	1.06	1.28	1.55	1.91	2.49	3.05
Sep	1.52	1.09	2.48	1971	5	5.12	1971	.09	1993	6.7	3.3	.8	.4	.11	.21	.41	.62	.85	1.12	1.44	1.85	2.42	3.37	4.31
Oct	1.59	1.15	2.51	1971	2	5.50	1994	.16	1987	7.0	3.3	.9	.3	.21	.34	.57	.79	1.02	1.28	1.58	1.94	2.44	3.25	4.04
Nov	.79	.68	2.38	2000	1	3.56	2000	.04	1987	7.0	2.5	.2	@	.09	.15	.26	.37	.49	.62	.77	.97	1.23	1.67	2.09
Dec	.57	.48	.51	1984	23	1.37	1989	.03	1994	7.7	1.8	@	.0	.06	.10	.18	.26	.34	.44	.55	.69	.89	1.21	1.53
Ann	17.25	16.84	3.68	Jun 1967	7	9.03	Jul 1993	.00	Feb 1992	94.4	40.4	8.7	2.5	10.47	11.70	13.33	14.59	15.72	16.84	18.01	19.32	20.93	23.30	25.39

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1896-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 242689

Station: EKALAKA, MT

Climate Division: MT 7 NWS Call Sign: Elevation: 3,425 Feet Lat: 45°53N Lon: 104°33W

										Snov	v (incl	hes)											
		Snow Fall Mean Median Median Median Median Median Mean Median Me															Mea	n Nu	nber	of Da	ys (1)		
	Mean	s/Medi	ians (1)	ı					Extre	mes (2)							ow Fa				Snow Depth >= Thresholds		
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Highest Monthly Mean Snow Depth	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10
Jan	2.3	-99.9	4	3	3.0	1996	17	9.0	1999	12	1972	29	10	1972	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9
Feb	3.3	-99.9	1	#	7.0	1998	25	10.0	2000	13	1998	28	4	1984	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9
Mar	2.3	-99.9	5	1	4.5	1998	29	4.5	1998	22	1977	29	22	1977	1.9	1.2	.1	.0	.0	-9.9	-9.9	-9.9	-9.9
Apr	2.8	-99.9	1	0	14.0	1997	5	14.0	1997	24	1984	27	5	1997	.6	.5	.3	.1	.1	.7	.5	.3	.0
May	.2	.0	#	0	2.5	1999	11	2.5	1999	12	1983	12	#+	1999	.1	.1	.0	.0	.0	.0	.0	.0	.0
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0
Sep	.1	.0	#	0	1.5	2000	22	1.5	2000	2	1985	23	#+	2000	.1	.1	.0	.0	.0	.1	.0	.0	.0
Oct	.8	.0	#	0	4.0	1979	21	4.0	1979	2	1985	8	#+	1999	.5	.3	.1	.0	.0	.0	.0	.0	.0
Nov	7.6	5.9	1	#	10.0	1994	17	20.9	2000	15+	2000	19	9	2000	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9
Dec	1.8	-99.9	2	#	7.0	1983	4	7.0	1983	12	1984	23	8	2000	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9
Ann	21.2	-9.9	N/A	N/A	14.0	Apr 1997	5	20.9	Nov 2000	24	Apr 1984	27	22	Mar 1977	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9	-9.9

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 242689

Station: EKALAKA, MT

Climate Division: MT 7

NWS Call Sign:

Elevation: 3,425 Feet

Lat: 45°53N Lon: 104°33W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	ru Jul 31) tha	n indicated((*)	
remp (r)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/27	6/19	6/14	6/09	6/05	5/31	5/27	5/21	5/14
32	6/06	6/01	5/28	5/24	5/21	5/18	5/15	5/11	5/05
28	5/19	5/14	5/11	5/08	5/05	5/02	4/29	4/26	4/21
24	5/09	5/04	5/01	4/28	4/25	4/23	4/20	4/16	4/12
20	4/26	4/21	4/18	4/15	4/12	4/10	4/07	4/03	3/30
16	4/22	4/16	4/11	4/08	4/04	3/31	3/27	3/23	3/17
•			Fa	ll Freeze Da	tes (Month/I	Oay)	•	•	•
To (F)		Pro	bability of e	arlier date i	n fall (begini	ning Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	8/22	8/28	9/01	9/05	9/08	9/12	9/15	9/19	9/25
32	9/03	9/08	9/11	9/14	9/17	9/19	9/22	9/25	9/30
28	9/11	9/16	9/20	9/23	9/27	9/30	10/03	10/07	10/12
24	9/15	9/22	9/27	10/01	10/05	10/09	10/13	10/18	10/25
20	9/24	10/01	10/06	10/10	10/14	10/18	10/22	10/27	11/02
16	10/04	10/11	10/16	10/21	10/25	10/29	11/02	11/07	11/15
			J	Freeze F	ree Period	1	1	1	1
To (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days)		
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	123	113	106	100	95	89	83	76	66
32	140	132	127	122	118	113	109	103	95
28	164	157	152	148	144	140	136	131	124
24	185	177	171	166	162	157	153	147	139
20	209	200	194	189	184	179	174	168	159
16	233	223	215	209	203	197	191	183	173

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability.

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 242689

Station: EKALAKA, MT

Climate Division: MT 7 NWS Call Sign: Elevation: 3,425 Feet Lat: 45°53N Lon: 104°33W

				Deg	ree Days t	o Selected	Base Tem	peratures	(°F)				
Base						Heatin	g Degree l	Days (1)					
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
65	1429	1124	992	624	336	127	41	61	247	576	1016	1331	7904
60	1274	984	837	478	212	60	13	24	148	422	866	1176	6494
57	1181	900	744	393	152	33	7	13	101	331	776	1083	5714
55	1119	850	682	339	117	22	2	7	75	272	722	1021	5228
50	970	719	536	218	53	6	0	1	29	145	582	873	4132
32	480	314	131	10	0	0	0	0	0	3	193	395	1526

Base	Cooling Degree Days (1) Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec Ann 74 114 162 276 703 062 1300 1160 702 450 166 27 635														
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
32	74	114	162	376	703	962	1200	1169	792	450	166	87	6255		
55	0	6	0	14	108	294	489	463	177	6	6	0	1563		
57	0	0	0	8	80	245	431	407	143	3	0	0	1317		
60	0	0	0	3	47	182	345	324	100	1	0	0	1002		
65	0	0	0	0	16	99	218	206	49	0	0	0	588		
70	0	0	0	0	4	42	124	118	20	0	0	0	308		

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov De													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	2	11	50	191	461	723	949	913	549	244	40	3	2	13	63	254	715	1438	2387	3300	3849	4093	4133	4136
45	0 1 20 105 318 573 794 758 411 137 12											0	0	1	21	126	444	1017	1811	2569	2980	3117	3129	3129
50	0 0 3 50 197 426 639 605 282 64 2											0	0	0	3	53	250	676	1315	1920	2202	2266	2268	2268
55	0	0	0	18	103	287	485	451	173	23	0	0	0	0	0	18	121	408	893	1344	1517	1540	1540	1540
60	0 0 0 6 41 167 335 305 94 5 0									0	0	0	0	6	47	214	549	854	948	953	953	953		
Base	Growing Degree Units for Corn (Monthly)														Gr	owing D	egree Un	its for C	orn (Acc	umulate	d Month	ly)		
50/86	36 0 12 52 151 301 454 610 592 356 178 36											3	0	12	64	215	516	970	1580	2172	2528	2706	2742	2745

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf