Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

Station: IPSWICH, SD 1971-2000 COOP ID: 394206

Climate Division: SD 2 NWS Call Sign: Elevation: 1,530 Feet Lat: 45°27N Lon: 99°02W

									r	Гетре	eratur	re (°F)									
	Mea	n (1)						Extr	emes					- C	Days (1) emp 65		Mean	Numb	er of D	Days (3)	
Month	Daily Max	Daily Min	Mean	Highest Daily(2)	Year	Day	Highest Month(1) Mean	Year	Lowest Daily(2)	Year	Day	Lowest Month(1) Mean	Year	Heating	Cooling	Max >= 100	Max >= 90	Max >= 50	Max <= 32	Min <= 32	Min <= 0
Jan	21.5	-1.0	10.3	65	1981	23	24.7	1990	-35	1972	15	-4.5	1982	1699	0	.0	.0	.5	21.3	31.0	15.3
Feb	28.3	5.6	17.0	66	1992	29	29.5	1987	-38	1994	9	-1.0	1979	1346	0	.0	.0	2.7	15.5	27.9	9.6
Mar	40.2	16.9	28.6	81+	1963	31	36.7	2000	-22+	1995	8	20.3	1996	1131	0	.0	.0	8.6	7.6	28.5	3.0
Apr	57.0	29.3	43.2	97	1992	30	51.8	1987	-8	1975	3	35.6	1975	655	0	.0	.2	22.3	.7	17.3	.1
May	69.8	41.3	55.6	102	1969	27	61.8+	1988	18	1981	10	49.7	1979	311	18	.0	.4	30.5	.0	3.4	.0
Jun	78.5	51.1	64.8	106+	1988	24	74.5	1988	28	1985	3	58.3	1985	101	94	.2	3.0	30.0	.0	@	.0
Jul	84.7	56.1	70.4	108+	1973	11	75.5	1988	36	1971	30	62.6	1992	34	200	1.3	9.4	31.0	.0	.0	.0
Aug	83.0	53.6	68.3	110	1965	13	74.0	1983	35	1982	27	63.1	1992	52	155	1.0	8.4	31.0	.0	.0	.0
Sep	73.0	43.0	58.0	105	1983	2	63.5	1998	16+	1984	26	52.5	1984	236	25	.2	2.8	29.6	.0	2.7	.0
Oct	59.5	31.3	45.4	93+	1963	5	49.1	2000	-4	1984	30	40.3	1976	608	0	.0	@	25.7	.3	15.2	@
Nov	38.2	16.9	27.6	77	1999	8	39.7	1999	-24	1964	30	14.6	1985	1122	0	.0	.0	7.7	9.6	28.1	2.1
Dec	25.3	4.2	14.8	65	1998	1	27.1	1997	-40	1983	23	-3.4	1983	1558	0	.0	.0	1.3	19.9	30.9	10.8
	54.0	20.0	42.0	110	Aug	12	75.5	Jul	40	Dec	22	1.5	Jan	0052	402	0.7	24.2	220.0	74.0	105.0	40.0
Ann	54.9	29.0	42.0	110	1965	13	75.5	1988	-40	1983	23	-4.5	1982	8853	492	2.7	24.2	220.9	74.9	185.0	40.9

⁺ Also occurred on an earlier date(s)

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

Issue Date: February 2004 047-A

[@] Denotes mean number of days greater than 0 but less than .05

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 394206

Station: IPSWICH, SD

Climate Division: SD 2 NWS Call Sign: Elevation: 1,530 Feet Lat: 45°27N Lon: 99°02W

										Pı	recipi	tation	(incl	nes)										
	Mea		P	recip	itatio	on Total					ean N of D	ays (3)	Proba		Me	nonthly/ onthly/Ar	indic	orecipita ated am	ntion wi nount vs Proba	ll be equ	els		ın the
	Medi				1		-	+	1						Th	ese values	s were det	ermined i	from the i	incomplet	e gamma	distributi	on	
Month	Mean	Med- ian	Highest Daily(2)	Year	Day	Highest Monthly(1)	Year	Lowest Monthly(1)	Year	>= 0.01	>= 0.10	>= 0.50	>= 1.00	.05	.10	.20	.30	.40	.50	.60	.70	.80	.90	.95
Jan	.41	.38	.60	1950	24	1.01	1997	.03	1974	4.3	1.2	.1	.0	.04	.07	.13	.19	.25	.32	.40	.50	.64	.87	1.09
Feb	.44	.46	1.30	1958	27	1.06	1987	.03	1985	3.8	1.3	.1	.0	.08	.12	.18	.24	.30	.37	.44	.53	.65	.85	1.04
Mar	1.21	1.11	1.95	1981	31	3.67	1977	.07	1988	5.4	2.9	.8	.2	.17	.27	.45	.61	.79	.98	1.20	1.48	1.85	2.45	3.03
Apr	1.91	1.80	2.05	1967	30	6.10	1986	.00	1987	6.4	4.3	1.4	.3	.17	.39	.70	.98	1.27	1.58	1.93	2.35	2.92	3.84	4.72
May	2.70	2.35	3.03	1964	3	7.22	1991	.57	1989	7.7	5.8	1.7	.6	.64	.90	1.29	1.64	1.99	2.37	2.78	3.27	3.92	4.95	5.92
Jun	3.44	3.37	3.73	1969	25	7.05	1984	.51	1974	8.6	6.5	2.4	.8	.85	1.18	1.68	2.13	2.57	3.03	3.55	4.16	4.97	6.25	7.44
Jul	3.02	2.70	5.02	1994	7	10.65	1993	.34	1975	7.8	5.8	2.1	.7	.53	.80	1.24	1.65	2.08	2.53	3.05	3.68	4.53	5.88	7.18
Aug	2.22	2.02	3.03	1994	9	6.04	1980	.18	1972	5.9	4.1	1.4	.6	.42	.62	.94	1.24	1.55	1.87	2.25	2.70	3.30	4.26	5.17
Sep	1.64	1.15	2.40	1996	19	6.43	1996	.04	1972	4.8	3.3	.9	.4	.10	.19	.39	.61	.86	1.16	1.52	1.98	2.63	3.73	4.82
Oct	1.49	.99	2.26	1982	9	5.46	1998	.00+	1993	4.1	2.7	.9	.4	.00	.12	.36	.59	.84	1.11	1.44	1.84	2.40	3.32	4.23
Nov	.71	.48	1.40	1981	30	2.32	1977	.00+	1999	4.4	2.2	.2	.1	.00	.00	.10	.21	.33	.47	.65	.87	1.18	1.72	2.25
Dec	.30	.24	.81	1965	11	.91	1993	.00+	1986	3.6	.9	.0	.0	.00	.02	.06	.10	.15	.21	.28	.37	.49	.70	.91
Ann	19.49	19.71	5.02	Jul 1994	7	10.65	Jul 1993	.00+	Nov 1999	66.8	41.0	12.0	4.1	12.38	13.69	15.41	16.74	17.93	19.10	20.31	21.67	23.33	25.77	27.90

⁺ Also occurred on an earlier date(s)

Complete documentation available from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[#] Denotes amounts of a trace

[@] Denotes mean number of days greater than 0 but less than .05

^{**} Statistics not computed because less than six years out of thirty had measurable precipitation

⁽¹⁾ From the 1971-2000 Monthly Normals

⁽²⁾ Derived from station's available digital record: 1948-2001

⁽³⁾ Derived from 1971-2000 serially complete daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 394206

Station: IPSWICH, SD

Climate Division: SD 2 NWS Call Sign:

Elevation: 1,530 Feet Lat: 45°27N Lon: 99°02W

		Snow (inches) Snow Totals Extremes (2) Highest Highest Highest Highest																						
		Snow Fall Median Snow Depth Median Snow Fall Snow Fall Snow Depth Snow Fall Snow Depth Snow Depth															Mea	n Nu	nber	of Day	ys (1)			
	Mean	s/Medi	ans (1))					Extre	mes (2)							ow Fa				Snow Depth >= Thresholds			
Month	Snow Fall Mean	Fall	Depth	Depth	Daily Snow	Year	Day	Monthly Snow	Year	Daily Snow	Year	Day	Monthly Mean Snow	Year	0.1	1.0	3.0	5.0	10.0	1	3	5	10	
Jan	6.0	5.0	5	4	10.0	1997	4	18.5	1997	30	1997	10	24	1997	3.9	2.8	.7	.1	@	21.5	14.5	10.0	3.1	
Feb	5.7	5.0	4	3	8.0	1977	23	13.0	1994	24	1997	5	20	1997	3.2	2.7	.6	.2	.0	17.2	11.8	7.5	2.9	
Mar	6.3	4.5	2	1	10.0	1982	19	26.5	1975	25	1975	31	10	1997	2.9	2.6	.8	.2	@	11.0	6.2	3.8	1.0	
Apr	2.2	1.0	#	0	7.0	1995	11	19.0	1995	14	1995	13	4	1995	1.0	.9	.4	.1	.0	1.6	1.0	.5	.2	
May	.0	.0	#	0	1.0	1991	3	1.0	1991	1	1991	3	#	1991	@	@	.0	.0	.0	@	.0	.0	.0	
Jun	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Jul	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Aug	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Sep	.0	.0	0	0	.0	0	0	.0	0	0	0	0	0	0	.0	.0	.0	.0	.0	.0	.0	.0	.0	
Oct	.5	.0	#	0	4.0	1976	18	5.5	1971	4	1976	18	#+	1999	.2	.2	.1	.0	.0	.3	.1	.0	.0	
Nov	6.5	4.0	1	#	9.0	1993	24	24.0	1993	20	1993	26	6	1996	2.9	2.4	1.0	.3	.0	7.4	3.7	2.5	1.0	
Dec	5.1	4.0	4	1	9.0	1988	26	17.0	1977	20	1985	5	16	1993	3.2	2.5	.4	.1	.0	14.9	10.1	8.4	5.1	
Ann	32.3	23.5	N/A	N/A	10.0+	Jan 1997	4	26.5	Mar 1975	30	Jan 1997	10	24	Jan 1997	17.3	14.1	4.0	1.0	@	73.9	47.4	32.7	13.3	

⁺ Also occurred on an earlier date(s) #Denotes trace amounts

Complete documentation available from: www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

[@] Denotes mean number of days greater than 0 but less than .05

^{-9/-9.9} represents missing values Annual statistics for Mean/Median snow depths are not appropriate

⁽¹⁾ Derived from Snow Climatology and 1971-2000 daily data

⁽²⁾ Derived from 1971-2000 daily data

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 394206

Station: IPSWICH, SD Climate Division: SD 2

NWS Call Sign:

Elevation: 1,530 Feet

Lat: 45°27N Lon: 99°02W

				Freez	e Data				
			Spri	ng Freeze D	ates (Month	/Day)			
Temp (F)		P	robability of	later date i	n spring (thr	ru Jul 31) tha	n indicated((*)	
Temp (I')	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	6/16	6/08	6/02	5/29	5/24	5/19	5/14	5/08	4/30
32	5/26	5/21	5/17	5/14	5/11	5/08	5/05	5/02	4/27
28	5/21	5/15	5/11	5/07	5/04	5/01	4/27	4/23	4/17
24	5/07	5/02	4/28	4/25	4/22	4/19	4/16	4/12	4/07
20	4/22	4/18	4/15	4/12	4/09	4/07	4/04	4/01	3/28
16	4/13	4/08	4/05	4/02	3/30	3/28	3/25	3/22	3/17
			Fal	ll Freeze Da	tes (Month/I	Day)			
Tomp (F)		Pro	bability of e	arlier date i	n fall (begini	ning Aug 1) t	han indicate	ed(*)	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	9/01	9/05	9/08	9/11	9/13	9/16	9/19	9/22	9/26
32	9/11	9/15	9/18	9/20	9/22	9/24	9/26	9/29	10/02
28	9/17	9/22	9/26	9/29	10/02	10/05	10/08	10/11	10/16
24	9/23	9/28	10/02	10/05	10/08	10/11	10/15	10/18	10/24
20	9/30	10/06	10/10	10/14	10/18	10/21	10/25	10/29	11/04
16	10/08	10/15	10/20	10/24	10/28	11/01	11/05	11/10	11/17
<u> </u>			l .	Freeze F	ree Period		1	II.	1
T (E)			Probability	of longer th	an indicated	freeze free p	eriod (Days))	
Temp (F)	.10	.20	.30	.40	.50	.60	.70	.80	.90
36	141	131	124	118	112	106	100	93	83
32	154	147	142	137	133	128	124	119	111
28	173	165	159	155	150	146	141	135	127
24	190	183	177	173	169	165	160	155	148
20	212	204	199	195	190	186	182	176	169
16	234	226	221	216	211	206	201	195	187

^{*} Probability of observing a temperature as cold, or colder, later in the spring or earlier in the fall than the indicated date.

0/00 Indicates that the probability of occurrence of threshold temperature is less than the indicated probability. Derived from 1971-2000 serially complete daily data

Complete do

Complete documentation available from:

Climatography of the United States No. 20 1971-2000

National Climatic Data Center Federal Building 151 Patton Avenue Asheville, North Carolina 28801 www.ncdc.noaa.gov

COOP ID: 394206

Station: IPSWICH, SD

Climate Division: SD 2 NWS Call Sign: Elevation: 1,530 Feet Lat: 45°27N Lon: 99°02W

	Degree Days to Selected Base Temperatures (°F)														
Base						Heatin	g Degree l	Days (1)							
Below	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann		
65	1699	1346	1131	655	311	101	34	52	236	608	1122	1558	8853		
60	1544	1206	976	510	191	40	9	16	129	453	972	1403	7449		
57	1451	1122	883	425	134	19	2	6	80	361	882	1310	6675		
55	1389	1066	821	372	103	12	0	3	54	301	822	1248	6191		
50	1235	939	670	251	45	2	0	0	15	169	680	1094	5100		
32	719	500	222	21	0	0	0	0	0	4	243	592	2301		

Base						Coolin	g Degree l	Days (1)					
Above	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Ann
32	44	78	114	356	730	983	1189	1125	779	420	111	57	5986
55	0	0	0	17	119	305	476	415	144	4	0	0	1480
57	0	0	0	11	89	252	417	356	109	2	0	0	1236
60	0	0	0	5	53	183	331	273	68	0	0	0	913
65	0	0	0	0	18	94	200	155	25	0	0	0	492
70	0	0	0	0	4	36	106	72	7	0	0	0	225

										Gro	wing	Degre	e Uni	ts (2)										
Base					Growin	g Degree	Units (N	(Ionthly)					Growing Degree Units (Accumulated Monthly)											
	Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec													Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
40	0 1 32 203 539 791 986 933 591 250 24													1	33	236	775	1566	2552	3485	4076	4326	4350	4350
45													0	0	6	122	512	1153	1984	2762	3207	3353	3361	3361
50	0 0 1 59 254 492 676 623 309 66 0												0	0	1	60	314	806	1482	2105	2414	2480	2480	2480
55	0	0	0	27	140	346	521	468	194	27	0	0	0	0	0	27	167	513	1034	1502	1696	1723	1723	1723
60	0 0 0 8 65 210 366 317 105 7 0										0	0	0	0	8	73	283	649	966	1071	1078	1078	1078	
Base	Growing Degree Units for Corn (Monthly)												Growing Degree Units for Corn (Accumulated Monthly)											
50/86	60/86 0 3 36 162 345 498 635 596 382 189 28 0												0	3	39	201	546	1044	1679	2275	2657	2846	2874	2874

(1) Derived from the 1971-2000 Monthly Normals

(2) Derived from 1971-2000 serially complete daily data

Note: For corn, temperatures below 50 are set to 50, and temperatures above 86 are set to 86

Notes

- a. The monthly means are simple arithmetic averages computed by summing the monthly values for the period 1971-2000 and dividing by thirty. Prior to averaging, the data are adjusted if necessary to compensate for data quality issues, station moves or changes in station reporting practices. Missing months are replaced by estimates based on neighboring stations.
- b. The median is defined as the middle value in an ordered set of values. The median is being provided for the snow and precipitation elements because the mean can be a misleading value for precipitation normals.
 - c. Only observed validated values were used to select the extreme daily values.
 - d. Extreme monthly temperature/precipitation means were selected from the monthly normals data.

Monthly snow extremes were calculated from daily values quality controlled to be consistent with the Snow Climatology.

e. Degree Days were derived using the same techniques as the 1971-2000 normals.

Compete documentation for the 1971-2000 Normals is available on the internet from:

www.ncdc.noaa.gov/oa/climate/normals/usnormals.html

f. Mean "number of days statistics" for temperature and precipitation were calculated from a serially complete daily data set .

Documentation of the serially complete data set is available from the link below:

g. Snowfall and snow depth statistics were derived from the Snow Climatology.

Documentation for the Snow Climatology project is available from the link under references.

Data Sources for Tables

Several different data sources were used to create the Clim20 climate summaries. In some cases the daily extremes appear inconsistent with the monthly extremes and or the mean number of days statistics. For example, a high daily extreme value may not be reflected in the highest monthly value or the mean number of days threshold that is less than and equal to the extreme value. Some of these difference are caused by different periods of record. Daily extremes are derived from the station's entire period of record while the serial data and normals data were are for the 1971-2000 period. Therefore extremes observed before 1971 would not be included in the 1971-2000 normals or the 1971-2000 serial daily data set. Inconsistencies can also occur when monthly values are adjusted to reflect the current observing conditions or were replaced during the 1971-2000 Monthly Normals processing and are not reconciled with the Summary of the Day data.

- a. Temperature/ Precipitation Tables
 - 1. 1971-2000 Monthly Normals
 - 2. Cooperative Summary of the Day
 - 3. National Weather Service station records
 - 4. 1971-2000 serially complete daily data

- c. Snow Tables
 - 1. Snow Climatology
 - 2. Cooperative Summary of the Day
- d. Freeze Data Table

1971-2000 serially complete daily data

- b. Degree Day Table
 - 1. Monthly and Annual Heating and Cooling Degree Days Normals to Selected Bases derived from 1971-2000 Monthly Normals
 - 2. Daily Normal Growing Degree Units to Selected Base Temperatures derived from 1971-2000 serially complete daily data

References

U.S. Climate Normals 1971-2000, www.ncdc.noaa.gov/normals.html

U.S. Climate Normals 1971-2000-Products Clim20, www.ncdc.noaa.gov/oa/climate/normals/usnormalsprods.html

Snow Climatology Project Description, www.ncdc.noaa.gov/oa/climate/monitoring/snowclim/mainpage.html

Eischeid, J. K., P. Pasteris, H. F. Diaz, M. Plantico, and N. Lott, 2000: Creating a serially complete, national daily time series of temperature and precipitation for the Western United States. J. Appl. Meteorol., 39, 1580-1591,

www1.ncdc.noaa.gov/pub/data/special/ serialcomplete_jam_0900.pdf