OData Query Options	Additional Implementation Needed
$select	no
$count	no
$expand	no
$format	no
Read $links	no
$value	no
$orderby	yes
$top	yes
$skip	yes
$filter	yes
$inlinecount	yes
$skiptoken	yes

$FILTER

OData Query Options	Additional Implementation Needed
$select	no
$count	no
$expand	no
$format	no
Read $links	no
$value	no
$orderby	yes
$top	yes
$skip	yes
$filter	yes
$inlinecount	yes
$skiptoken	yes

ASUG25

$FILTER

```abap
" $filterby query options
DATA: where_clause    TYPE string.
LOOP AT io_tech_request_context->get_filter( )->get_filter_select_options( )
  REFERENCE INTO DATA(filterby).
  property =
    io_model->get_property(
      iv_entity_name = io_tech_request_context->get_entity_type_name( )
      iv_property_name  = CONV #( filterby->property ) ).
  IF property-filterable = abap_true.
    CASE filterby->property.
      WHEN 'BP_ID'.
        DATA(bp_range) = filterby->select_options.
        where_clause = |( where_clause ) & BP~BP_ID IN @BP_RANGE|.
        ...
    ENDCASE.
  ELSE.
    RAISE EXCEPTION TYPE /iwbep/cx_mgw_busi_exception
      EXPORTING
        textid          = /iwbep/cx_mgw_busi_exception->filter_not_supported
        filter_param = CONV #( property-external_name ).
  ENDIF.
ENDLOOP.
```