





## **AVOID USING DEPRECATED PARAMETERS**

Ty.	Parameter	Typing	Description
10	IV_ENTITY_NAME	TYPE STRING OPTIONAL	Obsolete
pu-	JV_BNTITY_SET_NAME	TYPE STRING OPTIONAL	Obsolete
HO	IV SOURCE NAME	TYPE STRING OPTIONAL	Obsolete
bur.	IT_FILTER_SELECT_OPTIONS	TYPE / IWBEP/T_MGW_SELECT_OPTION OPTIONAL	table of select options - Obsolete
pa.	IT_ORDER	TYPE / IWBEP/T_MGW_SCRTING_ORDER OPTIONAL	the sorting order   Obsolete
10	IS_PAGING	TYPE /IWBEP/S_MGW_PAGING OPTIONAL	paging structure - Obsolete
par	JT_NAVIGATION_PATH	TYPE /[WBEP/T_MGW_NAVIGAT]ON_PATH OPTIONAL	table of navigation paths - Obsolete
HO	IT KEY TAB	TYPE / IWBEP/T MGW NAME VALUE PAIR OPTIONAL	table for name value pairs - Obsolete
140	JV_FILTER_STRING	TYPE STRING OPTIONAL	the filter as a string containing ANDs and ORs etcObsolete
10	IV_SEARCH_STRING	TYPE STRING OPTIONAL	Obsolete
Ha	10_TECH_REQUEST_CONTEXT	TYPE REF TO /IMBEP/IF_MGW_REQ_ENTITYSET OPTIONAL	
100	ER_ENTITYSET	TYPE REF TO DATA	
80	ES RESPONSE CONTEXT	TYPE / IWBEP/IF MGW APPL SRV RUNTIME=>TY S MGW RESPONSE CONTEXT	
198	/IWBEP/CX_MGW_BUSI_EXCEPTION		business exception in mgw
188	/TWBEP/CX_MGW_TECH_EXCEPTION		mgw technical exception
		.,	
Metho	/IWBEP/IF_MSM_AFPL_SRV	/_RUMPIME~GET_ENTITYBET Active	
	1 method /IWB	EP/IF MGW APPL SRV RUNTIME~GET ENTITYSET.	

https://blogs.sap.com/2017/02/01/avoid-using-deprecated-sap-gateway-apis-in-your-odata-service-implementation/



## Nabi Zamani

## **AVOID USING DEPRECATED PARAMETERS**

Ty.	Parameter	Typing	Description	
10	IV_ENTITY_NAME	TYPE STRING OPTIONAL	Obsolete	
þu	JV_BNTITY_SET_NAME	TYPE STRING OPTIONAL	Obsolete	
10	IV SOURCE NAME	TYPE STRING OPTIONAL	Obsolete	
ju	IT_FILTER_SELECT_OPTIONS	TYPE /IWBEP/T_MGW_SELECT_OPTION OPTIONAL	table of select options - Obsolete	
pa.	IT_ORDER	TYPE /TWBEP/T_MGW_SORTING_ORDER OPTIONAL	the sorting order - Obsolete	
) a	IS_PAGING	TYPE /IWIDEP/S_MGW_PAGING OPTIONAL	paging structure - Obsolete	
þæ	JT_NAVIGATION_PATH	TYPE /IWBEP/T_MGW_NAVIGATION_PATH OPTIONAL	table of navigation paths - Obsolete	
ы	IT KEY TAB	TYPE /IWBEP/T MGW NAME VALUE PAIR OPTIONAL	table for name value pairs - Obsolete	
þø	IV_FILTER_STRING	TYPE STRING OPTIONAL	the filter as a string containing ANDs and ORs etcObsolete	
10	IV_SEARCH_STRING	TYPE STRING OPTIONAL	Obsolete	
) a	10_TECH_REQUEST_CONTEXT	TYPE REF TO /IWBEP/IF_MGW_REQ_ENTITYSET OPTIONAL		
100	ER_ENTITYSET	TYPE REF TO DATA		
- 00	ES RESPONSE CONTEXT	TYPE (IWBEP) OF MGW APPL SRV RUNTIME=>TY S MGW RESPONSE CONTEXT		
18	/IWBEP/CX_MGW_BUSI_EXCEPTION		business exception in mgw	
18	/IWBEP/CX_MGW_TECH_EXCEPTION		mgw technical exception	
		.,		
Meth	od /IWBEP/IF_MSM_AFPL_SRV	RUNTIME-GET_ENTITYBET Active		
	1 method /IWBH	P/IF MGW APPL SRV RUNTIME~GET ENTITYSET.		

https://blogs.sap.com/2017/02/01/avoid-using-deprecated-sap-gateway-apis-in-your-odata-service-implementation/





## **COMMON INTERFACE**

nterface	SIF_GW_METH	COS	Impl	Implemented / Active	
Proper Interfaces	Attributes M	etho Events	Types Aliases	5	
Parameter 🝇 Ex	ception		B KDC		
Method	Level	M D	escription		
CREATE_ENTITY	Static Met	hod			
CREATE_DEEF_ENTITY	Static Met	:hod			
DELETE ENTITY	Static Met	hod			
GET ENTITY	Static Met	hod			
GET ENTITYSET	Static Net	hod			
UPDATE ENTITY	Static Net	hod			
EXECUTE ACTION	Static Net	hod			

