









COMPLEX \$FILTER QUERIES

```
IF sy-subrc NE 0. " Catch complex $filter queries  
    where_clause = io_tech_request_context->get_filter( )->get_filter_string( ).  
ENDIF.
```

\$filter=substringof('Gold',Name) or substringof('John',City)

\*Note where clauses may require modification.g. Table aliases, etc.



Field WHERE CLAUSE

Data Type Cstring(61)

Absolute Type \TYPE=STRING

☐ Read-Only

View VAR\_TEXT Text in Browser



```
( ( COMPANY_NAME like '%Gold%' ) or ( CITY like '%Johan%' ) )
```

# COMPLEX \$FILTER QUERIES

\$filter=substringof('Gold',Name) or substringof('Johan',City)

```
IF sy-subrc NE 0. " Catch complex $filter queries
  where_clause = io_tech_request_context->get_filter( )->get_filter_string( ).
ENDIF.
```

Field	WHERE CLAUSE
Data Type	CString(51)
Absolute Type	\TYPE=STRING
<input type="checkbox"/> Read-Only	
View	VAR_TEXT Text in Browser

( ( COMPANY\_NAME like '%Gold%' ) or ( CITY like '%Johan%' ) )

\*Note where\_clause may require modification e.g. Table aliases, etc.

# \$INLINECOUNT

OData Query Options	Additional Implementation Needed
<code>\$select</code>	no
<code>\$count</code>	no
<code>\$expand</code>	no
<code>\$format</code>	no
Read \$links	no
<code>\$value</code>	no
<code>\$orderby</code>	yes
<code>\$top</code>	yes
<code>\$skip</code>	yes
<code>\$filter</code>	yes
<code>\$inlinecount</code>	yes
<code>\$skiptoken</code>	yes