











```
" Fill entities
LOOP AT <entityset> REFERENCE INTO entity.
 ASSIGN entity->* TO <entity>.
 ASSIGN COMPONENT 'KUNNR' OF STRUCTURE <entity> TO FIELD-SYMBOL(<kunnr>).
 CHECK <kunnr> IS ASSIGNED.
 TRY.
      zcl demo customer=>get( <kunnr> )->zif gw methods~map to entity( entity ).
   CATCH zcx demo bo.
 ENDTRY.
ENDLOOP.
```

### **FILL ENTITIES**

```
" Fill entities
LOOP AT <entityset> REFERENCE INTO entity.
   ASSIGN entity->* TO <entity>.
   ASSIGN COMPONENT 'KUNNR' OF STRUCTURE <entity> TO FIELD-SYMBOL(<kunnr>).
   CHECK <kunnr> IS ASSIGNED.
   TRY.
        zcl_demo_customer=>get( <kunnr> )->zif_gw_methods~map_to_entity( entity ).
        CATCH zcx_demo_bo.
   ENDTRY.
ENDLOOP.
```





## WHERE IS THE CODE?

#### https://grahamrobbo.github.io/teched16\_example/



# You will also need abapGit <a href="https://abapGit.org">https://abapGit.org</a>



