



## Complex \$filter Queries

```
IF sy-subrc NE 0. " Catch complex $filter queries
  where_clause = io_tech_request_context->get_filter()->get_filter_string().
ENDIF.
```

### \$filter=substringof('Gold',Name) or substringof('Johan',City)

\*Note where clause may require modification e.g. Table aliases, etc.


```
Field
         WHERE CLAUSE
Data Type
                   CString(61)
Absolute Type
                    ATMEE-STRING
Read-Only
View
         VAR_TEXT Text in Browser
( ( COMPANY NAME like '%Gold%' ) or ( CITY like '%Johan%' ) )
```



## Australian Complex \$filter Queries

#### \$filter=substringof('Gold',Name) or substringof('Johan',City)

```
IF sy-subrc NE 0. " Catch complex $filter queries
  where_clause = io_tech_request_context->get_filter()->get_filter_string().
ENDIF.
```



\*Note where clause may require modification e.g. Table aliases, etc.





# SAP Australian User Group \$Inlinecount

OData Query Options	Additional Implementation Needed
\$select	no
\$count	no
\$empand	no
\$format	no
Read \$links	no
\$value	no
Sorderby	yes
\$top	yes
\$skip	yes
\$filter	yes
\$inlinecount	yes
\$skiptoken	yes

