









METHOD constructor.

DATA: lr_facade TYPE REF TO /iwbsp/cl_mgw_dp_facade.

lr_facade ?= runtime->get_dp_facade().

mpc ?= lr_facade->/iwbsp/if_mgw_dp_int_facade~get_model().

ENDMETHOD.

Class/Interface

ZCL_GW_MODEL

Implemented / Active

Propert...

Interfaces

Friends

Attributes

Methods

Events

Types

Aliases

☐ Parameters

Exceptions



Sourcecode



Method

Level

Visibility

M...

Des

CONSTRUCTOR

Instance Method Public



GET_PROPERTY

Instance Method Public

GET_ENTITY_PROPERTIES

Instance Method Private

ZCL_GW_MODEL

Class/Interface		ZCL_GW_MODEL		Implemented / Active											
Propert...		Interfaces		Friends		Attributes		Methods		Events		Types		Aliases	
Parameters		Exceptions		Sourcecode											
Method		Level		Visibility		M...		Des							
CONSTRUCTOR		Instance Method		Public											
GET_PROPERTY		Instance Method		Public											
GET_ENTITY_PROPERTIES		Instance Method		Private											

METHOD constructor.

```
DATA: lr_facade TYPE REF TO /iwbsp/cl_mgw_dp_facade.  
lr_facade ?= runtime->get_dp_facade( ).
```

```
mpc ?= lr_facade->/iwbsp/if_mgw_dp_int_facade~get_model( ).
```

ENDMETHOD.

DPC->GET_MODEL

Class Builder: Class ZCL_DEMO_DPC_EXT Display

← → ↺ ↻ 🔍 📄 📁 📂 📅 📆 📇 📈 📉 📊 📋 📌 📍 📎 📏 📐 📑 📒 📓 📔 📕 📖 📗 📙 📚 📛 📜 📝 📞 📟 📠 📡 📢 📣 📤 📥 📦 📧 📨 📩 📪 📫 📬 📭 📮 📯 📰 📱 📲 📳 📴 📵 📶 📷 📸 📹 📺 📻 📼 📽 📾 📿 📠 📡 📢 📣 📤 📥 📦 📧 📨 📩 📪 📫 📬 📭 📮 📯 📰 📱 📲 📳 📴 📵 📶 📷 📸 📹 📺 📻 📼 📽 📾 📿

Pattern Pretty Printer Signature

Ty.	Parameter	Type spec.	Descript.
🔍	value(MODEL)	TYPE REF TO ZCL_GW_MODEL	
📁	/IWBEP/CX_MGW_TECH_EXCEPTION		

Method GET_MODEL

```
1  METHOD get_model.  
2  
3  IF me->model IS NOT BOUND.  
4      CREATE OBJECT me->model  
5          EXPORTING  
6              runtime = me.  
7  ENDIF.  
8  
9  model = me->model.  
10  
11 ENDMETHOD.
```