



SAP CLOUD PLATFORM - ABAP RESTFUL PROGRAMMING MODEL | CUSTOMER

SAP Cloud Platform - ABAP RESTful Programming Model

Document Version: SAP Cloud Platform, ABAP environment (1908) – 2019-08-05

# **SAP Cloud Platform - ABAP RESTful Programming Model**

## **Client Version 3.4**

# Content

<b>1</b>	<b>ABAP RESTful Programming Model</b>	<b>6</b>
<b>2</b>	<b>Before You Start</b>	<b>8</b>
2.1	Prerequisites and Constraints	8
<b>3</b>	<b>Getting Started</b>	<b>11</b>
3.1	Downloading the ABAP Flight Reference Scenario	11
3.2	Developing an OData Service for Simple List Reporting	12
	Defining the Data Model with CDS	15
	Creating an OData Service	22
	Designing the User Interface for a Fiori Elements App	33
<b>4</b>	<b>Concepts</b>	<b>42</b>
4.1	Data Modeling and Behavior	45
	Business Object	46
	Business Object Projection	52
	Query	60
4.2	Business Service	66
	Service Definition	67
	Service Binding	71
4.3	Service Consumption	73
4.4	Runtime Frameworks	75
4.5	Entity Manipulation Language (EML)	76
<b>5</b>	<b>Develop</b>	<b>81</b>
5.1	Developing Read-Only List Reporting Apps	83
	Determining the Data Model for the Read-Only Scenario	85
	Implementing Associations for Existing CDS Views	91
	Changing UI Field Labels and Descriptions	93
	Displaying Text for Unreadable Elements	95
	Providing Value Help for the Selection Fields	98
	Adding Search Capabilities	101
5.2	Developing Unmanaged Transactional Apps Based on Existing Application Logic	104
	Reference Business Scenario	107
	Providing CDS Data Model with Business Object Structure	110
	Defining and Implementing Behavior of the Business Object	123
	Defining Business Service for Fiori UI	172
	Adding Another Layer to the Transactional Data Model	177

5.3	Developing New Managed Transactional Apps . . . . .	184
	Reference Business Scenario . . . . .	188
	Developing a Ready-to-Run Business Object . . . . .	193
	Developing Business Logic . . . . .	212
	Developing a Projection Layer for Flexible Service Consumption . . . . .	254
	Defining Business Services Based on Projections . . . . .	279
5.4	Developing a Web API . . . . .	281
	Publishing a Web API . . . . .	283
5.5	Developing a UI Service with Access to a Remote Service . . . . .	286
	Scenario Description . . . . .	288
	Preparing Access to the Remote OData Service . . . . .	290
	Creating a Database Table for the Persistent Fields . . . . .	295
	Using a CDS Custom Entity for Data Modeling . . . . .	295
	Consuming the Remote OData Service . . . . .	299
	Defining an OData Service . . . . .	334
<b>6</b>	<b>Extend . . . . .</b>	<b>337</b>
6.1	Extending Apps with Custom Code . . . . .	337
	Creating an Appropriate CDS View Extension . . . . .	339
	Adding Custom Fields to Extension View . . . . .	343
	Adding Fields from Association . . . . .	344
	Previewing the Extended Fiori App . . . . .	346
<b>7</b>	<b>Common Tasks . . . . .</b>	<b>347</b>
7.1	Adding Field Labels and Descriptions . . . . .	347
7.2	Defining Text Elements . . . . .	349
	Providing Text by Text Elements in the Same Entity . . . . .	349
	Getting Text Through Text Associations . . . . .	351
	Getting Language-Dependent Text in Projection Views . . . . .	352
7.3	Enabling Text and Fuzzy Searches in SAP Fiori Apps . . . . .	355
7.4	Adding Feature Control . . . . .	359
	Static Feature Control . . . . .	359
7.5	Providing Value Help . . . . .	362
	Simple Value Help . . . . .	364
	Value Help with Additional Binding . . . . .	369
7.6	Using Aggregate Data in SAP Fiori Apps . . . . .	371
	Annotating Aggregate Functions in CDS . . . . .	372
	OData Interpretation of Aggregation Annotations . . . . .	375
7.7	Defining CDS Annotations for Metadata-Driven UIs . . . . .	378
	Tables and Lists . . . . .	379
	Detail Pages . . . . .	384
	Field Groups . . . . .	388


Annotations Similar to dataField.....	389
Charts.....	393
Data Points.....	395
Contact Data.....	406
Navigation.....	407
Actions.....	413
Field Manipulation.....	415
7.8 Consuming Business Objects with EML.....	421
7.9 Implementing an Unmanaged Query.....	429
Implementation.....	431
Returning Requested Entity in an Unmanaged Query.....	434
Requesting and Setting Data or Count in an Unmanaged Query.....	434
Implementing Filtering in an Unmanaged Query.....	436
Using Parameters in an Unmanaged Query.....	438
Implementing Search in an Unmanaged Query.....	440
Implementing Paging in an Unmanaged Query.....	442
Implementing Sorting in an Unmanaged Query.....	443
Considering Requested Elements in an Unmanaged Query.....	445
Implementing Aggregations in an Unmanaged Query.....	446
<b>8 Reference.....</b>	<b>449</b>
8.1 CDS Annotations.....	449
AccessControl Annotations.....	450
Aggregation Annotations.....	452
Analytics Annotations.....	458
AnalyticsDetails Annotations.....	464
Consumption Annotations.....	475
ObjectModel Annotations.....	478
OData Annotations.....	480
Search Annotations.....	507
Semantics Annotations.....	511
UI Annotations.....	514
8.2 API Documentation.....	612
Unmanaged BO Contract.....	613
Unmanaged Query API.....	633
8.3 Tool Reference.....	648
Exploring Business Objects.....	649
Working with Behavior Definitions.....	650
Working with Business Services.....	656
Creating Projection Views.....	667
8.4 ABAP Flight Reference Scenario.....	668
8.5 Naming Conventions for Development Objects.....	673

<b>9</b>	<b>What's New. . . . .</b>	<b>676</b>
9.1	Version 1908. . . . .	676
9.2	Version 1905. . . . .	680
9.3	Version 1902. . . . .	683
9.4	Version 1811. . . . .	686
<b>10</b>	<b>Glossary. . . . .</b>	<b>687</b>

# 1 ABAP RESTful Programming Model

The ABAP RESTful programming model defines the architecture for efficient end-to-end development of intrinsically SAP HANA-optimized OData services (such as Fiori apps) in [SAP Cloud Platform ABAP Environment](#) [page 701]. It supports the development of all types of Fiori applications as well as publishing Web APIs. It is based on technologies and frameworks such as Core Data Services (CDS) for defining semantically rich data models and a service model infrastructure for creating [OData](#) [page 698] services with bindings to an OData protocol and ABAP-based application services for custom logic and SAPUI5-based user interfaces – as shown in the figure below.

## Architecture Overview



- Concepts [page 42]

## Target Audience

**ABAP developers** who want to provide (OData) services within the scope of ABAP RESTful programming model.

## **Validity of Documentation**

This documentation refers to the range of functions that have been shipped as part of delivery of the application server for *SAP Cloud Platform, ABAP Environment*.

## **Contents**

[Before You Start... \[page 8\]](#)

[Getting Started \[page 11\]](#)

[Concepts \[page 42\]](#)

[Develop \[page 81\]](#)

[Extend \[page 337\]](#)

[Common Tasks \[page 347\]](#)

[CDS Annotations \[page 449\] \(Reference\)](#)

[Unmanaged BO Contract \[page 613\] \(Reference\)](#)

[Tool Reference \[page 648\] \(Reference\)](#)

[Glossary \[page 687\]](#)

# 2 Before You Start...

... check the Technical Requirements and [Prerequisites and Constraints \[page 8\]](#)

## 2.1 Prerequisites and Constraints

### Prerequisites

#### SAP Cloud Platform

You have access to and an account for [SAP Cloud Platform ABAP Environment \[page 701\]](#).

**More on this:** [Getting Global Account](#)

#### Development Environment (IDE)

- You have installed ABAP Development Tools (ADT).  
SAP recommends to use the latest version of the client installation. The ADT download is available on the update site <https://tools.hana.ondemand.com/>.
- You have access to and a user account for the relevant space in [SAP Cloud Platform Cloud Foundry](#).  
**More on this:**
  - 
  -

### Authorizations

To create development artifacts described in this guide, you need the **developer authorization** profile for the [ABAP Environment](#).

### Knowledge

Basic knowledge of

- ABAP Core Data Services (CDS)
- ABAP Objects.

### Constraints

The current version of the ABAP RESTful programming model still has some constraints when ...

## Adding UI Semantics

To add the UI semantics in the context of the *SAP Cloud Platform ABAP Environment*, you can only annotate the UI metadata within the CDS data definition source content. You cannot use metadata extensions to separate the metadata specified in the UI annotations from the actual data definition in the CDS view.

## Defining Custom Entities

Associations with custom entity as source or target support only attribute bindings ( $A1 = A2$  and  $B1 = B2$ ), but no

- OR, NOT
- Other operators than '='
- Using something else than CDS elements as operands (e.g. no literals or variables)

## Fiori Elements App Preview

The Fiori Elements App preview does not support the navigation to the object page of nested subentities, which means to more than one child entity. This also affects the create functionality for nested subentities. The create button is only displayed for the root and one child entity of a business object when accessing the preview via the root.

To test UI features or the create functionality for nested subentities, you can test the OData service with the Web IDE and configure the application to enable navigation to any number of child entities.

Alternatively, you can access the preview via the parent entity of the nested subentity that you want to test.

### Example

You want to test the create functionality of the subentity `BookingSupplement` in the `Travel` business object, which is the second child entity in the hierarchy. Instead of starting the preview in the service binding via the root entity `Travel` or the composition `Travel-to_Booking`, access the preview via the child entity `Booking` or the composition `Booking-to_BookSupplement` to see the complete feature scope of the nested subentity `BookingSupplement`.

Entity Set and Association

- > TravelAgency
- > BookingSupplement
- Booking**
  - to\_BookSupplement** Double click or use context menu on the nodes to launch Preview for Fiori Elements App.
  - to\_Carrier
  - to\_Connection
  - to\_Customer
  - to\_Travel
- > Airline
- > FlightConnection
- > CurrencyText
- > Passenger
- > Flight
- > Supplement
- > SupplementText
- Travel**
  - to\_Agency
  - to\_Booking
  - to\_Currency
  - to\_Customer
- Country
- Currency

Fiori Elements Preview Testing for Nested Entities

## Implementation Type Managed

When working with the managed implementation type the following constraints are given:

- **Creating Instances of Child Entities:** Instances for child entities can only be created by a `create-by-association`.
- **CDS View Fields:** In CDS views you have to use the same name for fields as in the underlying database table. No aliasing is supported. In CDS projection views, aliasing for fields is possible.
- **Determinations:** Changes caused by determinations cannot trigger other determinations.
- **Determinations and Validations:** Determinations that are triggered at entire entity level can only be defined for the `create` operation.
- **Authority:** Only instance-based authorizations are available. That means, static authorizations are not available. Therefore, you cannot apply authorization checks to create operations.
- **Numbering:** Values of primary key fields must be provided externally by the consumer. Late numbering is not supported.

## Using Abstract Entities

You cannot expose an OData service that includes abstract entities. Whereas abstract entities are allowed to be used in a service definition, the publishing of a service via a service binding causes a dump error.

## Service Consumption Model

- Even though you can delete all generated artifacts except for the generated service definition, it is recommended not to do so as it corrupts the service consumption model. If you edit or delete a generated artifact, then the form editor for the service consumption model does not open and an error is displayed. Also, if you delete any of the generated artifacts, you cannot delete a service consumption model object. You need to recreate the deleted artifact for the form editor and object deletion to work.
- For a service entity set, the remote OData service may have support only for one CRUD operation, for example, READ. Currently, code snippets are displayed for all the operations even if the support is provided only for one operation.

## Using Parameters in CDS Views

The usage of simple data types for parameters is not supported.

## Exposing Actions for OData

As of cloud release 1811, the OData names of function imports for actions that are declared in a behavior definition do not carry the name of their related entity set anymore. Instead, OData only adopts the name of the action that is defined in the behavior definition.

The following table illustrates the changes in action names as displayed in the metadata of an OData service.

Before ABAP Environment 1811	After ABAP Environment 1811
<pre>&lt;FunctionImport Name="<i>&lt;entity_ref&gt;&lt;action_name&gt;</i>" &gt;</pre>	<pre>&lt;FunctionImport Name="<i>&lt;action_name&gt;</i>" &gt;</pre>

# 3 Getting Started

This **Getting Started** section provides you with the fundamental basics of development with the ABAP RESTful Programming Model.

Import the ABAP Flight Reference Scenario in your ADT to get sample data: [Downloading the ABAP Flight Reference Scenario \[page 11\]](#)

The getting started tutorial helps you to create a complete application based on the existing data model from the ABAP Flight Reference Scenario with the most basic features: [Developing an OData Service for Simple List Reporting \[page 12\]](#)

## 3.1 Downloading the ABAP Flight Reference Scenario

The ABAP Flight Scenario contains demo content that you can import into your development environment.

The ABAP Flight Reference Scenario helps you to get started with development in the context of the ABAP RESTful Programming Model. It contains demo content that you can play around with and use to build your own sample applications.

### Sample Data

First of all, the reference scenario contains data. You can use database tables that are filled with travel data including master data items, such as customer, flights, airports, or booking supplements. The structure of the complete data model allows you to build simple but also more complex services. In this way, it is easy to follow the steps in the development guides while building your own application based on the same database tables as in the given examples.

For an overview of the available database tables, see [ABAP Flight Reference Scenario \[page 668\]](#). They are available in the package `/DMO/FLIGHT_LEGACY`. This package also includes a data generator with which you can fill the database tables.

### Sample Services

The development guides for the ABAP RESTful Programming model are based on the sample data from the ABAP Flight Reference Scenario. That means that you can compare the documentation with the productive code that was used to build the documentation scenario. In addition, the ABAP Flight Reference Scenario also includes a demo package with the development objects that are created during the course of the development guides. That means, the whole demo scenario can be downloaded and tested. You obtain full demo services with code built by following conventions and best practices and you can use and reuse the delivered objects for your development.

Apart from one exception (service binding), the development object of the development guides in the [Develop \[page 81\]](#) section can be downloaded into your cloud system.

The following demo scenarios are available for you:

- [Developing Read-Only List Reporting Apps \[page 83\]](#) in the package /DMO/FLIGHT\_READONLY
- [Developing Unmanaged Transactional Apps Based on Existing Application Logic \[page 104\]](#) in the package /DMO/FLIGHT\_UNMANAGED
- [Developing New Managed Transactional Apps \[page 184\]](#) in the package /DMO/FLIGHT\_MANAGED

**i Note**

The demo packages do not include service bindings. They must be created in your own namespace to complete the service. Then you can preview the UI services with the Fiori Elements preview in the service binding.

### Legacy Coding

The reference scenario also includes legacy coding. This legacy coding is based on function modules and exemplifies legacy applications that you can include in your new ABAP code. Above all, the legacy coding is relevant for the development guide, that explains how to build a new service on the basis of an existing application. It illustrates how you build an application with the unmanaged implementation type. The legacy coding that is used in this scenario is available in the package /DMO/FLIGHT\_LEGACY.

## Downloading the ABAP Flight Reference Scenario from GitHub

You can download the complete ABAP Flight Reference Scenario for the ABAP RESTful Programming Model from GitHub <https://github.com/SAP/abap-platform-refscen-flight/tree/Cloud-Platform>. The steps to include the development objects in your ADT are described in the *README.md* file.

**→ Remember**

The namespace /DMO/ is reserved for the demo content. Apart from the downloaded ABAP Flight Scenario, do not use the namespace /DMO/ and do not create any development objects in the downloaded packages. You can access the development objects in /DMO/ from your own namespace.

## 3.2 Developing an OData Service for Simple List Reporting

A simple introductory guide helps the developer to get started with the ABAP RESTful Programming Model. It describes the basic development tasks to create an OData Service.

### Introduction


The following sections serve as an introductory guide for the development of an OData service based on the ABAP RESTful Programming Model. It forms the basic building block for more elaborate scenarios with extended read-only features or transactional processing.

An OData service makes it possible to create and consume queryable and interoperable RESTful APIs. A SAP Fiori Elements application consumes OData services like this, but it also possible for other Web clients to make use of an OData service that is created with the ABAP RESTful Programming Model.

This programming model provides a framework that facilitates your application development. All included technologies, such as Core Data (CDS) or business services, are usable and accessible with ABAP Development Tools (ADT), providing easy access to the necessary infrastructure.

The following guide starts from a data model assuming that database tables already exist. It uses the ABAP Flight Reference Scenario (in short Flight Scenario), which provides example data comprising travel information with flight data. For a detailed description of the database tables that are used in this scenario, refer to [ABAP Flight Reference Scenario \[page 668\]](#)

You are guided step-by-step through the new application model in three consecutive building blocks:



- [Defining the Data Model with CDS \[page 15\]](#)
- [Creating an OData Service \[page 22\]](#)
- [Designing the User Interface for a Fiori Elements App \[page 33\]](#)

You start by implementing a CDS view as a new data model layer using a data source that is already provided. You also use basic CDS annotations to manifest semantics for the data model. The next step is to create an OData service by defining and binding a service based on the corresponding CDS view. As soon as the OData service is published in the local system repository, it is ready to be consumed using an OData client, such as a SAP Fiori app. Finally, you learn how to use UI annotations as a UI technology independent semantic description of the user interface layout.

The result of this Getting Started guide is a consumable OData Service, which can be easily used to set up a Fiori Elements travel booking app, from which you can derive information about flight connections. Navigation properties are added to this application to receive more information about bookings, customers, and agencies in the other scenarios in the [Develop \[page 81\]](#) section. These other development guides also cover extended

read-only and transactional features, whereas the Getting Started guide only deals with the most basic read-only features for setting up an OData Service. The scenarios in the Develop section assume that you understood the steps that are described in the following guide.

### i Note

Via ABAPGit You can import the service including the related development objects into your development environment for comparison and reuse. You find the service in the package `/DMO/FLIGHT_READONLY`. The suffix for development objects in this development guide is `_R`. Be aware that the development objects might contain more than explained in the Getting Started guide. This is because the Getting Started scenario is enhanced in the first development guide [Developing Read-Only List Reporting Apps \[page 83\]](#) which uses this same demo objects.

Note that the service binding cannot be imported in your system. To get the full service that is developed in the development guide, you have to build a service binding in your own package.

For information about downloading the ABAP Flight Reference Scenario, see [Downloading the ABAP Flight Reference Scenario \[page 11\]](#).

## Prerequisites

The development of an OData service requires the following:

- You have access to and an account for **SAP Cloud Platform, ABAP environment**.
- You have installed ABAP Development Tools (ADT). SAP recommends to use the latest version of the client installation. The ADT download is available on the update site <https://tools.hana.ondemand.com/>.
- To recreate the demo scenario, the database tables of the *ABAP Flight Reference Scenario* must be available in your *ABAP Environment*. You can download the complete ABAP Flight Reference Scenario for the ABAP RESTful Programming Model from GitHub <https://github.com/SAP/abap-platform-refscen-flight/tree/Cloud-Platform>. The steps to include the development objects in your ADT are described in the *README.md* file.

### → Remember

The namespace `/DMO/` is reserved for the demo content. Apart from the downloaded ABAP Flight Scenario, do not use the namespace `/DMO/` and do not create any development objects in the downloaded packages. You can access the development objects in `/DMO/` from your own namespace.

The service binding

## Objectives

By the end of this Getting Started section, you will be able to:

- Create a data definition and define a CDS view
- Implement an ABAP CDS view based on an existing database table

- Define an OData service and expose a CDS view for this service
- Bind the OData service against a protocol and publish it locally
- Use semantics annotations in CDS
- Understand some basic UI annotations in CDS

### 3.2.1 Defining the Data Model with CDS

The data model for an OData service must be defined in CDS.

This introductory programming guide uses example data from the Flight Reference Scenario. The Getting Started scenario uses the database table `/dmo/connection`. It provides information about airline and connection numbers, flight times, and data related to planes.

In the CDS layer we use and manipulate data that is persisted in the database. To make data available in the ABAP application server, CDS views use SQL queries to project persisted data to the ABAP layer. This is necessary to create an OData service to make the data ready to be consumed. More information about CDS: [.](#)

To define a data model based on the ABAP CDS view concept, you first need to create a data definition as the relevant ABAP Repository object using a wizard in [ABAP Development Tools](#).

#### **Task 1: [Creating a Data Definition for a CDS View \[page 15\]](#)**

In the second step, you implement an elementary CDS view from scratch by defining a simple query for flights based on a single data source from the ABAP Flight Reference Scenario.

#### **Task 2: [Implementing the CDS View as a Data Model \[page 17\]](#)**

In the final task of this section, you have the option of using the test environment to verify the output (a results set) of the CDS view you have just implemented.

#### **Task 3: [Verifying the Results Set in the Data Preview Tool \[page 21\]](#)**

### 3.2.1.1 Creating a Data Definition for a CDS View

Use the data definition wizard to create the relevant development object for a CDS view.

#### Context


For our simple read-only scenario, we want to define data that is exposed by an OData service to make it available for an OData client. For this purpose, you create a development object to define an ABAP CDS entity (for example, a CDS view). The data definition provides you with the appropriate development object for the CDS view, which is included in ABAP development tools and directly accesses the standard ABAP functions.

## Procedure

1. Launch the *ABAP Development Tools*.
2. In your ABAP project, select the package node in which you want to store the development objects for the Getting Started scenario.
3. Open the context menu and choose ► *New* ► *Other ABAP Repository Object* ► *Core Data Services* ► *Data Definition* to launch the creation wizard for a data definition.
4. In addition to the *Project* and *Package*, which are already specified depending on the package you selected, enter the *Name* (while respecting your namespace) and a *Description* for the data definition you want to create.

### i Note

The maximum length for the name of a data definition is 30 characters.




First wizard page when creating a data definition

5. Choose *Next*.
6. Assign a transport request.
7. Choose *Finish* or choose next to select a template for the data definition.

Choosing *finish* directly provides you with the correct template.

## Results

In the selected package, the ABAP back-end system creates an inactive version of a data definition and stores it in the ABAP Repository. As a result, the data definition editor is opened. The generated source code already provides you with the necessary view annotations and adds placeholders for the names of the database view and for the data source for query definition. The name for the actual CDS view is predefined on the basis of the name for the data definition, but can be changed in the data definition editor.



The screenshot shows the ABAP Data Definition editor with the title bar "Data Definition". The code area contains the following template:

```
1 @AbapCatalog.sqlViewName: 'sql_view_name' Database View
2 @AbapCatalog.compiler.compareFilter: true
3 @AccessControl.authorizationCheck: #CHECK
4 @EndUserText.label: 'Read-Only E2E: Data Model Connection'
5 define view /DMO/I_Connection_R as select from data_source_name {
6
7 }
```

The code is color-coded: "sql\_view\_name" and "data\_source\_name" are highlighted in yellow, and the entire code block is enclosed in a pink box. Below the editor, the text "The generated template code in the data definition editor" is displayed.

## Next Steps

Now that you have created a data definition, you can implement the CDS view as a data model for your OData service.

### 3.2.1.2 Implementing the CDS View as a Data Model

Use a predefined database table as the data source for a CDS view.

## Prerequisites

- You have created the data definition artifact in ABAP Development Tools.
- The database table /dmo/connection is available for you.

## Context

In this step, you implement an interface view as a new data model using a predefined data source.

## Procedure

1. If you have not yet already done so, open the new data definition in the editor.


2. Specify the names of the following:
    - a. Database view to be generated in the ABAP Dictionary: **/DMO/ICONNECT\_R**
- i Note**
- We use a shortened name due to character limitations in database views of 16 characters.
- b. Actual CDS view: **/DMO/I\_Connection\_R**
- The data definition editor already provides a suggestion for the name using the name that you specified for the data definition in the creation wizard. However, these names do not have to be the same. You can overwrite it in the `define` statement. Note that the names of the database view and the CDS view must not be the same.
3. In the `SELECT` statement, enter the predefined database table **/dmo/connection** as a data source and define an optional alias name for the data source.
- An alias is useful especially when you use multiple data sources or whenever the name of the data source is not descriptive or too long.
- ```
... select from /dmo/connection as Connection{
```

4. Add the fields of **/dmo/connection** to the `SELECT` list and assign alias names to each item field as follows:

```
{
  Connection.carrier_id      as AirlineID,
  Connection.connection_id   as ConnectionID,
  Connection.airport_from_id as DepartureAirport,
  Connection.airport_to_id   as DestinationAirport,
  Connection.departure_time  as DepartureTime,
  Connection.arrival_time   as ArrivalTime,
  Connection.distance        as Distance,
  Connection.distance_unit   as DistanceUnit
}
```

#### → Tip

Whenever you insert table fields or view elements in the `SELECT` list, you can make use of the content assist function in the data definition editor (**CTRL** + **SPACE**).



Inserting fields using semantic auto-completion

5. To document the key semantics of the new data model, define the `AirlineID` and `ConnectionID` elements as `KEY` elements in the current CDS view:

```
key carrier_id      as AirlineID,
key connection_id   as ConnectionID,
```

6. Click the activation button  or use the shortcut **Ctrl** + **F3** to activate the data definition.

To check the syntax before activation, click  or use the shortcut **Ctrl** + **F2**.

## Results

The resulting source code for the CDS view is the following:

```
@AbapCatalog.sqlViewName: '/DMO/ICONNECT_R'
@AbapCatalog.compiler.compareFilter: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Read-Only E2E: Data Model Connection'
define view /DMO/I_Connection_R
  as select from /dmo/connection as Connection
{
  key Connection.carrier_id      as AirlineID,
  key Connection.connection_id   as ConnectionID,
  Connection.airport_from_id    as DepartureAirport,
  Connection.airport_to_id      as DestinationAirport,
  Connection.departure_time     as DepartureTime,
  Connection.arrival_time       as ArrivalTime,
  Connection.distance           as Distance,
  Connection.distance_unit      as DistanceUnit
}
```

The source code above is used to define a quite simple CDS view named [/DMO/I\\_Connection\\_R](#). This view is implemented using a query that performs a `SELECT` statement, where the database table `/dmo/connection` is used as the data source. The select list includes a set of fields that are relevant for in the ABAP layer. The `KEY` elements in the selection list are used to define the key field semantics of the CDS view.

When the data definition source is activated, the following objects are created in ABAP Dictionary:

- The actual entity of the CDS view [/DMO/I\\_Connection\\_R](#)
- An SQL view [/DMO/ICONNECT\\_R](#)

## Next Steps

Mark the elements `Distance` and `DistanceUnit` as semantically related.

### 3.2.1.2.1 Relating Semantically Dependent Elements

Use the `@Semantics` annotation to relate the quantity element to its unit of measure element.

## Context

The CDS view [/DMO/I\\_Connection\\_R](#) that you created contains elements that are heavily dependent on each other **semantically**, namely `Distance` and `DistanceUnit`. In CDS, you can use semantic annotations to

standardize semantics that have an impact on the consumer side for these elements. In general, elements that need to be marked as having semantic content to guarantee that they are handled correctly are elements that contain the following:

- Amounts of money  
These elements need a reference to the currency related to this element.
- Amounts of measures  
These elements need a reference to the unit of measure related to this element.

If you create annotations that define a link to the unit for the amounts, the amounts and their units are always handled as being dependent on each other in the OData service. On UIs in particular amounts are displayed with the correct decimals with regard to their unit.

In the CDS view [\*/DMO/I\\_Connection\\_R\*](#), you therefore need to proceed as described in the following to always display the distance together with the distance unit.

## Procedure

1. Open the CDS view [\*/DMO/I\\_Connection\\_R\*](#).
2. Mark the element `DistanceUnit` as a unit of measure with the annotation  
`@Semantics.unitOfMeasure: true`.
3. Define the relationship between amount and unit of measure with the annotation  
`@Semantics.quantity.unitOfMeasure: '<ElementRef>' on Distance and reference the element DistanceUnit.`

```
@Semantics.quantity.unitOfMeasure: 'DistanceUnit'  
Connection.distance      as Distance,  
@Semantics.unitOfMeasure: true  
Connection.distance_unit as DistanceUnit
```

4. Activate the CDS view.

## Results

If you expose the CDS view for an OData service, the elements are always handled as being semantically related to each other. This means that they are given the OData annotation `sap:unit` and `sap:semantics` in the OData metadata document. On UIs in particular, the elements are always displayed as being attached to each other.

## Related Information

[Semantics Annotations \[page 511\]](#)

### 3.2.1.3 Verifying the Results Set in the Data Preview Tool

Use the data preview tool to check the elements in the CDS view.

#### Prerequisites

The data definition has correct syntax and has been activated.

#### Context

You have created a data definition and implemented a CDS view with data from the database table [\*/dmo/connection\*](#). Now you have the option of launching the test environment (in the data preview tool), which enables you to verify that the persisted data from the database is now displayed in the CDS view.

#### Procedure

In the data definition editor, position the cursor somewhere in the CDS source code. Open the context menu and choose  or use the shortcut [`F8`](#).

#### Results

The CDS view does not require any parameters, which means the data preview displays the results set of the data selection query directly.

The screenshot shows a data preview tool window with the title bar 'D /DMO/I\_CONNECTION\_R' and a search field 'Filter pattern'. The toolbar includes 'Raw Data' (selected), 'Data Aging', 'Number of Entries' (set to 100), 'Select Columns', 'Add filter', and other options. The main area displays a table with the following columns: Car..., Con..., Depart..., Desti..., Departu..., ArrialT..., Dis..., and Dis...^.

| Car... | Con... | Depart... | Desti... | Departu... | ArrialT... | Dis... | Dis...^ |
|--------|--------|-----------|----------|------------|------------|--------|---------|
| SQ     | 0001   | SFO       | SIN      | 011500     | 115000     | 13.523 | km      |
| SQ     | 0002   | SIN       | SFO      | 063000     | 091500     | 13.523 | km      |
| SQ     | 0011   | NRT       | SIN      | 145500     | 205000     | 5.363  | km      |
| SQ     | 0012   | SIN       | NRT      | 095300     | 175400     | 5.363  | km      |
| UA     | 0058   | SFO       | FRA      | 134500     | 095500     | 9.608  | km      |
| UA     | 0059   | FRA       | SFO      | 135500     | 163000     | 9.608  | km      |
| UA     | 1537   | EWR       | MIA      | 215600     | 004700     | 1.752  | km      |
| AA     | 0322   | MIA       | EWR      | 201700     | 231900     | 1.752  | km      |
| AA     | 0017   | MIA       | HAV      | 071900     | 080300     | 520    | km      |
| AA     | 2678   | HAV       | MIA      | 061500     | 103000     | 520    | km      |
| AA     | 0015   | JFK       | SFO      | 071300     | 100400     | 4.156  | km      |

Results sets in the data preview tool

### i Note

You can sort the entries by element by clicking the column header.

## 3.2.2 Creating an OData Service

Business service artifacts enable the publishing of an OData service using ABAP Development Tools.

In the previous step, you defined a data model based on the persisted data source [/dmo/connection](#) in the data definition [/DMO/I\\_Connection\\_R](#). You can now use this data model and expose it for an OData service. The OData service makes it possible for UI technologies to query data and consume it. The following steps are necessary to include the CDS view in an OData service.

To define a service, you first need to create a service definition as the relevant ABAP Repository object using a wizard.

### Task 1: Creating a Service Definition [page 23]

The next step is to define the scope of the OData service by exposing the relevant CDS views (including their metadata and their behavior).

### Task 2: Exposing a CDS View for an OData Service [page 25]

To define the type and category of the OData service, you need to create a service binding as the relevant ABAP Repository object. There is also a wizard available for this.

### Task 3: Creating a Service Binding [page 26]

In the next step, you use the form-based editor of the service binding to publish the service locally.

### Task 4: Publishing the OData Service Locally [page 28]

You have the option of checking the resulting OData service by viewing its metadata. The service binding offers a simple solution for this.

#### Task 5: [Verifying the OData Metadata \[page 30\]](#)

You can also take a look at how the UI of a Fiori Elements of the OData service looks like with the preview tool of the service binding.

#### Task 6: [Previewing the Resulting UI Service \[page 32\]](#)

### 3.2.2.1 Creating a Service Definition

Use the service definition wizard to create the relevant development object that defines the scope of the OData service

#### Context


The service definition is a projection of the models and related behavior that you want to expose. In a service definition, you define the OData service to determine which CDS entities are part of the service. This service is then exposed either as a UI service or a Web API by a service binding artifact. A service definition can be integrated in various protocols without any reimplementation.

#### Procedure

1. In your ABAP project, select the relevant package node in the *Project Explorer*.
2. Open the context menu and choose ► *New* ► *Other ABAP Repository Object* ► *Business Services* ► *Service Definition* ► to launch the creation wizard.
3. In addition to the *Project* and *Package*, which are already specified depending on the package you selected, enter the *Name* and a *Description* for the service definition you want to create.

#### i Note

The maximum length for the name of a service definition is 30 characters.



Wizard page when creating a service definition

4. Choose *Next*.
5. Assign a transport request.
6. Choose *Finish*.

## Results

The ABAP back-end system creates an inactive version of a service definition and stores it in the ABAP Repository.

In the *Project Explorer*, the new service definition is added to the *Business Services* folder of the corresponding package node. As a result, the service definition editor is opened:

## Next Steps

Now that you have created a service definition, you can choose one or more CDS entities to be exposed in the service.

## 3.2.2.2 Exposing a CDS View for an OData Service

Assign the scope of the OData service.

### Prerequisites

You have created the service definition artifact in ABAP Development Tools.

### Context

In the service definition editor, you determine the CDS entities that you want to expose in an OData service.

### Procedure

1. If you have not yet already done so, open the new service definition in the editor.

The name of the service is already specified in accordance with the name you gave in the service definition wizard. It cannot be changed to a different name.

2. Specify the name of each CDS entity that you want to expose for the service. For the getting started read-only scenario, there is only one CDS view to be exposed: `/DMO/I_Connection_R`
3. Optionally, you can assign an alias for the CDS view.

An alias is useful, especially when you use multiple CDS views or whenever the name of the CDS view is not descriptive or too long.

4. Click the activation button  or use the shortcut `Ctrl` + `F3` to activate the service definition.

To check the syntax before activation, click  or use the shortcut `Ctrl` + `F2`.

### Results

The resulting source code for the service definition is as follows:

```
@EndUserText.label: 'Read-Only E2E: SD for Managing Flights'  
define service /DMO/FLIGHT_R {  
    expose /DMO/I_Connection_R as Connection;  
}
```

The source code above is used to define a service definition named `/DMO/FLIGHT_R`. It exposes the CDS view `/DMO/I_Connection_R` to be included in the service.

## Next Steps

Now that the service exists, you can determine the binding type and category for the service using a service binding.

### 3.2.2.3 Creating a Service Binding

Use the service binding wizard to create the relevant development object to bind the service to a protocol and, if necessary, to an OData client.

#### Prerequisites

You have defined a service and exposed CDS entities that are included in the service.

#### Context

A service binding implements the protocol that is used for the OData service. It uses a service definition that projects the data models and their related behaviors to the service.

#### Procedure

1. In your ABAP project, select the relevant package node in the *Project Explorer*.
2. Open the context menu and choose to launch the creation wizard.
3. In addition to the *Project* and *Package*, which are already specified depending on the package you selected, enter the *Name* and a *Description* for the service binding you want to create.

##### Note

The maximum length for the name of a service binding is 26 characters.


4. Select the *Binding Type* **ODATA V2 - UI**.

##### Note

The available categories are UI and Web API. A UI-based OData service can be consumed by any SAP UI5 application. An OData service with Web API binding is exposed as an API.

This scenario is aimed at creating a UI service with OData V2.

5. Search for the *Service Definition* that you want to use as a base for your service binding: [/DMO/FLIGHT\\_R](#).




Wizard page when creating a service binding

6. Choose *Next*.
7. Assign a transport request.
8. Choose *Finish*.

## Results

The ABAP back end creates a service binding and stores it in the ABAP Repository.

In the *Project Explorer*, the new service binding is added to the *Business Services* folder of the corresponding package node. As a result, the service binding form editor is opened and you can verify the information you have entered.



Service Binding Artifact Form Editor

As soon as you have created the service binding for a service, the service is registered in your local system. It is not yet active.

## Next Steps

Activate the service binding to make it ready for consumption.

## Related Information

[Creating Service Binding \[page 658\]](#)

### 3.2.2.4 Publishing the OData Service Locally

To make the service ready for consumption, use the activation button in the service binding form editor.

## Prerequisites

You have created the service binding and specified the binding type and category.


## Context

## Procedure

1. If you have not already done so, open the new service binding in the form editor.


The binding type and category are already defined and cannot be changed once the service binding is created. You can verify the type and category in the general information section in the form editor. As soon as you have specified the binding for the service, it is ready for publishing. The service is then available for consumption.

2. Choose *Activate* button in the form editor.



## Results

The OData service `/DMO/UI_FLIGHT_R_V2` is published locally, which means that it is activated in SAP Gateway. The service is bound to the protocol OData V2 for the category UI. This means it can now be consumed by a SAPUI5 application.



The binding type and service information is displayed in the service binding form editor

On the left side of the form editor, the service list with the version and the service definition is filled. The right side of the form editor shows the service details. It provides a URL to view the metadata of the service and lists the entity sets that are exposed for the service. The service contains the entities that you have exposed in the service definition. The service binding editor shows the names that you assigned as alias.

## Related Information

[Using Service Binding Editor \[page 660\]](#)

### 3.2.2.5 Verifying the OData Metadata

Use the URI in the service binding form editor to check the metadata document of the published OData service.

#### Prerequisites

You have published an OData service using a service binding.

#### Context

In the previous steps we defined an OData service and published it. It is now ready for to be consumed by an HTTP protocol. To verify the data that the OData service exposes, the service offers a metadata document in which all relevant service elements are listed.

#### Procedure

1. If you have not yet already done so, open the service binding for the relevant service.
2. To open the service document document of the OData service, choose the link to the service URL ([/sap/opu/odata/sap/DMO/UI\\_FLIGHT\\_R\\_V2](#)) that is provided in the form editor for the relevant line in the service details section.

An internal browser opens displaying the metadata of the service.

3. Add [/\\$metadata](#) to the URI to view the metadata of the OData service.

#### Results

The metadata document displays the relevant information that the OData service provides for an OData client in a CSDL (Common Schema Definition Language).

##### i Note

As labels are language dependent, they are only displayed if the language of the browser and the maintained data elements are in the same language, or if a fallback language matches the browser configurations.

```

<?xml version="1.0" encoding="UTF-8"?>
<edmx:Edmx xmlns:sap="http://www.sap.com/Protocols/SAPData" xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
  xmlns:edmx="http://schemas.microsoft.com/ado/2007/06/edmx" Version="1.0">
  + <edmx:Reference xmlns:edmx="http://docs.oasis-open.org/odata/ns/edmx" Uri="https://HOST/sap/opu/odata/IWFND/CATALOGSERVICE;v=2/Vocabularies
    (TechnicalName=%2FIBEP%2FVOC_COMMON',Version='0001',SAP__Origin='')/$value">
  + <edmx:Reference xmlns:edmx="http://docs.oasis-open.org/odata/ns/edmx" Uri="https://HOST/sap/opu/odata/IWFND/CATALOGSERVICE;v=2/Vocabularies
    (TechnicalName=%2FIBEP%2FVOC_CAPABILITIES',Version='0001',SAP__Origin='')/$value">
  + <edmx:Reference xmlns:edmx="http://docs.oasis-open.org/odata/ns/edmx" Uri="https://HOST/sap/opu/odata/IWFND/CATALOGSERVICE;v=2/Vocabularies
    (TechnicalName=%2FIBEP%2FVOC_COMMUNICATION',Version='0001',SAP__Origin='')/$value">
  - <edmx:DataService m:DataServiceVersion="2.0">
    + <Schema xml:lang="en" Namespace="cds_xdmoxflight_r_sd" xmlns="http://schemas.microsoft.com/ado/2008/09/edm" sap:schema-version="1">
      - <EntityType sap:content-version="1" sap:label="Read-Only E2E: Data Model Connection" Name="ConnectionsType">
        - <Key>
          <PropertyRef Name="CarrierID"/>
          <PropertyRef Name="ConnectionID"/>
        </Key>
        <Property sap:label="Airline ID" Name="CarrierID" sap:quickinfo="Flight Reference Scenario: Carrier ID" sap:display-format="UpperCase" MaxLength="3"
          Nullable="false" Type="Edm.String"/>
        <Property sap:label="Flight Number" Name="ConnectionID" sap:quickinfo="Flight Reference Scenario: Connection ID" sap:display-format="NonNegative"
          MaxLength="4" Nullable="false" Type="Edm.String"/>
        <Property sap:label="Departure Airport" Name="DepartureAirport" sap:quickinfo="Flight Reference Scenario: From Airport" sap:display-format="UpperCase"
          MaxLength="3" Type="Edm.String"/>
        <Property sap:label="Destination Airport" Name="DestinationAirport" sap:quickinfo="Flight Reference Scenario: To Airport" sap:display-format="UpperCase"
          MaxLength="3" Type="Edm.String"/>
        <Property sap:label="Departure" Name="DepartureTime" sap:quickinfo="Flight Reference Scenario: Departure Time" Type="Edm.Time" Precision="0"/>
        <Property sap:label="Arrival" Name="ArrivalTime" sap:quickinfo="Flight Reference Scenario: Arrival Time" Type="Edm.Time" Precision="0"/>
        <Property sap:label="Flight Distance" Name="Distance" sap:quickinfo="Flight Reference Scenario: Flight Distance" Type="Edm.Int32"
          sap:unit="DistanceUnit"/>
        <Property sap:label="Internal UoM" Name="DistanceUnit" sap:quickinfo="Unit of Measurement" MaxLength="3" Type="Edm.String" sap:semantics="unit-of-
          measure"/>
      </EntityType>
      + <EntityContainer Name="cds_xdmoxflight_r_sd_Entities" sap:supported-formats="atom json xlsx" m:isDefaultEntityContainer="true">
        <atom:link xmlns:atom="http://www.w3.org/2005/Atom" href="https://HOST/sap/opu/odata/DMO/FLIGHT_R_SB_UI_V2/$metadata" rel="self"/>
        <atom:link xmlns:atom="http://www.w3.org/2005/Atom" href="https://HOST/sap/opu/odata/DMO/FLIGHT_R_SB_UI_V2/$metadata" rel="latest-
          version"/>
      </EntityContainer>
    </Schema>
  </edmx:DataService>
</edmx:Edmx>

```

## IOData metadata

For the described scenario, the following OData annotations are relevant:

- **EntityType:** Introduces a CDS entity that is exposed for the service.  
**sap: label:** Provides a semantic description for the entity type. It retrieves the description that was entered in the wizard for the data definition as no other label is defined.  
**Name:** Specifies the name of the OData entity. It uses the name of the CDS entity and attaches *Type*. If an alias is used in the service definition, it uses the alias.
- - **Key:** Introduces the OData properties that are specified as keys for the OData entities. If the service is based on CDS entities, it uses the keys of the CDS entities.
  - **Property:** Introduces an OData property that is exposed in the service. If the service is based on a CDS entity, it uses the elements of the CDS view as properties.  
**sap: label:** Provides a more informative description than just the name of the property. It retrieves the field label text of the data element if the CDS element is not labeled differently.  
**Name:** Specifies the name of the OData property. The service uses the name of the CDS elements. It retrieves the alias if there is one.  
**sap:quickinfo:** Provides a semantic description for the property. It retrieves the description of the data element that is used in the database table /dmo/connection if no other description is defined.  
**sap:unit:** Specifies that the respective OData property describes an amount whose unit is provided with the referenced property. In this case, as we have defined it in CDS with semantics annotations, the property DistanceUnit provides the unit for the Distance.  
**sap:semantics:** Displays semantic information for the respective OData property. In this case, it conveys the information that the OData property DistanceUnit only contains currency codes. This information is taken from the data element that is used for the database table /dmo/connection, which is stored in ABAP Dictionary.

### i Note

The information that is taken from the data elements can be checked in the data definition. Click a CDS element in the data definition and press **F2**. A pop-up opens and you can navigate to all the underlying elements.

## Next Steps

To check the output of a *SAP Fiori UI* you can preview the app with the previewing functionality of the service binding.

### 3.2.2.6 Previewing the Resulting UI Service

Use the preview function in the service binding to check how the UI of a Fiori application looks like.

#### Prerequisites


You have published an OData service using a service binding.

#### Context

The published OData service is ready to be consumed by an HTTP protocol. You can set up a Fiori application based on this service. The service binding artifact offers a tool which you can use to preview a simple list reporting Fiori application.

#### Procedure

1. If you have not yet already done so, open the service binding for the relevant service.
2. To open the Fiori Elements app preview in the service information section, select the relevant entity set (*Connection*) and choose the button **Preview**




3. Choose *Open Fiori Elements App Preview*.

Your internet browser opens a new tab and requests authorization for the system.

- Enter your user name and password for the relevant system.
- You now have access to the system and the Fiori Elements app UI is displayed. The columns of the elements that you have in the CDS views appear. The app does not show any data yet.
- To display data in the list report, first select the items that you want to display by clicking the configuration button  and choosing the elements from the column section.  
You need to select at least one element, otherwise you get an error message when retrieving the data.
  - Choose **Go** to display the data of the items you selected.

## Results

The Fiori Elements App preview opens in your browser. You see the connection data that you implemented in the CDS view. The following image displays the list report when selected all available fields.



The screenshot shows a Fiori Elements App interface with a blue header bar containing icons for user, back, forward, SAP logo, and search. Below the header is a dropdown menu labeled "Standard \*". On the right side of the header are buttons for "Adapt Filters" and "Go". The main area is a table with the following data:

| Airline ID | Arrival     | Departure  | Departure Airport | Destination Airport | Flight Distance | Flight Number | Internal UoM |
|------------|-------------|------------|-------------------|---------------------|-----------------|---------------|--------------|
| AA         | 10:04:00 AM | 7:13:00 AM | JFK               | SFO                 | 4,156           | 15            | km           |
| AA         | 8:03:00 AM  | 7:19:00 AM | MIA               | HAV                 | 520             | 17            | km           |
| AA         | 3:06:00 PM  | 6:40:00 AM | SFO               | JFK                 | 4,156           | 18            | km           |
| AA         | 11:19:00 PM | 8:17:00 PM | MIA               | EWR                 | 1,752           | 322           | km           |
| AA         | 10:30:00 AM | 6:15:00 AM | HAV               | MIA                 | 520             | 2678          | km           |
| AZ         | 10:13:00 AM | 1:25:00 PM | VCE               | NRT                 | 9,595           | 788           | km           |

### 3.2.3 Designing the User Interface for a Fiori Elements App

UI annotations can be used in CDS to configure the look of the user interface of a Fiori App.

To define annotations that concern the UI we use CDS annotations. CDS offers the option of defining a universal setup for the presentation and order of items in the CDS layer. This is independent of the UI technology or application device, which benefits the reuse of one OData service for multiple applications. The application developer does not have to configure the setting for every application, but can reuse the settings that were defined in the back end.

### i Note

If metadata extensions are available in your release, you can also define the annotations in an extension artifact instead of overloading the data definition.

You are introduced to necessary and useful UI annotations that define the presentation of your data in a UI service.

#### Task : [Defining UI Annotations \[page 34\]](#) .

The task addresses different components of the user interface separately.

In the section [List Items \[page 34\]](#) CDS offers the option of defining a universal setup for the presentation and order of, you will learn how to order and present the columns of your list report.

The second section [List Report Header \[page 36\]](#) deals with the items in the list report header.

The section describes the configuration of an object page and its items.

### → Tip

You can always check the influence of the UI annotations in the UI with preview option in the service binding form editor.

## 3.2.3.1 Defining UI Annotations

The presentation and order of the CDS elements in a SAP Fiori Elements user interface is configured in CDS with annotations.

### Context

You have created an OData service and published it locally. The UI can now be set up with UI annotations in the CDS layer to define a UI layout independent from the application or the user device. You can always check the influence of UI annotations by using the preview function in the service binding artifact.

## List Items

### Context

Using the following annotations, you specify which of the elements appear in the list report when starting the app. In addition to their order, you can also rename them if you want to display them with a name other than the name specified in the CDS entity. The columns that are shown in the UI are then predefined and you can retrieve data by choosing [GO](#) without determining the columns to be displayed.

## Procedure

1. Open the CDS view for which you want to determine the list report. In our case: `/DMO/I_Connection_R`.
2. For the headline of the list, use the annotation `@UI.headerInfo:typeNamePlural: 'name'`.

This annotation is an entity annotation because it concerns the whole entity rather than a specific element.

```
@AbapCatalog.sqlViewName: '/DMO/ICONNECT_R'  
@AbapCatalog.compiler.compareFilter: true  
@AccessControl.authorizationCheck: #NOT_REQUIRED  
@EndUserText.label: 'Read-Only E2E: Data Model Connection'  
@UI.headerInfo.typeNamePlural: 'Connections'  
define view /DMO/I_Connection_R  
...
```

3. Specify a position for each element that you want to show in the list report with the annotation

```
@UI.lineItem: [ { position:decfloat } ].
```

### i Note

The value's number does not represent an absolute measure and works as a relative value to the positions of the other elements instead. Hence, the elements are arranged in ascending order with regard to the annotation value.

```
...  
define view /DMO/I_Connection_R  
  as select from /dmo/connection as Connection  
{  
  @UI.lineItem: [ { position: 10 } ]  
  key Connection.carrier_id as AirlineID,  
  @UI.lineItem: [ { position: 20 } ]  
  key Connection.connection_id as ConnectionID,  
  @UI.lineItem: [ { position: 30 } ]  
    Connection.airport_from_id as DepartureAirport,  
  @UI.lineItem: [ { position: 40 } ]  
    Connection.airport_to_id as DestinationAirport,  
  @UI.lineItem: [ { position: 50 } ]  
    Connection.departure_time as DepartureTime,  
  @UI.lineItem: [ { position: 60 } ]  
    Connection.arrival_time as ArrivalTime,  
  @Semantics.quantity.unitOfMeasure: 'DistanceUnit'  
    Connection.distance as Distance, /* secondary  
information, not to be displayed on list report entry page  
  @Semantics.unitOfMeasure: true  
    Connection.distance_unit as DistanceUnit /* secondary  
information, not to be displayed on list report entry page  
}
```

4. You can display the elements with a name other than the name specified in CDS by labeling them with the annotation `@UI.lineItem.label: label`. In particular, you can label element with names containing spaces. The label is displayed in the column header of the list report.

```
...  
define view /DMO/I_Connection_R  
  as select from /dmo/connection as Connection  
{  
  @UI.lineItem: [ { position: 10, label: 'Airline' } ]  
  key Connection.carrier_id as AirlineID,  
  @UI.lineItem: [ { position: 20, label:'Connection Number' } ]  
  key Connection.connection_id as ConnectionID,  
  @UI.lineItem: [ { position: 30 , label: 'Departure Airport Code' } ]  
  Connection.airport_from_id as DepartureAirport,
```


```

@UI.lineItem: [ { position: 40 , label: 'Destination Airport Code' } ]
    Connection.airport_to_id as DestinationAirport,
@UI.lineItem: [ { position: 50 , label: 'Departure Time' } ]
    Connection.departure_time as DepartureTime,
@UI.lineItem: [ { position: 60 , label: 'Arrival Time' } ]
    Connection.arrival_time as ArrivalTime,
@Semantics.quantity.unitOfMeasure: 'DistanceUnit'
    Connection.distance as Distance, /** secondary
information, not to be displayed on list report entry page
@Semantics.unitOfMeasure: true
    Connection.distance_unit as DistanceUnit /** secondary
information, not to be displayed on list report entry page
}

```

## Results

The source code specifies which of the elements of the CDS view /DMO/I\_Connection\_R are displayed in the list report and in which order. In addition, the list report is given the title *Connections*. When starting the app, you do not have to select columns in the settings since they are already displayed. Press the *GO* button to retrieve data.



| Airline | Connection Number | Departure Airport Code | Destination Airport Code | Departure Time | Arrival Time |
|---------|-------------------|------------------------|--------------------------|----------------|--------------|
| AA      | 17                | JFK                    | SFO                      | 11:00:00 AM    | 2:01:00 PM > |
| AZ      | 555               | FCO                    | FRA                      | 7:00:00 PM     | 9:05:00 PM > |
| AZ      | 789               | TYO                    | FCO                      | 11:45:00 AM    | 7:25:00 PM > |

List report after UI configuration in the data definition

## List Report Header

### Context

The following annotations specify the items that are shown in the list report header.

You can define a header for the list report or you can implement selection fields on top of the list report to filter for a specific item. One selection field always refers to one element, but you can have more than one selection field in a single list report header.

## Procedure

To include selection fields for the key elements in the header, use the annotation `@UI.selectionField.position:decfloat` on the respective elements.

### i Note

The value's number does not represent an absolute measure and works as a relative value to the positions of the other selection fields instead. Hence, the selection fields are arranged in ascending order with regard to the annotation value.

```
...
    @UI.lineItem: [ { position: 30 , label: 'Departure Airport Code'} ]
    @UI.selectionField: [ { position: 10 } ]
        Connection.airport_from_id as DepartureAirport,
    @UI.lineItem: [ { position: 40 , label: 'Destination Airport Code'} ]
    @UI.selectionField: [ { position: 20 } ]
        Connection.airport_to_id   as DestinationAirport,
...
...
```

## Results

The selection field annotation is used on the key elements of the CDS view to create a selection field in the header on the list report. Using these selection fields, you can filter for specific list items.

| Airline | Connection Number | Departure Airport Code | Destination Airport Code | Departure Time | Arrival Time |
|---------|-------------------|------------------------|--------------------------|----------------|--------------|
| AA      | 17                | JFK                    | SFO                      | 11:00:00 AM    | 2:01:00 PM > |
| SQ      | 2                 | SIN                    | SFO                      | 5:00:00 PM     | 7:25:00 PM > |
| UA      | 941               | FRA                    | SFO                      | 2:30:00 PM     | 5:06:00 PM > |

UI with selection fields filtered for connections to a specific destination airport

# Object Page

## Context

Whereas the list report gives a general overview of the list items, the object page shows more detailed information about a single list item. You navigate to the object page by clicking the item in the list report.

## Procedure

1. Specify the title of the object page. The title that is displayed in the middle of the header is defined as an entity annotation in the data definition of the CDS view `/DMO/I_Connection_R` using the annotation `@UI.headerInfo.typeName: 'name'`.

```
@AbapCatalog.sqlViewName: '/DMO/ICONNECT_R'  
@AbapCatalog.compiler.compareFilter: true  
@AccessControl.authorizationCheck: #NOT_REQUIRED  
@EndUserText.label: 'Read-Only E2E: Data Model Flight'  
@UI.headerInfo.typeName: 'Connection'  
define view /DMO/I_Connection_R  
...
```

2. Create a standard facet for the object page with the annotation `@UI.facet.purpose: #STANDARD`. This annotation must be in the element section.

A facet is a type of section in the object page. It can contain diagrams or other information in a discrete part of the user interface.

```
define view /DMO/I_Connection_R  
  as select from /dmo/connection as Connection  
{  
@UI.facet: [ { purpose: #STANDARD } ]  
...
```

3. Specify the type of the facet. In our case, the object page displays the detailed information of one list item. Use the annotation `@UI.facet.type: #IDENTIFICATION_REFERENCE`.

```
define view /DMO/I_Connection_R  
  as select from /dmo/connection as Connection{  
    @UI.facet: [ {  
      purpose: #STANDARD,  
      type: #IDENTIFICATION_REFERENCE } ]  
...
```

4. Specify a name for the object page facet header. Use the annotation `@UI.facet.label: 'name'`.

```
define view /DMO/I_Connection_R  
  as select from /dmo/connection as Connection  
{  
  @UI.facet: [ {  
    purpose: #STANDARD,  
    type: #IDENTIFICATION_REFERENCE,  
    label: 'Connection' } ]  
...
```

- To define the position of the facet, use the annotation @UI.facet.position: `decfloat`.

```
define view /DMO/I_Connection_R
  as select from /dmo/connection as Connection{
    @UI.facet: [ {
      purpose: #STANDARD,
      type: #IDENTIFICATION_REFERENCE,
      label: 'Connection',
      position: 10 } ]
...
}
```

An object page of a type identification reference is created. You can now define the elements that are displayed in the object page.

- Specify the position and the label for each element that you want to show in the object page. Use the annotations @UI.identification.position: 'decfloat' and @UI.identification.label: 'name' on each element.

```
{ ...
  @UI: { identification:[ { position: 10, label: 'Airline' } ] }
key   Connection.carrier_id      as AirlineID,
  @UI: { identification:[ { position: 20, label: 'Connection Number' } ] }
key   Connection.connection_id   as ConnectionID,
  @UI: { identification:[ { position: 30, label: 'Departure Airport
Code' } ] }
    @UI.selectionField: [ { position: 10 } ]
      Connection.airport_from_id as DepartureAirport,
    @UI: { identification:[ { position: 40, label: 'Destination Airport
Code' } ] }
      @UI.selectionField: [ { position: 20 } ]
        Connection.airport_to_id as DestinationAirport,
    @UI: { identification:[ { position: 50, label: 'Departure Time' } ] }
      Connection.departure_time as DepartureTime,
    @UI: { identification:[ { position: 60, label: 'Arrival Time' } ] }
      Connection.arrival_time as ArrivalTime,
    @Semantics.quantity.unitOfMeasure: 'DistanceUnit'
    @UI: { identification:[ { position: 70, label: 'Distance' } ] }
      Connection.distance      as Distance,      /** secondary
information, not to be displayed on list report entry page
    @Semantics.unitOfMeasure: true
      Connection.distance_unit as DistanceUnit /** secondary
information, not to be displayed on list report entry page
}
```

The following image displays the object page after clicking the connection item [JL 407](#).

Airline:  
JL

Connection Number:  
407

Departure Airport Code:  
NRT

Destination Airport Code:  
FRA

Departure Time:  
1:30:00 PM

Arrival Time:  
5:35:00 PM

Distance:  
9,100 km

Object page with identification reference

7. Activate the CDS view.

## Results

The resulting source code, including all annotations that are relevant for the UI in the data definition, is as follows:

```
@AbapCatalog.sqlViewName: '/DMO/ICONNECT_R'
@AbapCatalog.compiler.compareFilter: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Read-Only E2E: Data Model Connection'
@UI.headerInfo: { typeName: 'Connection',
                  typeNamePlural: 'Connections' }
define view /DMO/I_Connection_R
  as select from /dmo/connection as Connection
{
  @UI.facet: [
    { id: 'Connection',
      purpose: #STANDARD,
      type: '#IDENTIFICATION_REFERENCE',
      label: 'Connection',
      position: 10 } ]
  @UI.lineItem: [ { position: 10, label: 'Airline' } ]
  @UI: { identification:[ { position: 10, label: 'Airline' } ] }
key   Connection.carrier_id      as AirlineID,
  @UI.lineItem: [ { position: 20, label:'Connection Number' } ]
  @UI: { identification:[ { position: 20, label: 'Connection Number' } ] }
key   Connection.connection_id  as ConnectionID,
```

```

@UI.lineItem: [ { position: 30 , label: 'Departure Airport Code'} ]
@UI: { identification:[ { position: 30, label: 'Departure Airport
Code'} ] }
@UI.selectionField: [ { position: 10 } ]
    Connection.airport_from_id as DepartureAirport,
@UI.lineItem: [ { position: 40 , label: 'Destination Airport Code'} ]
@UI: { identification:[ { position: 40, label: 'Destination Airport
Code'} ] }
@UI.selectionField: [ { position: 20 } ]
    Connection.airport_to_id as DestinationAirport,
@UI.lineItem: [ { position: 50 , label: 'Departure Time'} ]
@UI: { identification:[ { position: 50, label: 'Departure Time' } ] }
    Connection.departure_time as DepartureTime,
@UI.lineItem: [ { position: 60 , label: 'Arrival Time' } ]
@UI: { identification:[ { position: 60, label: 'Arrival Time' } ] }
    Connection.arrival_time as ArrivalTime,
@Semantics.quantity.unitOfMeasure: 'DistanceUnit'
@UI: { identification:[ { position: 70, label: 'Distance' } ] }
    Connection.distance as Distance,           /** secondary
information, not to be displayed on list report entry page
@Semantics.unitOfMeasure: true
    Connection.distance_unit as DistanceUnit /** secondary
information, not to be displayed on list report entry page
}

```

## Related Information

[UI Annotations \[page 514\]](#)

# 4 Concepts

The content in **Concepts** provides background information about the ABAP RESTful Programming Model and helps you to understand the concepts behind it.

The ABAP RESTful Programming Model has unified the development of [OData services \[page 698\]](#) with ABAP. It is based on three pillars that facilitate your development.


- **Tools:** The approach to integrate all implementation tasks in one development environment optimizes the development flow and offers an end-to-end experience in one tool environment. New development artifacts support the application developer to develop in a standardized way.
- **Language:** The ABAP language has been aligned and extended to support the development with the ABAP RESTful Programming Model, together with CDS. The application developer uses typed APIs for standard implementation tasks and benefits from auto-completion, element information, and static code checks.
- **Frameworks:** Powerful frameworks represent another important pillar of the ABAP RESTful Programming Model. They assume standard implementation tasks with options for the application developer to use dedicated code exits for application-specific business logic.

Learn how these pillars are incorporated in the architecture of the ABAP RESTful Programming Model in the following topics.

## Design Time

The following diagram structures the development of an OData service from a design time perspective. In other words, it displays the major development artifacts that you have to deal with during the creation of an OData service with the ABAP RESTful Programming Model. The diagram takes a bottom-up approach that resembles the development flow. The main development tasks can be categorized in three layers, data modeling and behavior, business services provisioning and service consumption.

Hover over the building blocks and get more information and click to find out detailed information about the components.




- Data Modeling and Behavior [page 45]
- Business Object [page 46]
- Query [page 60]
- Business Service [page 66]
- Service Definition [page 67]
- Service Binding [page 71]
- Service Consumption [page 73]
- Web API [page 75]
- UI service [page 74]

## Runtime

The following diagram provides a runtime perspective of the ABAP RESTful Programming Model. Runtime objects are necessary components to run an application. This runtime stack is illustrated in a top-down approach. An OData client sends a request, which is then passed to the generic runtime frameworks. These frameworks prepare a consumable request for ABAP code and dispatch it to the relevant business logic component. The request is executed by the [business object \[page 689\]](#) (BO) when data is modified or by the [query \[page 700\]](#) if data is only read from the data source.

Hover over the building blocks to get more information and click to navigate to more detailed information about the components.



- 
- 
- Runtime Frameworks [page 75]
- Business Object [page 46]
- Query [page 60]
- Entity Manipulation Language (EML) [page 76]

A more detailed description is available for the following concepts:

- Data Modeling and Behavior [page 45]
  - Business Object [page 46]
  - Business Object Projection [page 52]
  - Query [page 60]

- [Business Service \[page 66\]](#)
  - [Service Definition \[page 67\]](#)
  - [Service Binding \[page 71\]](#)
- [Service Consumption \[page 73\]](#)
- [Runtime Frameworks \[page 75\]](#)
- [Entity Manipulation Language \(EML\) \[page 76\]](#)

## 4.1 Data Modeling and Behavior


The layer of data modeling and behavior deals with data and the corresponding business logic.

### Data Model

The [data model \[page 694\]](#) is the abstract representation of the real-world entities that are used in your business scenario. The ABAP RESTful Programming Model uses [CDS \[page 692\]](#) to define and organize the data model. CDS provides a framework for defining and consuming semantic data models on the central database. Every real-world entity is represented by one [CDS entity \[page 693\]](#). View building capabilities allow you to define application-specific characteristics in the data model. That means, CDS entities are the fundamental building blocks for your application. When using the CDS entity for a data selection, the data access is executed by the SQL-view, which is defined in the CDS entity.

Depending on the use case, data models support transactional access or query access to the database. Thus, data models are used in [business objects \[page 689\]](#) or [queries \[page 700\]](#) respectively.

The following diagram gives you an overview of the data model that is used in the development guides of this documentation. Every block refers to one database table and the respective CDS entity. The blue boxes represent a `Travel` business object, with its child entities `Booking` and `Booking_Supplement`. The white boxes represent the entities that are not part of the business object, but support with value helps or text associations. For read-only access to the database, that is simple data retrieval, the data model is used for the query.



Data Model Used in the Development Guides of this Documentation

## Behavior

The behavior describes what can be done with the data model, for example if the data can be updated.

In transactional scenarios, the business object behavior defines which operations and what characteristics belong to a business object. For read-only scenarios, the behavior of the data model is defined by the query capabilities, for example if the data is filterable.

Learn more about the business object and the query in the following topics.

[Business Object \[page 46\]](#)

[Query \[page 60\]](#)

## 4.1.1 Business Object

### Introduction

A **business object (BO)** is a common term to represent a real-world artifact in enterprise application development such as the *Product*, the *Travel*, or the *SalesOrder*. In general, a business object contains several nodes such as Items and ScheduleLines and common transactional operations such as for creating, updating and deleting business data. An additional application-specific operation in the *SalesOrder* business object might be, for example, an *Approve* action allowing the user to approve the sales order. All changing operations for all application-related business objects form the transactional behavior in an application scenario.

When going to implement an application scenario based on business objects, we may distinguish between the external, consumer-related representation of a business object and the internal, provider-related perspective:

- The **external perspective** hides the intrinsic complexity of business objects. Developers who want to create a service on top of the existing business objects for role-based UIs do not need to know in detail on which parts of technical artifacts the business objects are composed of or how runtime implementations are orchestrated internally. The same also applies to all developers who need to implement a consumer on top of the business object's APIs.
- The **internal perspective** exposes the implementation details and the complexity of business objects. This perspective is required for application developers who want to provide new or extend existing business objects for the industries, the globalization and partners.

From a formal point of view, a business object is characterized by

- a structure,
- a behavior and
- the corresponding runtime implementation.

## Structure of a Business Object

From structural aspect, a business object consists of a tree of nodes (*SalesOrder*, *Items*, *ScheduleLines*) where the nodes are linked by a special kind of associations, the compositions. A composition is a specialized association that defines a whole-part relationship. A composite part only exists together with its parent entity (whole).

Each node of this composition tree is an element that is modeled with a CDS entity and arranged along a composition path. As depicted in the diagram below, a sequence of compositions connecting entities with each other, builds up a composition tree of an individual business object.


The root entity is of particular importance in a composition tree: The root entity serves as a representation of the business object and defines the top node within a hierarchy in a business object's structure. This is considered in the source code of the CDS data definition with the keyword `ROOT`.

The root entity serves a source of a composition which is defined using the keyword `COMPOSITION` in the corresponding data definition. The target of this composition defines a direct child entity. On the other hand, CDS entities that represent child nodes of the business object's composition tree, must define an association to their compositional parent or root entity. This relationship is expressed by the keyword `ASSOCIATION TO PARENT`. A to-parent association in ABAP CDS is a specialized association which can be defined to model the child-parent relationship between two CDS entities.

In a nutshell: both, a sequence of compositions and to-parent associations between entities define the structure of a business object with a root entity on top of the composition tree.

All entities - except the root entity - that represent a node of the business object structure serve as a:

- Parent entity - if it represents a node in a business object's structure that is directly connected to another node when moving towards the root.
- Child entity - if it represents a node in a business object's structure that is directly connected to another node (parent node) when moving away from the root.
- Leaf entity - if it represents a node in a business object's structure without any child nodes. A leaf entity is a CDS entity, which is the target of a composition (a child entity node) but does not contain a composition definition.



## Behavior of a Business Object

A behavior specifies the business logic of an individual business object in the ABAP RESTful programming model. It includes a behavior characteristic and a set of operations for each entity of the business object's composition tree.

### Characteristic:

Behavior characteristic is that part of the business object's behavior that specifies general properties of an entity such as:

[ETag \[page 695\]](#)

handling


[Feature control \[page 695\]](#)

[Late numbering \[page 697\]](#)

Authorizations.

### Operations:


Each entity of a business object can offer a set of operations. They can cause business data changes that are performed within a transactional life cycle of the business object. As depicted in the diagram below, these modify operations include the standard operations `create()`, `update()` and `delete()` as well as lock implementations and application-specific operations with a dedicated input and output structure which are called actions. Another kind of operations are the read operations: they do not change any business data in the context of a business object behavior. Read operations include `read`, `read by association`, and `functions` (that are similar to actions, however, without causing any side effects).



**Business Object's Behavior**

To specify the business object's behavior, the behavior definition as the corresponding development object is used. A business object behavior definition (behavior definition for short) is an ABAP Repository object that describes the behavior of a business object in the context of the ABAP RESTful programming model. A behavior definition is defined using the Behavior Definition Language (BDL).

A behavior definition always refers to a CDS data model. As shown in the figure below, a behavior definition relies directly on the CDS root entity. One behavior definition refers exactly to one root entity and one CDS root entity has at most one behavior definition (a 0..1 cardinality), which also handles all included child entities that are included in the composition tree. The implementation of a behavior definition can be done in a single ABAP class (behavior pool) or can be split between an arbitrary set of ABAP classes (behavior pools). The application developer can assign any number of behavior pools to a behavior definition (1..N cardinality).




Relationship Between the CDS Entities and the Business Object Behavior

## Business Object's Runtime

The business object runtime mainly consists of two parts:

The first part is the **interaction phase**, in which a consumer calls the business object operations to change data and read instances with or without the transactional changes. The business object runtime keeps the changes in its internal **transactional buffer** which represents the state of the instance data. This transactional buffer is always required for a business object. After all changes were performed, the data can be persisted. This is realized with the **save sequence**.



[More on this: Unmanaged BO Contract \[page 613\]](#)

## Related Information

[Working with Behavior Definitions \[page 650\]](#)

## 4.1.2 Business Object Projection

The business object projection in the ABAP RESTful Programming Model is an ABAP-native approach to project and to alias a subset of the business object for a specific business service. The projection enables flexible service consumption as well as role-based service designs.

### Introduction

A service projection layer is required for a flexible service consumption of one business object. The basic [business object \[page 689\]](#) is **service agnostic**. That means, this BO is built independently from any [OData service \[page 698\]](#) application. The basic BO comprises the maximum range of features that can be applicable by a service that exposes this BO. The projection layer is the first layer in the development flow of the ABAP RESTful Programming Model that is **service specific**. When projecting the basic BO, you define the real manifestation of a business object in an OData service. The business object projection entails that part (the subset) of the BO structure and behavior that is relevant for the respective service, including denormalization of the underlying data model. Furthermore, the projection layer contains service-specific fine-tuning which does not belong to the general data model layer, for example UI annotations, value helps, calculations or defaulting.

### Why Using Projections?

By using a projection layer for your business object, you gain flexibility in the service consumption. The general business object can be extended without affecting the already existing business service. This layering with projections enables robust application programming. The projection layer exposes the service specific subset of the general business object and thus, the service remains stable under modification of the underlying business object. In addition, aliasing in the projection views allows context-specific adaptions of the business object for a service.


The projection layer also enables one business object to be exposed in an OData service for a Fiori UI and for a stable Web API. The service-specific differences can then be implemented in the respective projection layers. For example, UI specifications are defined only in the BO projection that is exposed for the UI service. Furthermore, with projections, you cannot only define the type of the service, but you can also design role-based services. One business object for general purpose is exposed for more than one context-specific projection as specialized business object. The most prominent example is the business partner BO, which is exposed as customer, vendor, or supplier. In the projection, you can use that subset of the business partner BO that is relevant for the respective specialization.

#### • Example

The basic BO of a business partner contains a wide range of CDS elements and behavior options. Depending on the concrete realization of the business partner, that is, depending on which role the business partner is assigned to, the structure of the data model and the behavior in the BO projection might vary. In the role of a customer, which is a typical projection of the business partner, the business partner projection contains the standard data available for business partners and in addition, sales arrangements. Sales arrangements contain data that is related to specific sales areas and used for the


purposes of sales. All these characteristics must already be available in the basic BO and are then selected as a subset of the general business partner pool of elements and functionalities.

Imagine the business partner is enriched with characteristics for a new role of a business partner, for example a supplier. You can add the necessary additional elements, for example delivery information, to the data model and the behavior implementation in the business partner BO without affecting the already existing BO projections.



## How to Use BO Projections?


The design time artifacts to create an OData service that includes a projection layer are the following:



To create a projection layer for a business object, you need to create two projection artifacts:

- **CDS Projection Views**

The projection of the data model is done in one or more CDS projection views, depending on the number of nodes of the underlying BO. The CDS projection views use the syntax element `as projection on <ProjectedEntity>` to mark the relationship to the underlying [projected entity \[page 699\]](#). As opposed to the former consumption views, they do not create another SQL view. Since they only provide the consumption representation of the projected entity, they do not need an ABAP Dictionary representation. If one BO entity is projected, the root and all parent entities must be projected as well. The root entity has to stay the root entity and must be defined as root projection view. The compositions are redirected to the new target projection entity.



For a detailed description on CDS projection views and their syntax, see [CDS Projection View \[page 55\]](#).

- **Projection Behavior Definition**

The projection of the behavior is done in a behavior definition of type `projection`, which is declared in the header of the behavior definition. According to this type, only syntactical elements for projections can be used. Only behavior that is defined in the underlying behavior definition can be reused in the projection behavior definition. You cannot define or implement new behavior. The projection behavior always refers back to the behavior implementation of the underlying business object.

For more information on projection behavior definitions and their syntax, see [Projection Behavior Definition \[page 58\]](#).

#### **! Restriction**

In the current version of the ABAP RESTful Programming Model, it is not possible to migrate a classic CDS consumption view to a CDS projection view. It is recommended to delete and recreate the CDS consumption view as CDS projection view.

### 4.1.2.1 CDS Projection View

Projection views provide means within the specific service to define service-specific projections including denormalization of the underlying data model. Fine-tuning, which does not belong to the general data model layer is defined in projection views. For example, UI annotations, value helps, calculations or defaulting.

CDS projection views are defined in data definition development objects. The wizard for data definitions provides a template for projection views. For a detailed description on how to create projection views, see [Creating Projection Views \[page 667\]](#).

For the CDS view projection, a subset of the CDS elements is projected in the projection view. These elements can be aliased, whereas the mapping is automatically done. That means, the elements can be renamed to match the business service context of the respective projection. It is not possible to add new elements in the

projection views. Only the elements, that are defined in the underlying data model can be reused in the projection.

In the same manner, new associations cannot be added. Only the associations, including compositions, that are defined in the projected CDS view can be used in the projection CDS view. However, associations or compositions might change their target, if the target CDS view is also projected. This is especially relevant for compositions as the complete BO is projected and therefore the composition target changes. In case of a changed target, the association or composition must be redirected to the new target. The projection view comes with a new syntax element to express the target change.

## Syntax for CDS Projection Views

The syntax of CDS projections views is similar to CDS views. However, some annotations and syntax elements are omitted as a projection view is a direct projection of the underlying CDS views and thus inherits annotations. This concerns, for example, `@AbapCatalog` annotations or the definition of annotations.

To define a CDS projection view, the following syntax is used:

```
@EndUserText.label: 'EndUserText'  
@AccessControl.authorizationCheck: #VALUE  
[@view anno]  
/* Definition of projection view */  
[define] [root] view entity ProjectionViewName  
/* Defines the data source for the projection.*/  
as projection on ProjectedEntity [as ProjectedEntityAlias ]  
/* Subset of elements from the projected entity */  
{  
    /* Fields from the projected entity*/  
    [@element_annot]  
    ElemtName           [as ElemtAlias] ,  
    /*Localized element */  
    [ [@element_annot]  
        Assoc.Element2          [as Elemt2Alias] : localized , ]  
    /* Cast element */  
    [ [@element_annot]  
        cast Elemt3Name : {DataElement | ABAPType }      [as Elemt3Alias] , ]  
    /* Associations from the projected entity with possible redirections */  
    [ _Association : [redirected to ProjectionViewTarget], ]  
  
    /* Redirected compositions */  
    [ _Composition : redirected to composition child ChildProjectionView, ]  
    /* Redirected association to parent */  
    [ _ParentAssoc : redirected to parent ParentProjectionView ]  
}
```

## Explanation

A CDS projection consists of the projection view definition and elements. Further characteristics are the following:

A projection does not define an additional SQL view; it uses the one that is introduced in the projected entity. Likewise, the same set of key elements as in the projected entity must be used in the projection entity. Hence, `@AbapCatalog` annotations are not needed to define ABAP Dictionary concerns.

If the projected entity is the root node of the business object, the projection view must be a root as well.

CDS projection views can only be based on CDS views. Stacking of projection views is not allowed. You cannot create a projection view based on a projection view.

The element list of the projection view is a subset of the element list in the projected entity. In this element list, no new fields or associations can be introduced. Elements from the projected entity can be exposed directly.

But also elements that are retrieved via a path expression to an associated entity with cardinality 1 can be exposed. The syntax for this is the same as in BO-interface views: `TargetEntity.TargetElement [as ElemAlias]`. If you want to use text elements from an associated view in your service, these elements must be included in the projection view via their association. Language-dependent texts can be denormalized in projection views to allow text search and filtering in Fiori UIs. The keyword `localized` identifies these language-dependent elements.

Elements from the projected view can be cast to a different data type. The syntax is the same as in BO-interface views.

### i Note

Virtual fields are not supported in the current version of the ABAP RESTful Programming Model.

New associations cannot be defined in projection views. Only those associations that are defined in the projected entity can be reused. If the target of the association does not change in the projection layer, the associations can be exposed directly. If the target entity is also projected, the association must be redirected to the target projection view. Redirections must also be done for compositions and to-parent-associations as the whole BO must be projected, if one node is projected.

## Annotation Propagation to Projection Views

Annotations that are defined in the projected entity on element level are completely propagated to the projection view. That means, annotation values remain the same in the projection view. Once the same annotation is used on the same elements in the projection view, the values are overwritten and only the new values are valid for the respective element.

If you use an annotation with an element reference in the projected entity and the reference element is aliased in the projection entity, the reference is not drawn to the element in the projection view, due to the name change. In such a case, you have to redefine the annotation in the projection view and use the alias name of the element in the annotation value.

### • Example

The amount and currency elements are annotated in the underlying CDS view with `@Semantics` annotations to support the semantic relationship of the elements.

```
define root view /DMO/I_Travel
...
{
    key travel_id,
...
    @Semantics.amount.currencyCode: 'currency_code'
    total_price,
    @Semantics.currencyCode: true
    currency_code,
...
}
```

Both `@Semantics` annotations are propagated to the projection view. However, the element `currency_code` is aliased in the projection view and therefore the reference to the correct element is not established. Hence, the relationship is broken and the metadata of a possible OData service will not resemble this semantic relationship.

To avoid this, you have to reannotate the amount element with the reference to the aliased element.

```
define root view entity /DMO/C_Travel as projection on /DMO/I_Travel
...
{
    key travel_id,
    ...
    @Semantics.amount.currencyCode: 'CurrencyCode'
    total_price           as TotalPrice,
    currency_code         as CurrencyCode,
}
...
```

## Defining UI Specifics in the Projection Views

From a design time point of view, the projection layer is the first service-specific layer. If the resulting OData service is a UI service, all UI specifications or other service-specific annotations must be defined in the CDS projection views via [CDS annotations \[page 692\]](#). The following UI specifics are relevant on the projection BO layer:

- UI annotations defining position, labels, and facets of UI elements
- Search Enablement
- Text elements (language dependent and independent)
- Value Helps

### ! Restriction

In the current version of the ABAP RESTful Programming Model, CDS projection views can only be used to project CDS view entities. Other entities, such as custom entities are not supported.

## Related Information

[Creating Projection Views \[page 667\]](#)

[Providing a Data Model for Projections \[page 256\]](#)

### 4.1.2.2 Projection Behavior Definition

A projection behavior definition provides means to define service-specific behavior for a BO projection.

The behavior definition with type `projection` is created equally to other types of behavior definitions. When using the context menu of a root projection view in the project explorer, the syntax template directly uses the projection type. For more information, see [Working with Behavior Definitions \[page 650\]](#).

In a behavior definition, only behavior characteristics and operations that are defined in the underlying behavior definition can be defined for the BO projection. The syntax for this is `use <Element>`.

## Syntax: Behavior Definition for Projection

The syntax in a projection behavior definition is the following:

```
projection;
  define behavior for ProjectionView alias ProjectionViewAlias
    /* use the same eTag defined in underlying behavior definititon */
    use etag
  {
    /* define static field control */
    field ( readonly ) ProjViewElem1;
    field ( mandatory ) ProjViewElem2;
    /* expose standard operations defined in underlying behavior definition */
    use create;
    use update;
    use delete;
    /* expose actions or functions defined in underlying behavior definition */
    use action|function ActionName [as ProjAction] [external ExtProjname];
    /* expose create_by_association for child entities defined in underlying
       behavior definition */
    use association _Assoc { create; }
  }
```

## Explanation

The keyword `use` exposes the following characteristics or operations for the service-specific projection. In the projection, only elements can be used that were defined in the underlying behavior definition. These elements can be

- eTag
- standard operations
- actions
- functions
- create\_by\_association

Every operation that you want to expose for your service must be listed in the projection behavior definition. New aliases can be assigned for actions and functions. Projection behavior definitions do not have a behavior implementation. The complete behavior is realized by mapping it to the underlying behavior.

The definitions that already restrict the character of the underlying BO are automatically applied in the BO projection and cannot be overwritten. This is the case for:

- locking
- authorization
- feature Control

If no static field control is defined in the underlying behavior definition, you can add this definition in the projection behavior definition. If it is already defined in the underlying behavior definition, you cannot define the opposite in the projection layer. If you do, you will get an error during runtime. New dynamic field control cannot be defined in the projection behavior definition, as there is no option to implement the feature.

## Related Information

[Working with Behavior Definitions \[page 650\]](#)

[Providing Behavior for Projections \[page 276\]](#)

## 4.1.3 Query

A query is the connecting interface for read-only access to the database in [OData services \[page 698\]](#). It is used for list reports or analytical reports to process data.

As the non-transactional counterpart of a [business object \[page 689\]](#), it consists of a [data model \[page 694\]](#), generic and modeled query capabilities and a runtime. This threefold division is known from the BO concept. However, a query provides only read access to the database. Its runtime never modifies data, but only executes structured data retrieval, for example for filtering.

### Data Model


The data model for a query is provided with [CDS entities \[page 692\]](#). They structure and group database fields to execute query capabilities on them. The SQL select to retrieve data from the database is generically integrated in the CDS view.

A query operates on a loose combination of CDS entities. Each entity represents a real-world artifact and contains the relevant information about it. For example, the information of [Flight Connections](#) or [Airports](#) is manifested in CDS entities. The entities are not strictly structured. Their connections, which are modeled with [associations \[page 688\]](#), only provide a functional relationship. In other words, only if data from other entities is needed for a certain functionality is the association necessary. In contrast to BO [compositions \[page 691\]](#), there is no existential relationship for such associations.

#### Example

When providing text for ID elements, you need an association to a text providing CDS entity to get the text from there. The association is only relevant to get information from the text provider. There is no other structural relationship.

In case of [Flight Connections](#), an association is created to get the information about the long text of the [airport ID](#) in the [Airport](#) entity and the full name of the airline in the [Carrier](#) entity.



### Query Capabilities

Query capabilities provide read access to the database and process data to structure them for a certain output. In contrast to [BO behavior \[page 690\]](#), the capabilities do not need to be defined in a separate artifact. Some of

the query capabilities which result from OData query options are generically available and applicable. The query framework provides the SQL statement to retrieve the structured data for these capabilities, for example in filtering.

Other capabilities are explicitly modeled by the developer in the source code of the CDS entity. These capabilities depend on associated CDS entities. The application developer has to define this dependency in the CDS entity. In this case, [CDS annotations \[page 692\]](#) indicate which CDS entity or element is involved, as it is the case for text or value help provisioning. Most of the explicitly modeled capabilities are based on the query of associated CDS entities.

The following table lists the available query capabilities.

| Generally Applicable Capabilities | Explicitly Modeled Capabilities |
|-----------------------------------|---------------------------------|
| paging                            | search                          |
| sorting                           | value help                      |
| filtering                         | aggregation                     |
| counting                          | text provisioning               |
| column selections                 | ...                             |
| ...                               |                                 |


All of these features do not modify data on the database but process data to structure them for a certain output.

## Query Runtime

The runtime of a query is usually managed by the query framework ([SADL \[page 700\]](#)). The framework takes into account all query capabilities that are mentioned previously. The application developer does not have to deal with the construction of the SQL statement to retrieve data from a database table. The data model for the managed runtime is provided in [CDS entity \[page 693\]](#).

There is also the option to handle the query manually. We speak of an [unmanaged query \[page 702\]](#) in this case. An unmanaged query can be used, for example, if the data source of a query is not a database table. That means, the framework cannot provide the SQL statement to access the database. Instead, the application developer needs to implement every query capability to retrieve the data matching the OData request. For the unmanaged implementation type, the data model is manifested in a CDS custom entity. In contrast to CDS views, [CDS custom entities \[page 693\]](#) do not provide an SQL SELECT for the data retrieval from the database. A [query implementation class \[page 700\]](#) must be implemented to execute the data retrieval.

The following diagram exemplifies the runtime of a managed and an unmanaged query.




For more information about the query runtime, see [Query Runtime Implementation \[page 62\]](#).

### 4.1.3.1 Query Runtime Implementation

#### Managed Query

The default case for a query is the managed implementation type. In this case, the query framework ([SADL \[page 700\]](#)) manages the data access to the database. Query capabilities, which result from OData query options (`$orderby, $top, $skip ...`) are considered, as well as possible authorizations, which are derived from attached access control. The framework creates an SQL statement for the query that is executed based on the definition in the CDS source code, the query capabilities and the authorizations. For the runtime of the managed query, the application developer does not have to implement anything. The application development tasks are limited to defining the data model and the related access controls during the design time.

The following diagram illustrates the runtime of a query.



Access controls are not illustrated in the preceding diagram. If authorizations are modeled with access controls, they would automatically be evaluated.

#### Managed Query - Runtime

##### ❖ Example

An OData request with the query option `$filter` reaches an [OData service \[page 698\]](#). Once transformed into an ABAP consumable object, the orchestration framework triggers the query to be executed. Then, the query framework creates the SQL statement to select the required data from the database. In this case, the query framework extends the SQL statement with a where clause to only select the data sets that match the filter condition. In case, access controls are involved, the query framework also evaluates the involved authorizations.

## Unmanaged Query


The unmanaged implementation type for a query is used when the standard SQL push-down by the query framework is not sufficient or not usable at all.

Use cases for unmanaged queries are

- the data source for an OData request is not a database table, but, for example another OData service, which is reached by an OData client proxy,
- performance optimization with application specific handling,
- using AMDPs with some query push-down parameters in the SQL script implementation,
- forwarding the call to the analytical engines, or
- enrichment of query result data on property or row level, for example when splitting rows for intermediate sums or condensing the filter result.

The unmanaged query is protocol agnostic. That means, like managed queries, it can be reused for multiple scenarios.

The following diagram illustrates the runtime of an unmanaged query.



## Explanation

The data model for an unmanaged query must be defined in a [CDS custom entity \[page 693\]](#). A custom entity defines the structure of the data returned by the query. This is done using CDS syntax in a CDS data definition (DDLS). A CDS custom entity does not have an SQL view to select data from a database. Instead, the custom entity specifies an ABAP class that implements the query. The entity annotation `@ObjectModel.query.implementedBy: 'ABAP: ...'` is used to reference the [query implementation class \[page 700\]](#) in the data definition of the CDS custom query. This annotation is evaluated when the unmanaged query is executed whereby the query implementation class is called to perform the query.

Since no SQL artifact is generated for custom entities and the query is implemented in ABAP, custom entities cannot be used in ABAP SQL or in SQL joins in [data definitions \[page 694\]](#).

The syntax of a CDS custom entity is the following:

```

@EndUserText.label: 'EndUserText'
@ObjectModel.query.implementedBy: 'ABAP:<Query_Impl_Class>'
[define] [root] custom entity CustomEntityName
    [ with parameters
        ParamName : dtype [, ...]      ]
{
    [@element_annot]
}
  
```

```

[key] EleName : dtype;
      EleName : dtype;
...
  [ _Assoc : association [cardinality] to TargetEntity on CondExp [with default
filter CondExp ] ];
  [ _Comp : composition [cardinality] of TargetEntity ];
  [ @_element_annot]
    _ParentAssoc : association to parent Parent on CondExp ];
}

```

A CDS custom entity can have parameters, elements and associations. Like in CDS views, it lists the elements that are used in the data model. For each element, the data type must be specified as it cannot be retrieved from an underlying database representation.

A custom entity can be an entity in a business object, for example a root, a parent, or a child entity using `root` and `composition` relationships. Custom entities may also be used as targets in the definition of [associations \[page 688\]](#) and define associations as a source.

A custom entity cannot be used in ABAP SQL `SELECT` executions as they do not have a database representation. In particular, you cannot use elements of an associated custom entity in the element list of the source CDS entity.

Unmanaged queries are implemented in ABAP classes. The [query implementation class \[page 700\]](#) implements a predefined ABAP interface (`IF_RAP_QUERY_PROVIDER`) to ensure that the required basic OData support is enabled. The interface has a `select` method which imports an interface instance for the request data and one for the response data.

Access control needs to be implemented manually in the query implementation class to ensure that only those records are returned the user is allowed to access. You cannot use an access control object for a custom entity.

In contrast to the managed query, the application developer has to take care for every supported query option in the query implementation class, including possible authorizations that are also implemented in the query implementation class.

### • Example

An example on how to use a CDS custom entity and implement an unmanaged query with the interface `IF_RAP_QUERY_PROVIDER` in a query implementation class is given in [Implementing an Unmanaged Query \[page 429\]](#).

The use case of an unmanaged query in combination with the client proxy is explained in the develop scenario [Developing a UI Service with Access to a Remote Service \[page 286\]](#).

For more information about the interface `IF_RAP_QUERY_PROVIDER`, see [Unmanaged Query API \[page 633\]](#).

### i Note

Custom Entities cannot be projected in CDS projection views.

## 4.2 Business Service


### Definition

The ABAP development platform can act in the roles of a **service provider** and a **service consumer** (such as SAP Fiori UI client).

In the context of the ABAP RESTful programming model, a business service is a RESTful service which can be called by a consumer. It is defined by exposing its data model together with the associated behavior. It consists of a service definition and a service binding.

### Business Services in the ABAP RESTful Programming Model

As illustrated in the figure below, the programming model distinguishes between the **data model and behavior** and the service that is defined by exposing these data model together with the behavior. The data model and the behavior layer contain domain-specific semantic entities like business objects, list views, and analytical queries, and, in addition, related functionality such as value help, feature control, and reuse objects.



A **business object** (BO) is a common term used to represent a real-world artifact in enterprise application development such as the *Product*, the *SalesOrder* or the *Travel*. In general, a business object contains multiple nodes such as *Items* and *ScheduleLines* (data model) and common transactional operations such as creating, updating and deleting data and additional application-specific operations, such as the *Approve* operation in a

*SalesOrder* business object. All modifying operations for all related business objects form the transactional behavior model of an application.

**Value help** supports the end user when entering data on user interfaces based on these business objects.

In read-only development scenarios, the Fiori UI technology offers a list report (ALV-like) functionality based on a **query** in the back end. A list report UI like this provides a scrollable list of items that are automatically inserted into the list from the underlying data source.

Both the business objects and the queries require value help for the end user to select filter values.

## Separation Between the Service Definition and the Service Binding

In SAP Fiori UI, many role-based and task-oriented apps are based on the same data and related functionality must be created to support end users in their daily business and in their dedicated roles. This is implemented by reusable data and behavior models, where the data model and the related behavior is projected in a service-specific way. The **service definition** is a projection of the data model and the related behavior to be exposed, whereas the **service binding** defines a specific protocol and the kind of service to be offered for a consumer. This separation allows the data models and service definitions to be integrated into various protocols without the hassle of re-implementation.

### Example

Let us assume that a business object *SalesOrder* is defined and implemented in the data model and the behavior layer with the related value help and authorization management. The service binding might expose the *SalesOrder* and several additional business objects such as the *Product* and the *BusinessPartner* as they are included in a service definition to an OData V2 service.

## Related Information

[Service Definition \[page 67\]](#)

[Service Binding \[page 71\]](#)

[Business Object \[page 46\]](#)

## 4.2.1 Service Definition

### Definition

A business service definition (short form: service definition) is an ABAP Repository object that describes the consumer-specific but protocol-agnostic perspective on a data model. It can directly access the standard

[ABAP Workbench](#) functionality, such as transports, syntax check, element information, and activation. Its transport type is SRVD.

## Use

A service definition represents the service model that is generically derived from the underlying CDS-based data model.

You use a service definition to define which data is to be exposed as a business service using one or more business service bindings (short form: service bindings). A service definition itself is independent from the version or type of the protocol that is used for the business service.

### → Remember

When going to expose a data model as a service, you can make use of a service definition only in connection with at least one service binding. In the service consumption model, on the other hand, service definitions are also used without a service binding.

## Syntax: DEFINE SERVICE

```
@EndUserText.label: 'text'  
@<Annotation_1>  
...  
@<Annotation_n>  
  
DEFINE SERVICE service_definition_name  
{  
    EXPOSE cds_entity_1 [AS alias_1];  
    EXPOSE cds_entity_2 [AS alias_2];  
    EXPOSE ...  
    EXPOSE cds_entity_m [AS alias_m];  
}
```

### Explanation

The source code of the actual service definition is preceded by the optional CDS annotation `@EndUserText.label` that is available for all objects which can contain CDS annotations. The annotation value is a character string with a maximum of 60 characters. The specified `text` value should consist of a meaningful short text that describes the service in the original language of the source code.

Depending on the needs of your scenario, further optional annotations `@<Annotation_1>` ... `@<Annotation_n>` can be specified.

The service definition is initiated with the `DEFINE SERVICE` keyword followed by the name for the service definition.

### i Note

This name for the service definition follows the naming rules that are common to ABAP Repository objects:

Names are not case-sensitive.

A name can have a maximum of 30 characters.

A name can consist of letters, numbers, underscores (\_), and slashes (/).

A name must start with a letter or a slash character (in the case of namespaces).

The CDS keywords, as well as the CDS entity names cannot be used as names.

Corresponding with naming conventions, there is no need for a prefix or suffix in the service definition name. **See also:** [Naming Conventions for Development Objects \[page 673\]](#)

The source code of a service definition is created within a single bracket { ... } that is used to group all the related CDS entities (including their associations with the relevant entities) which are to be exposed as part of an individual service.

The name of each individual CDS entity to be exposed follows the EXPOSE keyword. This is followed by an optional alias name, which is initiated by the AS keyword. An alias defines an alternative name for a CDS entity to be exposed. As a result, when accessing the service, the alias names are used instead of the current entity names. Thus, you have the option of assigning syntactically uniform identifiers in the service definition and thus decoupling the service semantics from the concrete technical names resulting from the data definition.

Similar to the CDS syntax rules, each statement is completed by a semicolon.


### ! Restriction

Whenever you edit a service definition in the context of the ABAP RESTful programming model to create a UI service or a Web API, you can only use CDS views or custom entities as entities. **You cannot use abstract CDS entities** in service bindings for in this service exposure use case. The usage of abstract entities would cause a dump error.

However, abstract entities can be used in a service definition, but only if they are created using OData client proxy tools (service consumption use case).

### Example

The size of the set of service-relevant CDS entities depends on the kind of functionality the service should provide to the application scenario. However, the respective dependencies must be considered: A data model as shown on the diagram below with a root entity /DMO/Travel, defines associations to the entities /DMO/Customer and /DMO/Agency. In addition, associations to the entities I\_Currency and I\_Country must be included.



Data model for the TRAVEL service

The following example shows corresponding source code for the service definition /DMO/TRAVEL. The travel management service to be defined in this way includes all dependencies that come from the root entity /DMO/I\_TRAVEL.

```

@EndUserText.label: 'Service for managing travels'
define service /DMO/TRAVEL
{
  expose /DMO/I_TRAVEL      as Travel;
  expose /DMO/I_AGENCY       as TravelAgency;
  expose /DMO/I_CUSTOMER     as Passenger;
  expose I_Currency          as Currency;
  expose I_Country           as Country;
}
  
```

### i Note

In this example, the service definition is based on CDS entities that originate from different namespaces.

## Related Information

[Service Binding \[page 71\]](#)


## 4.2.2 Service Binding

### Definition

The business service binding (short form: service binding) is an ABAP Repository object used to bind a service definition to a client-server communication protocol such as OData. Like any other repository object, the service binding uses the proven infrastructure of the ABAP Workbench, including the transport functionality. The transport type of a service binding is SRVB.

### Use

As shown in the figure below, a service binding relies directly on a service definition that is derived from the underlying CDS-based data model. Based on an individual service definition, a plurality of service bindings can be created. The separation between the service definition and the service binding enables a service to integrate a variety of service protocols without any kind of re-implementation. The services implemented in this way are based on a separation of the service protocol from the actual business logic.



Relationship Between the Data Model, the Service Definition and the Service Binding

### Parameters

The following parameters are used to characterize a service binding:

#### Service Name

Defines a unique system-wide name for the service and is identical to the name of the service binding.

→ Tip

We recommend using the prefix `API_` for *Web API* services and the prefix `UI_` for *UI* services.

#### Binding Type

The binding type primarily specifies the specific protocol which is implemented with the service binding. The OData models of the current version of ABAP Platform support the **OData version 2.0** (ODATA V2).

→ Remember

The Open Data Protocol (OData) enables the creation of HTTP-based services, which allow resources identified using Uniform Resource Identifiers (URIs) and defined in an abstract data model to be published and edited by Web clients using HTTP messages. OData is used to expose and access information from a

variety of sources including, but not limited to, relational databases, file systems, content management systems, and traditional Web sites.

This parameter also determines the way a service is offered to a consumer. There are two options:

|     |                                                                                                                                                                                           |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UI  | <b>UI service</b>                                                                                                                                                                         |
|     | A UI service makes it possible to add a SAP Fiori elements UI or other UI clients to the service.                                                                                         |
| A2X | <b>Service exposed as Web API</b>                                                                                                                                                         |
|     | A service that is exposed as Web API is used for unforeseen extensions of the SAP software. It is offered by an application for an unknown consumer for direct interaction with the user. |

## Service Version

The versioning of services is made by a version number which is assigned to a service binding.

The next higher version is created by adding another service definition to the existing service binding. By means of this further service definition, functional changes or extensions (compared to the previous version) are exposed. And, vice versa, the version number can be decreased by removing a service definition from the service binding.

## Activation State

This parameter determines whether the service is activated as a *local service endpoint* (in the service catalog of the current system) or not.

## Service URL

The derived URL (as a part of the service URL) is used to access the OData service starting from the current ABAP system. It specifies the virtual directory of the service by following the syntax: /sap/opu/odata/<service\_binding\_name>.

## Example

The following figure shows the key parameters and information that are stored for a service binding in the corresponding editor of *ABAP Development Tools* (ADT). This example is the first version of a UI service that implements the OData V2 protocol and is intended to manage travel data. The editor also provides information on the entire entity set as well as on the navigation path of the respective entity.

**Service Binding: /DMO/UI\_TRAVEL\_U\_V2**

**General Information**  
This section describes general information about this service binding

Binding Type: ODATA V2 (UI - User Interface: Consumed in SAPUI5 Apps)

**Service Versions**  
Define service versions associated with the service binding

| Version | Service Definition |
|---------|--------------------|
| 0001    | /DMO/TRAVEL_U      |

Add... Remove

**Service Version Details**  
View information on selected service version

[Maintain Authorization Default Values](#)

**Local Service Endpoint:** [Acti](#) [Deactivate](#)

**Local Service Endpoint**

Service URL: /sap/opu/odata/DMO/UI\_TRAVEL\_U\_V2

Preview

Entity Set and Association

- > TravelAgency
- > BookingSupplement
- < Booking
  - to BookingSupplement
  - [Open Fiori Elements App Preview](#)
  - to\_Connection
  - to\_Customer


Service Binding in ADT

## Related Information

[Service Definition \[page 67\]](#)

## 4.3 Service Consumption

An [OData service \[page 687\]](#) can be exposed as a UI service, that can be consumed by an SAP Fiori UI, or as a Web API that can be consumed by any OData client.



- <https://help.sap.com/viewer/468a97775123488ab3345a0c48cadd8f/LATEST/en-US/03265b0408e2432c9571d6b3feb6b1fd.html> [https://help.sap.com/viewer/468a97775123488ab3345a0c48cadd8f/LATEST/en-US/03265b0408e2432c9571d6b3feb6b1fd.html]
- [Creating an OData Service \[page 22\]](#)
- [Developing a Web API \[page 281\]](#)

## UI service

An OData service that is exposed as a UI service is consumable by an SAP Fiori Elements app. Every front-end configuration, which is manifested in the back-end development object (for example, UI annotations), is exposed within the metadata of the service. That means, a Fiori UI reads the information in the metadata and creates the matching UI for the service. These UI settings can be enhanced and overwritten in the SAP Web IDE.

A UI service can be previewed with the Fiori Elements preview in the [service binding \[page 691\]](#) tool. The preview mocks a real UI app and has the same look and feel as a Fiori Elements app. It is therefore a powerful tool to test the UI of your OData service already in the backend. However, it does not substitute the development in the SAP Web IDE.

For further information about the Fiori Elements preview in the service binding, see [Previewing the Resulting UI Service \[page 32\]](#).

For more information about SAPUI5 to get more information about creating a deployable SAP Fiori app, see [Developing Apps with SAP Fiori Elements](#).

## Web API

An OData service that is exposed as a Web API comes without any UI specific information in the metadata. It is the public interface for any OData client to access the OData service. For example, you can consume a Web API from another OData service.

Web APIs require a life cycle management. It must be possible to define the release, the version, and the possible deprecation of the Web API. This functionality is enabled in the [service binding \[page 691\]](#) tool.

For more information about Web APIs, see [Developing a Web API \[page 281\]](#).

## 4.4 Runtime Frameworks

The runtime frameworks [SAP Gateway](#) and the [Orchestration Framework](#) are the frameworks that manage the generic runtime for OData services built with the ABAP RESTful Programming Model. As a developer you do not have to know the concrete inner functioning of these frameworks, as many development tasks are automatically given. However, the following sections provide a high-level overview.

### SAP Gateway

SAP Gateway provides an open, REST-based interface that offers simple access to SAP systems via the Open Data Protocol (OData).

As the name suggests, the gateway layer is the main entry point to the ABAP world. All services that are created with the ABAP RESTful Programming Model provide an OData interface to access the service. However, the underlying data models and frameworks are based on ABAP code. SAP Gateway converts these OData requests into ABAP objects to be consumed by the ABAP runtime.

### Orchestration Framework

The orchestration framework dispatches the requests for the business object (BO) or the query. It receives the ABAP consumable OData requests from the Gateway layer, forwards it to the relevant part of the business logic and interprets the matching ABAP calls for it. For transactional requests, the orchestration framework delegates the requests to the BO and calls the respective method of the BO implementation. For query requests, the framework executes the query. Depending on the implementation type, the [BO \[page 689\]](#) or the [query \[page 700\]](#) runtime is implemented by a framework or by the application developer.

If [locks \[page 697\]](#) are implemented, the orchestration framework executes first instance-independent checks and sets locks. For the [eTag \[page 695\]](#) handling, the framework calls the necessary methods before the actual request is executed.

### i Note

The orchestration framework is also known under the name [SADL \[page 700\]](#) (Service Adaptation Description Language). Apart from the runtime orchestration, the SADL framework is also responsible for essential parts in the query and BO runtime.

### Examples

The OData client sends a `DELETE` request, which is converted to an object that is understandable for ABAP. The orchestration framework analyzes this ABAP object and triggers the `MODIFY` method for `DELETE` of the business object to execute the `DELETE` operation on the database table. Depending on the implementation type (managed or unmanaged), the code for the `MODIFY` method is generically available or must be implemented by the application developer.

Likewise, if an OData request contains a query option, such as `$orderby`, the Gateway layer converts it to the query capability `SORT`. Then, the orchestration framework takes over and delegates the query capability to the query. Depending on the runtime type (managed or unmanaged), the query is executed by the generic framework in case of managed type or by the self-implemented runtime in case of unmanaged type. For a managed query, the generic framework converts the requests to ABAP SQL statements to access the database.

## 4.5 Entity Manipulation Language (EML)

Entity Manipulation Language (in short: EML) is a part of the ABAP language that is used to control the business object's behavior in the context of ABAP RESTful programming model. It provides a type-safe read and modifying access to data in transactional development scenarios.

### Consumption of Business Objects Using EML

Business objects that are implemented with the ABAP RESTful architecture based on the behavior definition and implementation of the interaction phase and save sequence in behavior pools can be consumed not only by means of OData protocol (Fiori UIs, or Web APIs) but also directly in ABAP by using the EML syntax.

There are two flavors of EML available:

- A **standard API**, which uses the signature of the business object related entities
- A **generic API** for dynamic/generic consumption of business objects.

The latter is typically used for generic integration of business objects into other frameworks, such as the [Cloud Data Migration Cockpit](#) or the [Process Test Framework](#).

The standard API is used whenever the "target" business object is statically specified. It provides code completion and static code checks. This typed API provides statements for read-only access to data (`READ ENTITIES`), as well as for modifying data access (`MODIFY ENTITIES`) and for triggering the save sequence (`COMMIT ENTITIES`).

### → Remember

One of the uses cases of EML is the writing of test modules as ABAP Unit tests. As ABAP application developer, it gives you the ability to test transactional behavior of business objects for each relevant operation that is defined in the behavior definition.

## EML Syntax

The EML syntax consists of three major statements:

### MODIFY ENTITIES

This statement includes all operations that change data of entities. This is handled by the statement `MODIFY ENTITIES`, which provides the following operations:

- create
- create by association
- update
- delete
- actions, that is, any modify operation that cannot be covered with create, update, or delete, for example, if parameters are required.

#### Syntax (short form)

```
MODIFY ENTITY EntityName
  CREATE FROM it_instance_c
  CREATE BY \association_name FROM it_instance_cba
  UPDATE FROM it_instance_u
  DELETE FROM it_instance_d
  EXECUTE action_name FROM it_instance_a
    [RESULT et_result_a]
  [FAILED ct_failed]
  [MAPPED ct_mapped]
  [REPORTED ct_reported].
```

You can use the short form of the `MODIFY` statement in special cases when calling modify operations for one entity only - without any relation to a business object. In this case, however, it is required that you specify the full name of the CDS entity instead of the alias name. The keywords for modify operations are: `CREATE`, `UPDATE`, `DELETE`, and `EXECUTE` for actions. Each operation has a table of instances as input parameters. For actions, you can also add a `RESULT` parameter `et_result_a` in case the action is defined to provide a result.

The different operations can be mixed within one EML statement. It is possible, for example, to combine a create, update and action operation of an entity (even related to the same instance(s)) in one statement.

You can complete the `MODIFY` statement with the response parameters `FAILED`, `MAPPED`, and `REPORTED`. As is common in ABAP, you can use either existing variables (`ct_failed`) with matching data types or add an inline declaration (`DATA(ct_failed)`).

#### Syntax (long form)

```
MODIFY ENTITIES OF RootEntityName
  ENTITY entity_1_name      " entity alias name
```

```

CREATE FROM it_instance1_c
CREATE BY \association1_name FROM it_instance1_cba
UPDATE FROM it_instance1_u
DELETE FROM it_instance1_d
EXECUTE action FROM it_instance1_a
    [RESULT et_result_a]
ENTITY entity_2_name      " entity alias name
    CREATE FROM it_instance2_c
    ...
ENTITY entity_3_name      " entity alias name
    ...
[FAILED  ct_failed]
[MAPPED  ct_mapped]
[REPORTED ct_reported].

```

The long form of the `MODIFY` statement allows you (like a complex OData request) to collect multiple modify operations on multiple entities of one business object that is identified by `RootEntityName`. Grouped by entities, the relevant operations are listed according to the previous short form syntax. If aliases for the entities are defined in the behavior definition, they should be referred in the long form syntax.

## **READ ENTITIES (Transactional READ)**

This statement includes all operations that do not change data of entities (read-only access).

The current version of the ABAP RESTful programming model provides the following read operations:

- read: for read access to entities by using a key
- read by association: for read access to child entities by using parent key(s).

### **Syntax (short form)**

```

READ ENTITY EntityName
    FROM it_instance
        RESULT et_result
    BY \association_name FROM it_instance_rba
        RESULT et_result_rba
        LINK et_link_rba
    [FAILED  ct_failed]
    [REPORTED ct_reported].

```

The short syntax directly specifies the `EntityName` (CDS view name). The consumer using EML has therefore read access to data for this entity only. In this case, an alias of the entity cannot be used since no context of a business object is known.

The `READ` statement always has the addition `RESULT`, since the result of the read operation must be specified in the target variable `et_result`. This variable contains the target instance(s) with all fields of the entity.

The read-by-association operation provides an additional target variable that follows after the `LINK` keyword addition. The `et_link_rba` variable contains only a list of key pairs: key of the source entity and the key of the target entity. Target variables must have either a matching type or are declared inline, for example, `DATA (et_link_rba)`.

You can complete the `READ` statement with the response parameters `FAILED` (structure containing error keys) and `REPORTED` (structure containing messages).

### **Syntax (long form)**

```

READ ENTITIES OF RootEntityName
  ENTITY entity_1          " entity alias name
    FROM it_instance_1
    RESULT it_result
    BY \association1_name FROM it_instance_rba
    RESULT et_result_rba
    LINK et_link_rba
  ENTITY entity_2_name      " entity alias name
    FROM it_instance_2
    ...
  ENTITY entity_3_name      " entity alias name
    ...
[FAILED ct_failed]
[REPORTED ct_reported].

```

The long form `READ ENTITIES` allows you to group read operations for multiple entities of a business object in that is specified by `RootEntityName`. The long form allows using aliases defined in the behavior definition for specifying the entities.

## COMMIT ENTITIES

[Modify operations \[page 698\]](#) that are executed within a behavior pool or by an ABAP program, do not cause any data changes at the database level. This is because they are applied only to the transactional buffer and the buffer content disappears at the end of the ABAP session. This means the save sequence must be triggered in this case.

The save sequence is triggered by the `COMMIT ENTITIES` statement. The runtime infrastructure translates this statement into the save chain starting with `finalize()` performing the final calculations before data can be persisted. If the subsequent `check_before_save()` call is positive for all transactional changes, the point-of-no-return is reached. From now on, a successful `save()` is guaranteed by all involved BOs. After the point-of-no-return, the `adjust_numbers()` call can occur to take care of late numbering. The `save()` call persists all BO instance data from the transactional buffer in the database.

In its simplest form, the statement `COMMIT` does not have any parameters:

### Syntax (simplest form)

```
COMMIT ENTITIES.
```

### Syntax (long form)

```

COMMIT ENTITIES
  [RESPONSE OF root_entity_name_1
   [FAILED ct_failed]
   [REPORTED ct_reported]
  [RESPONSE OF root_entity_name_2
   [FAILED ct_failed]
   [REPORTED ct_reported].

```

The syntax of the `COMMIT` statement also provides the `RESPONSE` clause that is used to retrieve the response information of one or more business objects manipulated previously using `MODIFY` call. A `RESPONSE` clause is then created for each root entity involved (`root_name_1`, `root_name_2`, ...) and can be completed with the response parameters `FAILED` and `REPORTED`.

`COMMIT ENTITIES` saves all BOs that were changed within the [LUW \[page 698\]](#).

## **Related Information**


[Consuming Business Objects with EML \[page 421\]](#)

# 5 Develop

The development guides in this section provide a detailed step-by-step description on how to use and exploit the ABAP RESTful Programming Model in end-to-end scenarios.

The guides in this section focus on specific development tasks. It depends on your initial situation and on the aimed outcome of your development, which guide meets your requirements best.

Follow the path in the diagram and ask yourself the questions to find out which development guide helps you with your development task. You get further information about the steps and the development guides by hovering over the image.



- [Develop \[page 81\]](#)
- [Develop \[page 81\]](#)
- [Develop \[page 81\]](#)
- [Develop \[page 81\]](#)
- [Developing an OData Service for Simple List Reporting \[page 12\]](#)
- [Developing Read-Only List Reporting Apps \[page 83\]](#)
- [Developing Unmanaged Transactional Apps Based on Existing Application Logic \[page 104\]](#)

- [Developing a UI Service with Access to a Remote Service \[page 286\]](#)
- [Developing a Web API \[page 281\]](#)
- [Develop \[page 81\]](#)
- [Develop \[page 81\]](#)
- [Developing New Managed Transactional Apps \[page 184\]](#)

Use the navigation in the image or the following links to navigate to the development guides:

[Developing Read-Only List Reporting Apps \[page 83\]](#)

[Developing Unmanaged Transactional Apps Based on Existing Application Logic \[page 104\]](#)

[Developing New Managed Transactional Apps \[page 184\]](#)

[Developing a UI Service with Access to a Remote Service \[page 286\]](#)

[Developing a Web API \[page 281\]](#)

## 5.1 Developing Read-Only List Reporting Apps

Based on existing persistent data sources, you create and implement an OData service for a running app from scratch, with useful read-only features.

### Introduction

In this chapter you learn how to develop an OData service including multiple read-only features. This OData service can be consumed by a Fiori Elements application or by any other OData client.

Starting from the elementary list reporting scenario that was introduced in the [Getting Started \[page 11\]](#) section, you may want to add some further features to the existing elementary OData service. First of all, the end user wants to be able to navigate to a second information layer for a flight connection to retrieve more detailed information about the flight, such as flight dates or plane types. Secondly, if the list report contains a large number of rows, it becomes difficult for end users to find the information they need. To make it easier to find this information, you can implement search capabilities or label the app elements differently than their presets in the data model layer in the back end. You might also want to enable value helps for selection field dialogs. All these features are implemented using specific CDS annotations, which you the developer add to the source code of the respective CDS view.

We assume that you know the development steps to create an OData service, as described in the [Getting Started](#) section. The following guide uses the CDS view `/DMO/I_Connection_R` and the OData service `/DMO/UI_FLIGHT_R_V2` as the basis for a more elaborate OData service with further read-only features. You learn how to expand the data model with associated CDS views and how to include useful read-only functions in the OData service.

You are guided step-by-step through the application model and expand the OData service that you created in the [Getting Started](#) section with the following features and query capabilities.

- [Expand the data model with additional CDS views \[page 86\]](#)

- Navigate between CDS views with associations [page 91]
- Changing UI Field Labels and Descriptions [page 93]
- Displaying Text for Unreadable Elements [page 95]
- Providing Value Help for the Selection Fields [page 98]
- Adding Search Capabilities [page 101]

### i Note

Via ABAPGit You can import the service including the related development objects into your development environment for comparison and reuse. You find the service in the package /DMO/FLIGHT\_READONLY. The suffix for development objects in this development guide is \_R. Note that the service binding cannot be imported in your system. To get the full service that is developed in the development guide, you have to build a service binding in your own package.

For information about downloading the ABAP Flight Reference Scenario, see [Downloading the ABAP Flight Reference Scenario \[page 11\]](#).

## Prerequisites


The development of an OData service requires the following:

- You have access to and an account for **SAP Cloud Platform, ABAP environment**.
- You have installed ABAP Development Tools (ADT).  
SAP recommends to use the latest version of the client installation. The ADT download is available on the update site <https://tools.hana.ondemand.com/>.
- To recreate the demo scenario, the database tables of the *ABAP Flight Reference Scenario* that represents the legacy business logic must be available in your *ABAP Environment*.  
You can download the complete ABAP Flight Reference Scenario for the ABAP RESTful Programming Model from GitHub <https://github.com/SAP/abap-platform-refscen-flight/tree/Cloud-Platform>. The steps to include the development objects in your ADT are described in the *README.md* file.

### → Remember

The namespace /DMO/ is reserved for the demo content. Apart from the downloaded ABAP Flight Scenario, do not use the namespace /DMO/ and do not create any development objects in the downloaded packages. You can access the development objects in /DMO/ from your own namespace.

- You have understood the development steps to create an OData service as described in [Developing an OData Service for Simple List Reporting \[page 12\]](#).  
In particular, you are able to use the existing OData service /DMO/UI\_FLIGHT\_R\_V2 to check and try out the new implementation with the preview tool.



This scenario implements the query case. We firstly define a CDS data model for which we define modeled query capabilities. The service that was created in the [Getting Started](#) scenario is reused and the new CDS entities including their query capabilities are exposed for this service.

## Objectives

By the end of this development guide you are able to:

- Apply and enhance your knowledge about how to create and expand an OData service
- Implement associations between CDS views
- Expose new CDS views for an existing OData service
- Use `@EndUser.Text` annotations
- Implement text associations
- Develop value helps for input fields
- Implement search capabilities


### 5.1.1 Determining the Data Model for the Read-Only Scenario

#### Starting Point

We build the list reporting scenario based on the service that was created in the [Getting Started](#) scenario. The CDS view `/DMO/I_Connection_R` is reused in the following scenario and included in a broader data model.

In the first step of this development guide, you expand the data model with additional CDS views to create a full blown reference app for flights. The resulting running app is able to find flights based on connections and the

airports involved. From a technical point of view, this means that the CDS data model is expanded with three other CDS views, one of which is connected using associations to enable navigation from one CDS view to another. The data model and the relationship between the CDS views that you work on to implement read-only features is illustrated in the following figure. All items represent a self-contained data model of a CDS view that retrieves data from a database table included in the [ABAP Flight Reference Scenario \[page 668\]](#).



As you can see in the figure above, the entry point of the flight scenario is the well-known CDS view `/DMO/I_Connection_R`. It manages data for flight connections. From here, you can navigate to more detailed flight information with flight dates and plane information. The detailed information in the carrier CDS view is used to display the full name of the airline, whereas the CDS view `/DMO/I_Airport_R` is used as a value help provider view for the airport elements in the connection CDS view.

These items only represent a part of the [ABAP Flight Reference Scenario](#). The other items in the reference data model are applied in other development scenarios.

### 5.1.1.1 Defining CDS Views

To provide a complete data model for a read-only OData service, CDS views have to be defined first.

#### Context

In the introductory guide, you learned how to define CDS views based on an existing persistent data source. Repeat the process for further CDS views to expand the data model for the flight scenario. We assume that the CDS view `/DMO/I_Connection_R` already exists. This view defines the starting point of the app.

For a detailed description of the following steps, look at [Defining the Data Model with CDS \[page 15\]](#).

#### Procedure

1. For each new CDS view, do the following:
  - a. Create a data definition using the creation wizard in your development package.

- b. Implement the CDS view as a data model and define the name of the CDS view as well as a name for the database view as given in the table below.

**i Note**

**Naming CDS views:** Since CDS views are (public) interface views, they are prefixed with `I_` in accordance with the VDM (virtual data model) naming convention. In addition, we add the suffix `_R` for the read-only implementation type to the view name.

*Data Definition*

CDS View Name

| Database View Name            | Data Source               | Description                                                                                           |
|-------------------------------|---------------------------|-------------------------------------------------------------------------------------------------------|
| <code>/DMO/I_FLIGHT_R</code>  | <code>/dmo/flight</code>  | Provides information about the available flights including flight dates and plane information.        |
| <code>/DMO/I_Flight_R</code>  | (DB table)                | You can navigate to this view once you have chosen a flight connection.                               |
| <code>/DMO/I_CARRIER</code>   | <code>/dmo/carrier</code> | Provides information about the airlines that operate the flights.                                     |
| <code>/DMO/I_Carrier</code>   | (DB table)                | This view is later used as a value help provider view for the view <code>/DMO/I_CONNECTION_R</code> . |
| <code>/DMO/ICARRIER_RE</code> |                           |                                                                                                       |

**i Note**

As this CDS view is reused in more scenarios, it does not carry a suffix.

|                               |                           |                                                   |
|-------------------------------|---------------------------|---------------------------------------------------|
| <code>/DMO/I_AIRPORT</code>   | <code>/dmo/airport</code> | Provides information about the involved airports. |
| <code>/DMO/I_Airport</code>   | (DB table)                |                                                   |
| <code>/DMO/IAIRPORT_RE</code> |                           |                                                   |

**i Note**

As this CDS view is reused in more scenarios, it does not carry a suffix.

2. For each new CDS view, do the following:
  - a. Insert all elements provided from the data source.
  - b. Add a meaningful alias to each CDS element.
3. Add the relevant `@Semantics` annotations where necessary.

The following table helps you to identify the elements that need a semantic annotation to ensure that semantic data types are consumed in the right way. The elements that must be annotated are currency codes and their corresponding amount as well as units of measure and their corresponding quantities. Whereas the existing CDS view `/DMO/I_Connection_R` contains a unit of measure that needs to be annotated, the new CDS views contain currency codes and the corresponding price elements that need to be annotated.

More information: [Relating Semantically Dependent Elements \[page 19\]](#)

| CDS View Name   | Element      | Annotation                                                                                                                                                                                                                      |
|-----------------|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| /DMO/I_FLIGHT_R | Price        | @Semantics.amount.currencyCode:<br>'<CurrencyCodeRef>'<br><br>This annotation establishes the link between the amount and the currency element. Reference the element with the currency code of the element price CurrencyCode. |
|                 | CurrencyCode | @Semantics.currencyCode: true<br><br>This annotation ensures that the element is handled as a currency element.                                                                                                                 |
| /DMO/I_CARRIER  | CurrencyCode | @Semantics.currencyCode: true<br><br>This annotation ensures that the element is handled as a currency element.                                                                                                                 |

4. Insert the relevant UI annotations to ensure that the user interface is rendered properly where necessary.

Whereas the existing CDS view of the introductory guide in the getting started section requires many UI annotations, since it represents the landing list report page, the new CDS views only require a limited number of UI annotation. In fact, only the CDS view /DMO/I\_Flight\_R requires the @UI.lineItem: [{} ] annotation to be applied to the relevant elements. Since the remaining views only function as text provider or value help provider views, they do not need any UI annotations at all.

A detailed description of this procedure is described in [Designing the User Interface for a Fiori Elements App \[page 33\]](#).

5. Activate the CDS view.

The resulting source code for each data definition is displayed at the end of this topic: [Data Model for Flight App \[page 88\]](#)

6. Include the new CDS entities in the existing service /DMO/UI\_FLIGHT\_R\_V2, which you created in the introductory guide in the getting started section: [Developing an OData Service for Simple List Reporting \[page 12\]](#). To do this, expose the CDS entities in the service definition /DMO/FLIGHT\_R

The following codeblock displays the source code of the updated service definition [/DMO/FLIGHT\\_R](#)

```
@EndUserText.label: 'Read-Only E2E: SD for Flights'  
define service /DMO/FLIGHT_R {  
    expose /DMO/I_Connection_R as Connection;  
    expose /DMO/I_Flight_R as Flight;  
    expose /DMO/I_Carrier as Airline;  
    expose /DMO/I_Airport as Airport;  
}
```

## 5.1.1.2 Data Model for Flight App

The following displays the source code of the CDS views that are involved in our read-only scenario.

Expand the items to view the full source code.

### Connection CDS view /DMO/I\_Connection\_R

This CDS view is the entry point of the flight reference app. It provides the elements for the connection search that the end user can use to find suitable flights for a journey.

This CDS view /DMO/I\_Connection\_R was already modeled in the introductory guide in the getting started section.

```
@AbapCatalog.sqlViewName: '/DMO/ICONNECT_R'
@AbapCatalog.compiler.compareFilter: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Read-Only E2E: Data Model Connection'
@UI.headerInfo: { typeName: 'Connection',
                  typeNamePlural: 'Connections' }
define view /DMO/I_Connection_R
  as select from /dmo/connection as Connection
{
  @UI.facet: [
    { id: 'Connection',
      purpose: #STANDARD,
      type: #IDENTIFICATION_REFERENCE,
      label: 'Connection',
      position: 10 } ]
  @UI: {
    lineItem: [ { position: 10, label: 'Airline' } ],
    identification:[ { position: 10, label: 'Airline' } ] }
  key Connection.carrier_id      as AirlineID,
  @UI: {
    lineItem: [ { position: 20, label: 'Connection Number' } ],
    identification:[ { position: 20, label: 'Connection Number' } ] }
  key Connection.connection_id   as ConnectionID,
  @UI: {
    lineItem: [ { position: 30, label: 'Departure Airport Code' } ],
    selectionField: [ { position: 10 } ],
    identification:[ { position: 30, label: 'Departure Airport Code' } ] }
  Connection.airport_from_id    as DepartureAirport,
  @UI: {
    lineItem: [ { position: 40, label: 'Destination Airport Code' } ],
    selectionField: [ { position: 20 } ],
    identification:[ { position: 40, label: 'Destination Airport Code' } ] }
  Connection.airport_to_id      as DestinationAirport,
  @UI: {
    lineItem: [ { position: 50, label: 'Departure Time' } ],
    identification: [ {position: 50, label: 'Departure Time'} ] }
  Connection.departure_time     as DepartureTime,
  @UI: {
    lineItem: [ { position: 60, label: 'Arrival Time' } ],
    identification: [ {position: 60, label: 'Arrival Time'} ] }
  Connection.arrival_time       as ArrivalTime,
  @UI: { identification: [ {position: 70, label: 'Distance' } ] } ** establishes the link between quantity and the corresponding unit of measure
  @Semantics.quantity.unitOfMeasure: 'DistanceUnit'
  Connection.distance           as Distance,
  @Semantics.unitOfMeasure: true ** defines the semantic content of the element
  Connection.distance_unit      as DistanceUnit
}
```

## Flight CDS view /DMO/I\_Flight\_R

This CDS view provides detailed information about the flights. It is displayed as a second facet in the UI, which means we only need a limited number of UI annotations.

```
@AbapCatalog.sqlViewName: '/DMO/IFLIGHT_R'
@AbapCatalog.compiler.compareFilter: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Read-Only E2E: Data Model Flight'
define view /DMO/I_Flight_R
  as select from /dmo/flight as Flight
{
  @UI.lineItem: [ { position: 10, label: 'Airline' } ]
  key Flight.carrier_id      as AirlineID,
    @UI.lineItem: [ { position: 20, label: 'Connection Number' } ]
  key Flight.connection_id   as ConnectionID,
    @UI.lineItem: [ { position: 30, label: 'Flight Date' } ]
  key Flight.flight_date     as FlightDate,
    @UI.lineItem: [ { position: 40, label: 'Price' } ]
    @Semantics.amount.currencyCode: 'CurrencyCode'      ** establishes the link
between amount and currency code
    Flight.price          as Price,
    @Semantics.currencyCode: true
    Flight.currency_code  as CurrencyCode,      ** defines the semantic content
of the element
    @UI.lineItem: [ { position: 50, label: 'Plane Type' } ]
    Flight.plane_type_id  as PlaneType,
    @UI.lineItem: [ { position: 60, label: 'Maximum Seats' } ]
    Flight.seats_max       as MaximumSeats,
    @UI.lineItem: [ { position: 70, label: 'Occupied Seats' } ]
    Flight.seats_occupied as OccupiedSeats
}
```

## Carrier CDS view /DMO/I\_Carrier

This CDS view is used as a text provider view for the main views of the app. It contains the text for the element AirlineID.

```
@AbapCatalog.sqlViewName: '/DMO/ICARRIER_RE'
@AbapCatalog.compiler.compareFilter: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Read-Only E2E: Data Model Carrier'
define view /DMO/I_Carrier
  as select from /dmo/carrier as Airline
{
  key Airline.carrier_id      as AirlineID,
    Airline.name            as Name,
    @Semantics.currencyCode: true      ** defines the semantic content of
the element
    Airline.currency_code as CurrencyCode
}
```

## Airport CDS view /DMO/I\_Airport

This CDS view is used as a value help provider view for the connection view. It contains detailed information about the available airports that can be used for the value help.

```
@AbapCatalog.sqlViewName: '/DMO/IAIRPORT_RE'
@AbapCatalog.compiler.compareFilter: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Read-Only E2E: Data Model Airport'
define view /DMO/I_Airport
  as select from /dmo/airport as Airport
{
```

```

key Airport.airport_id as AirportID,
    Airport.name      as Name,
    Airport.city     as City,
    Airport.country   as CountryCode
}

```

### i Note

To obtain the full scope of a data model and to enable flexible service consumption, you can project the data model before creating a business service with CDS projection views. With a projection layer, you can extend the basic data model without affecting the already existing business service.

For more information, see [CDS Projection View \[page 55\]](#).

## 5.1.2 Implementing Associations for Existing CDS Views

Associations structure the relationships between CDS views. To enable navigation in the UI, associations must be implemented in CDS.

### Context

You created the flight CDS view that provides detailed information about the available flights for the connection. To be able to navigate to this view in the UI, you have to implement an association from `/DMO/I_Connection_R` to `/DMO/I_Flight_R`.

### Procedure

1. Open the source CDS view `/DMO/I_Connection_R`.
2. Define the association after the select statement.
  - a. Introduce the association with the keyword `association`.
  - b. Define `[min .. max]` for the cardinality of the target view.

### i Note

The cardinality defines the minimum and maximum number of associated entries of the target view.

In our example, the cardinality is one-to-many, since one entry in `/DMO/I_Connection_R` is associated to many entries of `/DMO/I_Flight_R`. This complies with business logic since one connection can be operated by flights on different dates.

```

...
define view /DMO/I_Connection_R as select from /dmo/connection as
Connection
association [1..*]

```

- Specify the target CDS view and define an alias. An alias makes it easy to reference the association.

```
define view /DMO/I_Connection_R as select from /dmo/connection as
Connection
  association [1..*] to /DMO/I_Flight_R as _Flight
```

- Specify the mapping condition for the CDS views.

In our example, the associated CDS views are mapped to two elements. Therefore both of them must be stated in the condition expression.

```
define view /DMO/I_Connection_R as select from /dmo/connection
  association [1..*] to /DMO/I_Flight_R as _Flight on
    $projection.AirlineID = _Flight.AirlineID
  and
    $projection.ConnectionID = _Flight.ConnectionID
```

- Add the association to the element list in the CDS view.

```
{
  key Connection.carrier_id as AirlineID,
  ...
  /*Associations*/
  _Flight ** use the alias to refer to the association
}
```

- For the UI: Provide a second facet to make it possible to navigate from the list report page to the detailed object page of the connection with corresponding flights as line items.

A detailed description of UI annotations can be found in [Defining UI Annotations \[page 34\]](#).

```
@UI.facet: [
  { id: 'Connection',
    purpose: #STANDARD,
    type: #IDENTIFICATION_REFERENCE,
    label: 'Connection',
    position: 10 },
  { id: 'Flight',
    purpose: #STANDARD,
    type: #LINEITEM_REFERENCE,
    label: 'Flight',
    position: 20,
    targetElement: '_Flight' }
]
```

- Activate the CDS view.

## Results

You have established a connection between the connection CDS view and the flight CDS view. With the right configuration of UI annotations, the end user can now navigate to the flight information by selecting one connection in the list report app. The flight information is displayed as line items in the object page as can be seen in the following figures.

Click on one connection entry to navigate to the information for flights.

| Airline | Connection Number | Departure Airport Code | Destination Airport Code | Departure Time | Arrival Time |
|---------|-------------------|------------------------|--------------------------|----------------|--------------|
| AA      | 17                | JFK                    | SFO                      | 11:00:00 AM    | 2:01:00 PM > |
| AZ      | 555               | FCO                    | FRA                      | 7:00:00 PM     | 9:05:00 PM > |
| AZ      | 789               | TYO                    | FCO                      | 11:45:00 AM    | 7:25:00 PM > |

Selection of the connection AZ 789 from TYO to FCO

The object page then displays the information about the selected connection and the related flights for this connection in the second facet..

| Airline | Connection Number | Flight Date  | Price        | Plane Type | Maximum Seats | Occupied Seats |
|---------|-------------------|--------------|--------------|------------|---------------|----------------|
| AZ      | 789               | Apr 19, 2018 | 9,023.00 EUR | 747-400    | 385           | 365 >          |
| AZ      | 789               | Feb 13, 2019 | 8,925.00 EUR | 767-200    | 260           | 244 >          |

Object page displaying all flights of the connection AZ 789 from TYO to FCO

### 5.1.3 Changing UI Field Labels and Descriptions

Field labels and description help to customize the UI of the app.

Meaningful descriptions of elements that appear on the user interface are a key concept for working with an app and improving the user experience. It is essential that all items on the UI are readable and understandable for the end user. Although every data element in *ABAP Dictionary* is labeled with descriptions for presentation on the UI, sometimes you want to modify the description for a specific use case and give it a name other than the name predefined on the persistent database layer. In the CDS layer, database description labels can be redefined and given more information by using the annotations `@EndUserText.label: '<text>'` and `@EndUserText.quickInfo: '<text>'`.

The labels that are assigned in the CDS layer overwrite the database field descriptions and are exposed to the OData service. These labels are also propagated to the UI and displayed on the user interface if no UI labeling annotations exist that overwrite the CDS `EndUserText` annotations.

#### i Note

UI labeling annotations, such as `@UI.lineItem: [ { label: '' } ]`, overwrite any `@EndUserText` labeling annotations on the UI. However, they are not manifested in the OData service metadata.

A tooltip can provide additional or more thorough information for the element. The tooltip is displayed on the UI as mouse over text. If no `@EndUserText` annotations are used, the text for the mouse over function is retrieved from the long description of the data element stored in *ABAP Dictionary*.

In general, every text that is used in `EndUserText` annotations is translated into every relevant language by the SAP translation process, along with the labels that are given to the data elements.

For more information on how to integrate information for the end user in your data model, refer to [Adding Field Labels and Descriptions \[page 347\]](#).

## Adding Labels for Elements with Selection Fields

In our flight scenario, we have equipped the CDS elements with `UI` annotations to display them adequately in the UI, which means that all elements are already represented with a meaningful label.

However, there is one use case where `EndUserText` labels are necessary to ensure coherence on the UI. Whereas `@UI.listItem` and `@UI.identification` offer the option to directly label list items and object page items with `UI` annotations, the `@UI.selectionField` annotation lacks this option. The selection field label is therefore retrieved from the database label and might not match the label we have given to the list item and the identification. In this case, it is useful to apply the `@EndUserText` annotations to those elements that represent selection fields to provide consistency.

### • Example

In the CDS view `/DMO/I_Connection_R`, we defined two selection fields that are labeled differently than the corresponding list item. We use the `@EndUserText` annotation to acquire matching labels.

```
{...  
  @UI: {  
    lineItem: [ { position: 30, label: 'Departure Airport Code' } ],  
    selectionField: [ { position: 10 } ],  
    identification:[ { position: 30, label: 'Departure Airport Code' } ] }  
  @EndUserText.label: 'Departure Airport Code'      //*** Use the same  
label as in lineItem  
  Connection.airport_from_id  as DepartureAirport,  
  @UI: {  
    lineItem: [ { position: 40, label: 'Destination Airport Code'} ],  
    selectionField: [ { position: 20 } ],  
    identification:[ { position: 40, label: 'Destination Airport Code' } ] }  
  @EndUserText.label: 'Destination Airport Code'    //*** Use the same  
label as in lineItem  
  Connection.airport_to_id    as DestinationAirport,  
  ... }
```

## Integrating the Mouse Over Function

If you want additional and longer information about an element, you can use the annotation `@EndUserText.quickInfo: <text>` to display a text when hovering over the element.

### i Note

If you do not define a tooltip in CDS, the mouse over text displays the short description of the data element in [ABAP Dictionary](#).

| Connections (14) |                   |                        |                          |                |              |
|------------------|-------------------|------------------------|--------------------------|----------------|--------------|
| Airline          | Connection Number | Departure Airport Code | Destination Airport Code | Departure Time | Arrival Time |
| AA               | 17                | JFK                    | SFO                      | 11:00:00 AM    | 2:01:00 PM > |

Mouse over displaying long text of data element

To change the text of the mouse over, use the tooltip.

#### ❖ Example

```
@UI: {
  lineItem: [ { position: 10, label: 'Airline' } ],
  identification:[ { position: 10, label: 'Airline' } ] }
  @EndUserText.quickInfo: 'Airline that operates the flight.'
key Connection.carrier_id as AirlineID,
```

| Connections (20) Standard ▾ |                   |                        |                          |                |               |
|-----------------------------|-------------------|------------------------|--------------------------|----------------|---------------|
| Airline                     | Connection Number | Departure Airport Code | Destination Airport Code | Departure Time | Arrival Time  |
| AA                          | 15                | JFK                    | SFO                      | 7:13:00 AM     | 10:04:00 AM > |

Mouse over displaying tooltip of CDS annotation

## Related Information

[Adding Field Labels and Descriptions \[page 347\]](#)

### 5.1.4 Displaying Text for Unreadable Elements

Use text associations to add readable texts to short forms or identifiers.

Data that is stored in databases is usually kept as short as possible and consequently, many words are shortened or abbreviated with a character code. While this is convenient for storage reasons, it becomes a problem on the UI as the elements might then not be understandable anymore. The following figure displays a UI screen with airline codes that are not commonly known and which makes it difficult (or impossible) to use the app.

In our use case, the airline is abbreviated with the two letter airline code.

| Connections (14) |                   |                        |                          |                |              |
|------------------|-------------------|------------------------|--------------------------|----------------|--------------|
| Airline          | Connection Number | Departure Airport Code | Destination Airport Code | Departure Time | Arrival Time |
| SQ               | 15                | SFO                    | SIN                      | 4:00:00 PM     | 2:45:00 AM > |
| UA               | 941               | FRA                    | SFO                      | 2:30:00 PM     | 5:06:00 PM > |

The full name of the airline is given in the CDS view `/DMO/I_Carrier_R` based on the database `/DMO/carrier`. Using a text association, you can establish a link from the connection CDS view to the carrier CDS view and adopt the names of the airlines as an addition to the airline codes in the UI. This requires the use of annotations from the domains `@Semantics` and `@ObjectModel` to mark the names as readable text and to assign the text addition to the airline code elements.

For more detailed information about text elements, refer to [Defining Text Elements \[page 349\]](#).

## Getting Airline Names through a Text Association

### Prerequisites

A text provider view already exists. In our case, the CDS view `/DMO/I_Carrier` contains the relevant text element `Name`.

### Context

The readable names of the airlines can be displayed in the UI together with the two letter code. The text is taken from the text provider view `/DMO/I_Carrier` that contains the airline code as well as the readable name of the airline. We want to display the text for the airlines on the list report page and on the object page. This is why we need to implement the text association for both views, `/DMO/I_Connection_R` and `/DMO/I_Flight_R`. Apart from an association with the text provider view, the text element in that view needs to be specified as text with an `@Semantics` annotation. In addition, the element with the airline code in the source view must be annotated to assign the text from the associated view to the element.

### Procedure

1. Open the CDS view `/DMO/I_Carrier`. Use the annotation `@Semantics.text: true` on the element `Name` to identify the annotated element as a text and activate the view.

```
...
define view /DMO/I_Carrier
  as select from /dm0/carrier as Airline
{
  key Airline.carrier_id    as AirlineID,
  @Semantics.text: true
  Airline.name              as Name,
  @Semantics.currencyCode: true
  Airline.currency_code as CurrencyCode
}
```

#### i Note

In general, you can annotate more than one view field as a text field. However, only the first annotated field is respected in the text consumer view for OData exposure.

2. CDS view /DMO/I\_Connection\_R, for which you want to display the text. Implement an association to the CDS view /DMO/I\_Carrier with the join condition on AirlineID. This association serves as a text association.

The process how to implement associations is described in [Implementing Associations for Existing CDS Views \[page 91\]](#).

3. Use the annotation @ObjectModel.text.association: '<\_AssocToTextProvider>' on the element AirlineID and reference the association \_Carrier as a text association. Then activate the CDS view.

```
...
define view /DMO/I_Connection_R
  as select from /dmo/connection as Connection
  association [1..*] to /DMO/I_Flight_R as _Flight on
$projection.AirlineID = _Flight.AirlineID
  and
$projection.ConnectionID = _Flight.ConnectionID
  association [1] to /DMO/I_Carrier as _Airline on $projection.AirlineID
= _Airline.AirlineID{
...
  @ObjectModel.text.association: '_Airline'
  key Connection.carrier_id as AirlineID,
...
/*Association*/
  _Airline
}
```

4. Open the CDS view /DMO/I\_Flight\_R for which you also want to display the text. Use the annotation @ObjectModel.text.association: '<\_AssocToTextProvider>' on the element AirlineID and reference the association \_Airline as a text association. Then activate the CDS view.

```
...
define view /DMO/I_Flight_R
  as select from /dmo/flight as Flight
  association [1] to /DMO/I_Carrier_R as _Airline on
$projection.AirlineID = _Airline.AirlineID
{
...
  @ObjectModel.text.association: '_Airline'
  key Flight.carrier_id as AirlineID,
...
/*Association*/
  _Airline
}
```

5. Activate all changed CDS views.

## Results

You have established a text association from the two CDS views that contain the two-letter airline code. The text is taken from the text provider view and is displayed in the UI together with the two-letter code, as can be seen in the following image. Now, the airlines are clearly identifiable by their full names.

| Connections (14) Standard |                   |                        |                          |                |              |  |
|---------------------------|-------------------|------------------------|--------------------------|----------------|--------------|--|
| Airline                   | Connection Number | Departure Airport Code | Destination Airport Code | Departure Time | Arrival Time |  |
| Alitalia (AZ)             | 789               | TYO                    | FCO                      | 11:45:00 AM    | 7:25:00 PM   |  |
| Delta Airlines (DL)       | 106               | JFK                    | FRA                      | 7:35:00 PM     | 9:30:00 AM   |  |
| Japan Airlines (JL)       | 407               | NRT                    | FRA                      | 1:30:00 PM     | 5:35:00 PM   |  |
| Japan Airlines (JL)       | 408               | FRA                    | NRT                      | 8:25:00 PM     | 3:40:00 PM   |  |
| Lufthansa (LH)            | 400               | FRA                    | JFK                      | 10:10:00 AM    | 11:34:00 AM  |  |

**Note**

You can also establish a text association with the CDS view /DMO/I\_Airport to provide a full text for the airport elements `Departure Airport Code` and `Destination Airport Code`.


## Related Information

[Defining Text Elements \[page 349\]](#)

### 5.1.5 Providing Value Help for the Selection Fields

Use value helps to make it easier to find the correct value for selection fields on the UI.

We created some selection fields for the UI to enable the end user to find a suitable flight in the flight app. The difficulty, however, is to know the correct three letter airport code to determine the correct departure or destination airport for a flight. You can enable a value help option to assist the end user in finding correct values. The end user then gets direct access to a value help dialog in which he or she can enter values, such as city names or country codes, to find the suitable airport code. This is shown in the following figure.



## Adding Annotations for Value Help

### Prerequisites

A value help provider view already exists. In our case, the CDS view /DMO/I\_Airport contains the relevant fields `Name`, `City` and `CountryCode` to help find the airport code.

### Context

To provide a value help for the selection fields of the elements `Departure Airport Code` and `Destination Airport Code` in the CDS view /DMO/I\_Connection\_R, use the annotation `@Consumption.valueHelpDefinition`.

### Procedure

1. Open the CDS view /DMO/I\_Connection\_R.
2. Annotate the elements `Departure Airport Code` and `Destination Airport Code`. You want to equip these elements with a value help dialog with the annotation  
`@Consumption.valueHelpDefinition: [{ entity: { name: '<target_view>' }, element:`

'<target\_element>' } } ] . In our case, the target view is /DMO/I\_Airport with the target element AirportID , which works as the binding condition for both elements in the source view. .

```
{...  
    @Consumption.valueHelpDefinition: [{ entity: { name: '/DMO/  
I_Airport',  
        element: 'AirportID' } }]  
    airport_from_id as DepartureAirport,  
...  
    @Consumption.valueHelpDefinition: [{ entity: { name: '/DMO/  
I_Airport' ,  
        element:  
'AirportID' } }]  
    airport_to_id as DestinationAirport,  
...}
```

### i Note


For the value help, you do not need to establish an association between the source and the target view. Nevertheless, you need to make sure that the target view is part of the service.

If not already done, add the value help provider view to the service definition.

3. Activate the CDS view.

## Results

You have implemented a value help for the selection fields that refer to the airport code elements. Clicking  opens the value help dialog with the option to use all the elements of the value help provider view /DMO/I\_Airport to find the correct three letter airport code (see the image above). Additionally, the selection fields are now equipped with a value completion option. This means that, once you start typing in the selection field, the possible values are displayed. This is shown in the following figure:



The screenshot shows a SAP Fiori application interface. At the top, there's a header with icons for user profile, back, home, and SAP logo, followed by 'Connections' and a search bar. Below the header, there are two input fields: 'Standard' dropdown, 'Departure Airport Code:' with a value 'HA', and 'Destination Airport Code:' with a value 'HA'. To the right of these fields are buttons for 'Adapt Filters (1)', 'Go', and a gear icon. A modal dialog is open, displaying a table of airport codes. The table has columns: 'Airport ID', 'Airport Name', 'City', and 'Country'. Two rows are visible: one for 'HAM' (Hamburg Airport, Hamburg, DE) and another for 'HAV' (José Martí International Airport, Havana, CU). At the bottom of the dialog, there's a 'Value completion option' label.

## Related Information

[Consumption Annotations \[page 475\]](#)

## 5.1.6 Adding Search Capabilities

Include a search input field to execute a text and fuzzy search on multiple elements.

### Prerequisites

The CDS view must be suitable for text and fuzzy search enabling. For more information, take a look at the corresponding topics in the [SAP HANA Search Developer Guide](#).

### Context

In the previous chapter, you implemented a value help for the selection fields, which are based on airport code fields. This means you can easily search for connections from and to certain airports. However, it is not possible to search for connections by specific airlines or flights that are operated on a specific day. Maybe the end user even wants to search for values of different elements, say someone wants to find out which connections are available to or from Frankfurt on, say, February 18, 2019. This is exactly the use case when search capabilities are required.

You use annotations to enable search capabilities for a specific CDS view and also to mark the elements that you want to be included in the search scope. You can also define fuzziness thresholds for the search, so that entries are also found if the values are entered in the search field with incorrect spelling. This makes the search easier and more effective.

The following section explains the process used to implement search capabilities when the end user wants to search for the following:

- Connections operated by one or more certain airlines
- Connections on one or more certain days
- Connections with one or more plane types
- Or a combination of any of these.

Whereas the first two searches operate only on the CDS view `/DMO/I_Connection_R` (because the search target elements `Airline`, `Departure Airport Code` and `Destination Airport Code` are part of this view), the searches for days and plane types require the search to be operated on the associated view, since the elements `Flight Date` and `Plane Type` are part of `/DMO/I_Flight_R`. In addition, we also want to be able to search for the full airline name. That is why the text provider view `/DMO/I_Carrier` must also be search enabled.

### Procedure

1. Enable the relevant elements for searches in `/DMO/I_Connection_R`
  - a. Open the CDS view `/DMO/I_Connection_R`.
  - b. Use the annotation `@Search.searchable: true` on the entity level to enable the CDS view for searches and to expose a standard search field on the UI.

### i Note

If you use this annotation in a CDS view, you have to assign at least one default search element.

```
@AbapCatalog.sqlViewName: '/DMO/ICONNECT_R'  
@AbapCatalog.compiler.compareFilter: true  
@AccessControl.authorizationCheck: #NOT_REQUIRED  
@EndUserText.label: 'Read-Only E2E: Data Model Connection'  
@UI.headerInfo: { typeName: 'Connection',  
    typeNamePlural: 'Connections' }  
@Search.searchable: true      /** exposes a standard search field on  
the UI  
define view /DMO/I_Connection_R  
    as select from /dmo/connection as Connection  
...
```

- c. Choose the elements that you want to search for and annotate them with

```
@Search.defaultSearchElement: true.
```

- d. Define a fuzziness threshold for the searchable elements with @Search.fuzzinessThreshold: <fuzziness\_value>.

### i Note

You can set a fuzziness threshold of 0 to 1. SAP recommends that you use 0.7 to begin with. This means that every item with a 70% match and greater is found. You can then customize the threshold.

For the use cases mentioned above, you want to be able to search for Airline, Departure Airport Code, and Destination Airport Code in the connection view. As the first one only consists of a two letter code, you do not need to define a fuzziness threshold for this element.

```
{  
...  
    @Search.defaultSearchElement: true  
    key Connection.carrier_id      as AirlineID,  
...  
    @Search.defaultSearchElement: true  
    @Search.fuzzinessThreshold: 0.7  
    Connection.airport_from_id   as DepartureAirport,  
...  
    @Search.defaultSearchElement: true  
    @Search.fuzzinessThreshold: 0.7  
    Connection.airport_to_id     as DestinationAirport,  
... }
```

- e. Annotate the association \_Flight with @Search.defaultSearchElement: true to enable the search for elements in the associated view.

```
{...  
    @Search.defaultSearchElement: true  
    _Flight,  
... }
```

- f. Activate the CDS view.

Now the end user can search for connections by specific airlines or to or from a specific airport. The following figure illustrates the connections operated by SQ (Singapore Airlines Limited).

| Airline                         | Connection Number | Departure Airport Code | Destination Airport Code | Departure Time | Arrival Time  |
|---------------------------------|-------------------|------------------------|--------------------------|----------------|---------------|
| Singapore Airlines Limited (SQ) | 1                 | SFO                    | SIN                      | 1:15:00 AM     | 11:50:00 AM > |
| Singapore Airlines Limited (SQ) | 2                 | SIN                    | SFO                      | 6:30:00 AM     | 9:15:00 AM >  |

- For our use case, we not only want to search for elements in the main view of the app, but also for the fields of the associated view. Enable the relevant elements for search in /DMO/I\_Flight\_R. As previously described, open the CDS view /DMO/I\_Flight\_R, mark it as **search enabled**, and then choose the elements to search on with a proper fuzziness threshold.

```
@AbapCatalog.sqlViewName: '/DMO/IFLIGHT_R'
@AbapCatalog.compiler.compareFilter: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Read-Only E2': Data Model Flight
@Search.searchable: true
define view /DMO/I_Flight_R
  as select from /dmo/flight as Flight
{
  ...
    @Search.defaultSearchElement: true
    @Search.fuzzinessThreshold: 0.7
  key Flight.flight_date as FlightDate,
    @Search.defaultSearchElement: true
    @Search.fuzzinessThreshold: 0.7
    Flight.plane_type_id as PlaneType,
  ...
}
```

The association is now search enabled. This means it is possible to search for connections with a specific plane type and at a specific airport at the same time, even though the elements are not part of the same view. The following figure displays the search results for the search for February 18, 2019 and the airport with the code FRA.

| Airline                       | Connection Number | Departure Airport Code | Destination Airport Code | Departure Time | Arrival Time |
|-------------------------------|-------------------|------------------------|--------------------------|----------------|--------------|
| Japan Airlines Co., Ltd. (JL) | 407               | NRT                    | FRA                      | 1:30:00 PM     | 5:35:00 PM > |
| Deutsche Lufthansa AG (LH)    | 401               | JFK                    | FRA                      | 6:30:00 PM     | 7:45:00 AM > |

- Enable the relevant elements for searches in /DMO/I\_Carrier to be able to search for the full airline names and not only for the two letter code. As previously described, open the CDS view /DMO/I\_Carrier, mark it as **search enabled**, and then choose the elements to search on with a proper fuzziness threshold.

```
@AbapCatalog.sqlViewName: '/DMO/ICARRIER_R'
@AbapCatalog.compiler.compareFilter: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Read-Only E2E: Data Model Carrier'
@Search.searchable: true
define view /DMO/I_Carrier_R
  as select from /dmo/carrier as Airline
{...}
```

```

    @Search.defaultSearchElement: true
    @Search.fuzzinessThreshold: 0.7
    Airline.name           as Name,
...
}

```

The text association now enables the end user to search for the full names of airlines, even though the full name element `Name` is not exposed on the UI. Even if the full name is not complete in the search field, the search still presents the right results, as can be seen in the following figure.

| Airline                    | Connection Number | Departure Airport Code | Destination Airport Code | Departure Time | Arrival Time |
|----------------------------|-------------------|------------------------|--------------------------|----------------|--------------|
| United Airlines, Inc. (UA) | 58                | SFO                    | FRA                      | 1:45:00 PM     | 9:55:00 AM > |
| United Airlines, Inc. (UA) | 59                | FRA                    | SFO                      | 1:55:00 PM     | 4:30:00 PM > |
| United Airlines, Inc. (UA) | 941               | FRA                    | SFO                      | 2:30:00 PM     | 5:06:00 PM > |

## Related Information

[Enabling Text and Fuzzy Searches in SAP Fiori Apps \[page 355\]](#)

## 5.2 Developing Unmanaged Transactional Apps Based on Existing Application Logic

This section explains the main development tasks required for enabling transactional processing in a business objects provider that integrates existing business logic.

Based on an end-to-end example, you create and implement all requisite artifacts for providing OData services that combine CDS data model and business object semantics with transactional processing from legacy application logic.

### Introduction

The scenario described below focuses on an [unmanaged \[page 702\]](#) implementation type of a business object provider in the context of the ABAP RESTful programming model. For the unmanaged implementation type, the application developer must implement essential components of the REST contract itself. In this case, all required operations (create, update, delete, or any application-specific actions) must be specified in the corresponding [behavior definition \[page 690\]](#) before they are manually implemented in ABAP.


## i Note

In a managed implementation type, on the other hand, a behavior definition would on its own be sufficient to obtain a ready-to-run business object.

## Architecture Overview

The underlying scenario reuses the existing business application logic and the existing persistence, which manages business data.

If you are running ABAP developments on [SAP Cloud Platform](#), then you can introduce legacy business logic like this in the course of the custom code migration into [ABAP Environment](#).



Architecture Overview – Integration of Existing Application Logic

## Prerequisites

The development of transactional processing in our demo application scenario requires the following:

- You have access to and an account for [SAP Cloud Platform, ABAP Environment](#).
- You have installed ABAP Development Tools (ADT).  
SAP recommends using the latest version of ADT client. The ADT download is available on the update site <https://tools.hana.ondemand.com/>.
- To recreate the demo scenario, the database tables of the [ABAP Flight Reference Scenario](#) that represents the legacy business logic must be available in your [ABAP Environment](#).  
You can download the complete ABAP Flight Reference Scenario for the ABAP RESTful Programming Model from GitHub <https://github.com/SAP/abap-platform-refscen-flight/tree/Cloud-Platform>. The steps to include the development objects in your ADT are described in the [README.md](#) file.

## → Remember

The namespace `/DMO/` is reserved for the demo content. Apart from the downloaded ABAP Flight Scenario, do not use the namespace `/DMO/` and do not create any development objects in the downloaded packages. You can access the development objects in `/DMO/` from your own namespace.

## Development Process in Overview

The development of new business services by integrating the transactional behavior of an existing (legacy) application mainly requires developers to perform the following fundamental activities:

### 1. Defining a CDS Data Model and the Business Object Structure

The formal structure of a business object consists of a tree of entities (*Travel*, *Booking*, *Passenger*, and so on) where the entities are linked using associations. Each entity of this tree structure is an element that is modeled with a CDS entity. Entities of this kind are CDS views that are generally defined on top of the underlying persistence layer, which in turn is based on the corresponding database tables or public interface CDS views.

The root entity is of particular importance: this is indicated in the source code of the CDS data definition by the keyword `ROOT`. The root entity is a representation of the business object and defines the top node in a business object's structure.

More on this: [Providing CDS Data Model with Business Object Structure \[page 110\]](#)

### 2. Defining and Implementing the Transactional Behavior of Business Objects

Each node of a business object can offer the standard operations `create()`, `update()`, and `delete()` and specific operations with a dedicated input and output structure known as actions. All operations provided by a business object are defined in the behavior definition artifact that is created as an ABAP repository object.

The implementation of the transactional behavior is done in specific class pools, which refer to the behavior definition. The concrete implementation of the business object provider is based on the ABAP language (which has been expanded from the standard with a special syntax) and the corresponding [\*API for Implementing the Unmanaged BO Contract\*](#). The implementation tasks are roughly divided into an **interaction phase** and a **save sequence**.

More on this: [Defining and Implementing Behavior of the Business Object \[page 123\]](#)

### 3. Exposing the Relevant Application Artifacts for OData Service Enablement

For the service enablement, the relevant artifacts must be exposed to OData as a canonical OData service. This is implemented by data and behavior models, where the data model and the related behavior is projected in a service-specific way. This projection is separated into two different artifacts: the service definition and the service binding. The [service definition \[page 691\]](#) is a projection of the data model and the related behavior to be exposed, whereas the [service binding \[page 691\]](#) implements a specific protocol and the kind of service to be offered to a consumer.

More on this: [Defining Business Service for Fiori UI \[page 172\]](#)

### 4. Testing the OData (UI) Service

In ABAP Development Tools, you have the option of publishing the service to the local system repository. As soon as the service is published, it is ready for consumption through an OData client, such as an SAP Fiori app. The service binding editor offers a preview tool that you can use for testing the resulting app within your ABAP development environment.

#### i Note

Via ABAPGit You can import the service including the related development objects into your development environment for comparison and reuse. You find the service in the package `/DMO/FLIGHT_UNMANAGED`.

The suffix for development objects in this development guide is `_U`.

Note that the service binding cannot be imported in your system. To get the full service that is developed in the development guide, you have to build a service binding in your own package.

For information about downloading the ABAP Flight Reference Scenario, see [Downloading the ABAP Flight Reference Scenario \[page 11\]](#).

## 5.2.1 Reference Business Scenario

The **Managing of Flight Travels** scenario used in this guide provides an example of an existing stateful business application whose business logic is reused in the new implementation for transactional apps. This application represents only a part of the full *ABAP Flight Reference Scenario* (in short: Flight Scenario) that is intended to be used for demonstration and learning purposes in the context of the ABAP RESTful programming model.

The application demo provided (which represents a legacy stateful application) allows a user to create and manipulate flight bookings. It involves different data sources and entities such as travel, travel agencies, customers (passengers), flights, and bookings. Some of these are editable (that is, they can be created or manipulated) and some are not.

### Persistency and Data Model of an Existing Application

The following table gives an overview of the different travel entities involved in the current scenario, including a categorization into editable and non-editable entities.

#### i Note

All development objects referenced here are available in the package /DMO/FLIGHT\_LEGACY. [More on this: ABAP Flight Reference Scenario \[page 668\]](#)

Flight Reference Scenario Objects Involved in the Business Scenario

| Entity  | Description                                                                                                                                                                                                                         | Editable |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Travel  | A Travel entity defines general travel data, such as the agency ID or customer ID, status of the travel booking, and the price of travel. The travel data is stored in the database table /DMO/TRAVEL.                              | Yes      |
| Agency  | An Agency entity defines travel agency data, such as the address and contact data. The corresponding data is stored in the database table /DMO/AGENCY. The flight data model defines a 1 : n cardinality between Agency and Travel. | No       |
| Booking | The booking data is stored in the database table /DMO/BOOKING. The flight data model defines a 1 : n cardinality between a Travel and the Booking entity.                                                                           | Yes      |


| Entity             | Description                                                                                                                                                                                                                                                                                                             | Editable |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| Flight             | The specific flight data for each connection is stored in the database table /DMO/ FLIGHT. The flight data model defines a 1 : n cardinality between a Connection and the Flight entity.                                                                                                                                | No       |
| Connection         | The flight connections are stored in the database table /DMO/CONNECTION.                                                                                                                                                                                                                                                | No       |
| Carrier            | The IDs and names of airlines are stored in the database table /DMO/CARRIER. Each airline has a number of flight connections. Therefore, the data model defines a 1 : n cardinality between a Carrier and the Connection entity.                                                                                        | No       |
| Customer           | A Customer entity provides a detailed description of a flight customer (passenger) such as the name, the address, and contact data.<br><br>The corresponding data is stored in the database table /DMO/CUSTOMER. The flight data model defines a 1:n cardinality between Customer and Travel.                           | No       |
| Booking Supplement | This entity is used to add additional products to a travel booking. The booking supplement data is stored in the database table /DMO/BOOK_SUPPL. The flight data model defines an n : 1 cardinality between a Booking Supplement entity and a Booking entity.                                                           | Yes      |
| Supplement         | A Supplement entity defines product data that the customer can book together with a flight, for example a drink or a meal.<br><br>The supplement data is stored in the database table /DMO/SUPPLEMENT. The flight data model defines a 1 : 1 cardinality between a Supplement entity and the Booking Supplement entity. | No       |

## Compositions and Associations

The figure below shows the relationships between the travel, agency, customer, and booking entities, where the travel entity represents the root of the data model. Additional entities for currencies (`I_Currency`) and countries (`I_Country`) are generally available in your system and are included in our data model using associations.

### i Note

For didactic reasons, we have kept the data model as simple as possible. We have hence reduced the number of entities in our end-to-end guide (compared with the predefined ABAP flight model) to a minimum set of entities.




Travel Entities Involved in the Present Scenario and Their Relationships

## Business Logic

The following figure summarizes the essential elements of the business logic:

- The function group **/DMO/FLIGHT\_TRAVEL\_API** is used to group all function modules that represent the application's legacy code.
- The class **/DMO/CL\_FLIGHT\_LEGACY** provides the actual implementation of the business logic in a more convenient (object-oriented) way.
- The interface **/DMO/IF\_FLIGHT\_LEGACY** defines global types and constants for reuse.
- Exception class **/DMO/CX\_FLIGHT\_LEGACY**.



Main Elements of the Legacy Business Logic

## 5.2.2 Providing CDS Data Model with Business Object Structure

From a structural point of view, a business object consists of a tree of entities that are linked by special associations known as compositions. A composition is a specialized association that defines a whole-part relationship. A composite part only exists together with its parent entity (whole).

### i Note

For didactic reasons, we will demonstrate a one-level composition in our sample application, defining a root entity for the Travel BO and one child entity for bookings. This relationship also means that booking data can only be created to a given travel instance.

Every entity in this composition tree is an element that is modeled with a CDS entity. The root entity is of particular importance, since it defines the top node in a business object's structure and serves as a representation of the business object. This is considered in the source code of the CDS data definition with the keyword ROOT when defining the corresponding CDS entity.

## Syntax for Defining a Root Entity

```
@AbapCatalog.sqlViewName: 'CDS_DB_VIEW'  
[@view_annotation_1]  
...  
[@view_annotation_n>]  
DEFINE ROOT VIEW root_entity  
[parameter_list]  
AS SELECT FROM data_source [AS alias]  
COMPOSITION [min..max] OF child_entity AS _comp_name  
[additional_composition_list]  
[association_list]  
{  
    [element_list]  
}
```

### Effect:

Using this syntax, you define the `root_entity` as a root of the compositional hierarchy for the business object to be created.

With the keyword `COMPOSITION`, a `child_entity` is defined as a direct child entity to the business object's root. The `child_entity` is a CDS entity, which is the target of the composition. `_comp_name` defines the name of the composition and must be added to the `element_list` (like associations). The cardinality to the child entity is expressed in the composition definition with square brackets `[min .. max]`.

For `min` and `max`, positive integers (including 0) and asterisks (\*) can be specified:

- `max` cannot be 0.
- An asterisk \* for `max` means any number of rows.
- `min` cannot be \*.

The meaning of the other elements of the syntax is identical to that of `DEFINE VIEW`.

**Further information:** [ABAP CDS - DEFINE VIEW \(ABAP Keyword Documentation\)](#)

## Syntax for Defining a Child Entity

```
@AbapCatalog.sqlViewName: 'CDS_DB_VIEW'  
[@view_annotation_1]  
...  
[@view_annotation_n>]  
DEFINE VIEW child_entity  
[parameter_list]  
AS SELECT FROM data_source [AS alias]  
ASSOCIATION TO PARENT parent_entity AS _assoc_name ON condition_exp  
[additional_association_list]  
{  
    [element_list]  
}
```

## **Effect:**

Using this syntax, you define a CDS entity `child_entity` that serves as a sub node in the compositional hierarchy of the business object structure. The sub node is a node in a business object's structure that is directly connected to another node when moving away from the root.

CDS entities that do not represent the root node of the hierarchy must have an association to their compositional parent entity `parent_entity` or `root_entity`. This relationship is expressed by the keyword `ASSOCIATION TO PARENT...`.

The meaning of the other elements in the association syntax is identical to that of `ASSOCIATION` in the CDS `SELECT` statement.

**Further information:** [ABAP CDS - SELECT, ASSOCIATION \(ABAP Keyword Documentation\)](#) )

## **Next Steps**

[Creating Data Definitions for CDS Views \[page 112\]](#)

[Defining the Data Model in CDS Views \[page 114\]](#)

### **5.2.2.1 Creating Data Definitions for CDS Views**

In this step you create a CDS views as the basis for the data model of our demo scenario. To do this, you create the appropriate data definitions as transportable ABAP repository objects, as specified in the table below.

#### **Data Definitions and CDS Views to Create**

##### **i Note**

**Naming CDS views:** Since CDS views are (public) interface views, they are prefixed with `I_` in accordance with the VDM (virtual data model) naming convention. In addition, we add the suffix `_U` to the view name in case it is specific for our unmanaged implementation type scenario. For detailed information, see: [Naming Conventions for Development Objects \[page 673\]](#)

##### **→ Remember**

The namespace `/DMO/` is reserved for the demo content. Therefore, do not use the namespace `/DMO/` when creating your own development objects and do not create any development objects in the downloaded packages.

## **Data Definitions Required for the Root Node (Travel):**

Data Definition

CDS View Name

| Database View Name | Data Source | Description                                                                                                                                                         |
|--------------------|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| /DMO/I_TRAVEL_U    | /DMO/TRAVEL | This CDS view defines the root entity. The root entity is a representation of the travel business object and defines the top node in a business object's structure. |
| /DMO/I_Travel_U    | (DB table)  |                                                                                                                                                                     |
| /DMO/ITRAVEL_U     |             | It is used for managing general travel data, such as the booking status of a travel or the total price of a travel.                                                 |
| /DMO/I_AGENCY      | /DMO/AGENCY | This CDS view represents the travel agency in the data model of our demo scenario.                                                                                  |
| /DMO/I_Agency      | (DB table)  |                                                                                                                                                                     |
| /DMO/IAGENCY_RE    |             |                                                                                                                                                                     |
| /DMO/I_CUSTOMER    | /DMO/       | This CDS view defines the data model for managing flight travel customers (passengers).                                                                             |
| /DMO/I_Customer    | CUSTOMER    |                                                                                                                                                                     |
| /DMO/ICUSTOM_RE    | (DB table)  |                                                                                                                                                                     |

## **Data Definitions Required for the Sub Node (Booking):**

Data Definition

CDS View Name

| Database View Name | Data Source | Description                                                                                                                                                                             |
|--------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| /DMO/I_BOOKING_U   | /DMO/       | This CDS view defines the flight booking entity. The booking entity is a sub node representation of the travel business object structure..                                              |
| /DMO/I_Booking_U   | BOOKING     |                                                                                                                                                                                         |
| /DMO/IBOOKING_U    | (DB table)  | It is used for managing flight booking data, such as the customer, the flight connection, or the price and flight date.                                                                 |
| /DMO/I_FLIGHT      | /DMO/FLIGHT | This CDS view represents the concrete flights in the travel data model. In our demo scenario, the CDS view is used for value help definition for specific elements in the booking view. |
| /DMO/I_Flight      | (DB table)  |                                                                                                                                                                                         |
| /DMO/IFLIGHT_RE    |             |                                                                                                                                                                                         |
| /DMO/I_CONNECTION  | /DMO/       | This CDS view defines the data model for managing flight connections.                                                                                                                   |
| /DMO/I_Connection  | CONNECTION  |                                                                                                                                                                                         |
| /DMO/ICONNECT_RE   | (DB table)  | In our demo scenario, the connection view is used to retrieve the text information for the associated elements in the booking view.                                                     |

Data Definition

CDS View Name

| Database View Name | Data Source      | Description                                                                                                                      |
|--------------------|------------------|----------------------------------------------------------------------------------------------------------------------------------|
| /DMO/I_CARRIER     | /DMO/<br>CARRIER | This CDS view defines the data model for managing the airline data (ID and the name).                                            |
| /DMO/I_CARRIER     | (DB table)       | In our demo scenario, the carrier view is used to retrieve the text information for the associated elements in the booking view. |
| /DMO/ICARRIER_RE   |                  |                                                                                                                                  |

## Procedure: Creating a Data Definition

To launch the wizard tool for creating a data definition, do the following:

1. Launch [ABAP Development Tools](#).
2. In your ABAP project (or ABAP cloud project), select the relevant package node in [Project Explorer](#).
3. Open the context menu and choose ► [New](#) ► [Other ABAP Repository Object](#) ► [Core Data Services](#) ► [Data Definition](#) ▶

**Further information:** ([Tool Reference](#))

## Results

This procedure creates a data definition as a transportable development object in the selected package. For each data definition, the related CDS view and the corresponding SQL view are created too.

### 5.2.2.2 Defining the Data Model in CDS Views

#### Travel Root View /DMO/I\_Travel\_U

The listing 1 (below) provides you with the implementation of the CDS data model for managing flights, where the database table /dmo/travel serves as the data source for the corresponding CDS view /DMO/I\_Travel\_U (note the camel case notation).

This CDS view defines the root entity of the data model and represents the root of compositional hierarchy for the travel business object to be created.

From a structural point of view, a business object consists of a tree of nodes that are linked by special associations known as compositions. To define a composition relationship from the root to a child entity the

keyword `COMPOSITION` is used. In our example, you specify the `/DMO/I_Booking_U` as child entity in the composition `_Booking`. As a result, the booking node is defined as a direct sub node to the business object's root. With cardinality `[0 .. *]` you express that any number of booking instances can be assigned to each travel instance.

To be able to access business data from other entities, a set of associations is defined in the CDS source code. These associations refer to CDS views that are part of our demo application scenario. Some of these views are used primarily as text views for retrieving text information and as value help provider views for specific UI fields.

To define a relationship between the elements `AgencyID` and `CustomerID` and their corresponding texts or descriptions, the text associations `_Agency` and `_Customer` are used in this example. Therefore, both elements are annotated with `@ObjectModel.text.association`. As a result, the associated text or description fields are added as fields to the referencing entity. At runtime, this field is read from the database and filtered by the logon language of the OData consumer automatically. For detailed information, see: [Defining Text Elements \[page 349\]](#)

Value helps are defined in the source code of the CDS view `/DMO/I_Travel_U` by adding the annotation `@Consumption.valueHelpDefinition` to the elements `AgencyID`, `CustomerID` and `CurrencyCode`. In this annotation, you specify the elements for which the value help dialog should appear on the UI. The value help annotation allows you to reference the value help provider view without implementing an association. You simply assign a CDS entity as the value help provider and specify an element for the mapping in the annotation. All fields of the value help provider are displayed on the UI. When the end user chooses one of the entries of the value help provider, the value of the referenced element is transferred to the corresponding input field on the UI. For detailed information, see: [Simple Value Help \[page 364\]](#)

#### → Tip

For the default implementation of value help, note that you can reuse any CDS entity that contains the required values of the element that corresponds to the input field on the UI. You do not need to explicitly define a CDS entity as the value help provider.

Except for the administrative fields `createdby`, `lastchangedby`, and `createdat`, all fields of the data source table `/dmo/travel` have been added to the element list in the CDS view. The database table provides several administrative fields that are used for administrative data which usually includes the user who created or last changed an instance and the corresponding timestamps. In this example however, the element `LastChangedAt` plays a special part, as it is used for ETag checks to determine whether two representations of an entity are the same. If the representation of the entity ever changes, a new and different ETag value is assigned. ETAGs play a significant part in the lock lifetime when working with business objects.

The source code of the root view `/DMO/I_Travel_U` also includes the complete set of UI annotations to specify the UI representation of elements defined in this view.

#### ! Restriction

To add the UI semantics in the context of the [ABAP Environment](#) on [SAP Cloud Platform](#), you can only annotate the UI metadata within the data definition source code. You cannot use metadata extensions to separate the metadata specified in the UI annotations from the actual data definition in the CDS view.

Since we intend to expose the demo application scenario as a UI service in the final step, the UI semantics are required for the UI representation. For this reason, the relevant UI annotations are added to the view elements at view level in order to specify the header texts for Fiori UIs, the definition of UI facets as main building blocks on Fiori elements UI.

To expose the action `set_status_booked` to the consumer, we added the technical name of the action to the CDS view as the `dataAction`. See listing below for more details.

## Parenthesis: Exposing Actions for OData Consumption

Actions are often directly related to BO instances that you can provide to the list of travels, for example. End users can select an individual line item (that represents a BO instance) and execute certain actions on the selected item.

You can use the following UI annotation to expose actions to the consumer:

### Syntax (for LineItem)

```
...
define view <CDS_VIEW> as select from <DATA_SOURCE> as ... {
    @UI.lineItem: [
        { type: #FOR_ACTION, dataAction: 'action_1', label: 'action label_1' },
        { type: #FOR_ACTION, dataAction: 'action_2', label: 'action label_2' },
        ...
    ]
    ...
}
```

#### → Remember

The `dataAction` element references the name of an action as it is defined in the behavior definition.

## Listing 1: Source Code of the CDS Root View /DMO/I\_Travel\_U

```
@AbapCatalog.sqlViewName: '/DMO/ITRAVEL_U'
@AbapCatalog.compiler.compareFilter: true
@AbapCatalog.preserveKey: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@UI: {
    headerInfo: { typeName: 'Travel', typeNamePlural: 'Travels', title: { type: #STANDARD, value: 'TravelID' } }
}
@EndUserText.label: 'Travel view - CDS data model'
@Search.searchable: true
define root view /DMO/I_Travel_U
    as select from /dmo/travel as Travel -- the travel table is the data source
    for this view
        composition [0..*] of /DMO/I_Booking_U as _Booking
            association [0..1] to /DMO/I_Agency as _Agency on
                $projection.AgencyID = _Agency.AgencyID
            association [0..1] to /DMO/I_Customer as _Customer on
                $projection.CustomerID = _Customer.CustomerID
            association [0..1] to I_Currency as _Currency on
                $projection.CurrencyCode = _Currency.Currency
    {
        @UI.facet: [ { id: 'Travel', purpose: #STANDARD, type: #IDENTIFICATION_REFERENCE, label: 'Travel', position: 10 },
                    { id: 'Booking', purpose: #STANDARD, type: #LINEITEM_REFERENCE, label: 'Booking', position: 20, targetElement: '_Booking' } ]
    }
}
```

```

@UI: {
    lineItem: [ { position: 10, importance: #HIGH } ], identification:
[ { position: 10 } ], selectionField: [ { position: 10 } ] }
    @Search.defaultSearchElement: true
    key Travel.travel_id      as TravelID,

    @UI: {
        lineItem: [ { position: 20, importance: #HIGH } ], identification:
[ { position: 20 } ], selectionField: [ { position: 20 } ] }
        @Consumption.valueHelpDefinition: [{ entity : {name: '/DMO/I_Agency',
element: 'AgencyID' } }]
        @ObjectModel.text.association: '_Agency'
        @Search.defaultSearchElement: true
        Travel.agency_id      as AgencyID,

    @UI: {
        lineItem: [ { position: 30, importance: #HIGH } ], identification:
[ { position: 30 } ], selectionField: [ { position: 30 } ] }
        @Consumption.valueHelpDefinition: [{ entity : {name: '/DMO/I_Customer',
element: 'CustomerID' } }]
        @ObjectModel.text.association: '_Customer'
        @Search.defaultSearchElement: true
        Travel.customer_id      as CustomerID,
    @UI: {
        lineItem: [ { position: 40, importance: #MEDIUM } ], identification:
[ { position: 40 } ] }
        Travel.begin_date      as BeginDate,

    @UI: {
        lineItem: [ { position: 41, importance: #MEDIUM } ], identification:
[ { position: 41 } ] }
        Travel.end_date      as EndDate,
    @UI: {
        identification:[ { position: 42 } ] }
        @Semantics.amount.currencyCode: 'CurrencyCode'
        Travel.booking_fee      as BookingFee,
    @UI: {
        identification:[ { position: 43, label: 'Total Price' } ] }
        @Semantics.amount.currencyCode: 'CurrencyCode'
        Travel.total_price      as TotalPrice,
        @Semantics.currencyCode: true
        @Consumption.valueHelpDefinition: [{entity: {name: 'I_Currency', element:
'Currency' }}]
        Travel.currency_code      as CurrencyCode,
    @UI: {
        identification:[ { position: 45, label: 'Comment' } ] }
        Travel.description      as Memo,
    @UI: {
        lineItem: [ { position: 50, importance: #HIGH },
        { type: #FOR_ACTION, dataAction: 'set_status_booked', label: 'Set to
Booked' } ] }
        Travel.status      as Status,
        Travel.lastchangedat      as LastChangedAt,
        /* Associations */
        _Booking,
        _Agency,
        _Customer,
        _Currency
    }
}

```

## Booking View /DMO/I\_Booking\_U

Listing 2 (below) provides you with a data model implementation of the booking entity. In the data definition of the root entity /DMO/I\_Travel\_U, you specified the booking entity /DMO/I\_Booking\_U as a child entity. This composition relationship requires an association to their compositional parent entity for the booking child entity to be specified in the data model implementation. This relationship is expressed by the keyword ASSOCIATION TO PARENT. Using this syntax, you define the CDS entity /DMO/I\_Booking\_U as a direct subnode in the compositional hierarchy of the travel business object structure.

The SELECT list includes all elements of a booking entity that are relevant for consumption in a user interface (UI).

To be able to access data from other entities, a set of additional associations (\_Customer, \_Carrier, and \_Connection) is defined in the CDS source code. These views are primarily used as text views for retrieving text information and as value help provider views for specific booking fields on the UI.

To access the corresponding texts or descriptions, the relationship between the elements AirlineID and ConnectionID and the text associations \_Carrier and \_Connection are used in this example. Both elements are therefore annotated with @ObjectModel.text.association.

For detailed information, see: [Defining Text Elements \[page 349\]](#)

Value helps are defined in the source code of the booking entity /DMO/I\_Booking\_U by adding the annotation @Consumption.valueHelpDefinition to the relevant elements. You simply assign a CDS entity as the value help provider to the elements CustomerID, AirlineID, and CurrencyCode, and specify an element for the mapping in the annotation. This simple value help approach is convenient if you only want to display values from the value help provider view for an input field. In this case, the annotation defines the binding to the value help providing entity. You only have to specify the entity name and the element providing the possible values for the annotated element. For detailed information, see: [Simple Value Help \[page 364\]](#)

Listing 2 also demonstrates how you can implement the value help with additional binding, which defines a filter condition. Different filter conditions for the value help on the same value help provider entity /DMO/I\_Flight\_U are defined for filtering the value help result list for the elements ConnectionID and FlightDate. For detailed information, see: [Value Help with Additional Binding \[page 369\]](#)

### Listing 2: CDS View /DMO/I\_Booking\_U

```
@AbapCatalog.sqlViewName: '/DMO/IBOOKING_U'
@AbapCatalog.compiler.compareFilter: true
@AbapCatalog.preserveKey: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Booking view'
@UI: {
    headerInfo: { typeName: 'Booking',
                  typeNamePlural: 'Bookings',
                  title: { type: #STANDARD, value: 'BookingID' } }
}
@Search.searchable: true
define view /DMO/I_Booking_U
    as select from /dmo/booking as Booking
        association to parent /DMO/I_Travel_U      as _Travel  on $projection.TravelID
= _Travel.TravelID
        association [1..1] to /DMO/I_Customer       as _Customer   on
$projection.CustomerID = _Customer.CustomerID
```

```

    association [1..1] to /DMO/I_Carrier      as _Carrier      on
$projection.AirlineID      = _Carrier.AirlineID
    association [1..1] to /DMO/I_Connection   as _Connection   on
$projection.AirlineID      = _Connection.AirlineID
  and
$projection.ConnectionID   = _Connection.ConnectionID
{

@UI.facet: [ { id:                 'Booking',
               purpose:          '#STANDARD',
               type:              '#IDENTIFICATION_REFERENCE',
               label:             'Booking',
               position:          10 }]
@Search.defaultSearchElement: true
key Booking.travel_id           as TravelID,

@UI: { lineItem: [ { position: 20, importance: #HIGH } ] }
key Booking.booking_id          as BookingID,

@UI: { lineItem: [ { position: 30, importance: #HIGH } ],
       identification: [ { position: 30 } ] }
Booking.booking_date            as BookingDate,

@UI: { lineItem: [ { position: 40, importance: #HIGH } ],
       identification: [ { position: 40 } ] }
@Consumption.valueHelpDefinition: [{entity: {name: '/DMO/I_Customer',
element: 'CustomerID' }}]
@Search.defaultSearchElement: true
Booking.customer_id              as CustomerID,

@UI: { lineItem: [ { position: 50, importance: #HIGH } ],
       identification: [ { position: 50 } ] }
@Consumption.valueHelpDefinition: [{entity: {name: '/DMO/I_Carrier',
element: 'AirlineID' }}]
@ObjectModel.text.association: '_Carrier'
Booking.carrier_id              as AirlineID,

@UI: { lineItem: [ { position: 60, importance: #HIGH } ],
       identification: [ { position: 60 } ] }
@Consumption.valueHelpDefinition: [{entity: {name: '/DMO/I_FLIGHT',
element: 'ConnectionID' }},
additionalBinding: [{ localElement:
'FlightDate', element: 'FlightDate'},
{ localElement:
'AirlineID', element: 'AirlineID'},
{ localElement:
'FlightPrice', element: 'Price'},
{ localElement:
'CurrencyCode', element: 'CurrencyCode'}]}
@ObjectModel.text.association: '_Connection'
Booking.connection_id            as ConnectionID,

@UI: { lineItem: [ { position: 70, importance: #HIGH } ],
       identification: [ { position: 70 } ] }
@Consumption.valueHelpDefinition: [{entity: {name: '/DMO/I_FLIGHT',
element: 'FlightDate' }},
additionalBinding: [{ localElement:
'ConnectionID', element: 'ConnectionID'},
{ localElement:
'AirlineID', element: 'AirlineID'},
{ localElement:
'FlightPrice', element: 'Price'},
{ localElement:
'CurrencyCode', element: 'CurrencyCode'}]}
Booking.flight_date              as FlightDate,

```

```

@UI: { lineItem: [ { position: 80, importance: #HIGH } ],
identification: [ { position: 80 } ] }
@Semantics.amount.currencyCode: 'CurrencyCode'
Booking.flight_price           as FlightPrice,
@Semantics.currencyCode: true
@Consumption.valueHelpDefinition: [{entity: {name: 'I_Currency', element:
'Currency' }}]
Booking.currency_code          as CurrencyCode,
@UI.hidden: true
_Travel.LastChangedAt as LastChangedAt,      -- Take over ETag from parent
/* Associations */
_Travel,
_Customer,
_Carrier,
_Connection
}

}

```

## Travel Agency View /DMO/I\_Agency

Listing 3 (below) provides you with a data definition for handling travel agency data. The database table /dmo/agency is the data source for the corresponding CDS view /DMO/I\_Agency.

All fields in table /dmo/agency have been added to the element list in the CDS view.

Since the travel agency's data can vary from one country to another, the data model refers to the I\_Country view using the association \_Country.

This CDS entity also serves as a text provider view. For this purpose, the annotation @Semantics.text: true is used to identify the Name element as a text element, which - in this case - points to a textual description of agency names. In the travel and the booking view that are annotated with a corresponding text association (see Listing 1 and Listing 2), the associated text element is added as a field to the referencing entity. At runtime, this field is read from the database and filtered by the logon language of the OData consumer automatically.

In addition, the data model enables search capabilities on the Name element: The annotation @Search.searchable: true marks the CDS view as searchable, whereas @Search.defaultSearchElement: true specifies that the annotated Name element is to be considered in a full-text search. For detailed information, see: [Enabling Text and Fuzzy Searches in SAP Fiori Apps \[page 355\]](#)

### **Listing 3: Agency CDS View /DMO/I\_Agency**

```

@AbapCatalog.sqlViewName: '/DMO/IAGENCY_RE'
@AbapCatalog.compiler.compareFilter: true
@AbapCatalog.preserveKey: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Agency view - CDS data model'
@Search.searchable: true
define view /DMO/I_Agency
  as select from /dmo/agency as Agency -- the agency table serves as the data
  source for this view
    association [0..1] to I_Country as _Country on $projection.CountryCode =
    _Country.Country
{
  key Agency.agency_id           as AgencyID,

```

```

@Semantics.text: true
@Search.defaultSearchElement: true
@Search.fuzzinessThreshold: 0.8
Agency.name           as Name,
Agency.street         as Street,
Agency.postal_code    as PostalCode,
Agency.city           as City,
Agency.country_code   as CountryCode,
Agency.phone_number   as PhoneNumber,
Agency.email_address  as EMailAddress,
Agency.web_address    as WebAddress,
/* Associations */
_Country
}

```

## Customer View /DMO/I\_Customer

Listing 4 (below) is used as a data model implementation for managing passenger data. The database table /dmo/customer serves as the data source for the corresponding CDS view /DMO/I\_Customer.

Except for the administrative fields (createdby, createdat, lastchangedat and lastchangedby), all fields of the table /dmo/customer have been added to the element list in the CDS view.

Since a passenger's data can vary from one country to another, the data model refers to the I\_Country view using a corresponding association \_Country.

The annotation @Semantics.text: true is added to the LastName element. This element serves as a text element, which - in this case - points to texts with customer names. This text annotation allows you to use this customer view as a text provider for the associated elements in the target views /DMO/I\_Travel\_U and /DMO/I\_Booking\_U.

### Listing 4: Customer CDS view /DMO/I\_Customer

```

@AbapCatalog.sqlViewName: '/DMO/ICUSTOM_RE'
@AbapCatalog.compiler.compareFilter: true
@AbapCatalog.preserveKey: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Customer view - CDS data model'
@Search.searchable: true
define view /DMO/I_Customer
  as select from /dmo/customer as Customer -- the customer table serves as the
  data source
  association [0..1] to I_Country as _Country on $projection.CountryCode =
  _Country.Country
{
  key Customer.customer_id      as CustomerID,
  Customer.first_name          as FirstName,
  @Semantics.text: true
  @Search.defaultSearchElement: true
  @Search.fuzzinessThreshold: 0.8
  Customer.last_name           as LastName,
  Customer.title               as Title,
  Customer.street              as Street,
  Customer.postal_code         as PostalCode,
  Customer.city                as City,
  Customer.country_code        as CountryCode,
  Customer.phone_number        as PhoneNumber,
  Customer.email_address       as EMailAddress,

```

```
    /* Associations */
    _Country
}
```

## Flight View /DMO/I\_Flight

Listing 5 (below) provides you with a data definition for flights. The data of specific flights is stored in the database table /dmo/flight, which serves as the data source for the corresponding CDS view /DMO/I\_Flight.

As demonstrated in listing 2 (above), you can implement the value help with additional binding. To define filter conditions for the value help based on the same value help provider, the flight view /DMO/I\_Flight is used to filter the value help result list for the annotated elements.

### Listing 5: CDS View /DMO/I\_Flight

```
@AbapCatalog.sqlViewName: '/DMO/IFLIGHT_RE'
@AbapCatalog.compiler.compareFilter: true
@AbapCatalog.preserveKey: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Flight view'
define view /DMO/I_Flight as select from /dmo/flight as Flight
{
  key Flight.carrier_id           as AirlineID,
  key Flight.connection_id        as ConnectionID,
  key Flight.flight_date          as FlightDate,
  Flight.price                    as Price,
  @Semantics.currencyCode: true
  Flight.currency_code            as CurrencyCode,
  Flight.plane_type_id           as PlaneType,
  Flight.seats_max                as MaximumSeats,
  Flight.seats_occupied           as OccupiedSeats
}
```

## Flight Connections View /DMO/I\_Connection

Listing 6 (below) is used as a data definition for flight connections. The flight connections are stored in the database table /dmo/connection, which serves as the data source for the corresponding CDS view /DMO/I\_Connection.

Except for the administrative fields, all fields in the table /dmo/connection have been added to the element list in the CDS view.

Using the annotation @Semantics.unitOfMeasure, the DistanceUnit element is tagged as an element containing a unit of measure. The corresponding unit of measure is contained in the referenced Distance field.

### Listing 6: CDS View /DMO/I\_Connection

```
@AbapCatalog.sqlViewName: '/DMO/ICONNECT_RE'
```

```

@AbapCatalog.compiler.compareFilter: true
@AbapCatalog.preserveKey: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Connection view'
define view /DMO/I_Connection
  as select from /dmo/connection as Connection
{
  key Connection.carrier_id           as AirlineID,
  key Connection.connection_id       as ConnectionID,
  Connection.airport_from_id        as DepartureAirport,
  Connection.airport_to_id          as DestinationAirport,
  Connection.departure_time         as DepartureTime,
  Connection.arrival_time           as ArrivalTime,
  @Semantics.quantity.unitOfMeasure: 'DistanceUnit'
  Connection.distance               as Distance,
  @Semantics.unitOfMeasure: true
  Connection.distance_unit          as DistanceUnit
}

```

### **Carrier View** /DMO/I\_Carrier

The following data definition for the carrier CDS entity provides you with IDs and names of airlines that are stored in the database table /DMO/CARRIER.

This CDS entity mainly serves as text provider view. It provides text data through text associations as defined in the travel and the booking views (Listing 1 and Listing 2).

For this purpose, a text annotation is required at element level in order to annotate the text elements from the view's element list: In this example, the Name element is identified as the text element.

### **Listing 7: CDS View** /DMO/I\_Carrier

```

@AbapCatalog.sqlViewName: '/DMO/ICARRIER_RE'
@AbapCatalog.compiler.compareFilter: true
@AbapCatalog.preserveKey: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Carrier view'
define view /DMO/I_Carrier as select from /dmo/carrier as Airline
{
  key Airline.carrier_id           as AirlineID,
  @Semantics.text: true
  Airline.name                     as Name,
  @Semantics.currencyCode: true
  Airline.currency_code            as CurrencyCode
}


```

## **5.2.3 Defining and Implementing Behavior of the Business Object**

To specify the business object's behavior, the behavior definition as the corresponding development object is used. A business object behavior definition (behavior definition for short) is an ABAP Repository object that

describes the behavior of a business object in the context of the ABAP RESTful programming model. A behavior definition is defined using the Behavior Definition Language (BDL).

A behavior definition always refers to a CDS data model. As shown in the figure below, a behavior definition relies directly on the CDS root entity. One behavior definition refers exactly to one root entity and one CDS root entity has at most one behavior definition (a 0..1 cardinality), which also handles all included child entities that are included in the composition tree. The implementation of a behavior definition can be done in a single ABAP class (behavior pool) or can be split between an arbitrary set of ABAP classes (behavior pools). The application developer can assign any number of behavior pools to a behavior definition (1..N cardinality).



Relationship Between the CDS Entities and the Business Object Behavior

## Overview of Steps

1. Create the Behavior Definition Object
2. Model the Behavior for Managing Travels
3. Create the Behavior Pool
4. Implement the Transactional Behavior of the Travel Business Object

## Related Information

[Business Object \[page 46\]](#)

[Business Service \[page 66\]](#)

### 5.2.3.1 Adding Behavior to the Business Object

#### Procedure: Creating a Behavior Definition /DMO/I\_TRAVEL\_U

To launch the wizard tool for creating a behavior definition, do the following:

1. Launch ABAP Development Tools.
2. In the *Project Explorer* view of your ABAP project (or *ABAP Cloud Project*), select the node for the data definition that defines the root entity (/DMO/I\_TRAVEL\_U).
3. Open the context menu and choose *New Behavior Definition* to launch the creation wizard.

Further information: ([Tool Reference](#)) [page 651]

##### → Remember

By creating a behavior definition, the referenced root entity and its compositions (child entities) gain a transactional character. The behavior definition is hence the implementation of the BO concept within the context of the current programming model. All supported transactional operations of a concrete business object must be specified in the same behavior definition.

#### Parenthesis: Syntax for Defining Transactional Behavior

The syntax of the *Behavior Definition Language (BDL)* is oriented to the *Data Definition Language (DDL)* used to define CDS entities (camel-case notation). Technically, the respective artifacts differ substantially: behavior definitions are managed in the ABAP compiler and not in ABAP Dictionary.

You use the following syntax to define the transactional behavior for a CDSEntity.

```
/* Header of behavior definition */
[implementation] {unmanaged | managed | abstract};
/* Definition of entity behavior */
define behavior for CDSEntity [alias AliasName]
/* Entity properties */
[implementation in class CLASS_NAME unique]
[persistent table DB_TABLE]
[late numbering]
[etag (field)]
[lock {master | dependent (PropertyDependent = PropertyMaster)}] //Only supported
for root entities
{
    /* Static field control */
    [field (read only | mandatory) field1[, field2, ..., fieldn];]
    /* Standard operations */
    [internal] create;
    [internal] update;
    [internal] delete;
    /* Actions */
    [static] action ActionName
        [parameter {InputParameterEntity | $self}]
        [result [cardinality] {OutputParameterEntity | $self}];
}
```

```
/* Associations */
association AssociationName [abbreviation AbbreviationName] {[create;]}
```

## Explanation

A behavior definition consists of a header information and a set of definitions for entity behavior. Each entity of the composition tree can be referred in the behavior definition at most once.

### → Remember

Consider that if an entity does not occur in the behavior definition, then it would not be modifiable within the ABAP for RESTful programming model.

Within BDL source code, double slashes (//) introduce a comment that continues until the end of the line. Comments that span lines have the form: /\*...\*/.

### i Note

Keywords within the BDL source code are case-sensitive!

The header specifies the implementation type of the business object provider:

Implementation Type

| Values    | Effect                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| unmanaged | <p>For this implementation type, the application developer must implement essential components of the REST contract itself. In this case, all required operations (create, update, delete, or any application-specific actions) must be specified in the corresponding behavior definition before they are implemented manually in ABAP.</p> <p>Use this implementation type when developing transactional apps that are based on existing legacy business logic.</p> <p><b>More on this:</b> <a href="#">Unmanaged BO Contract [page 613]</a></p> |
| managed   | <p>When using this implementation type, the behavior definition is already sufficient to produce a ready-to-run business object.</p> <p>Use this implementation type if you want to develop transactional apps from scratch.</p>                                                                                                                                                                                                                                                                                                                   |
| abstract  | You cannot use the <a href="#">BO Provider API</a> to implement the behavior definition. An abstract behavior definition is only a metadata artifact for the representation of external services.                                                                                                                                                                                                                                                                                                                                                  |

The behavior description is divided into a section with entity properties, followed by information on any operations enclosed in the brackets {...}.

The AliasName defined in the behavior definition for CDSEntity gives you the option of introducing a more concise name than the entity name that is hence easier to read. The AliasName becomes visible in the implementation part BO provider (method syntax of the BO Provider API). The length of the AliasName is restricted to 20 characters.

The BDL allows you to add the following properties to a behavior definition:

## Behavior Characteristic

| Characteristic                    | Meaning                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| implementation in class ...unique | <p>In the behavior definition for an individual entity, you have the option of assigning a specific behavior pool that only implements the behavior for this entity. Behavior for the entity in question can only be implemented in a behavior pool with the specified name. Any other class that attempts this raises an ABAP compiler error.</p> <p>By including the restriction <code>implementation in class ... unique</code> in the behavior implementation, you can protect the application against multiple implementations so that each operation can only be implemented once for the relevant entity.</p>                                                                |
| persistent table ...              | <p>In managed implementation type, this property specifies the database table for storing CDSEntity data changes that result from transactional behavior.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| late numbering                    | <p>Newly created entity instances are given a definitive (final) key just before they are persisted on the database (when saving the object's data). Until then, the business logic works with a temporary key (for example: \$00000001) which must be replaced upon saving the data.</p> <p>For providing the late numbering, the <code>adjust_numbers()</code> method from the save sequence is used. If you add this property then the runtime will call this method.</p> <p>Late numbering plays a role whenever it is of business-critical importance to draw gap-free numbers.</p>                                                                                            |
| <b>i Note</b>                     | <p>The current version of the ABAP RESTful Programming Model does not support late numbering.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| etag (field)                      | <p>The specified <code>field</code> of an ETag is used to determine changes to the requested resource. Usually, fields like last changed timestamp, hash values, or version counters are used as ETags.</p> <p>An ETag can be used for optimistic concurrency control in the OData protocol to help prevent simultaneous updates of a resource from overwriting each other</p>                                                                                                                                                                                                                                                                                                      |
| lock master / lock dependent      | <p>In the behavior definition, you can determine which entities support direct locking (<code>lock master</code>) and which entities depend on the locking status of a parent or root entity (<code>lock dependent</code>). For lock dependents it is required to specify which property in the child entity (<code>lock dependent</code>) refers to which property of the parent or root entity. This is actually a foreign-key relationship so that the runtime can efficiently retrieve master instances for a set of given dependent instances.</p> <p>This locking property is only relevant for entities that support locking, which is provided in modifying operations.</p> |
| <b>i Note</b>                     | <p>The definition of <code>lock master</code> is currently only supported for root nodes of business objects.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Field Properties

| Property          | Meaning                                                                                                                                                                        |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| field (read only) | Defines that the specified fields must not be created or updated by the consumer.<br>The BO runtime rejects modifying requests when creating or updating the specified fields. |
| field (mandatory) | Defines that the specified fields are mandatory.<br>The specified fields must be filled by the consumer when executing modifying requests.                                     |

An important part of the transactional behavior of a business object are the **standard operations** `create`, `update` and `delete` (CUD). Whenever an entity can be created, updated, or deleted, these operations must be declared in the behavior definition.

To only implement an operation without exposing it to consumers, the option `internal` can be set before the operation, for example `internal update`.

**Actions** can be specified as non-standard operations in behavior definitions. They can either be related to instances (default) or are static. Actions can pass CDS entities as input parameters (`InputParameterEntity`) and output parameters (`OutputParameterEntity`). The CDS entity can be a regular CDS view or an abstract entity. If the `InputParameterEntity` and the `OutputParameterEntity` is the same entity for which the action is executed, then only the predefined keyword `$self` is required. It stands for the type of the entity itself.

### i Note

The BDL syntax determines that a maximum of only one parameter on each side (input and output) can be specified. If an action must provide "multiple inputs" or "multiple outputs", then a structure type of CDS or an abstract entity can be used (with components for the individual inputs/outputs).

The `result cardinality` for actions determines the multiplicity of the output on an input instance. In this way, it indicates whether each instance of an input produces `0..1`, `1`, `0..n` or `1..n` output instances. The possible values for cardinality are therefore:

`[0..1]` or `[1]` or `[0..*]` or `[1..*]`.

All **compositions** that form the business object's structure must also be declared in the behavior definition as associations. An abbreviation `AbbreviationName` needs to be defined if the composition name in the CDS view is longer than 11 characters. The keyword `{create;}` is used to declare that the association is create-enabled, which means that instances of the associated entity can be created by the source of the association .

## Procedure: Defining the Transactional Behavior of the TRAVEL Business Object

As a quick glance shows you, the behavior definition looks quite easy in our case (see listing below).

It consists of a header information and two definitions for entity behavior: one for the root entity and one for the child entity – corresponding to the composition tree of the business object. Note that for each entity of the composition tree, the transactional behavior can be defined in the behavior definition at most once. All

supported transactional operations of a concrete business object's node must be specified in the same behavior definition (that is introduced by the keyword `DEFINE BEHAVIOR FOR ...` ).

As expected, the header specifies the **unmanaged** implementation type of our business object's contract provider since we are going to integrate the legacy business logic in the new app. For this implementation type, you as application developer must implement the essential components of the business object's itself. In this case, you must specify all required operations (`create`, `update`, `delete`, or any application-specific actions) in the corresponding behavior definition and implement them manually in ABAP.

Our TRAVEL business object refers to the underlying CDS data model, which is represented by root entity `/DMO/I_Travel_U`. Behavior for the root entity can only be implemented in the specified behavior pool `/DMO/BP_TRAVEL_U`. The transactional handling of the business object's root node is determined by the standard operations `create`, `update`, and `delete`, and an instance-related action `set_status_booked`. Using this action, the end user is able to set the status of selected travel instances to booked. Note that an action is always multi-instance capable. The action in our example affects the output instances with the same entity type and one input instance is related to exactly one output instance. Therefore, the output parameter is defined with the predefined type `$self` and the cardinality [1]. The fact that in our scenario new instances of the booking sub node can only be created for a specific travel instance is considered by the addition of the `_Booking` association. The keyword `{create;}` declares that this association is create-enabled what exactly means that instances of the associated bookings can be created by a travel instance.

The sub node of TRAVEL business object refers to the corresponding data model for bookings that is represented by the child entity for `/DMO/I_Booking_U`. Behavior for the root entity can only be implemented in the specified behavior pool `/DMO/BP_BOOKING_U`. The transactional handling of the booking sub node of TRAVEL business object is determined by the standard operations `create`, `update`, and `delete`.

#### **Listing: Behavior Definition `/DMO/I_TRAVEL_U`**

```
implementation unmanaged;
// behavior defintion for the TRAVEL root node
define behavior for /DMO/I_Travel_U alias travel
implementation in class /DMO/BP_TRAVEL_U unique
etag LastChangedAt
{
    field (read only) TravelID;
    field (mandatory) AgencyID, CustomerID, BeginDate, EndDate;
    create;
    update;
    delete;
    action set_status_booked result [1] $self;
    association _Booking { create; }
}
// behavior defintion for the BOOKING sub node
define behavior for /DMO/I_Booking_U alias booking
implementation in class /DMO/BP_BOOKING_U unique
{
    field (read only) TravelID, BookingID;
    field (mandatory) BookingDate, CustomerID, AirlineID, ConnectionID, FlightDate;
    create;
    update;
    delete;
}
```


## Related Information

[Business Object \[page 46\]](#)

### 5.2.3.2 Implementing the Behavior of the Business Object

#### Behavior Pool

The transactional behavior of a business object in the context of the current programming model is implemented in one or more global ABAP classes. These special classes are dedicated only to implementing the business object's behavior and are called **behavior pools**. You can assign any number of behavior pools to a behavior definition (a 1: n relationship). Within a single global class, you can define multiple local classes that handle the business object's behavior. The global class is just a container and is basically empty while the actual behavior logic is implemented in local classes.



Behavior Pools of the Travel Business Object

## Parenthesis: Syntax Extension for Defining a Behavior Pool

```

CLASS class_name DEFINITION PUBLIC
  ABSTRACT
  FINAL
  FOR BEHAVIOR OF MyRootBehavior.

  PUBLIC SECTION.
  PROTECTED SECTION.
  PRIVATE SECTION.
ENDCLASS.

CLASS class_name IMPLEMENTATION.
ENDCLASS.

```

### Effect

The above syntax defines a special ABAP class (a behavior pool) for the behavior specified in the behavior definition `MyRootBehavior` (which in turn has the same name as the CDS root entity). This special property and relationship are persisted and transported using a corresponding system table. This specific information is assigned to the properties of the behavior pool and can no longer be changed. The behavior pool is dependent on the behavior definition, meaning the changes to the behavior definition cause it to be regenerated.

This global class is defined as abstract and final, which means there is no reason to instantiate or inherit this global behavior pool. In addition, such a ban prevents possible misuse.


A behavior pool can have static methods, namely CLASS-DATA, CONSTANTS, and TYPES. The application may place common or even public aspects of its implementation in these methods.

## Distributing Behavior Pool Implementation

You can assign any number of behavior pools to a behavior definition (1: n relationship). This allows the application developers to distribute their implementations between multiple units, for example one global class (behavior pool) for each business object's node, and one or more separate auxiliary classes for implementing helper methods. The figure below illustrates this distribution pattern for our sample application.

### i Note

**Best Practices:** Splitting the implementation into different global classes allows developers to work in parallel (distributed work mode). If operations on each node have to be forwarded to different APIs (function module calls), then we recommend using a separate global class (behavior pool) for each node of the business object's compositional tree.



## Related Information

[Unmanaged BO Contract \[page 613\]](#)

[Handler Classes \[page 614\]](#)

[Saver Classes \[page 622\]](#)

[Naming Conventions for Development Objects \[page 673\]](#)

### 5.2.3.2.1 Creating the Behavior Pool for the Root Entity

In this step, you create a behavior pool that is the implementation artifact of the corresponding behavior definition that you created earlier.

In doing so, we apply the contribution pattern and split the behavior implementation into two different behavior pools, one for the travel root entity and the other for the booking child entity. In addition, we create a separate auxiliary class for implementing helper methods (such as for mapping and message handling) that can be reused in both behavior implementation classes.

#### i Note

##### Best Practices for Modularization and Performance:

The granularity of the existing application code influences the granularity of handler implementation. If the existing legacy application logic has different APIs (function modules) for create, update, delete, and other transactional operations, then we recommend spreading the operations across different handler classes.

If, for example, the called API only implements one operation for `CREATE` and another API implements one for `UPDATE`, it is advisable to implement each operation in a different local handler class.

If, on the other hand, the called API of your application code is able to process **multiple changes in one call**, the handler should reflect this to achieve the best performance. In such a case, we combine all operations supported by this API in one common handler class.

Otherwise the application code is called multiple times with different input, which can result in bad performance.

If the application code supports a **deep create** (for example creation for root and child entity in one step), then this should be reflected in the design of handler classes to achieve best performance.

#### → Remember

Beyond the performance aspects, it is beneficial to implement operations in different `FOR MODIFY` methods, since the orchestration is then passed to the BO runtime and the code of the behavior implementation is more **readable**.


#### i Note

**Convention:** The saver class that implements the save sequence for data persistence is either a separate global class or a part of the root implementation (behavior pool for the root entity).

## Procedure 1: Create a Behavior Pool /DMO/BP\_TRAVEL\_U

To launch the wizard tool for creating a behavior implementation, do the following:

1. Launch ABAP Development Tools.
2. In your ABAP project (or *ABAP Cloud Project*), select the relevant behavior definition node (/ DMO / I\_TRAVEL\_U) in *Project Explorer*.
3. Open the context menu and choose *New Behavior Implementation* to launch the creation wizard.



### Further information:

- [Naming Conventions for Development Objects \[page 673\]](#)
- [\(Tool Reference\) \[page 654\]](#)


### Results: Global Behavior Pool

The generated class pool (in our case /DMO/BP\_TRAVEL\_U) provides you with an extension FOR BEHAVIOR OF.

```

1@ CLASS /dmo/bp_travel_u DEFINITION
2   PUBLIC
3   ABSTRACT
4   FINAL
5   FOR BEHAVIOR OF /dmo/i_travel_u .
6
7   PUBLIC SECTION.
8   PROTECTED SECTION.
9   PRIVATE SECTION.
10  ENDCCLASS.
11
12
13
14@ CLASS /dmo/bp_travel_u IMPLEMENTATION.
15  ENDCCLASS.

```



New Global Behavior Pool

The real substance of a behavior pool is located in [Local Types](#). Here you can define two types of special local classes, namely handler classes for the operations within the **interaction phase** and saver classes for the operations within the **save sequence**. These classes can be instantiated or invoked only by the [ABAP runtime environment \(virtual machine\)](#) [page 688].

#### i Note

All local class source code within a single global class is stored within a single include, the CCIMP include.

## Procedure 2: Define a Skeleton of Local Classes Corresponding to the Behavior Model

Based on the declarations in the behavior definition /DMO/I\_TRAVEL\_U, and taking best practices for modularization and performance into account, adapt the generated skeleton of the local classes for the root entity accordingly to the listing below:

#### ⚠ Caution

In the current version of ADT tools, the skeleton with the code generated by the class pool creation wizard differs from the source code in the listing below.

### Listing: Template for local classes of /DMO/BP\_TRAVEL\_U

```

*****
*
* Handler class for managing travels
*
*****

```

```

CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.
  PRIVATE SECTION.
    METHODS:
      create_travel          FOR MODIFY
                                IMPORTING it_travel_create           FOR
CREATE travel,
      update_travel          FOR MODIFY
                                IMPORTING it_travel_update           FOR
UPDATE travel,
      delete_travel          FOR MODIFY
                                IMPORTING it_travel_delete           FOR
DELETE travel,
      read_travel            FOR READ
                                IMPORTING it_travel                 FOR
READ travel
      set_travel_status      FOR MODIFY
                                IMPORTING it_travel_set_status_booked FOR
ACTION travel~set_status_booked
      cba_booking            FOR MODIFY
                                IMPORTING it_booking_create_ba       FOR
CREATE travel\booking.
ENDCLASS.


CLASS lhc_travel IMPLEMENTATION.
  METHOD create_travel.
  ENDMETHOD.
  METHOD update_travel.
  ENDMETHOD.
  METHOD delete_travel.
  ENDMETHOD.
  METHOD read_travel.
  ENDMETHOD.
  METHOD set_travel_status.
  ENDMETHOD.
  METHOD cba_booking.
  ENDMETHOD.
ENDCLASS.
*****
*
* Saver class implements the save sequence for data persistence
*
*****
CLASS lsc_saver DEFINITION INHERITING FROM cl_abap_behavior_saver.
  PROTECTED SECTION.
    METHODS finalize        REDEFINITION.
    METHODS check_before_save REDEFINITION.
    METHODS save             REDEFINITION.
    METHODS cleanup          REDEFINITION.
ENDCLASS.

CLASS lsc_saver IMPLEMENTATION.
  METHOD finalize.
  ENDMETHOD.
  METHOD check_before_save.
  ENDMETHOD.
  METHOD save.
  ENDMETHOD.
  METHOD cleanup.
  ENDMETHOD.
ENDCLASS.

```

### Procedure 3: Create an Auxiliary Class /DMO/CL\_TRAVEL\_AUXILIARY

1. In your ABAP project (or *ABAP Cloud Project*), select the select the *Source Code Library* *Classes* node of the relevant package.
2. To launch the creation wizard, open the context menu and choose *New ABAP Class*.




Creating ABAP Class – Wizard

#### 5.2.3.2.2 Implementing the Interaction Phase and the Save Sequence

The business object runtime has two parts: The first part is the interaction phase where a consumer calls business object operations to change data and read instances with or without the transactional changes. The business object keeps the changes in its internal transactional buffer, which represents the state. This transactional buffer is always required for a business object, regardless of how it is implemented. After all changes are performed, the data should be persisted. This is implemented within the save sequence.

Further information: ([Reference](#)) [page 613]



The Interaction Phase and the Save Sequence

## Implementation Steps

1. Implementing the CREATE Operation for Travel Instances [page 139]
2. Implementing the UPDATE Operation for Travel Data [page 148]
3. Implementing the DELETE Operation for Travel Instances [page 154]
4. Implementing the SET\_STATUS\_BOOKED Action [page 156]
5. Implementing the CREATE Operation for Associated Bookings [page 158]
6. Implementing the UPDATE and DELETE Operations for Booking Instances [page 167]

## Related Information

[Handler Classes \[page 614\]](#)


[Saver Classes \[page 622\]](#)

## 5.2.3.2.2.1 Implementing the CREATE Operation for Travel Instances

In this topic, you will be guided through all implementation steps required for creation of new travel instances. We will motivate the steps for the implementation, starting from the UI.

### Preview

If you run the UI service based on *SAP Fiori Elements* in the *Fiori Launchpad*, the resulting UI provides you with a list of existing travel items, including all fields exposed for UI consumption.



| Travels (3,092)   Standard ▾ |                  |             | Set to Booked | Delete         |  |  |
|------------------------------|------------------|-------------|---------------|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Travel ID                    | Agency ID        | Customer ID | Starting Date | End Date       |                                                                                     |                                                                                     |
| 1                            | 70041            | 99          | Apr 29, 2018  | Apr 29, 2018 > |                                                                                     |                                                                                     |
|                              | Travel Status: N |             |               |                |                                                                                     |                                                                                     |
| 2                            | 70007            | 93          | Apr 29, 2018  | Apr 29, 2018 > |                                                                                     |                                                                                     |
|                              | Travel Status: N |             |               |                |                                                                                     |                                                                                     |
| 3                            | 70046            | 161         | Apr 29, 2018  | Apr 29, 2018 > |                                                                                     |                                                                                     |

List of Travel Items

To create a travel item, the end user must click the + icon and edit all required fields in the related object page to specify the required information for a new travel instance.

General Information

|                |                      |
|----------------|----------------------|
| Agency ID:     | Booking Fee:         |
| 70007          | 45 EUR               |
| Customer ID:   | Total Price:         |
| 99             | 1,777.00 EUR         |
| Starting Date: | Comment:             |
| Nov 17, 2018   | Business trip to WDF |
| End Date:      |                      |
| Nov 24, 2018   |                      |

**Save** **Cancel**

#### Object Page for Editing Individual Values

As soon as the user clicks the **Save** button on the object page, the data is persisted in the corresponding database table and a travel instance with a new travel ID is created.

| Travel Status: N           |       |    |              |              |   |
|----------------------------|-------|----|--------------|--------------|---|
| <input type="radio"/> 3092 | 70007 | 99 | Jul 12, 2018 | Jul 19, 2018 | > |
| Travel Status: N           |       |    |              |              |   |
| <input type="radio"/> 3093 | 70007 | 99 | Nov 17, 2018 | Nov 24, 2018 | > |
| Travel Status: N           |       |    |              |              |   |

Saved Data Displayed on Fiori UI

## Implementation Steps

### 1. Defining the Handler Class for Creation of Travel Instances

Corresponding to the [template \[page 135\]](#) for the root node behavior implementation, a local handler class `lhc_travel` is defined to implement each changing operation in one individual `FOR MODIFY` method. In this case, the `create_travel FOR MODIFY` method should only be used to implement the create operation for root instances. Therefore, the signature of this method includes only one import parameter `it_travel_create` for referring to the travel (root) instances to be created. To identify the root entity, the alias `travel` is used - according to the alias that is specified in the behavior definition.

#### i Note

The local handler class `lhc_travel` inherits from class `cl_abap_behavior_handler` and is automatically instantiated by the framework.

## i Note

Note that import parameter `it_travel_create` does not have fixed data type at the design time. At runtime, the data type is assigned by the compiler with the types derived from behavior definition.

| (x)= Variables   |                       |                        |
|------------------|-----------------------|------------------------|
| Name             | Value                 | Actual Type            |
| IT_TRAVEL_CREATE | [1x13(144)]Stan...    | CREATE                 |
| [1]              | Structure: deep       | CREATE                 |
| %CID             | %SADL_CID_1           | ABP_BEHV_CID           |
| TRAVELID         | 00000000              | /DMO/TRAVEL_ID         |
| AGENCYID         | 070001                | /DMO/AGENCY_ID         |
| CUSTOMERID       | 000099                | /DMO/CUSTOMER_ID       |
| BEGINDATE        | 20181210              | /DMO-BEGIN_DATE        |
| ENDDATE          | 20181217              | /DMO-END_DATE          |
| BOOKINGFEE       | 11.00                 | /DMO/BOOKING_FEE       |
| TOTALPRICE       | 111.00                | /DMO/TOTAL_PRICE       |
| CURRENCYCODE     | EU                    | /DMO/CURRENCY_CODE     |
| MEMO             | AB                    | /DMO/DESCRIPTION       |
| STATUS           |                       | /DMO/TRAVEL_STATUS     |
| LASTCHANGEDAT    | 0.0000000             | TIMESTAMPL             |
| %CONTROL         | Structure: flat, n... | \TYPE=%_T00004S0000... |
| TRAVELID         | 01                    | ABP_BEHV_FLAG          |
| AGENCYID         | 01                    | ABP_BEHV_FLAG          |
| CUSTOMERID       | 01                    | ABP_BEHV_FLAG          |

Derived Data Type for the Import Parameter `it_travel_create` in the ABAP Debugger

Further information: [<method> FOR MODIFY \[page 616\]](#)

**LISTING 1:** Signature of the `create_travel FOR MODIFY` (excerpt from template)

```
*****  
*  
* Handler class for managing travels  
*  
*****  
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.  
PRIVATE SECTION.  
METHODS:  
  create_travel FOR MODIFY  
    IMPORTING     it_travel_create      FOR CREATE travel,  
    ...  
ENDCLASS.  
CLASS lhc_travel IMPLEMENTATION.  
  METHOD create_travel.  
  ENDMETHOD.  
  ...  
ENDCLASS.
```

## 2. Implementing the `<method> FOR MODIFY` for Creation of New Travel Instances

As given in the listing below, the basic structure of the `<method> FOR MODIFY` implementation includes:

- A loop on all new travel instances to be created for the root node.

- Call of the business logic function module /DMO/FLIGHT\_TRAVEL\_CREATE for creation of new travel instances.

- Message handling for processing messages in case of failure.

Each create action call can produce failed keys (<fs\_travel\_create>-%cid) and messages (lt\_messages). Any failed keys are stored in the table [FAILED \[page 630\]](#) whereas the [REPORTED \[page 631\]](#) table includes all instance-specific messages.

Besides an ID of the relevant BO instance and the [%FAIL \[page 633\]](#) component, the failed tables also include the predefined component [%CID \[page 632\]](#). It stands for the content ID and is used in an OData request to bind the result of an operation to a name so that it can be referenced in another operation later in the transactional processing.

#### → Remember

In some use cases, it may happen that a consumer works with data that is not yet persisted and might not have a primary key yet. The primary key can be created in the <method> FOR MODIFY call or later in the save sequence (late numbering). In such cases, a temporary primary key, the content ID (%CID) for an instance, is used as long as no primary key was created by BO runtime. The content ID is consequently also used then as a foreign key.

| Locals               |                                 |
|----------------------|---------------------------------|
| ▼ ↕ FAILED           | Structure: deep                 |
| ▼ ↗ TRAVEL           | [1x3(28)]Standard Table         |
| ▼ ↗ [1]              | Structure: deep                 |
| %CID                 | %SADL_CID_1                     |
| TRAVELID             | 00000000                        |
| ▼ ↗ %FAIL            | Structure: flat, not charlike   |
| CAUSE                | UNSPECIFIC                      |
| BOOKING              | [0x4(36)]Initial Standard Table |
| > ↕ MAPPED           | Structure: deep                 |
| > ↕ REPORTED         | Structure: deep                 |
| > ↗ IT_TRAVEL_CREATE | [1x13(144)]Standard Table       |
| ▼ ↗ LT_MESSAGES      | [1x7(448)]Standard Table        |
| ▼ ↗ [1]              | E/DMO/CM_FLIGHT_LEGAC0011111... |
| MSGTY                | E                               |
| MSGID                | /DMO/CM_FLIGHT_LEGAC            |
| MSGNO                | 001                             |

FAILED-TRAVEL table in the Variables view of the ABAP Debugger

In case of success (lt\_messages IS INITIAL), the two values with the content ID %CID and the new key travelid are written into the mapped-travel table.

#### → Remember

The [MAPPED \[page 631\]](#) tables comprise the components %CID and [%KEY \[page 632\]](#). They include the information about which key values were created by the application for given content IDs.

#### LISTING 2: Creating travel instances

```
CLASS lhc_travel IMPLEMENTATION.
METHOD create_travel.
```

```

DATA lt_messages    TYPE /dmo/if_flight_legacy=>tt_message.
DATA ls_travel_in   TYPE /dmo/if_flight_legacy=>ts_travel_in.
DATA ls_travel_out  TYPE /dmo/travel.
LOOP AT it_travel_create ASSIGNING FIELD-SYMBOL(<fs_travel_create>).
  CLEAR ls_travel_in.
  ls_travel_in = CORRESPONDING #( /DMO/
CL_TRAVEL_AUXILIARY=>map_travel_cds_to_db( CORRESPONDING
#(<fs_travel_create>) ) ).
  CALL FUNCTION '/DMO/FLIGHT_TRAVEL_CREATE'
    EXPORTING
      is_travel     = ls_travel_in
    IMPORTING
      es_travel     = ls_travel_out
      et_messages   = lt_messages.
  IF lt_messages IS INITIAL.
    INSERT VALUE #( %cid = <fs_travel_create>-%cid travelid = ls_travel_out-
travel_id )
      INTO TABLE mapped-travel.
  ELSE.
    lcl_message_helper=>handle_travel_messages(
      EXPORTING
        iv_cid         = <fs_travel_create>-%cid
        it_messages    = lt_messages
      CHANGING
        failed         = failed-travel
        reported       = reported-travel .
    ENDIF.
  ENDLOOP.
ENDMETHOD.
...
ENDCLASS.
```

### 3. Mapping CDS View Elements to Table Fields

When creating data models for business objects, database tables are often used as a data source for CDS entities. In these cases, it may happen that existing legacy tables (which originate from older releases) are reused in the definition of the new data model. Tables like these may sometimes contain quite short or cryptic field names. On the other hand, when describing the data model using CDS, we usually use semantically descriptive names. At runtime, however, a mapping problem like this would cause the relevant fields to be unable to write records to the instances of the active business object.

One such problem can be solved in quite a simple way by using mappings between the element names of the CDS view and the original table fields. For our travel CDS root view, this solution is implemented in the `map_travel_cds_to_db` method.

In our example, the implementation of this auxiliary method is outsourced to a separate class `/DMO/CL_TRAVEL_AUXILIARY`. In the listing below, in addition to the signature of this method and its implementation, the required type declarations are added. We must add the appropriate type declarations to the PUBLIC section in the definition part of our auxiliary class to use them as export, import, or changing parameters in the signature of a behavior pool's `<method> FOR MODIFY`.

**Further information:** [Declaration of Derived Data Types \[page 626\]](#)

**LISTING 3:** Mapping method `map_travel_cds_to_db`

```

CLASS /dmo/cl_travel_auxiliary DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
  PUBLIC SECTION.
*   Type definition for import parameters -----
```

```

TYPES tt_travel_create      TYPE TABLE FOR CREATE /dmo/i_travel_u.
TYPES tt_travel_update      TYPE TABLE FOR UPDATE /dmo/i_travel_u.
TYPES tt_travel_delete      TYPE TABLE FOR DELETE /dmo/i_travel_u.
TYPES tt_travel_failed      TYPE TABLE FOR FAILED /dmo/i_travel_u.
TYPES tt_travel_mapped      TYPE TABLE FOR MAPPED /dmo/i_travel_u.
TYPES tt_travel_reported    TYPE TABLE FOR REPORTED /dmo/i_travel_u.

CLASS-METHODS map_travel_cds_to_db
  IMPORTING  is_i_travel_u          TYPE /dmo/i_travel_u
            RETURNING VALUE(rs_travel)  TYPE /dmo/
if_flight_legacy=>ts_travel_in.
PROTECTED SECTION.
PRIVATE SECTION.
ENDCLASS.

CLASS /dmo/cl_travel_auxiliary IMPLEMENTATION.
  METHOD map_travel_cds_to_db.
    rs_travel = CORRESPONDING #( is_i_travel_u MAPPING
      travel_id      = travelid
      agency_id      = agencyid
      customer_id    =
      customerid
      begin_date     = begindate
      end_date       = enddate
      booking_fee    =
      bookingfee
      total_price    =
      totalprice
      currency_code  =
      currencycode
      description    = memo
      status         = status .
    ENDMETHOD.
  ENDCLASS.

```

## 4. Message Handling

When handling changing operations for travel instances, fault events may occur. For the processing of appropriate messages in such a case, the method `handle_travel_messages` is used. This method is defined in a separate local class `lcl_message_helper` so that it can be called in different `FOR MODIFY` methods of the class pool.

To refer to the data set where an error (`msgty = 'E'`) or an abort (`msgty = 'A'`) occurred, the `FAILED` table is used, whereas the instance-specific messages are stored in the `REPORTED` table.

However, messages that originate from the legacy code must be mapped to the messages of the class-based BO framework. To be reused in different behavior pools, the corresponding mapping method `map_travel_message` is defined in the helper class `/DMO/CL_TRAVEL_AUXILIARY`.

**LISTING 4:** Declaration and implementation of the method `handle_travel_messages` at the beginning of source code

```

*****
*
* Message handler class - travel instances
*
*****
CLASS lcl_message_helper DEFINITION CREATE PRIVATE.
  PUBLIC SECTION.
    TYPES tt_travel_failed      TYPE TABLE FOR FAILED /dmo/i_travel_u.
    TYPES tt_travel_reported    TYPE TABLE FOR REPORTED /dmo/i_travel_u.
  CLASS-METHODS handle_travel_messages
    IMPORTING iv_cid           TYPE string OPTIONAL
              iv_travel_id    TYPE /dmo/travel_id OPTIONAL
              it_messages      TYPE /dmo/if_flight_legacy=>tt_message

```

```

        CHANGING
            failed      TYPE tt_travel_failed
            reported     TYPE tt_travel_reported.
    ENDCLASS.

    CLASS lcl_message_helper IMPLEMENTATION.
        METHOD handle_travel_messages.
            LOOP AT it_messages INTO DATA(ls_message) WHERE msgty = 'E' OR msgty = 'A'.
                INSERT VALUE #( %cid = iv_cid travelid = iv_travel_id )
                    INTO TABLE failed.
                INSERT /dmo/cl_travel_auxiliary=>map_travel_message(
                    iv_travel_id = iv_travel_id
                    is_message    = ls_message ) INTO TABLE
            reported.
            ENDLOOP.
        ENDMETHOD.
    ENDCLASS.
*****  

*  

* Message handler class - travel instances  

*  

*****  

CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.  

...

```

## 5. Mapping T100 Messages

The following listing represents the signature and implementation of the mapping method `map_travel_message`.

Using this implementation, the T100 messages that originate from the legacy code are mapped to the messages of the class-based BO framework.

The private method `new_message` is used for a corresponding message and returns a message object `lo` that is implemented in the local helper message class `lcl_abap_behv_msg`.

**LISTING 5a:** Declaration and implementation of the mapping method `map_travel_message`

```

CLASS /dmo/cl_travel_auxiliary DEFINITION
    PUBLIC
    FINAL
    CREATE PUBLIC .
PUBLIC SECTION.
...
    CLASS-METHODS map_travel_message
        IMPORTING iv_cid           TYPE string OPTIONAL
                           iv_travel_id   TYPE /dmo/travel_id
        OPTIONAL
                           is_message      TYPE LINE OF /dmo/
if_flight_legacy=>tt_message
                           RETURNING VALUE(rs_report)  TYPE LINE OF
tt_travel_reported.
PROTECTED SECTION.
PRIVATE SECTION.
    CLASS-METHODS new_message IMPORTING id          TYPE symsgid
                                number       TYPE symsgno
                                severity    TYPE
if_abap_behv_message=>t_severity
                                v1          TYPE simple OPTIONAL
                                v2          TYPE simple OPTIONAL
                                v3          TYPE simple OPTIONAL
                                v4          TYPE simple OPTIONAL
                                RETURNING VALUE(obj)   TYPE REF TO
if_abap_behv_message .

```

```

ENDCLASS.
CLASS /dmo/cl_travel_auxiliary IMPLEMENTATION.
  ..
    METHOD map_travel_message.
      DATA(lo) = new_message( id      = is_message-msgid
                            number   = is_message-msgno
                            severity = if_abap_behv_message=>severity-error
                            v1       = is_message-msgv1
                            v2       = is_message-msgv2
                            v3       = is_message-msgv3
                            v4       = is_message-msgv4 ).
      rs_report-%cid      = iv_cid.
      rs_report-travelid = iv_travel_id.
      rs_report-%msg      = lo.
    ENDMETHOD.
    METHOD new_message.
      obj = NEW lcl_abap_behv_msg(
        textid = VALUE #(
          msgid = id
          msgno = number
          attr1 = COND #( WHEN v1 IS NOT INITIAL THEN
            'IF_T100_DYN_MSG~MSGV1' )
          attr2 = COND #( WHEN v2 IS NOT INITIAL THEN
            'IF_T100_DYN_MSG~MSGV2' )
          attr3 = COND #( WHEN v3 IS NOT INITIAL THEN
            'IF_T100_DYN_MSG~MSGV3' )
          attr4 = COND #( WHEN v4 IS NOT INITIAL THEN
            'IF_T100_DYN_MSG~MSGV4' )
        )
        msgty = SWITCH #( severity
          WHEN if_abap_behv_message=>severity-error      THEN 'E'
          WHEN if_abap_behv_message=>severity-warning     THEN 'W'
          WHEN if_abap_behv_message=>severity-information THEN 'I'
          WHEN if_abap_behv_message=>severity-success     THEN 'S' )
        msgv1 = |{ v1 }|
        msgv2 = |{ v2 }|
        msgv3 = |{ v3 }|
        msgv4 = |{ v4 }|
      ).
      obj->m_severity = severity.
    ENDMETHOD.
  ENDCLASS.

```

To edit the definition of the message class that is needed for mapping messages originating from legacy code, choose the [Class-relevant Local Types](#) tab of the helper class /DMO/CL\_TRAVEL\_AUXILIARY and add the source code from listing 5b below.

**LISTING 5b:** Declaration of the message class lcl\_abap\_behv\_msg

```

CLASS lcl_abap_behv_msg DEFINITION CREATE PUBLIC INHERITING FROM cx_no_check.
  PUBLIC SECTION.
    INTERFACES if_abap_behv_message .
    ALIASES msgty
      FOR if_t100_dyn_msg~msgty .
    ALIASES msgv1
      FOR if_t100_dyn_msg~msgv1 .
    ALIASES msgv2
      FOR if_t100_dyn_msg~msgv2 .
    ALIASES msgv3
      FOR if_t100_dyn_msg~msgv3 .
    ALIASES msgv4
      FOR if_t100_dyn_msg~msgv4 .
  METHODS constructor
    IMPORTING
      !textid  LIKE if_t100_message=>t100key OPTIONAL

```

```

!previous LIKE previous OPTIONAL
!msgty    TYPE symsgty OPTIONAL
!msgv1   TYPE simple OPTIONAL
!msgv2   TYPE simple OPTIONAL
!msgv3   TYPE simple OPTIONAL
!msgv4   TYPE simple OPTIONAL .
ENDCLASS.
```

To add the implementation of the local message class, choose the [Local Types](#) tab of the helper class /DMO/CL\_TRAVEL\_AUXILIARY and add the source code from listing 5c below.

**LISTING 5c:** Implementation of the local message class lcl\_abap\_behv\_msg

```

CLASS lcl_abap_behv_msg IMPLEMENTATION.
METHOD constructor.
  CALL METHOD super->constructor EXPORTING previous = previous.
  me->msgty = msgty .
  me->msgv1 = msgv1 .
  me->msgv2 = msgv2 .
  me->msgv3 = msgv3 .
  me->msgv4 = msgv4 .
  CLEAR me->textid.
  IF textid IS INITIAL.
    if_t100_message~t100key = if_t100_message=>default_textid.
  ELSE.
    if_t100_message~t100key = textid.
  ENDIF.
ENDMETHOD.
ENDCLASS.
```

## 6. Performing a Final Commit and Releasing Caches

When the `save` method is called, the final commit is executed on the database and the data entered by the user is persisted to the new travel instance. As depicted in the listing below, the `save` method only executes a call to the function module /DMO/FLIGHT\_TRAVEL\_SAVE from the legacy business logic.

**Further information:** [Method SAVE \[page 626\]](#)

To discard all changes after the last save, the `cleanup` method is used. This method delegates the call to the function module /DMO/FLIGHT\_TRAVEL\_INITIALIZE from legacy code.

**LISTING 5:** Implemented save sequence

```

CLASS lsc_saver IMPLEMENTATION.
  ...
METHOD save.
  CALL FUNCTION '/DMO/FLIGHT_TRAVEL_SAVE'.
ENDMETHOD.
METHOD cleanup.
  CALL FUNCTION '/DMO/FLIGHT_TRAVEL_INITIALIZE'.
ENDMETHOD.
ENDCLASS.
```

## Checking Results

At this point, you have the opportunity to check how does the resulting app work, and especially the new implementation of the `CREATE` operation. For this to happen, however, a suitable business service for UI consumption must first be defined and published.

For more information, see: [Defining Business Service for Fiori UI \[page 172\]](#)

## Related Information

[Handler Classes \[page 614\]](#)

[Saver Classes \[page 622\]](#)

[Declaration of Derived Data Types \[page 626\]](#)


[Implicit Returning Parameters \[page 629\]](#)

## 5.2.3.2.2.2 Implementing the UPDATE Operation for Travel Data


This topic guides you through the implementation steps required for data updates to an existing travel instance. In this case, however, in addition to the `<method> FOR MODIFY`, the `<method> FOR READ` must also be implemented. It provides read access to the application buffer, which is necessary for **ETag** comparison.

### Preview

In our travel application scenario, the appropriate business data should be modifiable for all required items of the travel instance when, for example, the user clicks the *Edit* button on the Fiori UI.



In change mode, the end user is able to change the relevant travel fields as shown in the figure below. As soon as the user chooses the **Save** button on the object page, the changed travel data is saved in the corresponding tables and a new version of the related travel instance is created.



Saved Travel Data

## Implementation Steps

### 1. Defining the Method for Implementing Travel Data Update

Corresponding to the [template \[page 135\]](#) for the root node behavior implementation, a local handler class `lhc_travel` is defined to implement each changing operation. In this case, the `update_travel FOR MODIFY` method should only be used to implement the update operation for root instances. Therefore, the signature of this method includes only one import parameter `it_travel_update` for referring to the `travel` (root) instances to be updated.

**LISTING 1:** Signature of the `<method> FOR MODIFY` (excerpt from template)

```
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.
  PRIVATE SECTION.
  METHODS:
    ...
  
```

```

update_travel FOR MODIFY
    IMPORTING      it_travel_update      FOR UPDATE travel,
    ...
ENDCLASS.

```

## 2. Implementing the <method> FOR MODIFY for Travel Data Update

The basic structure of the FOR MODIFY method implementation is very similar to that of the handler class for creation of travel instances:

- A loop on all new travel instances to be updated for the root node.
- Call of the business logic function module.
- Message handling for processing messages in case of failure.

Before updating instance data, we must first determine which potential travel data was changed by the end user. We implement this with a boolean function xsdbool(log\_expression). The result of xsdbool is used like a value of the type abap\_bool and compared with the constants abap\_true and abap\_false.

Note that another ABAP compiler-generated component in the argument of this method is used: [%CONTROL \[page 633\]](#).

To update data of travel instances, the function module /DMO/FLIGHT\_TRAVEL\_UPDATE of the legacy business logic is called.

### i Note

As you can see in the code excerpt, the flag structure ls\_travelx is used as incoming parameter for travel instance data when calling the function module. This structure contains the key and the flag structure to the data fields and is used in BAPIs to flag each individual data field as changed.

Each update call can produce failed keys and messages (lt\_messages). Failed keys are addressed by the content ID (<fs\_travel\_update>-%cid\_ref) and the value (<fs\_travel\_update>-travelid). In case of failure, failed keys are saved in the failed-travel table, whereas the reported-travel table includes all instance-specific messages.

**LISTING 2:** Updating data of travel instances

```

CLASS lhc_travel IMPLEMENTATION.
...
METHOD update_travel.
    DATA lt_messages      TYPE /dmo/if_flight_legacy=>tt_message.
    DATA ls_travel         TYPE /dmo/if_flight_legacy=>ts_travel_in.
    DATA ls_travelx        TYPE /dmo/if_flight_legacy=>ts_travel_inx. "flag
structure (> BAPIs)
    LOOP AT it_travel_update ASSIGNING FIELD-SYMBOL(<fs_travel_update>).
        CLEAR ls_travel.
        ls_travel = CORRESPONDING #( /DMO/
CL_TRAVEL_AUXILIARY=>map_travel_cds_to_db( CORRESPONDING
#(<fs_travel_update> ) ) .
        ls_travelx-travel_id      = ls_travel-travel_id.
        ls_travelx-agency_id     = xsdbool( <fs_travel_update>-%control-
agencyid      = if_abap_behv=>mk-on ).
        ls_travelx-customer_id   = xsdbool( <fs_travel_update>-%control-
customerid    = if_abap_behv=>mk-on ).
        ls_travelx-begin_date    = xsdbool( <fs_travel_update>-%control-
begindate     = if_abap_behv=>mk-on ).
        ls_travelx-end_date     = xsdbool( <fs_travel_update>-%control-
enddate       = if_abap_behv=>mk-on ).


```

```

ls_travelx-booking_fee    = xsdbool( <fs_travel_update>-%control-
bookingfee      = if_abap_behv=>mk-on ).
ls_travelx-total_price   = xsdbool( <fs_travel_update>-%control-
totalprice       = if_abap_behv=>mk-on ).
ls_travelx-currency_code = xsdbool( <fs_travel_update>-%control-
currencycode     = if_abap_behv=>mk-on ).
ls_travelx-description   = xsdbool( <fs_travel_update>-%control-
memo            = if_abap_behv=>mk-on ).
ls_travelx-status        = xsdbool( <fs_travel_update>-%control-
status          = if_abap_behv=>mk-on ).
CALL FUNCTION '/DMO/FLIGHT_TRAVEL_UPDATE'
EXPORTING
  is_travel      = ls_travel
  is_travelx     = ls_travelx
IMPORTING
  et_messages    = lt_messages.
lcl_message_helper=>handle_travel_messages(
EXPORTING
  iv_cid         = <fs_travel_update>-%cid_ref
  iv_travel_id   = <fs_travel_update>-travelid
  it_messages    = lt_messages
CHANGING
  failed         = failed-travel
  reported       = reported-travel .
ENDLOOP.
ENDMETHOD.
...
ENDCLASS.
```

### → Tip

We recommend using the F2 help to view the element information of compiler-generated types.



F2 Access for <fs\_travel\_update>

### 3. Implementing the <method> FOR READ for ETag Handling

In the context of data updates to an existing travel data set at the latest, it is important to retrieve current data from the application buffer. As you remember, we specified an ETag for the root entity in the behavior definition:

```
define behavior for /DMO/I_Travel_U alias travel
etag LastChangedAt
{
  ...
}
```

An ETag [page 695] determines the changes to the requested data set to help prevent simultaneous updates of a data set from overwriting each other. This is precisely the reason why the ETag check requires data from the buffer. Also, the <method> FOR READ is designed to return the data from the application buffer.

Further information: <method> FOR READ [page 620]

#### LISTING 3: Defining the signature of the <method> FOR READ

```
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.
  PRIVATE SECTION.
    METHODS:
      ...
      read_travel FOR READ
```

```

IMPORTING it_travel FOR READ travel
RESULT    et_travel,
.
.
.
ENDCLASS.
```

To return the actual data from application buffer, the reading function module /DMO/FLIGHT\_TRAVEL\_READ is used.

**LISTING 4:** Implementing the <method> FOR READ

```

CLASS lhc_travel IMPLEMENTATION.
.
.
METHOD read_travel.
  DATA: ls_travel_out TYPE /dmo/travel.
  LOOP AT it_travel INTO DATA(ls_travel_to_read).
    CALL FUNCTION '/DMO/FLIGHT_TRAVEL_READ'
      EXPORTING
        iv_travel_id = ls_travel_to_read-travelid
      IMPORTING
        es_travel    = ls_travel_out.
    INSERT VALUE #( travelid      = ls_travel_to_read-travelid
                  agencyid     = ls_travel_out-agency_id
                  customerid   = ls_travel_out-customer_id
                  begindate    = ls_travel_out-begin_date
                  enddate      = ls_travel_out-end_date
                  bookingfee   = ls_travel_out-booking_fee
                  totalprice   = ls_travel_out-total_price
                  currencycode = ls_travel_out-currency_code
                  memo         = ls_travel_out-description
                  status        = ls_travel_out-status
                  lastchangedat= ls_travel_out-lastchangedat ) INTO TABLE
et_travel.
  ENDLOOP.
ENDMETHOD.
.
.
ENDCLASS.
```

## Related Information

[Handler Classes \[page 614\]](#)

[Declaration of Derived Data Types \[page 626\]](#)

[Implicit Returning Parameters \[page 629\]](#)

## 5.2.3.2.2.3 Implementing the DELETE Operation for Travel Instances

This topic guides you through the implementation steps required to delete an existing travel instance.

### Preview

In our scenario, the appropriate travel instance should be deleted when, for example, the user clicks the *Delete* button on the Fiori UI.

| Travels (1)   Standard ▾ |           |             |               |                | Set to Booked | <b>Delete</b> | + | ⚙️ |
|--------------------------|-----------|-------------|---------------|----------------|---------------|---------------|---|----|
| Travel ID                | Agency ID | Customer ID | Starting Date | End Date       |               |               |   |    |
| → 2                      | 70007     | 93          | Apr 28, 2018  | Apr 28, 2018 > |               |               |   |    |
|                          |           |             |               |                |               |               |   |    |

Selecting a Travel Entry and Clicking the Delete Button

| Travel ID       | Agency ID | Customer ID | Starting Date |
|-----------------|-----------|-------------|---------------|
| No items found. |           |             |               |
|                 |           |             |               |

Expected Behavior

### Implementation Steps

#### 1. Defining the Handler Class for Deletion of Travel Instances

Corresponding to the [template \[page 135\]](#) for the root node behavior implementation, a local handler class is defined to implement each changing operation. In this case, the `delete FOR MODIFY` is used to implement the delete operation for root instances. As given in the listing below, the signature of the `<method> FOR MODIFY` includes only one import parameter `it_travel_delete` for referring to the `travel (root)` instances to be deleted.

**LISTING 1:** Signature of the `delete_travel FOR MODIFY` (excerpt from template)

```
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.  
PRIVATE SECTION.  
METHODS:  
    ...  
        delete_travel FOR MODIFY  
            IMPORTING    it_travel_delete    FOR DELETE travel,  
            ... .  
ENDCLASS.
```

## 2. Implementing the Deletion of Travel Instances

To delete travel instances, the function module /DMO/FLIGHT\_TRAVEL\_DELETE of the legacy business logic is called.

Each delete operation call can produce failed keys and messages (lt\_messages). Failed keys are addressed by the content ID (<fs\_travel\_delete>-%cid\_ref [page 632]) and the key value <fs\_travel\_delete>-travel\_id). In case of failure, failed keys are saved in the failed-travel table, whereas the reported-travel table includes all instance-specific messages.

**LISTING 2:** Deleting travel instances

```
CLASS lhc_travel IMPLEMENTATION.  
  ...  
  METHOD delete_travel.  
    DATA lt_messages TYPE /dmo/if_flight_legacy=>tt_message.  
    LOOP AT it_travel_delete ASSIGNING FIELD-SYMBOL(<fs_travel_delete>).  
      CALL FUNCTION '/DMO/FLIGHT_TRAVEL_DELETE'  
        EXPORTING  
          iv_travel_id = <fs_travel_delete>-travelid  
        IMPORTING  
          et_messages = lt_messages.  
      lcl_message_helper=>handle_travel_messages(  
        EXPORTING  
          iv_cid = <fs_travel_delete>-%cid_ref  
          iv_travel_id = <fs_travel_delete>-travelid  
          it_messages = lt_messages  
        CHANGING  
          failed = failed-travel  
          reported = reported-travel ).  
    ENDLOOP.  
  ENDMETHOD.  
  ...  
ENDCLASS.
```

## Related Information

[Handler Classes \[page 614\]](#)

[Saver Classes \[page 622\]](#)

[Declaration of Derived Data Types \[page 626\]](#)


[Implicit Returning Parameters \[page 629\]](#)

## 5.2.3.2.2.4 Implementing the SET\_STATUS\_BOOKED Action

This topic describes the implementation of an action related to the travel instances. Using this action, the end user should be able to change the status of travel processing.


### Preview

Again, we use the option of running the resulting app based on *Fiori Elements* to check the action execution. When we run the app, the UI screen provides the button *Set to Booked* for the action as shown in the figure below.



| Travels (1)   Standard ▾ |           |             |               |                |
|--------------------------|-----------|-------------|---------------|----------------|
| Travel ID                | Agency ID | Customer ID | Starting Date | End Date       |
| 4137                     | 70007     | 99          | Nov 17, 2018  | Nov 24, 2018 > |
| Travel Status: P         |           |             |               |                |

Original Status is P (= In Process)

| Travel ID        | Agency ID | Customer ID | Starting Date | End Date       |
|------------------|-----------|-------------|---------------|----------------|
| 4137             | 70007     | 99          | Nov 17, 2018  | Nov 24, 2018 > |
| Travel Status: B |           |             |               |                |

Changed Status After Action Execution (B = Booked)

### Implementation Steps

#### 1. Defining Import and Export Parameters Required for the Action SET\_STATUS\_BOOKED

The beginning of the source code excerpt in the following listing shows the declaration of two table types, one for ACTION IMPORT (the importing parameter) and the other for ACTION RESULT (the exporting parameter).

The actions are defined by the <method> FOR MODIFY using the following syntax:

```
METHODS method_name FOR MODIFY IMPORTING import_parameter
    FOR ACTION entity_name~action_name
    [RESULT action_export_parameter] .
```

The import\_parameter is a freely selected name (in our case: it\_travel\_set\_status\_booked). The action\_name refers to the name of an action defined in the behavior definition. The action\_export\_parameter is also a freely selected name (in our case: et\_travel\_set\_status\_booked).

The row type of the import\_parameter table contains the following data:

- %CID\_REF [page 632]

- ID fields (here, TRAVELID)

The row type of the `action_export_parameter` table contains the following data:

- [%CID\\_REF \[page 632\]](#)
- ID fields (here, TRAVELID)
- [%PARAM \[page 633\]](#) (an additional parameter, for example an OK code for verifying whether the action execution was successful or failed).

In this case, we also use the handler class (`lhc_travel`) to implement an action in it.

The `FOR MODIFY` method should only be used to implement the action `set_status_booked` for root instances.

**LISTING 1:** Defining the signature of `set_travel_status FOR MODIFY`

```
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.
  PRIVATE SECTION.
    METHODS:
      ...
      set_travel_status FOR MODIFY
        IMPORTING it_travel_set_status_booked FOR ACTION
        travel~set_status_booked
        RESULT et_travel_set_status_booked.
      ...
  ENDCLASS.
```

## 2. Implementing `set_travel_status FOR MODIFY`

To execute the actual action, the function module `/DMO/FLIGHT_TRAVEL_SET_BOOKING` of the legacy business logic is called.

The main implementation steps are the same as in the implementation of the CUD operations.

**LISTING 2:** Implementing the action `set_travel_status`

```
CLASS lhc_travel IMPLEMENTATION.
  ...
  METHOD set_travel_status.
    DATA lt_messages TYPE /dmo/if_flight_legacy->tt_message.
    DATA ls_travel_out TYPE /dmo/travel.
    CLEAR et_travel_set_status_booked.
    LOOP AT it_travel_set_status_booked ASSIGNING FIELD-
      SYMBOL(<fs_travel_set_status_booked>).
      DATA(lv_travelid) = <fs_travel_set_status_booked>-travelid.
      CALL FUNCTION '/DMO/FLIGHT_TRAVEL_SET_BOOKING'
        EXPORTING
          iv_travel_id = lv_travelid
        IMPORTING
          et_messages = lt_messages.
      IF lt_messages IS INITIAL.
        APPEND VALUE #( travelid      = lv_travelid
                      %param-travelid = lv_travelid )
          TO et_travel_set_status_booked.
      ELSE.
        lcl_message_helper->handle_travel_messages(
          EXPORTING
            iv_cid      = <fs_travel_set_status_booked>-%cid_ref
            iv_travel_id = lv_travelid
            it_messages = lt_messages
          CHANGING

```

```

        failed      = failed-travel
        reported   = reported-travel .
ENDIF.
ENDLOOP.
ENDMETHOD.

...
ENDCLASS.
```

## Related Information

[Handler Classes \[page 614\]](#)

[Saver Classes \[page 622\]](#)

[Declaration of Derived Data Types \[page 626\]](#)

[Implicit Returning Parameters \[page 629\]](#)

### 5.2.3.2.2.5 Implementing the CREATE Operation for Associated Bookings

In this topic, you will be guided through all implementation steps required for creation of new bookings.

In our demo application, we assume that new bookings cannot be created separately but can only in conjunction with a given travel instance.

The fact that new instances of the bookings can only be created for a specific travel instance is considered in the behavior definition by the `_Booking` association:

```

define behavior for /DMO/I_Travel_U alias travel
...
{
  ...
  association _Booking { create; }
}
```

The keyword `{ create; }` declares that this association is create-enabled what exactly means that instances of the associated bookings are created by a travel instance.

## Preview

The figure below shows a list with booking items that belong to a travel instance.

11

Edit Delete

| General Information     |                           | Second Facet |             |            |
|-------------------------|---------------------------|--------------|-------------|------------|
| Bookings (2)            |                           | Search       |             | Delete     |
|                         | Booking Number            | Booking Date | Customer ID | Airline ID |
| <input type="radio"/> 1 |                           | Aug 16, 2018 | 77          | UA         |
|                         | Flight Number: 1537       |              |             |            |
|                         | Flight Date: Aug 18, 2018 |              |             |            |
|                         | Flight Price: 455.00 USD  |              |             |            |
| <input type="radio"/> 2 |                           | Nov 12, 2018 | 77          | AA         |

[List of Bookings](#)

To add a new booking to a selected travel instance, the end user must click the **+** icon and edit some fields to specify the required information for a new booking.

General Information

|               |              |                |              |
|---------------|--------------|----------------|--------------|
| Booking Date: | Nov 29, 2018 | Flight Number: | 17           |
| Customer ID:  | 99           | Flight Date:   | Jun 12, 2019 |
| Airline ID:   | AA           | Flight Price:  | 462.00  USD  |

**Save** **Cancel**

#### Object Page for Editing Individual Booking Values

As soon as the user clicks the **Save** button on the Fiori object page, a booking data set with a new booking number is created.

| Bookings (3) |                           |              |             |            |               |
|--------------|---------------------------|--------------|-------------|------------|---------------|
|              | Booking Number            | Booking Date | Customer ID | Airline ID | Flight Number |
| 1            |                           | Aug 16, 2018 | 77          | UA         | 1537          |
|              | Flight Date: Aug 18, 2018 |              |             |            |               |
|              | Flight Price: 455.00 USD  |              |             |            |               |
| 2            |                           | Nov 12, 2018 | 77          | AA         | 17            |
|              | Flight Date: Jun 12, 2019 |              |             |            |               |
|              | Flight Price: 462.00 USD  |              |             |            |               |
| 3            |                           | Nov 29, 2018 | 99          | AA         | 17            |
|              | Flight Date: Jun 12, 2019 |              |             |            |               |
|              | Flight Price: 462.00 USD  |              |             |            |               |

New Booking Data Set

## Implementation Steps

### 1. Defining Method for Creation of Associated Bookings

Corresponding to the [template \[page 135\]](#) for the root entity, the local handler class `lhc_travel` is defined to implement each changing operation in one individual `<method> FOR MODIFY`. In this case, the `cba_travel FOR MODIFY` method should only be used to implement the create operation for booking instances by means of an association. The signature of the `cba_travel FOR MODIFY` includes only one import parameter `it_booking_create_ba` to refer to the associated booking instances to be created.

To identify the associated bookings, the aliases for the root entity and the child entity are used - according to the aliases specified in the behavior definition. The association is expressed in the form:

... FOR CREATE root\child\_entity.

**LISTING 1:** Signature of the `cba_travel FOR MODIFY` method (excerpt from template)

```
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.
PRIVATE SECTION.
METHODS:
  ...
    cba_booking FOR MODIFY
      IMPORTING     it_booking_create_ba          FOR CREATE
travel\booking.
ENDCLASS.
```

### 2. Implementing a FOR MODIFY Method for Creation of New Booking Instances

As reproduced in the listing below, the implementation of the `FOR MODIFY` method is initiated by a loop across all selected travel instances for which associated bookings are to be created. Each selected travel (root) instance is represented by the travel ID as a primary key (`lv_travelid`).

Even in a case like this, it can happen that a consumer works with data that is not yet persisted and might not have a primary key yet (for example, if the primary key is going to be created later in the save sequence (late numbering)). In such cases, a temporary primary key, the content ID (`%CID`) for the travel instance is used as long as no primary key was created by BO runtime. The content ID is then written to the mapped-travel table.

Before a new booking data set is created, we first need to retrieve all bookings (`lt_booking_old`) that already exist for the selected travel instance. This is done by calling the `/DMO/FLIGHT_TRAVEL_READ` function module.

In case of failure, the message is handled by means of the `handle_travel_messages` method, as we know from the implementation of `FOR MODIFY` in the previous topics.

In case of success (`lt_messages IS INITIAL`), the maximum booking number has to be determined. This is done by the condition `COND # ( WHEN ... )` where the last given booking number `lv_last_booking_id` is compared with the maximum booking ID `lv_max_booking_id`.

The creation of new bookings for a given travel instance takes place in a further loop across the booking instances to be created, which are addressed by the association `<fs_booking_create_ba>-%target`. This association includes the predefined component `%target`, which is used to address the target of composition.

```
  <fs_booking_create_ba>-%target ASSIGNING FIELD-SYMBOL(<fs_booking_create>).
  booking = CORRESPONDING OF <fs_booking_create>.
  booking-booking = booking-booking.
  .
  FUNCTION '/DMO
  XRTING
  _travel    = V
  _travelx   = V
  _booking   = V
  _bookingx  = V
  .
  XRTING
  _messages = 1
  .
  messages IS I
  XRT VALUE #( %
  .
  message_help
  XTING
  .cid      = <
  _travel_id =
  messages   = 1
  XING
  .led      = f
  sorted    = r
  .
  AT 1t_message
  .
  F2
  <fs_booking_create_ba>
  %cid_ref          type abp_behv_cid
  travelid          type /dmo/travel_id
  %target           type standard table of
  %cid              type abp_behv_cid
  travelid          type /dmo/travel_id
  bookingid         type /dmo/booking_id
  bookingdate       type /dmo/booking_date
  customerid        type /dmo/customer_id
  airlineid         type /dmo/carrier_id
  connectionid      type /dmo/connection_id
  flightdate         type /dmo/flight_date
  flightprice        type /dmo/flight_price
  currencycode       type /dmo/currency_code
  lastchangedat     type timestamp
  %control
  travelid          type abp_behv_flag
  bookingid         type abp_behv_flag
  bookingdate       type abp_behv_flag
  customerid        type abp_behv_flag
  airlineid         type abp_behv_flag
  connectionid      type abp_behv_flag
  flightdate         type abp_behv_flag
  flightprice        type abp_behv_flag
  currencycode       type abp_behv_flag
  lastchangedat     type abp_behv_flag
```

F2 on `<fs_booking_create_ba>` with the predefined component `%target`.

To provide the incoming structure for bookings with data, the mapping between the element in CDS views and the original table fields is required. This mapping is implemented for booking entities in the method `map booking cds to db` of the helper class `/dmo/cl_travel_auxiliary`.

Before the new booking data sets are created by calling the function module /DMO/FLIGHT\_TRAVEL\_UPDATE, the booking ID for the booking instance to be created is easily determined by the statement `ls_booking-booking id = lv_last_booking_id + 1`.

In case of success, the values with the content ID %CID and the key values travelid, and bookingid are written to the mapped-booking table.

The function call can produce failed keys (<fs\_booking\_create>-%cid) and messages (lt\_messages). Any failed keys are stored in the table failed-booking whereas the reported-booking table includes all messages that are specific for the failed booking instance

#### LISTING 2: Creating Booking Instances Using Association

```

CLASS lhc_travel IMPLEMENTATION.
  ...
  METHOD cba_booking.
    DATA lt_messages          TYPE /dmo/if_flight_legacy=>tt_message.
    DATA lt_booking_old        TYPE /dmo/if_flight_legacy=>tt_booking.
    DATA ls_booking            TYPE LINE OF /dmo/if_flight_legacy=>tt_booking_in.
    DATA lv_last_booking_id    TYPE /dmo/booking_id VALUE '0'.
    LOOP AT it_booking_create_ba ASSIGNING FIELD-SYMBOL(<fs_booking_create_ba>).
      DATA(lv_travelid) = <fs_booking_create_ba>-travelid.
      CALL FUNCTION '/DMO/FLIGHT_TRAVEL_READ'
        EXPORTING
          iv_travel_id = lv_travelid
        IMPORTING
          et_booking   = lt_booking_old
          et_messages  = lt_messages.
      IF lt_messages IS INITIAL.
        IF lt_booking_old IS NOT INITIAL.
          lv_last_booking_id = lt_booking_old[ lines( lt_booking_old ) ]-
        booking_id.
        ENDIF.
        SELECT MAX( b~bookingid ) FROM @<fs_booking_create_ba>-%target AS b INTO
        @DATA(lv_max_booking_id).
        lv_last_booking_id = COND #( WHEN lv_last_booking_id >=
        lv_max_booking_id THEN lv_last_booking_id ELSE lv_max_booking_id ).
        LOOP AT <fs_booking_create_ba>-%target ASSIGNING FIELD-
        SYMBOL(<fs_booking_create>).
          ls_booking = CORRESPONDING #( /dmo/
        cl_travel_auxiliary=>map_booking_cds_to_db( CORRESPONDING
        #(<fs_booking_create> ) ) .
          lv_last_booking_id += 1.
          ls_booking-booking_id = lv_last_booking_id.
          CALL FUNCTION '/DMO/FLIGHT_TRAVEL_UPDATE'
            EXPORTING
              is_travel    = VALUE /dmo/if_flight_legacy=>ts_travel_in( travel_id
= lv_travelid )
              is_travelx   = VALUE /dmo/
            if_flight_legacy=>ts_travel_inx( travel_id = lv_travelid )
              it_booking   = VALUE /dmo/
            if_flight_legacy=>tt_booking_in( ( ls_booking ) )
              it_bookingx = VALUE /dmo/
            if_flight_legacy=>tt_booking_inx( ( booking_id = ls_booking-booking_id
action_code = /dmo/if_flight_legacy=>action_code-create ) )
            IMPORTING
              et_messages = lt_messages.
            IF lt_messages IS INITIAL.
              INSERT VALUE #( %cid = <fs_booking_create>-%cid travelid =
lv_travelid bookingid = ls_booking-booking_id ) INTO TABLE mapped-booking.
            ELSE.
              LOOP AT lt_messages INTO DATA(ls_message) WHERE msgty = 'E' OR msgty
= 'A'.
                INSERT VALUE #( %cid = <fs_booking_create>-%cid ) INTO TABLE
failed-booking.
                INSERT /dmo/cl_travel_auxiliary=>map_booking_message(
                  iv_cid       =
<fs_booking_create>-%cid
                  is_message   = ls_message )

```

```

        ENDOLOOP.
      ENDIF.
    ENDLOOP.
  ELSE.
    lcl_message_helper->handle_travel_messages(
      EXPORTING
        iv_cid      = <fs_booking_create_ba>-%cid_ref
        iv_travel_id = lv_travelid
        it_messages  = lt_messages
      CHANGING
        failed      = failed-travel
        reported    = reported-travel .
  ENDIF.
ENDLOOP.
ENDMETHOD.
....
ENDCLASS.
```

### 3. Adding Data Type Declarations for the Booking Entity

To use the required import, export, or changing parameters in the signature of methods to be defined for handling booking operations (later on, in the booking behavior pool's FOR MODIFY methods), we must first add the appropriate type declarations to the PUBLIC section in the definition part of our auxiliary class.

**LISTING 3:** Data type declarations in the auxiliary class /dmo/cl\_travel\_auxiliary

```

CLASS /dmo/cl_travel_auxiliary DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
PUBLIC SECTION.
*  Type definition for import parameters -----
...
  TYPES tt_booking_create      TYPE TABLE FOR CREATE      /dmo/i_booking_u.
  TYPES tt_booking_update      TYPE TABLE FOR UPDATE      /dmo/i_booking_u.
  TYPES tt_booking_delete      TYPE TABLE FOR DELETE      /dmo/i_booking_u.
  TYPES tt_booking_failed      TYPE TABLE FOR FAILED      /dmo/i_booking_u.
  TYPES tt_booking_mapped      TYPE TABLE FOR MAPPED      /dmo/i_booking_u.
  TYPES tt_booking_reported    TYPE TABLE FOR REPORTED    /dmo/i_booking_u.
...
ENDCLASS.
```

### 4. Mapping CDS View Elements to Booking Table Fields

When defining data models for business objects, database tables are often used as a data source for CDS entities. In these cases, it may happen that existing legacy tables (which originate from older releases) are reused in the definition of the new CDS data model.

Tables like these may sometimes contain quite short or cryptic field names. On the other hand, when describing the data model using CDS, we usually use semantically descriptive names.

It can happen that the elements in the CDS data model differ from the field names of the database table. At runtime, however, a mapping problem like this would cause the relevant fields to be unable to write data sets to the instances of the booking child entity (in our example).

One such problem can be solved in quite a simple way by using mappings between the element names of the CDS view and the original table fields. For our child entity that describes the CDS data model for bookings, this solution is implemented in the `map_booking_cds_to_db` method.

**LISTING 4:** Mapping method `map_booking_cds_to_db`

```
CLASS /dmo/cl_travel_auxiliary DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
PUBLIC SECTION.
...
  CLASS-METHODS map_booking_cds_to_db
    IMPORTING is_i_booking
    RETURNING VALUE(rs_booking)
      TYPE /dmo/i_booking_u
      TYPE /dmo/
if_flight_legacy=>ts_booking_in.
PROTECTED SECTION.
PRIVATE SECTION.
ENDCLASS.
CLASS /dmo/cl_travel_auxiliary IMPLEMENTATION.
...
  METHOD map_booking_cds_to_db.
    rs_booking = CORRESPONDING #( is_i_booking MAPPING
      booking_id      = bookingid
      booking_date    =
      customer_id     =
      carrier_id      = airlineid
      connection_id   =
      flight_date     =
      flight_price    =
      currency_code   =
    currencycode ) .
  ENDMETHOD.
ENDCLASS.
```

## 5. Mapping T100 Messages

The following listing represents the signature and implementation of the mapping method `map_booking_message`.

Using this implementation, the T100 messages that originate from the legacy code are mapped to the messages of the class-based BO framework.

The private method `new_message` is used for a corresponding message and returns a message object `lo` that is implemented in the local helper message class `lcl_abap_behv_msg`.

**LISTING 5:** Declaration and implementation of the mapping method `map_booking_message`

```
CLASS /dmo/cl_travel_auxiliary DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
PUBLIC SECTION.
...
  CLASS-METHODS map_booking_message
    IMPORTING iv_cid
    OPTIONAL
    iv_travel_id
    iv_booking_id
    OPTIONAL
    is_message
    if_flight_legacy=>tt_message
      TYPE string OPTIONAL
      TYPE /dmo/travel_id
      TYPE /dmo/booking_id
      TYPE LINE OF /dmo/
```

```

        RETURNING VALUE(rs_report)      TYPE LINE OF
tt_booking_reported.
...
ENDCLASS.
CLASS /dmo/cl_travel_auxiliary IMPLEMENTATION.
...
METHOD map_booking_message.
  DATA(lo) = new_message( id      = is_message-msgid
                        number   = is_message-msgno
                        severity = if_abap_behv_message=>severity-error
                        v1       = is_message-msgv1
                        v2       = is_message-msgv2
                        v3       = is_message-msgv3
                        v4       = is_message-msgv4 ) .
  rs_report-%cid      = iv_cid.
  rs_report-travelid  = iv_travel_id.
  rs_report-bookingid = iv_booking_id.
  rs_report-%msg      = lo.
ENDMETHOD.
...
ENDCLASS.

```

## Related Information

[Handler Classes \[page 614\]](#)

[Declaration of Derived Data Types \[page 626\]](#)

[Implicit Returning Parameters \[page 629\]](#)

### 5.2.3.2.3 Creating the Behavior Pool for the Booking Child Entity

#### Procedure 1: Create a Behavior Pool /DMO/BP\_BOOKING\_U

To launch the wizard tool for creating a behavior implementation, do the following:


1. Launch ABAP Development Tools.
2. In your ABAP project (or *ABAP Cloud Project*), select the relevant behavior definition node (/DMO/I\_TRAVEL\_U) in *Project Explorer*.
3. Open the context menu and choose *New Behavior Implementation* to launch the creation wizard.

#### Further information:

- [Naming Conventions for Development Objects \[page 673\]](#)
- [\(Tool Reference\) \[page 654\]](#)

## Results: Behavior Pool for the Booking Child Entity

The generated behavior pool (in our case /DMO/CL\_BOOKING\_U) provides you with an extension FOR BEHAVIOR OF.



```
1④ CLASS /dmo/bp_booking_u DEFINITION
2   PUBLIC
3   ABSTRACT
4   FINAL
5   FOR BEHAVIOR OF /dmo/i_travel_u .
6
7   PUBLIC SECTION.
8   PROTECTED SECTION.
9   PRIVATE SECTION.
10  ENDCLASS.
11
12
13
14④ CLASS /dmo/bp_booking_u IMPLEMENTATION.
15  ENDCLASS.
```

New Behavior Pool

## Procedure 2: Define a Skeleton of Local Classes Corresponding to the Behavior Model

Based on the declarations in the behavior definition /DMO/I\_TRAVEL\_U, and taking [best practices \[page 133\]](#) for modularization and performance into account, adapt the generated skeleton of the local classes for the child entity in accordance with the listing below:

### ⚠ Caution

In the current version of ADT tools, the skeleton with the code generated by the class pool creation wizard differs from the source code in the listing below.

### Listing: Template for local classes of /DMO/BP\_BOOKING\_U

```
*****
*
* Handler class implements UPDATE for booking instances
*
*****
CLASS lhc_booking DEFINITION INHERITING FROM cl_abap_behavior_handler.
  PRIVATE SECTION.
    TYPES tt_booking_update      TYPE TABLE FOR UPDATE      /dmo/i_booking_u.
    METHODS update_booking      FOR MODIFY
          IMPORTING     it_booking_update      FOR UPDATE
          booking.
    METHODS delete_booking      FOR MODIFY
          IMPORTING     it_booking_delete      FOR DELETE
          booking.
  ENDCLASS.
```

```
CLASS lhc_booking IMPLEMENTATION.  
METHOD update_booking.  
ENDMETHOD.  
METHOD delete_booking.  
ENDMETHOD.  
ENDCLASS.
```

### 5.2.3.2.3.1 Implementing the UPDATE and DELETE Operations for Booking Instances

This topic guides you through all implementation steps required for data updates and deletion of booking data sets.

The behavior definition in our demo application scenario requires the standard operations `create`, `update`, and `delete` for the booking child entity:

```
define behavior for /DMO/I_Booking_U alias booking  
implementation in class /DMO/BP_BOOKING_U unique  
{  
    create;  
    update;  
    delete;  
}
```


The `create` operation is already implemented by using the association relation between the `travel` root entity and the booking child entity. **Further information:** [Implementing the CREATE Operation for Associated Bookings \[page 158\]](#)

#### → Remember

Note that the declaration of a standard operation (`create`, `update`, `delete`) in the behavior definition automatically generates the appropriate button for user activity on the Fiori UI. Therefore, the `create` statement is also required at this point for the `+` icon (`Create` button) to be added to booking object page.

### Preview (Update of Booking Data Sets)

In our application scenario, the appropriate booking data sets should be modifiable for all required fields of the booking instance when, for example, the user clicks the `Edit` button on the object page of the Fiori UI.



## General Information

### General Information

|               |                |
|---------------|----------------|
| Booking Date: | Flight Number: |
| Jul 29, 2018  | 1537           |
| Customer ID:  | Flight Date:   |
| 93            | Aug 18, 2018   |
| Airline ID:   | Flight Price:  |
| UA            | 438.00 USD     |

### Edit and Delete Buttons are Available for Each Booking Data Set

In change mode, the end user is able to change the relevant travel fields as shown in the figure below. As soon as the user chooses the **Save** button on the object page, the changed booking data is persisted on the database and a new version of the related booking instance is created.

|               |                |
|---------------|----------------|
| Booking Date: | Flight Number: |
| Jul 29, 2018  | 1537           |
| Customer ID:  | Flight Date:   |
| 93            | Aug 18, 2018   |
| Airline ID:   | Flight Price:  |
| UA            | 438.00 USD     |

### Object Page for Editing Individual Booking Values

## Implementation Steps

### 1. Defining and Implementing UPDATE for Booking Data

Corresponding to the [template \[page 166\]](#) for behavior implementation of the booking child entity, one local handler class `lhc_booking` is defined to implement each changing operation in one individual `<method>` FOR MODIFY, one for updating booking data sets and another one for deleting bookings.

The `update_booking` FOR MODIFY method of the handler `lhc_update` implements the update operation for bookings. The signature of this method includes only one import table parameter `it_booking_update` for referring to the booking instances to be updated.

When updating booking data sets, we must first check which individual data was changed by the end user. This check is implemented in a separate helper method `_fill_booking_inx` by calling the boolean function `xsdbool(log_expression)` for each element of the booking node. The result of `xsdbool` is compared with the constants `abap_true` and `abap_false`.

To update data of bookings, the function module `/DMO/FLIGHT_TRAVEL_UPDATE` is called. In addition to the incoming parameters `is_travel` and `it_booking`, the corresponding flag structure `is_travelx` as well as the flag table type `it_bookingx` are used. The appropriate action code for updating bookings is defined with `/dmo/if_flight_legacy=>action_code-update`.

Message handling for processing instance-specific messages in case of failure is implemented by the `handle_booking_messages` method. Failed keys are addressed by the booking content ID (`<fs_booking_update>-cid_ref`) and the values for the travel ID (`<fs_booking_update>-travelid`) and the booking ID (`<fs_booking_update>-bookingid`). In case of failure, failed keys are saved in the failed-booking table, whereas the reported-booking table contains all instance-specific messages.

**LISTING 1:** Handler class `lhc_booking`

```
*****
*
*   Handler class for managing bookings
*
*****
CLASS lhc_booking DEFINITION INHERITING FROM cl_abap_behavior_handler.
  PRIVATE SECTION.
    TYPES tt_booking_update      TYPE TABLE FOR UPDATE      /dmo/i_booking_u.
    METHODS update_booking FOR MODIFY
           IMPORTING     it_booking_update      FOR UPDATE
           booking.
    METHODS _fill_booking_inx
           IMPORTING is_booking_update      TYPE LINE OF
           tt_booking_update
           RETURNING VALUE(rs_booking_inx)  TYPE /dmo/
           if_flight_legacy=>ts_booking_inx.
  ENDCLASS.

  CLASS lhc_booking IMPLEMENTATION.
    METHOD update_booking.
      DATA lt_messages TYPE /dmo/if_flight_legacy=>tt_message.
    *****
    * Implements the UPDATE operation for a set of booking instances
    *****
    LOOP AT it_booking_update ASSIGNING FIELD-SYMBOL(<fs_booking_update>).
      CALL FUNCTION '/DMO/FLIGHT_TRAVEL_UPDATE'
        EXPORTING
          is_travel    = VALUE /dmo/if_flight_legacy=>ts_travel_in( travel_id =
<fs_booking_update>-travelid )
          is_travelx   = VALUE /dmo/if_flight_legacy=>ts_travel_inx( travel_id =
<fs_booking_update>-travelid )
```

```

        it_booking = VALUE /dmo/if_flight_legacy=>tt_booking_in( ( /dmo/
cl_travel_auxiliary=>map_booking_cds_to_db( CORRESPONDING
#(<fs_booking_update> ) ) )
        it_bookingx = VALUE /dmo/
if_flight_legacy=>tt_booking_inx( ( _fill_booking_inx( <fs_booking_update> ) ) )
IMPORTING
        et_messages = lt_messages.
lcl_message_helper=>handle_booking_messages(
EXPORTING
        iv_cid      = <fs_booking_update>-%cid_ref
        iv_travel_id = <fs_booking_update>-travelid
        iv_booking_id = <fs_booking_update>-bookingid
        it_messages = lt_messages
CHANGING
        failed      = failed-booking
        reported     = reported-booking .
ENDLOOP.
ENDMETHOD.
*****
* Helper method:
* Indicates the booking fields that have been changed by the consumer
*****
METHOD _fill_booking_inx.
    CLEAR rs_booking_inx.
    rs_booking_inx-booking_id      = is_booking_update-bookingid.
    rs_booking_inx-action_code     = /dmo/if_flight_legacy=>action_code-update.
    rs_booking_inx-booking_date   = xsdbool( is_booking_update-%control-
bookingdate = if_abap_behv=>mk-on ).
    rs_booking_inx-customer_id    = xsdbool( is_booking_update-%control-
customerid = if_abap_behv=>mk-on ).
    rs_booking_inx-carrier_id     = xsdbool( is_booking_update-%control-
airlineid = if_abap_behv=>mk-on ).
    rs_booking_inx-connection_id  = xsdbool( is_booking_update-%control-
connectionid = if_abap_behv=>mk-on ).
    rs_booking_inx-flight_date    = xsdbool( is_booking_update-%control-
flightdate = if_abap_behv=>mk-on ).
    rs_booking_inx-flight_price   = xsdbool( is_booking_update-%control-
flightprice = if_abap_behv=>mk-on ).
    rs_booking_inx-currency_code = xsdbool( is_booking_update-%control-
currencycode = if_abap_behv=>mk-on ).
ENDMETHOD.
...
ENDCLASS.
```

## 2. Implementing Message Handling

When handling changing operations for booking instances, fault events may occur. For the processing of instance-specific messages in such a case, the method `handle_booking_messages` is used. This method is defined in a separate local class `lcl_message_helper` so that it can be called in different `FOR MODIFY` methods of the class pool.

To refer to an individual data set where an error (`msgty = 'E'`) or an abort (`msgty = 'A'`) occurred, the `FAILED` table is used, whereas the instance-specific messages are stored in the `REPORTED` table.

However, messages that originate from the legacy code must be mapped to the messages of the class-based BO framework. To be reused in different behavior pools, the corresponding mapping method [map\\_booking\\_message \[page 164\]](#) is defined in the helper class `/dmo/cl_travel_auxiliary`.

**LISTING 2:** Declaration and implementation of the method `handle_booking_messages`

```

*****
*
* Local class for handling messages of bookings
```

```

*
***** CLASS lcl_message_helper DEFINITION CREATE PRIVATE.
  PUBLIC SECTION.
    TYPES tt_booking_failed      TYPE TABLE FOR FAILED /dmo/i_booking_u.
    TYPES tt_booking_reported   TYPE TABLE FOR REPORTED /dmo/i_booking_u.
    CLASS-METHODS handle_booking_messages
      IMPORTING iv_cid           TYPE string OPTIONAL
                  iv_travel_id     TYPE /dmo/travel_id OPTIONAL
                  iv_booking_id    TYPE /dmo/booking_id OPTIONAL
                  it_messages       TYPE /dmo/if_flight_legacy=>tt_message
      CHANGING
        failed          TYPE tt_booking_failed
        reported        TYPE tt_booking_reported.
    ENDCLASS.

    CLASS lcl_message_helper IMPLEMENTATION.
      METHOD handle_booking_messages.
        LOOP AT it_messages INTO DATA(ls_message) WHERE msgty = 'E' OR msgty = 'A'.
          INSERT VALUE #( %cid = iv_cid
                          travelid = iv_travel_id
                          bookingid = iv_booking_id ) INTO TABLE failed.
          INSERT /dmo/cl_travel_auxiliary=>map_booking_message(
                          iv_travel_id = iv_travel_id
                          iv_booking_id = iv_booking_id
                          is_message = ls_message )
            INTO TABLE reported.
        ENDLOOP.
      ENDMETHOD.
    ENDCLASS.
  ****
  *
  * Handler class for managing bookings
  *
  **** CLASS lhc_booking DEFINITION INHERITING FROM cl_abap_behavior_handler.
  ...

```

### 3. Defining and Implementing the DELETE operation for Booking Instances

In this case, the `FOR MODIFY` method is used to implement the delete operation for booking data sets. Therefore, the signature of the `<method> FOR MODIFY` includes only one import parameter `it_booking_delete` for referring to the booking instance to be deleted. To identify the child entity for bookings, the alias `booking` is used - according to the alias specified in the behavior definition.

The basic steps within the method implementation are similar to those we got to know in the previous method `update_booking`. The function module `/DMO/FLIGHT_TRAVEL_UPDATE` is also called for the delete operation. Here, as in the previous case, the same incoming parameters are used, including the flag structure `is_travelx` as well as the flag table type `it_bookingx`). The appropriate action code for deleting bookings is defined by the statement `action_code = /dmo/if_flight_legacy=>action_code-delete`.

**LISTING 3:** Method `delete_booking`

```

*****
*
* Handler class for managing bookings
*
*****
CLASS lhc_booking DEFINITION INHERITING FROM cl_abap_behavior_handler.
  PRIVATE SECTION.
  ...
  METHODS delete_booking FOR BEHAVIOR
    IMPORTING it_booking_delete FOR DELETE booking.

```

```

ENDCLASS.
*****  

* Implements the DELETE operation for a set of booking instances  

*****  

CLASS lhc_booking IMPLEMENTATION.  

  ...  

  METHOD delete_booking.  

    DATA lt_messages TYPE /dmo/if_flight_legacy=>tt_message.  

    LOOP AT it_booking_delete INTO DATA(ls_booking_delete).  

      CALL FUNCTION '/DMO/FLIGHT_TRAVEL_UPDATE'  

        EXPORTING  

          is_travel = VALUE /dmo/if_flight_legacy=>ts_travel_in( travel_id =  

ls_booking_delete-travelid )  

          is_travelx = VALUE /dmo/if_flight_legacy=>ts_travel_inx( travel_id =  

ls_booking_delete-travelid )  

          it_booking = VALUE /dmo/if_flight_legacy=>tt_booking_in( booking_id  

= ls_booking_delete-bookingid )  

          it_bookingx = VALUE /dmo/  

if_flight_legacy=>tt_booking_inx( booking_id = ls_booking_delete-bookingid  

action_code = /dmo/if_flight_legacy=>action_code-delete ) )  

        IMPORTING  

          et_messages = lt_messages.  

        IF lt_messages IS NOT INITIAL.  

          lcl_message_helper=>handle_booking_messages(  

            EXPORTING  

              iv_cid = ls_booking_delete-%cid_ref  

              iv_travel_id = ls_booking_delete-travelid  

              iv_booking_id = ls_booking_delete-bookingid  

              it_messages = lt_messages  

            CHANGING  

              failed = failed-booking  

              reported = reported-booking ).  

        ENDIF.  

      ENDLOOP.  

    ENDMETHOD.  

  ENDCLASS.

```

## Checking Results

At this point, you have the opportunity to check how does the resulting app work. For this to happen, however, a suitable business service for UI consumption must first be defined and published.

For more information, see: [Defining Business Service for Fiori UI \[page 172\]](#)

## 5.2.4 Defining Business Service for Fiori UI

This section explains how you can model an OData service based on the data model and the related behavior model. A service like this consists of two artifacts, a service definition and a service binding.

The **service definition** is a projection of the data model and the related behavior to be exposed, whereas the **service binding** implements a specific protocol and the kind of service offered to a consumer.

Further information: [Business Service \[page 66\]](#)

## Steps Relevant to Developers

1. Create the service definition
2. Specify which CDS entities are exposed as a UI service
3. Create a service binding
4. Publish the UI service locally
5. [Optional] Run the resulting app

### i Note

To obtain the full scope of a business object and to enable flexible service consumption, you can project the business object before creating a business service. With a projection layer, you can extend the basic business object for managing travel without affecting the already existing business service.

For more information, see [Business Object Projection \[page 52\]](#).

### 5.2.4.1 Exposing the Relevant CDS Views as a Service


To describe the consumer-specific perspective as a data model, you need to create a business service definition (service definition for short) as an ABAP Repository object. A service definition represents the service model that is derived from the underlying CDS-based data model.

Further information: [Service Definition \[page 67\]](#)

#### Procedure: Creating a Service Definition

To launch the wizard tool for creating a service definition, do the following:

1. Launch [ABAP Development Tools](#).
2. In your ABAP project (or [ABAP Cloud Project](#)), select the relevant package node in [Project Explorer](#).
3. Open the context menu and choose  [New Other ABAP Repository Object](#)  [Business Services](#)  [Service Definition](#)  to launch the creation wizard.



#### Creating a Service Definition

Further information: [Creating Service Definitions \[page 656\]](#) (Tool Reference)

## Procedure: Define Which CDS Entities Are Exposed as a UI Service

As in the entries in the listing below, add the following entities for to expose as a service:

**LISTING 1:** Service Definition /DMO/TRAVEL\_U

```
@EndUserText.label: 'Service definition for managing travels'
define service /DMO/TRAVEL_U {
    expose /DMO/I_Travel_U as Travel;
    expose /DMO/I_Agency_U as TravelAgency;
    expose /DMO/I_Customer_U as Passenger;
    expose I_Currency as Currency;
    expose I_Country as Country;
    expose /DMO/I_Booking_U as Booking;
    expose /DMO/I_Carrier_U as Airline;
    expose /DMO/I_Connection_U as FlightConnection;
    expose /DMO/I_Flight_U as Flight;
}
```

The entire source code of a service definition for managing travels is included within the single bracket { . . . }. It groups all the related CDS entities which are to be exposed as part of the UI service - including

their compositions and associations with the relevant entities. Note that the value help provider or text provider views must also be exposed for the OData service to make use of the value help and text associations.

Further information: [Syntax for Defining a Service \[page 68\]](#)

## 5.2.4.2 Creating a Service Binding


Using the business service binding (service binding for short), you can bind a service definition to a client-server communication protocol.

Further information: [Service Binding \[page 71\]](#) (Concept Information)

### Procedure: Creating a Service Binding

To launch the wizard tool for creating a service binding, do the following:

1. Launch [ABAP Development Tools](#).
2. In your ABAP project (or [ABAP Cloud Project](#)), select the relevant package node in [Project Explorer](#).
3. Open the context menu and choose [New Service Binding](#) to launch the creation wizard.



Further information: [Creating Service Binding \[page 658\]](#) (Tool Reference)

## Procedure: Activating the New Service

After successful activation, the editor provides additional information about the entire entity set as well as about the navigation path of the respective entity.

The screenshot shows the SAP Fiori Launchpad interface. At the top, there's a header bar with icons for search, refresh, and help. Below it is a card titled "Service Binding: /DMO/UI\_TRAVEL\_U\_V2". The card has a "General Information" section describing the service binding. Under "Service Versions", there's a table with one row selected, showing "Vers..." and "Service Defi..." columns. To the right of the table are buttons for "Add..." and "Remove". In the main pane, there's a "View information on selected service version" section. It shows the "Local service endpoint" is "Active". Below that is a "Local Service Endpoint Information" section with a "Service URL" field containing "/sap/opu/odata/DMO/UI\_TRAVEL\_U\_V2". There's also a "Preview" button and a "Type filter text" input field. The bottom half of the card displays the "Entity Set and Association" tree. The "Travel" entity is expanded, showing associations like "to\_Agency", "to\_Booking", "to\_Customer", and "to\_Country". The "to\_Booking" association is highlighted with a blue border, and a tooltip "Open Fiori Elements App Preview" appears over it. The entire card is labeled "Service Binding Editor" at the bottom.

## [Optional] Procedure: Running the Resulting UI Service

As soon as the service is activated, it is ready for consumption through an OData client such as an SAP Fiori app.

In the course of the UI development in the SAP Web IDE, you have the option of testing the resulting app within the SAP Fiori launchpad environment.

### → Tip

Alternatively, you can use the preview function in the service binding to check how the UI of a Fiori application looks like. **More on this:** [Previewing the Resulting UI Service \[page 32\]](#)

## 5.2.5 Adding Another Layer to the Transactional Data Model

In this section, you get a brief overview on how you can proceed when going to add a further layer to the flight demo scenario. Specifically, a booking supplement entity is now to be added to the previous 2-tier layer of the travel business object.

### Entities for Transactional Data

As depicted in the figure below, the 3-tier entity hierarchy for managing transactional data in our scenario consists of the following editable entities, with a 1: n cardinality on each level:


- Travel
- Booking
- **BookingSupplement**

That is, each travel instance has 0..n bookings and each booking has 0..n booking supplements.

### Additional Entities for Master Data

To populate the booking supplement instances with business data, you also need to extend the data model for master data by the following entities:

- **Supplement**
- **SupplementText**



Data Model for 3-tier Entity Hierarchy

### i Note

With the knowledge so far, you can easily reproduce the concrete steps of this extension. Therefore, in this topic, we will only outline the implementation steps in a nutshell and refer to the full implementation as it is available in the demo ABAP package `/DMO/FLIGHT/UNMANAGED`.

## 1. Extending the Data Model

### Adding the CDS Entities to Extend the Data Model

Extended Data Model

| Entity            | Description                                                                                                                                                                                                                                                                                                           | Editable |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| BookingSupplement | This entity is used to add additional products to a travel booking. The booking supplement data is stored in the database table /DMO/BOOK_SUPPL. The flight data model defines an n:1 cardinality between a Booking_Supplement entity and a Booking entity.                                                           | Yes      |
| Supplement        | A Supplement entity defines product data that the customer can book together with a flight, for example a drink or a meal.<br><br>The supplement data is stored in the database table /DMO/SUPPLEMENT. The flight data model defines a 1:1 cardinality between a Supplement entity and the Booking_Supplement entity. | No       |
| SupplementText    | This entity mainly serves a text provider for the associated elements in the target entity BookingSupplement. By using a text association, you define the relationship between an element of the target entity and its corresponding texts or descriptions.                                                           | NO       |

More on this: [Getting Text Through Text Associations \[page 351\]](#)

### Adding a Composition Relationship in the Booking View

To define a composition relationship from booking to a booking supplement entity, the keyword COMPOSITION is used. In our example, you specify /DMO/I\_BookingSupplement\_U as child entity in the composition \_BookSupplement. The cardinality [0 ... \*] expresses that any number of booking supplement instances can be assigned to each booking instance. In order to display and change booking supplement data on Fiori UI, you must add the corresponding UI facet in the booking view.

#### Listing 1: Adding a composition relationship in the booking view

```
define view /DMO/I_Booking_U
  as select from /dm0/booking as Booking
  ...
  composition [0...*] of /DMO/I_BookingSupplement_U as _BookSupplement
  ...
  {
    @UI.facet: [ { ... },
      { id: 'BookingSupplement',
        purpose: '#STANDARD',
        type: '#LINEITEM_REFERENCE',
        label: 'Booking_Supplement',
        position: 20,
        targetElement: '_BookSupplement' } ]
  ...
}
```

### Adding Associations in the /DMO/I\_BookingSupplement\_U View

This composition relationship requires an association to their compositional parent entity for the booking supplement child entity to be specified in the data model implementation. This relationship is expressed by the

keyword ASSOCIATION TO PARENT. Using this syntax, you define the CDS entity BookingSupplement as a sub node in the compositional hierarchy of the travel business object structure. To access master data from other entities, additional associations \_Product and \_SupplementText are defined in the CDS source code. The associated views are primarily used as a text view for retrieving text information and as value help provider for specific product fields.

#### **Listing 2: Adding associations in the booking supplement view**

```
define view /DMO/I_BookingSupplement_U
  as select from /dmo/book_suppl as BookingSupplement
    association to parent /DMO/I_Booking_U           as _Booking on
    $projection.TravelID = _Booking.TravelID
  and
    $projection.BookingID = _Booking.BookingID
      association [1..1] to /DMO/I_Supplement       as _Product on
    $projection.SupplementID = _Product.SupplementID
      association [1..*] to /DMO/I_SupplementText   as _SupplementText on
    $projection.SupplementID = _SupplementText.SupplementID
  {
    ...
    @Consumption.valueHelpDefinition: [{entity: {name: '/DMO/I_SUPPLEMENT',
    element: 'SupplementID'}},
   additionalBinding: [{ localElement:
    'Price', element: 'Price'},
   { localElement:
    'CurrencyCode', element: 'CurrencyCode'}]]}
    @ObjectModel.text.association: '_SupplementText'
    BookingSupplement.supplement_id           as SupplementID,
    ...
  }
```

#### **Adding a CDS View for Supplements**

Listing (below) provides you with a data definition for additional products that a customer can book together with a flight booking.

#### **Listing 3: CDS View /DMO/I\_Supplement**

```
define view /DMO/I_Supplement
  as select from /dmo/supplement as Supplement
    association [0..1] to I_Currency as _Currency on $projection.CurrencyCode =
    Currency.Currency
  {
    key supplement_id as SupplementID,
    ...
  }
```

#### **Adding a Text Provider View for Supplements**

Listing (below) provides you with a data definition that serves as text provider. It provides text data through text associations as defined in the booking supplement view (Listing 2).

#### **Listing 4: CDS View /DMO/I\_SupplementText**

```
define view /DMO/I_SupplementText
  as select from /dmo/suppl_text          as SupplementText
  {
    key SupplementText.supplement_id     as SupplementID,
    @Semantics.language: true
    key SupplementText.language_code    as LanguageCode,
```

```

        @Semantics.text: true
        SupplementText.description           as Description
    }

```

## 2. Extending the Behavior Definition for the BookingSupplement Entity

The fact that in our scenario new instances of the booking supplement entity can only be created for a specific travel and booking instance is considered by the addition of the `_BookSupplement` association. The keyword `{create;}` declares that this association is create-enabled what exactly means that instances of the associated booking supplements can be created by an individual booking instance.

The sub node of travel business object refers to the corresponding data model for booking supplements that is represented by the child entity for `/DMO/I_BookingSupplement_U`. The transactional behavior of the booking supplement sub node is determined by the standard operations `create`, `update`, and `delete`.

**Listing 5: Extended Behavior Definition** `/DMO/I_TRAVEL_U`

```

implementation unmanaged;
define behavior for /DMO/I_Travel_U alias travel
...
}
define behavior for /DMO/I_Booking_U alias booking
...
    association _BookSupplement { create; }
}
define behavior for /DMO/I_BOOKINGSUPPLEMENT_U alias bookingsupplement
implementation in class /DMO/BP_BOOKINGSUPPLEMENT_U unique
{
    field (read only) TravelID, BookingID, BookingSupplementID;
    field (mandatory) SupplementID, Price;
    create;
    update;
    delete;
}

```

## 3. Creating and Implementing the Behavior Pool for BookingSupplement

### Creating a Behavior Pool for BookingSupplement Entity

**Listing 6: Behavior Pool for BookingSupplement Child Entity**

```

CLASS /dmo/bp_bookingsupplement_u DEFINITION
  PUBLIC
  ABSTRACT
  FINAL
  FOR BEHAVIOR OF /dmo/i_travel_u.
  PUBLIC SECTION.
  PROTECTED SECTION.
  PRIVATE SECTION.
ENDCLASS.
CLASS /dmo/bp_bookingsupplement_u IMPLEMENTATION.
ENDCLASS.

```

## Implementing the Handler for UPDATE and DELETE

You will find the same basic structure when implementing the handler methods for update and delete:

- A loop on booking supplement instances to be updated or deleted.
- Call of the business logic function module.
- Message handling for processing messages in case of failure.

**Listing 7: Updating data of booking supplements in lhc\_supplement**

```
CLASS lhc_supplement DEFINITION INHERITING FROM cl_abap_behavior_handler.  
PRIVATE SECTION.  
    TYPES tt_booking_update TYPE TABLE FOR UPDATE      /dmo/i_booking_u.  
    METHODS update_bookingsupplement FOR MODIFY  
        IMPORTING it_bookingsupplement_update FOR UPDATE bookingsupplement.  
    ...  
ENDCLASS.  
CLASS lhc_supplement IMPLEMENTATION.  
    METHOD update_bookingsupplement.  
    ...  
ENDMETHOD.  
ENDCLASS.
```

**Listing 8: Deleting booking supplements in lhc\_supplement**

```
CLASS lhc_supplement DEFINITION INHERITING FROM cl_abap_behavior_handler.  
PRIVATE SECTION.  
    ...  
    METHODS delete_bookingsupplement FOR MODIFY  
        IMPORTING it_bookingsupplement_delete FOR DELETE bookingsupplement.  
ENDCLASS.  
CLASS lhc_supplement IMPLEMENTATION.  
    ...  
    METHOD delete_bookingsupplement.  
    ...  
ENDMETHOD.  
ENDCLASS.
```

## Implementing the CREATE Handler for Associated Booking Supplements

In our demo scenario, we assume that new booking supplements cannot be created separately but only in conjunction with a given booking that, in turn, belongs to an individual travel instance.

To identify the associated booking supplements, the aliases for the parent entity and the child entity are used - according to the aliases specified in the behavior definition. The association is expressed in the signature of the implementing method `cba_supplement` of the booking behavior pool `/DMO/BP_BOOKING_U` in the form: ...  
FOR CREATE parent\\_child\_entity.

**Listing 9: Creating booking supplements in the `cba_supplement`) method**

```
CLASS lhc_booking DEFINITION INHERITING FROM cl_abap_behavior_handler.  
PRIVATE SECTION.  
    TYPES tt_bookingsupplement_create TYPE TABLE FOR CREATE /dmo/  
i_bookingsupplement_u.  
    METHODS cba_supplement FOR MODIFY  
        IMPORTING it_supplement_create_ba FOR CREATE booking  
    \_booksupplement.
```

```

...
ENDCLASS.
CLASS lhc_suppl_create_ba IMPLEMENTATION.
...
METHOD cba_supplement
...
ENDMETHOD.
ENDCLASS.

```

**Booking Supplement**

Book. Supp. Number:

\*Product ID:  
ML-0032

\*Product Price:  
4.50 EUR

**Save** **Cancel**

Preview – Object Page when Creating Booking Supplements

| 1 /                                                                        | Edit                                             | Delete        |  |
|----------------------------------------------------------------------------|--------------------------------------------------|---------------|--|
| 2                                                                          |                                                  |               |  |
| Booking Supplement                                                         |                                                  |               |  |
| <b>Booking Supplements (2)</b> <span style="float: right;">Delete  </span> |                                                  |               |  |
| Book. Supp. Number                                                         | Product ID                                       | Product Price |  |
| 1                                                                          | Mango Juice (BV-0007)                            | 4.51 EUR >    |  |
| 2                                                                          | Vanilla Ice Cream with Hot Raspberries (ML-0032) | 4.50 EUR >    |  |

Preview - Saved Data Displayed in the List of Items

## 4. Exposing New Entities in the Service Definition

Corresponding to the listing below, the following CDS entities are to be exposed with the UI service:

### Listing 10: Added Entities in the Service Definition

```

@EndUserText.label: 'Service definition for managing travels'
define service /DMO/TRAVEL_U {
...

```

```
expose /DMO/I_BookingSupplement_U as BookingSupplement;
expose /DMO/I_Supplement as Supplement;
expose /DMO/I_SupplementText as SupplementText;
...
}
```

## 5.3 Developing New Managed Transactional Apps

In this chapter, you will be guided through all steps necessary to develop a travel administration app based on the business object's managed runtime infrastructure.

### Introduction

Let us assume you want to develop from scratch completely new transactional apps for SAP Fiori UI or for an arbitrary Web API consumer in *SAP Cloud Platform, ABAP environment*, where no any transactional buffer or business logic implementation, or authorization functionality are available.

This is exactly the situation in which you can benefit from the `managed` implementation type of the ABAP RESTful programming model.

Unlike the unmanaged scenario which aims for reusing the persistence layer and integrating an already existing business logic, the managed scenario addresses use cases where all essential parts of an application must be developed from scratch. However, these new applications can highly benefit from **out-of-the-box support for transactional processing**. Whereas for the unmanaged implementation type, the application developer must implement essential components of the REST contract manually, for the managed scenario, on the other hand, all required standard operations (create, update, delete) must only be specified in the behavior definition to obtain a ready-to-run business object. The technical implementation aspects are taken over by the business object runtime infrastructure. In this case, the business object framework implements generically the interaction phase and the save sequence. The application developer can then **focus on business logic** that is implemented using actions, validations and determinations and user interaction. The corresponding BO runtime manages the entire life cycle of your business objects and covers all aspects of your business application development.


### Architecture Overview

Simplified, the architecture for a managed scenario can be depicted as in the figure below:

The new implementation of business objects and their functionality is a key component in the architecture. In addition to the generic implementation of transactional handling, these objects also provide the application-specific business logic. Even with new developments, you will certainly always use already available reuse functionality whenever possible. For example, our demo application uses value help views and text views for text information retrieval, currency conversion procedures, and message constants as reuse components.

### i Note

If you are running ABAP developments on *SAP Cloud Platform*, then you have the option to introduce reuse components after the custom code migration into ABAP Environment.



Architecture Overview - Managed Implementation

## Prerequisites

The development of our demo application scenario requires the following:

- You have access to and an account for *SAP Cloud Platform, ABAP environment*.
- You have installed ABAP Development Tools (ADT).

### → Tip

SAP recommends using the latest version of ADT client. The ADT download is available on the update site <https://tools.hana.ondemand.com/>

- To reproduce the demo scenario, several reuse components of the *ABAP Flight Reference Scenario* must be available in your ABAP Environment.  
For this purpose, you can download the complete ABAP Flight Reference Scenario for the ABAP RESTful programming model from GitHub <https://github.com/SAP/abap-platform-refscen-flight>. The steps to include the development objects in your ADT are described in the *README.md* file.

### → Remember

The namespace `/DMO/` is reserved for the demo content. Apart from the downloaded ABAP Flight Scenario, do not use the namespace `/DMO/` and do not create any development objects in the downloaded packages.

You can access the development objects in `/DMO/` from your own namespace.

However, if you want to recreate all development objects of this demo content, make sure that you use different names from this documentation.


## Constraints

When working with the managed implementation type the following constraints are given:

- **Creating Instances of Child Entities:** Instances for child entities can only be created by a `create-by-association`.
- **CDS View Fields:** In CDS views you have to use the same name for fields as in the underlying database table. No aliasing is supported. In CDS projection views, aliasing for fields is possible.
- **Determinations:** Changes caused by determinations cannot trigger other determinations.
- **Determinations and Validations:** Determinations that are triggered at entire entity level can only be defined for the `create` operation.
- **Authority:** Only instance-based authorizations are available. That means, static authorizations are not available. Therefore, you cannot apply authorization checks to create operations.
- **Numbering:** Values of primary key fields must be provided externally by the consumer. Late numbering is not supported.

## Involved Development Objects

The figure below provides an overview of the main development objects involved when creating new transactional apps based on the managed implementation type.



## Development Process in Overview

The development of new managed applications mainly requires developers to perform the following fundamental activities:

### 1. Developing Ready-to-Run Business Objects

In this section, you will create, from scratch, all the components of your application required to run ready-to-run business objects. Using the business object framework for managed implementation type, you will save time during the development cycle because you don't have to implement all the technical details yourself - details such as low-level transaction handling, buffer management, or business logic orchestration. This framework provides a set of generic services and functionalities to speed up, standardize, and modularize your development.

More on this: [Developing a Ready-to-Run Business Object \[page 193\]](#)

## 2. Developing Business Logic

Using model-driven development approach, you may focus your attention more on the actual business requirements themselves by developing actions, validations, determinations and providing feature control for each entity of the business object structure.

More on this: [Developing Business Logic \[page 212\]](#)

## 3. Providing Projection Layer for Service Consumption

To enable a flexible consumption of the resulting business service, a [projection \[page 699\]](#) is introduced as a separate layer within the application development. This layer is required for service projections for different consumption scenarios such as Web APIs and UI-related services according to Fiori UI role-based design.

This essentially includes three steps: providing a data model with CDS views for projections, modelling behavior definitions for projections as well as defining business services that expose projections for consumption.

More on this: [Developing a Projection Layer for Flexible Service Consumption \[page 254\]](#)

## 4. Testing the OData UI Service

Using ABAP Development Tools, you have the option of publishing the service to the service repository of your local system. As soon as the service is published, it is ready for consumption through an OData client, such as an SAP Fiori app. The service binding editor also offers a preview tool that you can use for testing the resulting app within your ABAP development environment.

More on this: [Testing the Business Object \[page 210\]](#)

### 5.3.1 Reference Business Scenario

In this demo scenario, we will implement a simple travel provider app that can be used to manage flight bookings. A single travel should be booked by the travel provider for an existing customer through a travel agency and include one or multiple flight bookings. In addition, one or more supplements should be able to be booked for each flight.

#### Requirements

Based on the same data model, two different views of the travel app are to be realized, each corresponding to two different user roles:

- The processor acquires all the data relevant to flight bookings: he or she creates individual travel instances, creates and manages individual flights, and adds supplements to flight bookings. The accumulated travel costs should be calculated automatically when the underlying bookings are updated. When editing individual travel data, validation must be made for data consistency and, in the case of an error, be issued as an appropriate message to the user.

Adapt Filters Go

Create Travel by Template Delete Create ⚙

| Travel ID                                                     | Agency ID      | Customer ID  | Starting Date | End Date |
|---------------------------------------------------------------|----------------|--------------|---------------|----------|
| <input checked="" type="checkbox"/> 1 Sunshine Travel (70001) | Buchholm (7)   | Apr 18, 2019 | May 2, 2019   | >        |
| Total Price: 837.00 EUR<br>Booking Status: O                  |                |              |               |          |
| <input type="radio"/> 12 No Return (70020)                    | Benjamin (451) | Jun 13, 2019 | Jun 27, 2019  | >        |
| Total Price: 425.50 EUR<br>Booking Status: O                  |                |              |               |          |

List of Travels - UI for Processor Role

\*Travel ID [1,...,99999999]:

\*Agency ID:

\*Customer ID:

\*Starting Date:

\*End Date:

\*Booking Fee:  EUR ➡

Total Price:  ➡

\*Overall Status [O (Open)|C (Completed)]:

Comment:

Save Cancel

Creating a Travel - UI for Processor Role

- The role of the approver is limited to the verification of the recorded travel data entered by the processor. The approver has the option to accept or reject individual travels.

Adapt Filters (1) Go

Reject Travel Accept Travel ⚙

| Travel ID                                                       | Overall Status | Agency ID | Customer ID | Booking Fee |
|-----------------------------------------------------------------|----------------|-----------|-------------|-------------|
| <input checked="" type="checkbox"/> 1 O Sunshine Travel (70001) | Buchholm (7)   | 13.00 EUR | >           |             |
| Total Price: 837.00 EUR<br>Description: Vacation AB             |                |           |             |             |
| <input type="radio"/> 12 O No Return (70020)                    | Benjamin (451) | 12.00 EUR | >           |             |
| Total Price: 425.50 EUR<br>Description: AB                      |                |           |             |             |

List of Travels - UI for Approver Role

## Data Model


### Entities for Transactional Data

As depicted in the figure below, the 3-tier entity hierarchy for managing transactional data in our scenario consists of the following editable entities, with a 1: N cardinality on each level:

- Travel
- Booking
- BookingSupplement

That is, each travel instance has 0..N bookings and each booking has 0..N booking supplements.

The figure below shows the composition relationship between the travel, the (flight) booking and the supplement entities, where the travel entity represents the root of the data model.



Editable Entities of the Data Model

### Additional Entities for Master Data (Reuse Components)

To access business data from other entities in our demo content, we are going to reuse master data from the package `/DMO/FLIGHT_REUSE` that is part of the downloaded demo content `/DMO/FLIGHT`. Some of these entities will be used primarily as text provider views for retrieving text information and as value help provider views for individual input fields on the UI.

|   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ✓ | /DMO/FLIGHT_REUSE (16) <i>Flight Reference Scenario: Reused Entities</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| ✓ | Core Data Services (8)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| ✓ | Data Definitions (8) <ul style="list-style-type: none"> <li>&gt;  /DMO/I_AGENCY <i>Travel View - CDS Data Model</i></li> <li>&gt;  /DMO/I_AIRPORT <i>Airport View - CDS Data Model</i></li> <li>&gt;  /DMO/I_CARRIER <i>Carrier View - CDS Data Model</i></li> <li>&gt;  /DMO/I_CONNECTION <i>Connection View - CDS Data Model</i></li> <li>&gt;  /DMO/I_CUSTOMER <i>Customer View - CDS Data Model</i></li> <li>&gt;  /DMO/I_FLIGHT <i>Flight View - CDS Data Model</i></li> <li>&gt;  /DMO/I_SUPPLEMENT <i>Supplement view - CDS data model</i></li> <li>&gt;  /DMO/I_SUPPLEMENTTEXT <i>Text provider view - CDS data mode</i></li> </ul> |
| > | Dictionary (8)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

Non-Editable Entities Reused in the Data Model

## Behavior

In the following table, we briefly outline the scope of the business logic to be implemented in the demo scenario. Bear in mind that the managed implementation type comes into play with a few new concepts such as validations and determinations, which will be introduced later on over the course of this E2E guide.

### Processor Role:

Processor

| Entity | Behavior                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Travel | Operations: <ul style="list-style-type: none"> <li>• Create, update, delete</li> <li>• Create bookings by association</li> <li>• Action: create travels by template</li> </ul> Validations: <ul style="list-style-type: none"> <li>• Validate editable input fields</li> </ul> Feature Control: <ul style="list-style-type: none"> <li>• Static and dynamic field control</li> <li>• Dynamic action control</li> </ul> |

| Entity                | Behavior                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Booking               | <p>Operations:</p> <ul style="list-style-type: none"> <li>• Update</li> <li>• Create booking supplements by association</li> </ul> <p>Validations:</p> <ul style="list-style-type: none"> <li>• Validate editable input fields</li> </ul> <p>Determinations:</p> <ul style="list-style-type: none"> <li>• Calculate total price for bookings</li> </ul> <p>Feature Control:</p> <ul style="list-style-type: none"> <li>• Static and dynamic field control</li> </ul> |
| Booking Supplement    | <p>Operations:</p> <ul style="list-style-type: none"> <li>• Update</li> </ul> <p>Determinations:</p> <ul style="list-style-type: none"> <li>• Calculate total price for supplements</li> </ul> <p>Feature Control:</p> <ul style="list-style-type: none"> <li>• Static and dynamic field control</li> </ul>                                                                                                                                                          |
| <b>Approver Role:</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Approver              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Entity                | Behavior                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Travel                | <p>Operations:</p> <ul style="list-style-type: none"> <li>• Update (on limited set of travel fields)</li> <li>• Action: accept travel</li> <li>• Action: reject travel</li> </ul> <p>Validations:</p> <ul style="list-style-type: none"> <li>• Validate editable fields</li> </ul> <p>Feature Control:</p> <ul style="list-style-type: none"> <li>• Static and dynamic field control</li> <li>• Dynamic action control</li> </ul>                                    |
| Booking               | Read operations only                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## Restrictions

### ! Restriction


The current version of the ABAP RESTful programming model does not support **late numbering** for managed implementation type. Therefore, in our demo scenario, the numbering is not implemented in the

save sequence using the `adjust_numbering( )` method when creating instances for travels, bookings, and booking supplements.

## 5.3.2 Developing a Ready-to-Run Business Object

Each business object is characterized by a structure, a behavior and a runtime implementation.


As shown in the figure below, the structure of a business object is defined by the sequence of compositions and to-parent associations between CDS entities with a root entity on top of the composition tree. Each level of a business object's composition tree can offer a set of operations that are specified in the behavior definition that refers to the entities of the CDS data model. In the case of managed implementation type, the standard operations (create, update, delete) must only be specified in the behavior definition to obtain a ready-to-run business object. The business object runtime infrastructure already implements generically the interaction phase and the save sequence and provides an out-of-the-box support for transactional processing.



Data Model and Behavior of a Ready-to-run Business Object

### Preview: Resulting Business Object in Relation Explorer

The figure below displays the resulting “Travel” business object in *Relation Explorer* view. If you choose the *Business Object* context, the *Relation Explorer* provides the composition tree of the business object and displays all operations of the selected entity.



"Travel" Business Object in Relation Explorer

## Activities Relevant to Developers

1. [Providing Business Object Structure \[page 194\]](#)
  1. [Providing Persistent Tables \[page 196\]](#)
  2. [Creating CDS Data Definitions \[page 198\]](#)
  3. [Defining Data Model and Business Object Structure \[page 200\]](#)
2. [Defining Elementary Behavior for Ready-to-Run Business Object \[page 203\]](#)
3. [Testing the Business Object \[page 210\]](#)

## Related Information

[Exploring Business Objects \[page 649\]](#)

### 5.3.2.1 Providing Business Object Structure

From a structural point of view, a business object consists of a tree of entities that are linked by compositions. Every entity in this composition tree is an element that is modeled with a CDS entity.

For our demo travel booking scenario, we will implement a 3-level hierarchy composition tree.


#### Entities for Transactional Data

As depicted in the figure below, the 3-tier entity hierarchy for managing transactional data in our scenario consists of the following editable entities, with a 1: N cardinality on each level:

- Travel
- Booking
- BookingSupplement

That is, each travel instance has 0..N bookings and each booking has 0..N booking supplements.

The figure below shows the composition relationship between the travel, the (flight) booking and the supplement entities, where the travel entity represents the root of the data model.



Editable Entities of the Data Model

### Additional Entities for Master Data (Reuse Components)

To access business data from other entities in our demo content, we are going to reuse master data from the package `/DMO/FLIGHT_REUSE` that is part of the downloaded demo content `/DMO/FLIGHT`. Some of these entities will be used primarily as text provider views for retrieving text information and as value help provider views for individual input fields on the UI.

- ▼ [/DMO/FLIGHT\\_REUSE \(16\) Flight Reference Scenario: Reused Entities](#)
- ▼ [Core Data Services \(8\)](#)
- ▼ [Data Definitions \(8\)](#)
  - > [/DMO/I\\_AGENCY Travel View - CDS Data Model](#)
  - > [/DMO/I\\_AIRPORT Airport View - CDS Data Model](#)
  - > [/DMO/I\\_CARRIER Carrier View - CDS Data Model](#)
  - > [/DMO/I\\_CONNECTION Connection View - CDS Data Model](#)
  - > [/DMO/I\\_CUSTOMER Customer View - CDS Data Model](#)
  - > [/DMO/I\\_FLIGHT Flight View - CDS Data Model](#)
  - > [/DMO/I\\_SUPPLEMENT Supplement view - CDS data model](#)
  - > [/DMO/I\\_SUPPLEMENTTEXT Text provider view - CDS data mode](#)
- > [Dictionary \(8\)](#)

Non-Editable Entities Reused in the Data Model

#### Note

Additional entities for currencies (`I_Currency`) and countries (`I_Country`) are generally available in your system and are included in our data model using associations.

## Related Information

[Providing Persistent Tables \[page 196\]](#)

[Creating CDS Data Definitions \[page 198\]](#)

[Defining Data Model and Business Object Structure \[page 200\]](#)

### 5.3.2.1.1 Providing Persistent Tables

Travel data of our demo application is distributed across multiple database tables: a table for the travel header data, a table for flight bookings, and booking supplements.

To build up our demo scenario from scratch, we will first create a suitable set of database tables using ADT ABAP Dictionary tools and then use these tables as a data source in the new CDS-based data model.

#### Starting Point and Prerequisites

To provide data persistence for our sample travel management scenario, we assume that you...

- Have the standard developer authorization profile to create ABAP development objects with ABAP Development Tools.
- Reuse the data elements from the ABAP Flight Reference Scenario (package: /DMO/FLIGHT\_LEGACY) when editing table fields for tables to be created.

#### Procedure: Creating Tables

To create and work with database tables in ABAP Development Tools (ADT), do the following:

1. Open the source-based ABAP Dictionary editor in ADT and create the corresponding database tables listed below. For further information, see: .
2. Edit the database tables with the fields and metadata as depicted in the listings below.
3. Activate the tables

#### Table /DMO/TRAVEL\_M: Persistent Table for Managing Travel Data

This table defines general travel data, such as the key element travel ID, agency ID or customer ID, the date for travel's begin and end, as well as the overall status of the travel bookings, and the total price of an individual travel. In addition, the fields for standard administration data, such as the respective user or the time of creation, are added to the table.

### **Listing 1: Source Code**

```
@EndUserText.label : 'Flight Reference Scenario: Managing Travels'
@AbapCatalog.enhancementCategory : #NOT_EXTENSIBLE
@AbapCatalog.tableCategory : #TRANSPARENT
@AbapCatalog.deliveryClass : #A
@AbapCatalog.dataMaintenance : #LIMITED
define table /dmo/travel_m {
    key client      : abap.clnt not null;
    key travel_id   : /dmo/travel_id not null;
    agency_id       : /dmo/agency_id;
    customer_id    : /dmo/customer_id;
    begin_date     : /dmo/begin_date;
    end_date       : /dmo/end_date;
    @Semantics.amount.currencyCode : '/dmo/travel_data.currency_code'
    booking_fee    : /dmo/booking_fee;
    @Semantics.amount.currencyCode : '/dmo/travel_data.currency_code'
    total_price    : /dmo/total_price;
    currency_code  : /dmo/currency_code;
    description    : /dmo/description;
    overall_status : /dmo/overall_status;
    @AbapCatalog.anonymizedWhenDelivered : true
    created_by     : syuname;
    created_at     : timestamppl;
    @AbapCatalog.anonymizedWhenDelivered : true
    last_changed_by : syuname;
    last_changed_at : timestamppl;
}
```

### **Table /DMO/BOOKING\_M: Persistent Table for Managing Bookings**

This table will be used for managing flight booking data, such the flight connection, the carrier, or the price and flight date, and finally, the status of flight bookings.

### **Listing 2: Source Code**

```
@EndUserText.label : 'Flight Reference Scenario: Booking'
@AbapCatalog.enhancementCategory : #NOT_EXTENSIBLE
@AbapCatalog.tableCategory : #TRANSPARENT
@AbapCatalog.deliveryClass : #A
@AbapCatalog.dataMaintenance : #LIMITED
define table /dmo/booking_m {
    key client      : abap.clnt not null;
    @AbapCatalog.foreignKey.label : 'Travel'
    @AbapCatalog.foreignKey.screenCheck : false
    key travel_id   : /dmo/travel_id not null
        with foreign key [0..*,1] /dmo/travel_m
            where travel_id = /dmo/booking_m.travel_id;
    key booking_id  : /dmo/booking_id not null;
    booking_date    : /dmo/booking_date;
    customer_id    : /dmo/customer_id;
    carrier_id     : /dmo/carrier_id;
    connection_id  : /dmo/connection_id;
    flight_date    : /dmo/flight_date;
    @Semantics.amount.currencyCode : '/dmo/booking_data.currency_code'
    flight_price   : /dmo/flight_price;
    currency_code  : /dmo/currency_code;
    booking_status : /dmo/booking_status;
}
```

## Table /DMO/BOOKSUPPL\_M: Persistent Table for Managing Booking Supplement Data

This table is used to add additional products to a travel booking. For example, the customer can book together with a flight, a drink or a meal.

### Listing 3: Source Code

```
@EndUserText.label : 'Flight Reference Scenario: Booking Supplement'  
@AbapCatalog.enhancementCategory : #NOT_EXTENSIBLE  
@AbapCatalog.tableCategory : #TRANSPARENT  
@AbapCatalog.deliveryClass : #A  
@AbapCatalog.dataMaintenance : #LIMITED  
define table /dmo/booksuppl_m {  
    key client : abap.clnt not null;  
    @AbapCatalog.foreignKey.label : 'Travel'  
    @AbapCatalog.foreignKey.screenCheck : false  
    key travel_id : /dmo/travel_id not null  
        with foreign key [0..*,1] /dmo/travel_m  
            where travel_id = /dmo/booksuppl_m.travel_id;  
    @AbapCatalog.foreignKey.label : 'Booking'  
    @AbapCatalog.foreignKey.screenCheck : false  
    key booking_id : /dmo/booking_id not null  
        with foreign key [0..*,1] /dmo/booking_m  
            where travel_id = /dmo/booksuppl_m.travel_id  
                and booking_id = /dmo/booksuppl_m.booking_id;  
    key booking_supplement_id : /dmo/booking_supplement_id not null;  
    supplement_id : /dmo/supplement_id;  
    @Semantics.amount.currencyCode : '/dmo/book_suppl_data.currency_code'  
    price : /dmo/supplement_price;  
    currency_code : /dmo/currency_code;  
}
```

## Related Information

[Database Tables](#)

### 5.3.2.1.2 Creating CDS Data Definitions

In this step you create CDS views as the basis for the data model of our demo scenario. For each data definition a corresponding development object, the related CDS views and the corresponding database views are created too.

## Data Definitions and CDS Views to Create

### i Note

**Naming CDS views:** Since CDS views are (public) interface views, they are prefixed with `I_` in accordance with the VDM (virtual data model) naming convention. In addition, we add the suffix `_M` to the view name in

case it is specific for our managed implementation type scenario. For detailed information, see: [Naming Conventions for Development Objects \[page 673\]](#)

Data Definitions Required for all Editable Entities of the Data Model

Data Definition

CDS View Name

| Database View Name               | Data Source                     | Description                                                                                                                                                |
|----------------------------------|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| /DMO/I_TRAVEL_M                  | /DMO/ TRAVEL_M<br>(DB table)    | A Travel entity defines general travel data, such as the agency ID or customer ID, overall status of the travel bookings, and the total price of a travel. |
| /DMO/I_Travel_M(root entity)     |                                 |                                                                                                                                                            |
| /DMO/ITRAVEL_M                   |                                 |                                                                                                                                                            |
| /DMO/I_BOOKING_M                 | /DMO/ BOOKING_M<br>(DB table)   | The booking entity is used for managing flight booking data, such as the customer, the flight connection, or the price and flight date.                    |
| /DMO/I_BBooking_M(child entity)  |                                 |                                                                                                                                                            |
| /DMO/IBOOKING_M                  |                                 |                                                                                                                                                            |
| /DMO/I_BOOKSUPPL_M               | /DMO/ BOOKSUPPL_M<br>(DB table) | This entity is used to add additional products to a travel booking.                                                                                        |
| /DMO/I_BookSuppl_M(child entity) |                                 |                                                                                                                                                            |
| /DMO/IBOOKSUP_M                  |                                 |                                                                                                                                                            |

## Procedure: Creating a Data Definition

To launch the wizard tool for creating a data definition, do the following:

1. Launch [ABAP Development Tools](#).
2. In your ABAP project (or ABAP cloud project), select the relevant package node in [Project Explorer](#).
3. Open the context menu and choose [New](#) [Other ABAP Repository Object](#) [Core Data Services](#) [Data Definition](#)

**Further information:** [\(Tool Reference\)](#)

### 5.3.2.1.3 Defining Data Model and Business Object Structure

#### Travel Root View /DMO/I\_Travel\_M

The listing 1 (below) provides you with the implementation of the CDS data model for managing travel instances, where the database table /dmo/travel\_m serves as the data source for the corresponding CDS view /DMO/I\_Travel\_M. This CDS view defines the root entity of the data model and represents the root of compositional hierarchy for the travel business object to be created.

To define a [composition \[page 691\]](#) relationship from the root to a child entity the keyword COMPOSITION is used. In our example, we specify the /DMO/I\_Booking\_M as child entity in the composition \_Booking. As a result, the booking node is defined as a direct child entity to the business object's root. The cardinality [0 .. \*] specifies that any number of booking instances can be assigned to each travel instance.

To be able to access master data from other entities, a set of associations is defined in the CDS source code. These associations refer to CDS entities (/DMO/I\_Agency, /DMO/I\_Customer) that are part of our demo application scenario. Some of these views are used primarily as text views for retrieving text information and as value help provider views for specific UI fields.

Finally, the fields for standard administration data are added to the select list, where the persistent field last\_changed\_at will play a special role as an [ETag \[page 695\]](#) field.

To ensure uniform data processing on the consumer side, all administrative as well as quantity and currency fields are provided with appropriate @Semantics annotations.

#### Listing 1: Source Code of the CDS Root View /DMO/I\_Travel\_M

```
@AbapCatalog.sqlViewName: '/DMO/ITRAVEL_M'
@AbapCatalog.compiler.compareFilter: true
@AbapCatalog.preserveKey: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Travel view - CDS data model'
define root view /DMO/I_Travel_M
    as select from /dmo/travel_m           as Travel -- the travel table is the
data source for this view
    composition [0..*] of /DMO/I_Booking_M as _Booking
        association [0..1] to /DMO/I_Agency   as _Agency   on
            $projection.agency_id = _Agency.AgencyID
        association [0..1] to /DMO/I_Customer as _Customer on
            $projection.customer_id = _Customer.CustomerID
        association [0..1] to I_Currency      as _Currency on
            $projection.currency_code = _Currency.Currency
{
    key travel_id,
    agency_id,
    customer_id,
    begin_date,
    end_date,
    @Semantics.amount.currencyCode: 'currency_code'
    booking_fee,
    @Semantics.amount.currencyCode: 'currency_code'
    total_price,
    @Semantics.currencyCode: true
```

```

currency_code,
overall_status,
description,
@Semantics.user.createdBy: true
created_by,
@Semantics.systemDateTime.createdAt: true
created_at,
@Semantics.user.lastChangedBy: true
last_changed_by,
@Semantics.systemDateTime.lastChangedAt: true
last_changed_at, -- used as etag field
}

/* Associations */
Booking,
_Agency,
_Customer,
_Currency
}

```

## Booking View /DMO/I\_Booking\_M

Listing 2 (below) provides you with a data model implementation of the booking entity. In the data definition of the root entity /DMO/I\_Travel\_M, we specified the booking entity /DMO/I\_Booking\_M as a composition child entity. Reversely, this relationship requires an association to their compositional parent entity – from the child entity. This relationship is expressed by the keyword ASSOCIATION TO PARENT.

To provide a data model for 3-tier entity hierarchy, we also define a composition relationship from booking to a booking supplement entity. In our example, we specify /DMO/I\_BookSuppl\_M as child entity in the composition \_BookSupplement. The cardinality [0 ... \*] expresses that any number of booking supplement instances can be assigned to each booking instance.

To be able to access data from other entities, a set of additional associations (\_Customer, \_Carrier, and \_Connection) is defined in the CDS source code.

The SELECT list includes all elements of a booking entity that are relevant for consumption in a user interface. The ETag field for this entity is taken over from the parent entity using the association \_Travel.last\_changed\_at (**ETag inheritance**).

### i Note

Unlike the root entity, the ETag field in the booking entity is treated as a non-persistent field. However, to prevent the system administration annotations (@Semantics.systemDateTime and @Semantics.user) from being inherited from the root entity to the child entity, the inheriting booking view must add the annotation @Metadata.ignorePropagatedAnnotation and set the value to true. Otherwise, this can result in a runtime error when modifying business object instance data (that is, in the EDIT case).

## Listing 2: Source Code of the CDS View /DMO/I\_Booking\_M

```

@AbapCatalog.sqlViewName: '/DMO/IBOOKING_M'
@AbapCatalog.compiler.compareFilter: true
@AbapCatalog.preserveKey: true
@AccessControl.authorizationCheck: #NOT_REQUIRED

```

```

@Metadata.ignorePropagatedAnnotations:true
@EndUserText.label: 'Booking view'
define view /DMO/I_Booking_M
  as select from /dmo/booking_m as Booking

    association to parent /DMO/I_Travel_M as _Travel on
$projection.travel_id = Travel.travel_id
  composition [0..*] of /DMO/I_BookSuppl_M as _BookSupplement

    association [1..1] to /DMO/I_Customer as _Customer on
$projection.customer_id = Customer.CustomerID
    association [1..1] to /DMO/I_Carrier as _Carrier on
$projection.carrier_id = Carrier.AirlineID
    association [1..1] to /DMO/I_Connection as _Connection on
$projection.connection_id = _Connection.AirlineID
   and
$projection.connection_id = _Connection.ConnectionID
{
  key travel_id,
  key booking_id,
  booking_date,
  customer_id,
  carrier_id,
  connection_id,
  flight_date,
  @Semantics.amount.currencyCode: 'currency_code'
  flight_price,
  @Semantics.currencyCode: true
  currency_code,
  booking_status,
  @UI.hidden: true
  _Travel.last_changed_at, -- Take over the ETag from parent

  /* Associations */
  _Travel,
  _BookSupplement,
  _Customer,
  _Carrier,
  _Connection
}

```

## Booking Supplement View /DMO/I\_BookSuppl\_M

The 3-tier composition relationship requires an association for the booking supplement child entity /DMO/I\_BookSuppl\_M entity to their compositional parent entity.

To access master data from other entities, additional associations \_Product and \_SupplementText are defined in the CDS source code. The ETag field for this entity is taken over from the root entity using the association \_Travel.last\_changed\_at. Similar to the booking entity, the ETag field in the booking supplement entity is also treated as a non-persistent field - because of inheritance.

### Listing 3: Source Code of the CDS View /DMO/I\_BookSuppl\_M

```

@AbapCatalog.sqlViewName: '/DMO/IBOOKSUP_M'
@AbapCatalog.compiler.compareFilter: true
@AbapCatalog.preserveKey: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@Metadata.ignorePropagatedAnnotations:true
@EndUserText.label: 'Booking Supplement View'

```

```

define view /DMO/I_BookSuppl_M
  as select from /dmo/booksuppl_m as BookingSupplement
    association          to parent /DMO/I_Booking_M as _Booking      on
    $projection.travel_id = _Booking.travel_id                         and
    $projection.booking_id   = _Booking.booking_id
    association [1..1] to /DMO/I_Travel_M      as _Travel           on
    $projection.travel_id   = _Travel.travel_id
    association [1..1] to /DMO/I_Supplement    as _Product          on
    $projection.supplement_id = _Product.SupplementID
    association [1..*] to /DMO/I_SupplementText as _SupplementText on
    $projection.supplement_id = _SupplementText.SupplementID
{
  key travel_id,
  key booking_id,
  key booking_supplement_id,
  supplement_id,
  @Semantics.amount.currencyCode: 'currency_code'
  price,
  @Semantics.currencyCode: true
  currency_code,
  @UI.hidden
  Travel.last_changed_at, -- Take over ETag from root
/* Associations */
  _Booking,
  _Product,
  _SupplementText
}

```

### 5.3.2.2 Defining Elementary Behavior for Ready-to-Run Business Object

In this step, we will limit our focus to modeling an elementary behavior in which only the standard operations `create()`, `update()`, and `delete()` are defined for each entity. These operations, along with some basic properties (behavior characteristics), should already be sufficient to obtain a ready-to-run business object.

#### Procedure: Creating a Behavior Definition /DMO/I\_TRAVEL\_M

To launch the wizard tool for creating a behavior definition, do the following:

1. Launch *ABAP Development Tools*.
2. In the *Project Explorer* view of your ABAP project (or ABAP Cloud Project), select the node for the data definition that defines the root entity (`/DMO/I_TRAVEL_M`).
3. Open the context menu and choose *New Behavior Definition* to launch the creation wizard.




Figure: First Page of the New Behavior Definition Wizard

Further information: ([Tool Reference](#)) [page 651]

## Parenthesis: Syntax for Defining Managed Transactional Behavior

To define the transactional behavior for a CDSEntity for managed implementation type, the following syntax is used:

```
/* Header of behavior definition */
[implementation] managed;
/* Definition of entity behavior */
define behavior for CDSEntity [alias AliasName]
/* Entity properties */
[implementation in class ABAP_CLASS_NAME [unique] ]
persistent table DB_TABLE_NAME
[etag (field)]
lock {master | dependent (PropertyDependent = PropertyMaster)}
[authorization {master(instance) | dependent PropertyDependent = PropertyMaster} ]
{
/* Static field control */
[field (read only | mandatory) field1[, field2, ..., fieldn];]
/* Dynamic field control */
[field (features: instance) field1[, field2, ..., fieldn];]
/* Standard operations */
[internal] create;
[internal] update;
[internal] delete;
/* Actions */
[ [static] action [( features: instance, authorization: none )] ActionName
    [parameter {InputParameterEntity | $self} ;]
    [result [cardinality] {OutputParameterEntity | $self};]; ]
```

```

/* Associations */
[association AssociationName [abbreviation AbbreviationName] {[create;] } ]
/* Validations */
[validation ValidationName on save { field1, ..., fieldn; } ]
/* Determinations */
// (1) determination for triggers at field level
[determination DeterminationName on (save | modify) { field f1[, f2, ..., fn] ; }]
// (2) determination for triggers at entity level
[determination DeterminationName on (save | modify) { create; }]
}

```

## Explanation

A behavior definition consists of a header information and a set of definitions for entity behavior. Each entity of the composition tree can be referred in the behavior definition at most once.

### → Remember

Consider that if an entity does not occur in the behavior definition, then it would not be modifiable within the ABAP for RESTful programming model.

Within [BDL \[page 689\]](#) source code, double slashes (//) introduce a comment that continues until the end of the line. Comments that span lines have the form: /\*...\*/.

The header specifies the implementation type of the business object:

Implementation Type

| Values  | Effect                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| managed | <p>This implementation type addresses use cases where all essential parts of an application must be developed from scratch.</p> <p>Whereas for the unmanaged implementation type, the application developer must implement essential components of the REST contract manually, for the managed scenario, on the other hand, all required standard operations (create, update, delete) must only be specified in the behavior definition to obtain a ready-to-run business object. These new applications can highly benefit from out-of-the-box support for transactional processing, since the technical implementation aspects are taken over by the business object runtime infrastructure. In this case, the business object framework implements generically the interaction phase and the save sequence. The application developer can then focus on business logic that is implemented using actions, validations and determinations and user interaction.</p> |

The behavior description is divided into a section with behavior characteristic that describes several properties for each entity, followed by information on any operations, validations, and determinations enclosed in the brackets {...}.

The AliasName defined in the behavior definition for CDSEntity gives you the option of introducing a more concise name than the entity name that is hence easier to read. Note that the length of the AliasName is

restricted to 20 characters. The `AliasName` becomes visible in the implementation part when implementing the BO's business logic.

The [Behavior Definition Language \(BDL\) \[page 689\]](#) allows you to add the following properties to a behavior definition:

#### Behavior Characteristic

| Characteristic                                           | Effect                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>implementation in class ...unique</code>           | <p>When modelling the behavior for an individual entity, you have the option of assigning a specific behavior pool that implements the behavior for this entity. Behavior for the entity in question is implemented in a behavior pool with the specified name <code>ABAP_CLASS_NAME</code>.</p> <p>By including the restriction <code>implementation in class ... unique</code> for the implementation, you can protect the application against multiple implementations so that each operation can only be implemented once for the relevant entity. Any other class (program) that attempts this, raises an ABAP compiler error.</p>                                                                                                      |
| <code>persistent table ...</code>                        | This property refers to the database table <code>DB_TABLE_NAME</code> for storing CDSEntity's data changes that result from transactional behavior (in managed implementation type).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <code>etag (field)</code>                                | <p>The specified <code>field</code> is an ETag field for the respective entity that is used to determine changes to the requested resource. Usually, fields like last changed timestamp, hash values, or version counters are used as ETAGs.</p> <p>An ETag can be used for optimistic concurrency control in the OData protocol to help prevent simultaneous updates of a resource from overwriting each other.</p>                                                                                                                                                                                                                                                                                                                         |
| <code>lock master</code><br><code>/lock dependent</code> | <p>In the behavior definition, you can determine which entities support direct locking (<code>lock master</code>) and which entities depend on the locking status of a parent or root entity (<code>lock dependent</code>). For lock dependents it is required to specify which property in the child entity refers to which property of the parent or root entity. This is actually a foreign-key relationship so that the runtime can efficiently retrieve master instances for a set of given dependent instances:</p> <pre>lock dependent ( key_field_of_child_entity =<br/>key_field_of_root_entity )</pre> <p>This locking property is only relevant for entities that support locking, which is provided in modifying operations.</p> |

#### ! Restriction

The definition of lock master is currently only supported for root nodes of business objects.

| Characteristic                                 | Effect                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| authorization master / authorization dependent | To protect data from unauthorized access, you can add authorization checks for modifying operations to each entity of the business object. For standard operations such as update, delete, as well as for create by associations and actions, the authorization control is then checked by the BO runtime as soon as the relevant operation is executed.                                                                                                                                |
|                                                | <p><b>→ Remember</b></p> <p>With the current release, the root entity is always defined as <code>authorization master</code>, whereas all child entities are defined as <code>authorization dependent</code>. If a child entity is modified (update, delete, create by association) or an action is invoked on that entity, the authorization check (that is implemented in the behavior class) of the master is triggered to check if the operation is allowed for being accessed.</p> |
|                                                | <p><b>! Restriction</b></p> <p>With the current release, only instance-based authorization control is supported: <code>authorization master (instance)</code>. This means, static authorization is not yet available. Therefore, you cannot apply authorization checks to create operation (static operation).</p>                                                                                                                                                                      |
|                                                | <p><b>i Note</b></p> <p>The operations create (by association), update, delete, and action invocation on child entities are treated as an update on the corresponding root entity (<code>authorization master</code>). Thus, the authorization check implementation is triggered to check the authorization for update on master level - despite of the fact that it was a create (by association), update, delete, or action request on dependent level.</p>                           |

## Field Properties

| Property                                | Effect                                                                                                                                                                                                                                                                       |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>field (readonly)</code>           | Defines that the consumer must not create or update the values of the specified fields. The BO runtime rejects modifying requests when creating or updating the specified fields.<br><br>The specified fields are grayed out on Fiori UI.                                    |
| <code>field (mandatory)</code>          | Defines that the specified fields must be filled with values – at least at save point of time.<br><br>The BO runtime rejects saving request in case of an empty value.<br><br>The specified fields are marked with a specific (red star) icon to indicate them as mandatory. |
| <code>field (features: instance)</code> | The dynamic field control depends on entity instances for the specified fields and must be implemented in a handler class of the behavior pool.                                                                                                                              |

| Operation, ...           | Meaning                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| create   update   delete | <p>An important part of the transactional behavior of a business object are the standard operations <code>create</code>, <code>update</code> and <code>delete</code> (CUD). Whenever an entity can be created, updated, or deleted, these operations must be declared in the behavior definition.</p> <p>To only provide an operation without exposing it to consumers, the option <code>internal</code> can be set before the operation, for example, <code>internal update</code>. An internal operation can only be accessed from the business logic inside the business object implementation such as from a determination.</p>                |
| association              | <p>All compositions that form the business object's structure must also be declared in the behavior definition as associations. An abbreviation <code>AbbreviationName</code> needs to be defined if the composition name in the CDS view is longer than 11 characters. The keyword <code>{create;}</code> is used to declare that the association is create-enabled, which means that instances of the associated entity can be created by the source of the association.</p>                                                                                                                                                                     |
| action                   | <p>Actions can be specified as non-standard operations in behavior definitions. They can either be related to instances (default) or are <code>static</code>.</p> <p>Actions can pass CDS entities as input parameters (<code>InputParameterEntity</code>) and output parameters (<code>OutputParameterEntity</code>). The CDS entity can be a regular CDS view or an abstract entity. If the <code>InputParameterEntity</code> and the <code>OutputParameterEntity</code> is the same entity for which the action is executed, then only the predefined keyword <code>\$self</code> is required. It stands for the type of the entity itself.</p> |

#### → Remember

BDL syntax determines that a maximum of only one parameter on each side (input and output) can be specified. If an action must provide "multiple inputs" or "multiple outputs", then a structure type of CDS or an abstract entity can be used (with components for the individual inputs/outputs).

The `result cardinality` for actions determines the multiplicity of the output on an input instance. In this way, it indicates whether each instance of an input produces 0..1, 0..n or 1..n output instances. The possible values for cardinality are therefore:

`[0..1]` or `[1]` or `[0..*]` or `[1..*]`.

To enable or disable an action for a consumer, an instance-related feature control can be specified for the action:

```
action ( features: instance ) ActionName .... This dynamic action control depends on entity instances and must be implemented in a handler class of the behavior pool.
```

To exclude a certain action from authorization control defined in the behavior definition (see `authorization master|dependent` above), you have the option of specifying an action with `authorization: none` property:

```
action ( authorization: none ) ActionName ....
```

| Operation, ... | Meaning                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| validation     | <p>A validation is an implicitly executed function that checks the consistency of entity instances that belong to a business object.</p> <p>The BO framework implicitly evaluates all validations if the validation's trigger condition is fulfilled at a certain validation time. A trigger condition consists of trigger operation (create, update, create by association) and list of entity fields (trigger elements) belonging to the same entity the validation is assigned to. For validations, the current version of the programming model supports only the save phase as validation time:</p> <pre>validation ValidationName on save { field field1, ..., fieldn; } ]</pre> <p>Validations are not allowed to modify data; they can reject the save of inconsistent data and return messages.</p>                                                                                                                                                                                                 |
| determination  | <p>A determination is an implicitly executed function that is used to handle side effects of modifications by changing instances and returning messages.</p> <p>The BO framework implicitly invokes a determination if the determination's trigger condition is fulfilled at a certain determination time.</p> <p>(1) The option <code>on (save   modify) { field f1[, f2, ..., fn]; }</code> defines the determination time on <code>save</code> (before save) or on <code>modify</code> (immediately after modification) and the trigger fields, which (together with the create or update operation) form the trigger condition for the determination.</p> <p>(2) The option <code>on (save   modify) { create; }</code> defines the determination time on <code>save</code> or on <code>modify</code> for the entire entity (all entity fields are trigger fields), which together with the <code>create</code> operation (no update operation!) form the trigger condition for the determination. .</p> |

## Procedure: Modelling the Behavior for Ready-to-Run Travel BO

As depicted in the listing below, the source code of the behavior definition consists of a header information and three definitions for entity behavior: one for the root travel entity and two for the child entities booking and booking supplements – corresponding to the composition tree of the business object. Note that for each entity of the composition tree, the transactional behavior can be defined in the behavior definition at most once. All required transactional operations of an individual business object's node are specified in the same behavior definition (that is introduced by the keyword `DEFINE BEHAVIOR FOR ...`).

The header specifies managed implementation type of our business object's provider since we are going to implement all essential parts of an application from scratch.

For this implementation type, all required standard operations (create, update, delete) and create by association must only be specified in the behavior definition to obtain a ready-to-run business object.

Our TRAVEL business object refers to the underlying CDS data model, which is represented by root entity `/DMO/I_Travel_M`. All data changes related to this entity that result from transactional behavior are

stored in the database table /DMO/TRAVEL\_M. The transactional handling of the business object's root entity travel is mainly determined by the standard operations `create`, `update`, and `delete`. The fact that in our scenario new instances of the booking child entity should also be created for a specific travel instance is considered by the addition of the `_Booking` association. The keyword `{create;}` declares that this association is create-enabled what exactly means that instances of the associated bookings can only be created by a travel instance.

The sub node of TRAVEL business object structure refers to the corresponding data model for bookings that is represented by the child entity /DMO/I\_Booking\_M. The transactional handling of booking child entity is determined by the standard operation `update`. In addition, the create-enabled association `_BookSupplement` is defined for creation of supplements as part of associated booking instances. Similarly, we model the behavior of the booking supplement entity /DMO/I\_BookSuppl\_M. Since we reach the end of the composition tree with this entity, there is no need to define a create-enabled association.

When providing modifying operations, we also must take care for locking support for all relevant entities of the composition tree. For this purpose, the root entity travel is defined as `lock master` and the child entities as `lock dependent`. In the latter case, the binding information (join condition) is also specified in the syntax `lock dependent( travel_id = travel_id )`, leading from child entity instance to its lock master instance.

#### **Listing 1: Behavior Definition**

```
managed;
define behavior for /DMO/I_Travel_M //alias travel
persistent table /DMO/TRAVEL_M
lock master
{
  create;
  update;
  delete;
  association _Booking { create; }
}
define behavior for /DMO/I_Booking_M //alias booking
persistent table /DMO/BOOKING_M
lock dependent( travel_id = travel_id )
{
  update;
  association _BookSupplement { create; }
}
define behavior for /DMO/I_BookSuppl_M //alias booksuppl
persistent table /dm0/booksuppl_m
lock dependent( travel_id = travel_id )
{
  update;
}
```

### **5.3.2.3 Testing the Business Object**

At this point, you can now test the newly created travel business object for its basic functionality by creating some new instances for the 3 entities (travel, booking, booking supplement) that correspond to the business object's structure, modifying the existing data sets or deleting existing instances.

These options are available to you:

- Testing **with Fiori UI** by using the integrated Fiori UI preview function
- Testing **without Fiori UI**:
  - By executing automated ABAP Unit tests, starting from a generated test class
  - By consuming the newly created business object's entities with EML.

## Procedures


### To use the integrated Fiori UI preview, perform the following steps:

1. Add required UI annotations to the relevant CDS views.  
Add, at least, the `@UI.identification` annotation on each element to be editable when creating or editing entity instances on the Fiori UI object pages.
2. Create the service definition.
3. Specify which CDS entities are exposed as a UI service.
4. Create a service binding for UI consumption.
5. Activate the UI service endpoint in the local service repository.
6. Run the resulting app by using the integrated UI preview function.

**More on this:** [Creating an OData Service \[page 22\]](#) and [Designing the User Interface for a Fiori Elements App \[page 33\]](#)

### To generate a test class for an individual entity of the OData service, perform the following steps:

1. Create the service definition.
2. Specify which CDS entities are to be exposed as a service.
3. Create a service binding for service consumption.
4. Activate the service endpoint in the local service repository.
5. To launch the test class creation wizard, select the relevant entity in the service binding editor and choose [New ABAP Test Class](#) from context menu.



Creating a Test Class for Travel Entity

For the selected entity, the wizard creates a test class with a source code template for ABAP unit tests. After completing the test code, you can perform CUD operations on relevant entity.

#### i Note

You can either create a separate test class for each entity or copy and paste the generated code, then change the name of the entity accordingly for writing ABAP unit tests for other entity.

**To test the business object functionality by implementing EML consumer class, you can, for example, proceed as follows:**

1. Create an EML consumer class.  
You can use, for example, the source code template from listing below.
2. Implement MODIFY calls for creating, updating, or deleting instances of business object's entities.

**LISTING 1:** Template for EML consumer class

```
CLASS MY_EML_CONSUMER_CLASS DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
  PUBLIC SECTION.
    INTERFACES if_oo_adt_classrun.
  PROTECTED SECTION.
  PRIVATE SECTION.
ENDCLASS.

CLASS /dmo/cl_eml_travel_update IMPLEMENTATION.
  METHOD if_oo_adt_classrun~main.
    " To implement the MODIFY call, add EML code here!
  ENDMETHOD.
ENDCLASS.
```

→ Tip

To check the results of the MODIFY call implemented in the consumer class, run the main method of the consumer class by pressing **[F9]** key in the class editor and then search for the created, or updated (and deleted) travel, booking and booking supplement instances in the data preview tool (**[F8]**).

**More on this:** Entity Manipulation Language (EML) [page 76] and Consuming Business Objects with EML [page 421]


### 5.3.3 Developing Business Logic

The managed scenario addresses use cases where all essential parts of an application are to be developed from scratch. New applications like this can highly benefit from out-of-the-box support for transactional processing. The corresponding BO runtime manages the entire life cycle of your business objects and covers all aspects of your business application development.

In a managed scenario, the business object framework implements generically the interaction phase and the save sequence. You, as an application developer can then **focus on business logic** that is implemented by adding actions, validations ad determinations and user interaction.

#### Preview: Resulting Business Object in Relation Explorer

The figure below displays the resulting "Travel" business object in the *Relation Explorer* view. If you choose the **Business Object** context, the *Relation Explorer* provides the composition tree of the business object and displays all operations (including actions), determinations and validations defined by the selected entity.



"Travel" Business Object in Relation Explorer

## Contents

- Creating ABAP Classes for Behavior Implementation [page 213]
- Developing Actions [page 217]
- Adding Static and Dynamic Feature Control [page 225]
- Developing Validations [page 235]
- Developing Determinations [page 244]


### 5.3.3.1 Creating ABAP Classes for Behavior Implementation

Until this step, we got by without any line of ABAP code. This was also not necessary, as in case of managed implementation type the technical implementation aspects are taken over by the business object runtime infrastructure itself. In this case, the business object framework implements generically the interaction phase and the save sequence.

However, to provide our application with specific business logic, we will on the one hand extend the behavior definition with actions, feature control, validations and determinations and on the other hand implement it in ABAP code.

In this step, you create the ABAP classes required for extending behavior artifacts of the corresponding behavior definition that you created earlier.

In doing so, we apply the contribution pattern and split the behavior implementation into different behavior pools, one for the travel root entity and the others for the booking and booking supplement child entities (as shown in figure below). In addition, we will make use of a separate auxiliary class for implementing helper methods (such as for methods reused in different handlers) that can be reused in each behavior implementation class.



## Procedure 1: Create a Behavior Pool /DMO/BP\_TRAVEL\_M

To launch the wizard tool for creating a behavior implementation, do the following:

1. In your *ABAP project* (or *ABAP Cloud Project*), select the relevant behavior definition node (*/DMO/I\_TRAVEL\_M*) in *Project Explorer*.
2. Open the context menu and choose *New Behavior Implementation* to launch the creation wizard.

New Behavior Class

### ABAP Class

Create an ABAP class



Project: \*

Package: \*

Add to favorite packages

---

Name: \*

Description: \*

Original Language:

---

Behavior Definition:

Creating the Behavior Pool /DMO/BP\_TRAVEL\_M

Further information: [Naming Conventions for Development Objects \[page 673\]](#)

Compared to the standard ABAP class, the generated behavior pool (in our case /DMO/BP\_TRAVEL\_M) provides you with an extension FOR BEHAVIOR OF.

```

▶ G /DMO/BP_TRAVEL_M ▶
1④ CLASS /dmo/bp_travel_m DEFINITION PUBLIC ABSTRACT FINAL FOR BEHAVIOR OF /dmo/i_travel_m.
2 ENDCLASS.
3
4④ CLASS /dmo/bp_travel_m IMPLEMENTATION.
5 ENDCLASS.

```

Global Class Class-relevant Local Types Local Types Test Classes (non existent) Macros

New Global Behavior Pool

The real substance of a behavior pool is located in [Local Types](#) (there is currently no implementation yet). Here you can implement special local classes, namely handler classes for additional operations (such as actions), validations and determinations that are triggered at specific points in time within the interaction phase.

Note that these classes can be instantiated or invoked only by the [ABAP runtime environment \(virtual machine\) \[page 688\]](#).

## Procedure 2: Create a Behavior Pool /DMO/BP\_BOOKING\_M

Create another behavior pool class /DMO/BP\_BOOKING\_M, for example, by duplicating the just-created class /DMO/BP\_TRAVEL\_M

### **Listing 1: Global Class /DMO/ BP\_BOOKING\_M**

```
CLASS /dmo/bp_booking_m DEFINITION PUBLIC ABSTRACT FINAL FOR BEHAVIOR OF /dmo/
i_travel_m.
ENDCLASS.
CLASS /dmo/bp_booking_m IMPLEMENTATION.
ENDCLASS.
```

### **Procedure 3: Create a Behavior Pool /DMO/BP\_BOOKINGSUPLEMENT\_M**

Create another behavior pool class /DMO/BP\_BOOKINGSUPLEMENT\_M, for example, by duplicating the class /DMO/BP\_TRAVEL\_M

### **Listing 2: Global Class /DMO/ BP\_BOOKINGSUPPLEMENT\_M**

```
CLASS /dmo/bp_bookingsupplement_m DEFINITION PUBLIC ABSTRACT FINAL FOR BEHAVIOR
OF /dmo/i_travel_m.
ENDCLASS.
CLASS /dmo/bp_bookingsupplement_m IMPLEMENTATION.
ENDCLASS.
```

## **Results**

The newly created behavior pools are located in the *Behavior Implementations* folder of the corresponding behavior definition node [/DMO/I\\_TRAVEL\\_M](#).



### **Procedure 4: Create an Auxiliary Class /DMO/CL\_TRAVEL\_AUXILIARY\_M**

To launch the wizard tool for creating a standard ABAP class, do the following:

1. In your *ABAP project* (or *ABAP Cloud Project*), select the [Source Code Library](#) [Classes](#) node of the relevant package.
2. To launch the creation wizard, open the context menu and choose [New ABAP Class](#).

We will use this auxiliary class to offload parts of the handler code and thus reuse them in different behavior pools.

### 5.3.3.2 Developing Actions

An action is assigned to an individual entity of a business object and is used to implement a modifying non-standard operation as part of the business logic.

For example, you might be interested in extending the business object behavior so that status changes to individual instances of the travel business object can be executed, without the end user having to switch to edit mode. In our demo, we want to provide other example of an action for creation of new travels based on template with data from a selected travel instance.

#### Triggers for Actions

In order for an action to be executed, the corresponding triggers are required. Actions are called by

- A service consumer, for example, by a user interface.
- Internally, for example, by another action or by a determination.
- By other business objects.

#### Action Types

Actions can either be related to instances of a business object's entity or not.

- A **static action** is independent from any instance of an entity.
- An **instance action** is bound on an instance of an entity.

#### Syntax for Defining Actions

Actions are specified as non-standard operations in behavior definitions by using the following syntax:

```
[implementation] managed;
define behavior for CDSEntity [alias AliasedEntityName]
implementation in class ABAP_CLASS_NAME [unique]
...
{
  [static] [internal] action ActionName
    [parameter {InputParameterEntity | $self} ]
    [result [cardinality] {OutputParameterEntity | $self}];
  ...
}
```

##### STATIC

By default, actions are related to instances of a business object's entity. The option `static` allows you to define a static action that is not bound to any instance. Examples of static actions are factory actions used for creation of a set of entity instances - beyond the create standard operation.

## INTERNAL

To only provide an action without exposing it to consumers, the option `internal` can be set before the action name, for example, when executing internal status update. An internal action can only be accessed from the business logic inside the business object implementation such as from a determination.

## INPUT and OUTPUT PARAMETERS

Actions can pass CDS entities as input parameters (`InputParameterEntity`) and output parameters (`OutputParameterEntity`). The CDS entity can be a regular CDS view or an abstract entity. If the `InputParameterEntity` or the `OutputParameterEntity` is the same entity for which the action is executed, then only the predefined keyword `$self` is required. It stands for the type of the entity itself.

→ Tip

[BDL \[page 689\]](#) syntax determines that a maximum of only one parameter on each side (input and output) can be specified. If an action must provide "multiple inputs" or "multiple outputs", then a structure type of CDS or an abstract entity can be used (with components for the individual inputs/outputs).

## RESULT CARDINALITY

The `result cardinality` for actions determines the multiplicity of the output on an input instance. In this way, it indicates whether each instance of an input produces 0..1, 1, 0..n or, 1..n output instances. The possible values for cardinality are therefore:

[0..1] or [1], or [0..\*], or [1..\*].

## Implementing Actions in the Local Handler Class of the Behavior Pool

As a rule, an action that belongs to a business object's entity is implemented in the behavior pool and defined in the behavior definition by the keyword `implementation in class ABAP_CLASS_NAME [unique]`.

The concrete implementation of an action is based on the ABAP language (which has been extended compared to the standard using an additional syntax) in a local handler class as part of the behavior pool.

As depicted in the listing below, each such local class inherits from the base handler class `CL_ABAP_BEHAVIOR_HANDLER`. The signature of the handler method `FOR MODIFY` is typed based on the entity that is defined by the keyword `FOR ACTION` followed by `AliasedEntityName~ActionName`. The alias name is defined in the behavior definition using the addition alias `AliasedEntityName` that refers to the suitable CDS entity.

### Listing: Implementing an Action in a Local Handler Class

```
CLASS lhc_handler DEFINITION INHERITING FROM cl_abap_behavior_handler.  
PRIVATE SECTION.  
METHODS method_name FOR MODIFY  
    IMPORTING it_key_for_action FOR ACTION AliasedEntityName~ActionName  
    RESULT et_action_result.  
ENDCLASS.  
CLASS lhc_handler IMPLEMENTATION.  
METHOD method_name.  
// Implement method here!  
ENDMETHOD.
```

```
ENDCLASS.
```

#### → Remember

According to the [naming conventions \[page 673\]](#), we use the prefix `LHC_` for local handler classes.

## Activities Relevant to Developers

1. Defining Actions as Part of the Behavior Definition [\[page 219\]](#)
2. Implementing Actions [\[page 220\]](#)
3. Enabling Actions for UI Consumption [\[page 225\]](#)

### 5.3.3.2.1 Defining Actions as Part of the Behavior Definition

#### Procedure: Adding Actions to the Behavior Definition

Corresponding to the listing below, add the following actions to the behavior definition `/DMO/I_TRAVEL_M`.

##### **Listing: Added Actions to `/DMO/I_Travel_M`**

All three actions `acceptTravel`, `rejectTravel`, and `createTravelByTemplate` have a similar syntax: they have no input parameters and the output parameter is the same entity for which the action is executed.

```
managed;
define behavior for /DMO/I_Travel_M alias travel
implementation in class /DMO/BP_TRAVEL_M unique
  ...
{
  // instance actions
  action acceptTravel result [1] $self;
  action rejectTravel result [1] $self;
  // instance action for copying travel instances
  action createTravelByTemplate result [1] $self;
  ...
}
define behavior for /DMO/I_Booking_M alias booking
implementation in class /DMO/BP_BOOKING_M unique
  ...
{
  ...
  // No actions defined for bookings
}
define behavior for /DMO/I_BookSuppl_M alias booksuppl
implementation in class /DMO/BP_BOOKINGSUPPLEMENT_M unique
  ...
```

```
{
  ...
  // No actions defined for booking supplements
}
```

### 5.3.3.2.2 Implementing Actions

In this topic we demonstrate how you can implement the two actions `createTravelByTemplate` and `acceptTravel`.

#### Action `createTravelByTemplate`

This action provides a template for creating a new travel based on an already existing travel instance.

##### UI Preview

When we run the final app, the UI screen provides the button *Create Travel by Template* for the action as shown in the figure below.

| Travels (2) Standard ▾    |                       |              |               |              | <a href="#">Create Travel by Template</a> | Delete | Create |
|---------------------------|-----------------------|--------------|---------------|--------------|-------------------------------------------|--------|--------|
| Travel ID                 | Agency ID             | Customer ID  | Starting Date | End Date     |                                           |        |        |
| 1                         | Happy Hopping (70003) | Buchholm (6) | Jul 5, 2019   | Jul 13, 2019 |                                           |        |        |
| Total Price: 1,587.04 EUR |                       |              |               |              |                                           |        |        |
| Booking Status: A         |                       |              |               |              |                                           |        |        |

Accessing the Action on Fiori UI

In change mode (after the user clicks the *Edit* button on Fiori UI's object page), the end user is able to change the relevant travel fields as shown in the figure below.

Travel ID [1,...,99999999]: 3

Agency ID: 70003

Customer ID: 6

Starting Date: Jul 12, 2019

End Date: Aug 11, 2019

Booking Fee: 234.00 EUR

Total Price: 1,587.04 EUR

Status: Open

Description: Enter your comments here

#### Modifying Travel Data in Edit Mode (Object Page)

As soon as the user chooses the **Save** button on the object page, the data is persisted in the corresponding database table and a travel instance with a new travel ID is created.

| Travels (3) Standard |                         |                  |               |              | <a href="#">Create Travel by Template</a> | <a href="#">Delete</a> | <a href="#">Create</a> |
|----------------------|-------------------------|------------------|---------------|--------------|-------------------------------------------|------------------------|------------------------|
| Travel ID            | Agency ID               | Customer ID      | Starting Date | End Date     |                                           |                        |                        |
| 1                    | Happy Hopping (70003)   | Buchholm (6)     | Jul 5, 2019   | Jul 13, 2019 | Total Price: 1,587.04 EUR                 |                        |                        |
| 2                    | Sunshine Travel (70001) | Lautenbach (591) | Jul 8, 2019   | Aug 7, 2019  | Total Price: 9,940.46 EUR                 |                        |                        |
| 3                    | Happy Hopping (70003)   | Buchholm (6)     | Jul 13, 2019  | Aug 11, 2019 | Total Price: 1,587.04 EUR                 |                        |                        |

#### Created Travel Instance

## Definition

In the behavior definition, the action `createTravelByTemplate` is defined as follows:

```
managed;
define behavior for /DMO/I_Travel_M alias travel
  ...
{
  ...
  action createTravelByTemplate result [1] $self;
  ...
}
```

## Procedure: Implementing `createTravelByTemplate` Action in the Handler Class

The `createTravelByTemplate` action is implemented in the `copy_travel` method within the handler class `lhc_travel` which is part (local types) of the behavior pool `/DMO/BP_TRAVEL_M`.

The local handler class `lhc_travel` inherits from class `cl_abap_behavior_handler` and is automatically instantiated by the framework.

The signature of `copy_travel` method includes the importing parameter keys for referring to the `travel` (root) instances, which contains the template data to be copied into the travel root instances to be created. To identify the root entity, the alias `travel` is used - according to the alias that is specified in the behavior definition. The action is then addressed with `FOR ACTION travel~createTravelByTemplate`.

As given in the listing below, the basic structure of the `copy_travel` method includes:

- The maximum of travel number from all existing travel instances is determined in the `SELECT MAX` statement.
- The EML read operation provides read access to the selected travel instance by using the key. The result of this read operation is stored in `lt_read_result`. To access data of the relevant entity fields, the `%control` structure is used. Based on the resulting data, the parameter `lt_create` defines the new data set as a template for the travel instance to be created.
- The actual creation of new travel instance is implemented using EML `MODIFY` statement. The modifying operation takes place in `LOCAL MODE`. As a result, the create operation is excluded from the authorization checks (that may be implemented later on).

### Listing 1: Action Implementation

```
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.  
PRIVATE SECTION.  
METHODS copy_travel FOR MODIFY IMPORTING keys FOR ACTION  
travel~createTravelByTemplate RESULT result.  
...  
ENDCLASS.  
CLASS lhc_travel IMPLEMENTATION.  
...  
METHOD copy_travel.  
    SELECT MAX( travel_id ) FROM /dmo/travel_m INTO @DATA(lv_travel_id).  
    READ ENTITY /dmo/i_travel_m FROM VALUE #( FOR travel IN keys  
        ( %key = travel-%key  
          %control = VALUE #( travel_id =  
if_abap_behv=>mk-on  
                                agency_id =  
if_abap_behv=>mk-on  
                                customer_id =  
if_abap_behv=>mk-on  
                                booking_fee =  
if_abap_behv=>mk-on  
                                total_price =  
if_abap_behv=>mk-on  
                                currency_code =  
if_abap_behv=>mk-on  
                                ) ) )  
    RESULT DATA(lt_read_result)  
    FAILED failed  
    REPORTED reported.  
    DATA(lv_today) = cl_abap_context_info=>get_system_date( ).  
    DATA lt_create TYPE TABLE FOR CREATE /DMO/I_Travel_M\travel.  
    lt_create = VALUE #( FOR row IN lt_read_result INDEX INTO idx  
        ( travel_id = lv_travel_id + idx  
          agency_id = row-agency_id  
          customer_id = row-customer_id  
        ) )  
ENDMETHOD.
```

```

begin_date      = lv_today
end_date        = lv_today + 30
booking_fee     = row-booking_fee
total_price     = row-total_price
currency_code   = row-currency_code
description     = 'Enter your comments here'
overall_status  = 'O' " Open
%control        = VALUE #( travel_id      =
if_abap_behv=>mk-on
                                agency_id      =
if_abap_behv=>mk-on
                                customer_id   =
if_abap_behv=>mk-on
                                begin_date    =
if_abap_behv=>mk-on
                                end_date      =
if_abap_behv=>mk-on
                                booking_fee   =
if_abap_behv=>mk-on
                                total_price   =
if_abap_behv=>mk-on
                                currency_code =
if_abap_behv=>mk-on
                                description   =
if_abap_behv=>mk-on
                                overall_status =
if_abap_behv=>mk-on ) ) .
MODIFY ENTITIES OF /DMO/I_TRAVEL_M IN LOCAL MODE
ENTITY travel
CREATE FROM lt_create
MAPPED mapped
FAILED failed
REPORTED reported.
result = VALUE #( FOR create IN lt_create INDEX INTO idx
                  ( %cid_ref = keys[ idx ]-%cid_ref
                    %key      = keys[ idx ]-travel_id
                    %param    = CORRESPONDING #( create ) ) ) .
ENDMETHOD.
...
ENDCLASS.
```

## Action acceptTravel

This action provides the end user with the option of accepting individual travels without switching to EDIT mode.

### UI Preview

If you run the app, the resulting UI screen provides you with the label *Accept Travel* for the new action - as shown in the figure below.

| Travels (2) Standard ▾                             |                |                       |              |              | Reject Travel | Accept Travel | ⚙️ |
|----------------------------------------------------|----------------|-----------------------|--------------|--------------|---------------|---------------|----|
| Travel ID                                          | Overall Status | Agency ID             | Customer ID  | Booking Fee  |               |               |    |
| 1                                                  | O ←            | Happy Hopping (70003) | Buchholm (6) | 234.00 EUR > |               |               |    |
| Total Price: 1,587.04 EUR<br>Description: Vacation |                |                       |              |              |               |               |    |

Action on Fiori UI

| Travels (2) Standard ▾                             |                |                       |              |             | Reject Travel | Accept Travel | ⚙️ |
|----------------------------------------------------|----------------|-----------------------|--------------|-------------|---------------|---------------|----|
| Travel ID                                          | Overall Status | Agency ID             | Customer ID  | Booking Fee |               |               |    |
| 1                                                  | A ←            | Happy Hopping (70003) | Buchholm (6) | 234.00 EUR  |               |               |    |
| Total Price: 1,587.04 EUR<br>Description: Vacation |                |                       |              |             |               |               |    |

Changed Status as a Result of Action Execution

## Definition

Remember, in the behavior definition, the action `acceptTravel` is defined as follows:

```
managed;
define behavior for /DMO/I_Travel_M alias travel
  ...
{
  ...
  action acceptTravel result [1] $self;
  ...
}
```

## Procedure: Implementing `acceptTravel` Action in the Handler Class

The `acceptTravel` action is implemented in the `set_status_completed` method within the handler class `lhc_travel` which belongs to *local types* component of the behavior pool `/DMO/BP_TRAVEL_M`.

To update `overall_status` data of a selected travel instance, operation `UPDATE` is specified in the EML `MODIFY` statement. Note that the modifying operation takes place in `LOCAL MODE`. As a result, the update operation is excluded from the authorization checks (that may be implemented later on).

In addition to the travel instance data to be updated, it is necessary to specify the sub-structure `%control`, which is part of the import parameter `value_#(...)`. The `UPDATE` call allows to trigger delta updates on consumer side where only the key field `key-travel_id` and the new value need to be supplied. From provider side, it allows to identify which fields are overwritten and which need to be kept according to the DB data. The `%control` structure contains for each entity field a flag `if_abap_behv=>mk-on`, which indicates whether the field was provided by the consumer or not.

## Listing 2: Action Implementation

```
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.
PRIVATE SECTION.
  METHODS set_status_completed FOR MODIFY IMPORTING keys FOR ACTION
    travel~acceptTravel           RESULT result.
  ...
```

```

ENDCLASS.
CLASS lhc_travel IMPLEMENTATION.
  ...
  METHOD set_status_completed.
    " Modify in local mode
    MODIFY ENTITIES OF /DMO/I_TRAVEL_M IN LOCAL MODE
    ENTITY travel
      UPDATE FROM VALUE #( for key in keys ( travel_id = key-travel_id
  overall_status = 'A' "
Accepted
  %control-overall_status =
if_abap_behv=>mk-on ) )
      FAILED failed
      REPORTED reported.
  ENDMETHOD.
  ...
ENDCLASS.

```

### 5.3.3.2.3 Enabling Actions for UI Consumption

Actions are often directly related to business objects instances that you can trigger for a set of travels instances, for example. End users can select an individual line item (that represents an instance) and execute certain actions on the selected line item.

You can use the following UI annotation to expose actions to the consumer:

#### Syntax (for LineItem)

```

define view <CDSEntity> as select from <DATA_SOURCE> as ..
{
  @UI.lineItem: [ ...
    { type: #FOR_ACTION, dataAction: 'action_1', label: 'label 1', position:
10 },
    { type: #FOR_ACTION, dataAction: 'action_2', label: 'label 2', position:20 },
    ...
  }
}

```

#### → Remember

The `dataAction` element references the name of an action as it is defined in the behavior definition.

### 5.3.3.3 Adding Static and Dynamic Feature Control

As an application developer you may want to determine, which entities of your business object should be create-, delete- and update-enabled, so that they can be modified during consumption using [EML \[page 695\]](#)

or [OData services \[page 698\]](#). In addition, you also may want control which (UI) fields of an entity are read-only or which actions in which usage scenarios are enabled or disabled for execution by the end users.

In ABAP RESTful programming model, the feature control is precisely the means of accomplishing such tasks. It allows you to control the visibility and changeability of fields, operations or entire entities.

Depending on whether feature control refers to specific instances or is independent of each entity instance, we distinguish between **instance-bound** and **static feature control**.

The availability of feature control values is modelled in a behavior definition. Unlike static, instance-bound feature control requires not only a definition but also an implementation in a handler class of the behavior pool. Therefore, we also talk about **dynamic feature control** in case of instance-bound feature control.

Feature control can be related to an entire entity or to individual elements of an entity, such as individual fields or operations.

## Activities Relevant to Developers

1. [Modeling Static and Dynamic Feature Control \[page 226\]](#)
2. [Implementing Dynamic Feature Control \[page 229\]](#)

### 5.3.3.3.1 Modeling Static and Dynamic Feature Control

Both, static and dynamic feature control is defined for different levels (entity, field, or action level) in the behavior definition by using the following syntax:

#### Syntax: Feature Control in the Behavior Definition

```
[implementation] managed;
define behavior for CDSEntity [alias AliasName]
implementation in class ABAP_CLASS [unique]
...
{
  /* (1) Feature control at entity level */
  /* Static operation control */
  internal create
  internal update
  internal delete
  /* or (instance-based) dynamic operation control: implementation required! */
  create (features: instance);
  update (features: instance);
  delete (features: instance);
  /* (2) Feature control at field level */
  /* Static field control */
  field (read only | mandatory) f1[, f2, ..., fn];
  /* or dynamic field control: implementation required! */
  field (features: instance) f1[, f2, ..., fn];
  /* (3) Feature control for actions */
  /* Static action control */
```

```
internal action ActionName [...]
/* or dynamic action control: implementation required! */
action ( features: instance ) ActionName [... ]
}
```

## (1) Feature Control at Entity Level

To manage a transactional behavior, an entity of a business object offers standard operations create, update, and delete for external consumption using EML or OData services. To only provide these operations without exposing them to consumers, the option `internal` can be set before the operation name. An **internal operation** can only be accessed from the business logic inside the business object implementation such as from an action, a validation or a determination.

For dynamic control of operations acting on individual entity instances, the option `(features: instance)` must be added to the operation in question. However, an implementation in the referenced class pool `ABAP_CLASS` is necessary for this. For each relevant operation, you can specify in the implementing handler of the class pool the following values:

- `ENABLED` - if the operation is enabled
- `DISABLED` - if the operation is disabled.

**More on this:** [Implementing Dynamic Feature Control \[page 229\]](#)

## (2) Feature Control at Element Level

Within the bracket of `define behavior for CDSEntity { ... }`, you can specify for fields of an entity if they should have certain access restrictions.

For static feature control, it is sufficient to define these restrictions in the behavior definition alone:

- The option `field (read only) f1` does not allow the `f1` field to be changed in create and update operations.
- The option `field (mandatory) f2` requires the corresponding field `f2` to be supplied with a value in create operations. For update operations, the field must not have a non-initial value.

### i Note

To classify multiple fields in the same way, the comma notation can be used:

```
field(read only) f1, f2, f3;
```

**More on this:** [Static Feature Control \[page 359\]](#)

For defining instance-based field control, the option `(features: instance)` must be added to the field in question. In this case however, the implementation of dynamic feature control in the referenced class pool `ABAP_CLASS` is required. When implementing dynamic field control you have the option of specifying the following values for each field that is notated with `( features: instance )`:

- `UNRESTRICTED` – field has no restrictions
- `MANDATORY` – field is mandatory
- `READ_ONLY` – field is read-only
- `ALL` – All restrictions are requested.

**More on this:** [Implementing Dynamic Feature Control \[page 229\]](#)

### (3) Feature Control for Actions

Specific operations of an entity of a business object can be defined using actions. Similar to standard operations, you can define internal actions in the behavior definition by adding the option `internal` to the operation name. Internal actions can only be accessed from the business logic inside the business object implementation such as from validations, determinations, or from other non-internal actions.

For dynamic control of actions acting on individual entity instances, the option (`features: instance`) must be added to the relevant action in the behavior definition. The required implementation must be provided in the referenced class pool `ABAP_CLASS`. For each relevant action, you can specify in the implementing handler of the class pool the following values:

- `ENABLED` - if the action is enabled
- `DISABLED` - if the action is disabled.

**More on this:** [Implementing Dynamic Feature Control \[page 229\]](#)

### Procedure: Adding Feature Control to Behavior Definition /DMO/I\_Travel\_M

Corresponding to the listing below, add the static and dynamic feature control to each entity in the behavior definition.

#### Listing: Added Feature Control to BDEF /DMO/I\_Travel\_M

```
managed;
define behavior for /DMO/I_Travel_M alias travel
implementation in class /DMO/BP_TRAVEL_M unique
...
{
    // administrative fields: read only
    field ( readonly ) last_changed_at, last_changed_by, created_at, created_by;
    // mandatory fields that are required to create a travel
    field ( mandatory ) agency_id, overall_status, booking_fee, currency_code;
    // dynamic field control
    field (features : instance ) travel_id;
    // dynamic action control
    action ( features: instance ) acceptTravel result [1] $self;
    action ( features: instance ) rejectTravel result [1] $self;
    ...
}
define behavior for /DMO/I_Booking_M alias booking
implementation in class /DMO/BP_BOOKING_M unique
...
{
    // static field control
    field ( mandatory ) carrier_id, connection_id, flight_date, booking_status;
    field ( readonly ) travel_id;
    // dynamic field control
    field (features : instance ) booking_id, booking_date, customer_id;
    ...
}
define behavior for /DMO/I_BookSuppl_M alias booksuppl
implementation in class /DMO/BP_BOOKINGSUPPLEMENT_M unique
...
{
    // static field control
    field ( mandatory ) supplement_id, price;
    field ( readonly ) travel_id, booking_id;
```

```

    // dynamic field control
    field (features : instance ) booking_supplement_id;
    ...
}

```

For the travel entity, we define all admin fields as read-only, whereas the fields that are required for creating a travel instance are defined as mandatory.

The key field `travel_id` plays a special role and is intended for dynamic field control. In the corresponding implementation, we will distinguish whether the travel instance already exists (in case of EDIT) or whether it should still be created.

Examples of dynamic action control are the two methods `acceptTravel` and `rejectTravel`. Depending on the status value (`overall_status`), these actions can become enabled or disabled.

For the other entities (booking and booking supplement), we limit ourselves to defining static and dynamic control at field level only.

### 5.3.3.3.2 Implementing Dynamic Feature Control

#### Implementing Dynamic Feature Control in the Handler Class of the Behavior Pool

Dynamic feature control of a business object's entity is implemented in the behavior pool that is specified in the behavior definition by the keyword `implementation` in class `ABAP_CLASS_NAME [unique]`.

The implementation of dynamic feature control is based on the ABAP language in a local handler class (`lhc_handler`) as part of the behavior pool. As depicted in the listing below, each such local class inherits from the base handler class `CL_ABAP_BEHAVIOR_HANDLER`. The signature of the handler method `get_features` is defined by the keyword `FOR FEATURES`, followed by the input parameter `keys` and the (`requested_features`) of the `AliasedEntity`.

The method implementation begins with reading the fields designated for dynamic field control, as well as all key fields of the entity in question.

The `%control` [page 633] structure is used when reading entity data in the contains for each relevant field a flag `if_abap_behv=>mk-on`, which indicates whether the field was provided by the consumer or not.

The output parameter `result` is used to return the feature control values.

These include

- field control information: `%field-fieldx`
- action control information: `%features-%action-action_name`
- standard operation control information: `%features-%(create|update|delete)`.

### **Listing 1: Implementing Feature Control in a Local Handler Class**

```
CLASS lhc_handler DEFINITION INHERITING FROM cl_abap_behavior_handler.  
PRIVATE SECTION.  
METHODS get_features FOR FEATURES  
    IMPORTING keys REQUEST requested_features FOR aliasedEntity RESULT result.  
ENDCLASS.  
CLASS lhc_handler IMPLEMENTATION.  
METHOD get_features.  
    " Read data required  
    READ ENTITY CDSEntityName FROM VALUE #( FOR keyval IN keys  
        ( %key = keyval-%key  
          %control-field1 = if_abap_behv=>mk-on  
          %control-field2 = if_abap_behv=>mk-on ) )  
    RESULT DATA(lt_result_variable).  
  
    " Return feature control information  
    result = VALUE #( FOR ls_variable IN lt_result_variable  
        ( %key = ls_variable-%key  
        " Field control information  
          %field-field1 = if_abap_behv=>fc-f-read_only  
          %field-field2 = if_abap_behv=>fc-f-mandatory  
        " Action control information  
          %features-%action-action_name = COND #( WHEN condition  
              THEN if_abap_behv=>fc-o-disabled  
              ELSE if_abap_behv=>fc-o-enabled )  
        " Operation (example: update) control information  
          %features-%update = COND #( WHEN condition  
              THEN if_abap_behv=>fc-o-disabled  
              ELSE if_abap_behv=>fc-o-enabled )  
        ) ).  
    ) ).  
ENDMETHOD.  
ENDCLASS.
```

## **Dynamic Feature Control for Travel Entity**

In the following step, we will apply the feature control specifically to our demo scenario.

### **UI Preview**

The figure below shows the realization of the static and dynamic field control using the example of the travel object page that has been switched to edit mode. All mandatory fields are marked with a red star. Since it is an already existing travel instance selected, a re-assignment of travel ID number is suppressed in edit mode.

The screenshot shows a travel booking form with various input fields and controls. The fields include:

- Travel ID [1,...,99999999]: 2
- \*Starting Date: Jul 8, 2019
- \*Agency ID: 70001
- \*End Date: Aug 7, 2019
- \*Customer ID: 591
- \*Booking Fee: 234.00 EUR
- Total Price: 9,940.46 EUR
- \*Status [O(Open)|A(Accepted)|X(Canceled)]: O
- Description: Business Trip USA

### Static and Dynamic Feature Control on Field Level

The following figure shows the effect of dynamic control on the two action buttons *Accept Travel* and *Reject Travel*: Since the selected travel instance has a status of *A* (Accepted), the action button *Accept Travel* is disabled.

The screenshot shows a list of travel instances. The first instance (Travel ID 1) has a status of 'A' (Accepted). The 'Accept Travel' button is disabled for this row. The second instance (Travel ID 2) has a status of 'O' (Open). The 'Accept Travel' button is enabled for this row.

| Travel ID | Overall Status             | Agency ID               | Customer ID      | Booking Fee |
|-----------|----------------------------|-------------------------|------------------|-------------|
| 1         | A                          | Happy Hopping (70003)   | Buchholm (6)     | 234.00 EUR  |
|           | Total Price: 1,587.04 EUR  |                         |                  |             |
|           | Description: Vacation      |                         |                  |             |
| 2         | O                          | Sunshine Travel (70001) | Lautenbach (591) | 234.00 EUR  |
|           | Total Price: 9,940.46 EUR  |                         |                  |             |
|           | Description: Business Trip |                         |                  |             |

### Dynamic Feature Control for Actions

## Definition

In the behavior definition, the feature control for travel entity is defined as follows:

```
define behavior for /DMO/I_Travel_M alias travel
implementation in class /DMO/BP_TRAVEL_M unique
...
{
  field ( readonly ) last_changed_at, last_changed_by, created_at, created_by;
  field ( mandatory ) agency_id, overall_status, booking_fee, currency_code;
  field (features : instance) travel_id;
  action ( features: instance ) acceptTravel result [1] $self;
  action ( features: instance ) rejectTravel result [1] $self;
  ...
}
```

## Procedure: Implementing Dynamic Feature Control for Travel Entity

The method implementation begins with reading the `travel_id` field that is designated for dynamic field control. This read access is implemented by the EML read operation that provides access to the selected travel instance by using the `%key` component that contains all key elements of an entity. The result of this read operation is stored in `lt_travel_result`.

Depending on the value of `overall_status` field, the actions `rejectTravel` and `acceptTravel` are enabled or disabled.

### **Listing 2: Implementation of Feature Control for Travel Entity**

```
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.  
PRIVATE SECTION.  
    ...  
    METHODS get_features FOR FEATURES IMPORTING keys REQUEST requested_features  
FOR travel RESULT result.  
ENDCLASS.  
CLASS lhc_travel IMPLEMENTATION.  
    ...  
    METHOD get_features.  
        READ ENTITY /dmo/i_travel_m FROM VALUE #( FOR keyval IN keys  
            ( %key = keyval-%key  
              %control-travel_id = if_abap_behv=>mk-  
on ) )  
            RESULT DATA(lt_travel_result).  
        result = VALUE #( FOR ls_travel IN lt_travel_result  
            ( %key = ls_travel-%key  
              %field-travel_id = if_abap_behv=>fc-f-  
read_only  
              %features-%action-rejectTravel = COND #( WHEN ls_travel-  
overall_status = 'X'  
                THEN  
                if_abap_behv=>fc-o-disabled ELSE if_abap_behv=>fc-o-enabled )  
              %features-%action-acceptTravel = COND #( WHEN ls_travel-  
overall_status = 'A'  
                THEN  
                if_abap_behv=>fc-o-disabled ELSE if_abap_behv=>fc-o-enabled )  
            ) ).  
    ENDMETHOD.  
    ...  
ENDCLASS.
```

## **Dynamic Feature Control for Booking Entity**

### **UI Preview**

The following figure shows the effect of static and dynamic field control after switching the Fiori UI object page for bookings in edit mode.

Booking      Booking Supplement

Booking Number:  \*Flight Number:

Booking Date:  \*Flight Date:

Customer ID:  Flight Price:  EUR

\*Airline ID:  \*Status [N(New)| X(Canceled)| B(Booked)]:

Static and Dynamic Feature Control at Field Level

## Definition

```
define behavior for /DMO/I_Booking_M alias booking
implementation in class /DMO/BP_BOOKING_M unique
...
{
    // static field control
    field ( mandatory ) carrier_id, connection_id, flight_date, booking_status;
    field ( readonly ) travel_id;
    // dynamic field control
    field (features : instance ) booking_id, booking_date, customer_id;
}
...
```

## Procedure: Implementing Dynamic Feature Control for Booking Entity

The `get_features` method implements dynamic field control for the fields `booking_id`, `booking_date`, `customer_id`.

### Listing 3: Dynamic feature control for bookings implemented in behavior class /dmo/bp\_booking\_m

```
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.
PRIVATE SECTION.
...
METHODS get_features FOR FEATURES IMPORTING keys REQUEST requested_features FOR
booking RESULT result.
ENDCLASS.
CLASS lhc_travel IMPLEMENTATION.
...
METHOD get_features.
    READ ENTITY /dmo/i_booking_m FROM VALUE #( FOR keyval IN keys
        ( %key = %control-booking_id =
          %control-booking_date =
          %control-customer_id =
    keyval-%key
    if_abap_behv=>mk-on
    if_abap_behv=>mk-on
    if_abap_behv=>mk-on
        )
    RESULT DATA(lt_booking_result).

```

```

result = VALUE #( FOR ls_travel IN lt_booking_result
    ( %key           = ls_travel-%key
      %field-booking_id = if_abap_behv=>fc-f-read_only
      %field-booking_date = if_abap_behv=>fc-f-read_only
      %field-customer_id = if_abap_behv=>fc-f-read_only
    ) .
ENDMETHOD.
...
ENDCLASS.

```

## Dynamic Feature Control for Booking Supplement Entity

### UI Preview

The following figure shows the effect of static and dynamic field control after switching the Fiori UI object page for booking supplements in edit mode.

Booking Supplement

Book. Supp. Number: 1 \*Product Price: 17.00 EUR

\*Product ID: ML-0012

Save Cancel

Static and Dynamic Feature Control at Field Level

### Definition

```

define behavior for /DMO/I_BookSuppl_M alias booksuppl
implementation in class /DMO/BP_BOOKINGSUPPLEMENT_M unique
...
{
  // static field control
  field ( mandatory ) supplement_id, price;
  field ( readonly ) travel_id, booking_id;
  // dynamic field control
  field (features : instance ) booking_supplement_id;
}

```

## Procedure: Implementing Dynamic Feature Control for Booking Supplement Entity

The get\_features method is implemented analogous to the one of the previous case of bookings.

### Listing 4: Dynamic feature control for booking supplements /dmo/bp\_bookingsupplement\_m

```
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.
```

```

PRIVATE SECTION.
...
METHODS get_features FOR FEATURES IMPORTING keys REQUEST requested_features FOR
booksuppl RESULT result.
ENDCLASS.
CLASS lhc_travel IMPLEMENTATION.
...
METHOD get_features.
    READ ENTITY /dmo/i_booksuppl_m FROM VALUE #( FOR keyval IN keys
  ( %key
  = keyval-%key
  %control-booking_supplement_id =
if_abap_behv=>mk-on
  ) )
  RESULT DATA(lt_booksuppl_result).
    result = VALUE #( FOR ls_travel IN lt_booksuppl_result
                    ( %key
                    = ls_travel-%key
                    %field-booking_supplement_id = if_abap_behv=>fc-f-
read_only
                    ) .
ENDMETHOD.
ENDCLASS.

```

### 5.3.3.4 Developing Validations

A validation is an implicitly executed function intended to check the data consistency of an existing instance of an entity (consistency validation). It is implicitly invoked by the business object's framework as soon as a trigger condition at a predefined point in time is fulfilled. Validation can return messages to the consumer and reject inconsistent instance data from being saved.

#### • Example

A validation is implemented to check if the customer ID referenced in the Travel order is valid. This validation is assigned to the "Travel" entity having defined update as the trigger operation on entity "Travel". As soon as a customer ID is updated by the consumer, the validation will check it and return a warning message if the ID is unknown.

#### → Remember

Validations never modify any instance data but return the messages and keys of failed (inconsistent) entity instances.

## How do Consistency Validations Work in General?

Consistency validations check if an instance is consistent regarding the consistency criteria imposed by the business requirements. Such validations are called at pre-defined points within the business object's transaction cycle to ensure that business object entities are persisted in a consistent state. Each such validation defines a trigger condition that is checked by business object framework while the save phase during the transaction. If the trigger condition is fulfilled, the consistency validation is executed. Otherwise, if there are

inconsistent instance data, the validation sends messages to the consumer and prevents the transaction from being saved until the inconsistency is corrected.

A validation is determined by the following properties:

### **Assigned Entity**

A validation must always be assigned to the entity for which it may return state messages. If, for example, a validation is defined for the root entity, the validation implementation must not return messages that refer to instances of child entities.

### **Trigger Operations**

Validations can only be triggered by create and update operations.

### **Trigger Time**

Validation are executed at pre-defined points within the business object's transaction cycle. Note that the current version of the programming model supports the on save as only time point for triggering validations.

While the save phase is reached, the validation is triggered implicitly by the business object framework during the `Check_Before_Save` point of time.

### **Trigger Field**

Field belonging to the same entity the validation is assigned to.

### **Trigger condition**

A trigger condition consists of trigger operation and list of trigger fields belonging to the same entity the validation is assigned to.

## **Activities Relevant to Developers**

1. [Defining Validations \[page 236\]](#)
2. [Implementing Validations \[page 238\]](#)

### **5.3.3.4.1 Defining Validations**

Validations are specified for individual business object's entities in the behavior definition by using the following syntax:

### **Syntax for Defining Validations**

```
[implementation] managed;
define behavior for CDSEntity [alias AliasedName]
implementation in class ABAP_CLASS [unique]
```

```

...
{
  validation ValidationName on save { field f1[, f2, ..., fn]; }
}

```

The definition of a validation of a CDSEntity is initiated with the `validation` keyword, followed by `ValidationName`.

The option `on save { field f1[, f2, ..., fn]; }` defines the trigger time and the trigger fields, which (together with the create or update operation) form the trigger condition for the validation.

A validation that belongs to a business object's entity is implemented in the behavior pool that is specified in the behavior definition by the keyword `implementation in class ABAP_CLASS [unique]`.

## Procedure: Adding Validations to Behavior Definition /DMO/I\_Travel\_M

Corresponding to the listing below, add the required validations to each entity in the behavior definition.

### **Listing: Added Validations to /DMO/I\_Travel\_M Behavior Definition managed;**

```

managed;
define behavior for /DMO/I_Travel_M alias travel
implementation in class /DMO/BP_TRAVEL_M unique
...
{
  ...
    validation validateCustomer on save { field customer_id; }
    validation validateDates   on save { field begin_date, end_date; }
    validation validateStatus  on save { field overall_status; }
}
define behavior for /DMO/I_Booking_M alias booking
implementation in class /DMO/BP_BOOKING_M unique
...
{
  ...
    validation validateStatus on save { field booking_status; }
}
define behavior for /DMO/I_BookSuppl_M alias booksuppl
implementation in class /DMO/BP_BOOKINGSUPPLEMENT_M unique
...
{
  ...
    // No validations
}

```

For the travel entity, we define the following three validations:

- `validateCustomer` – checks if the customer ID that is entered by the consumer is valid
- `validateDates` – checks for the travel instance if the value of travel's `begin_date` is in future and if the value of the `end_date` is after `begin_date`
- `validateStatus` - checks for the travel instance if the value of `overall_status` field is valid.

For the booking entity, also a validation `validateStatus` is defined. However, in contrast to the validation with the same name in the travel entity, `booking_status` is specified as trigger field.

## 5.3.3.4.2 Implementing Validations

### Implementing Validations in the Local Handler Class of the Behavior Pool

A validation that is assigned to a business object's entity is implemented in the behavior pool, which is referred in the behavior definition by the keyword `implementation in class ABAP_CLASS_NAME [unique]`.

The implementation of a validation is based on the ABAP language (which has been extended compared to the standard using an additional syntax) in a local handler class as part of the behavior pool.

As depicted in the listing below, each such local class inherits from the base handler class `CL_ABAP_BEHAVIOR_HANDLER`. The signature of the corresponding handler method `lhc_handler` is typed based on the entity that is defined by the keyword `FOR VALIDATION` followed by `AliasedEntityName~ValidationName`.

To identify the instance of an entity, `it_key` is used as input parameter.


#### **Listing 1: Implementing an Action in a Local Handler Class**

```
CLASS lhc_handler DEFINITION INHERITING FROM cl_abap_behavior_handler.  
PRIVATE SECTION.  
METHODS method_name FOR VALIDATION AliasedEntityName~ValidationName  
    IMPORTING it_key FOR AliasedEntityName.  
ENDCLASS.  
CLASS lhc_handler IMPLEMENTATION.  
METHOD method_name.  
// Implement method for validation here!  
ENDMETHOD.  
ENDCLASS.
```

### Validations on Travel Entity

#### UI Preview

If the user enters an invalid number as the Customer ID, the validation is initiated at the save time and, as a result, which rejects saving of the instance data and returns a corresponding message to the user.



Customer ID field validation on Fiori UI

## Definition

In the behavior definition, the validations on the travel entity are defined as follows:

```
managed;
define behavior for /DMO/I_Travel_M alias travel
  ...
{
  ...
  validation validateCustomer on save { field customer_id; }
  validation validateDates   on save { field begin_date, end_date; }
  validation validateStatus  on save { field overall_status; }
}
```

## Procedure: Implementing Validations on Travel Entity

It should come as no surprise that the signatures of all three methods for implementing validations are very similar.

In the following listing 2, you see details about the implementation of the `validate_customer` method:

(1) First, the EML read operation `READ ENTITY` provides read access to the selected travel instance by using the key. To access data of the relevant entity fields, the `%control` structure is used. As a result of the read operation the entered (changed) value of the `customer_id` field for the selected travel instance are written into the table row `lt_travel`.

(2) In the following lines of code, we prepare an optimization for the following database select. By using the sorted table `lt_customer`, we will ensure that only data records with non-initial customer IDs are considered for database access.

(3) By accessing the contents of the database table `/dmo/customer`, we can check whether the entered customer ID exists on the database at all.

(4) If the validation detects inconsistencies (customer ID is not valid), it must provide the key of all inconsistent instances as failed key and return error messages to the consumer. For all failed instances, also corresponding messages are created by calling the framework's `new_message` method. For access to suitable message texts, a message class `/DMO/CM_FLIGHT_LEGAC` from the `/DMO/FLIGHT` package is reused.

### **Listing 2: Implementation of validate\_customer Method**

```
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.  
PRIVATE SECTION.  
    ...  
    METHODS validate_customer          FOR VALIDATION travel~validateCustomer  
    IMPORTING keys FOR travel.  
        METHODS validate_dates          FOR VALIDATION travel~validateDates  
    IMPORTING keys FOR travel.  
        METHODS validate_travel_status FOR VALIDATION travel~validateStatus  
    IMPORTING keys FOR travel.  
ENDCLASS.  
CLASS lhc_travel IMPLEMENTATION.  
*****  
*  
* Validate customer data when saving travel data  
*  
*****  
METHOD validate_customer.  
    " (1) Read relevant travel instance data  
    READ ENTITY /DMO/I_Travel_M\travel FROM VALUE #(  
        FOR <root_key> IN keys ( %key      = <root_key>  
                                %control = VALUE #( customer_id =  
if_abap_behv=>mk-on ) )  
        RESULT DATA(lt_travel).  
    DATA lt_customer TYPE SORTED TABLE OF /dmo/customer WITH UNIQUE KEY  
customer_id.  
    " (2) Optimization of DB select: extract distinct non-initial customer IDs  
    lt_customer = CORRESPONDING #( lt_travel DISCARDING DUPLICATES MAPPING  
customer_id = customer_id EXCEPT * ).  
    DELETE lt_customer WHERE customer_id IS INITIAL.  
    CHECK lt_customer IS NOT INITIAL.  
    " (3) Check if customer ID exist  
    SELECT FROM /dmo/customer FIELDS customer_id  
        FOR ALL ENTRIES IN @lt_customer  
        WHERE customer_id = @lt_customer-customer_id  
        INTO TABLE @DATA(lt_customer_db).  
    " (4) Raise msg for non existing customer id  
    LOOP AT lt_travel INTO DATA(ls_travel).  
        IF ls_travel-customer_id IS NOT INITIAL AND NOT  
line_exists( lt_customer_db[ customer_id =  
  
    ls_travel-customer_id ] ).  
        APPEND VALUE #( travel_id = ls_travel-travel_id ) TO failed.  
        APPEND VALUE #( travel_id = ls_travel-travel_id  
                        %msg      = new_message( id      = '/DMO/  
CM_FLIGHT_LEGAC'  
   number   = '002'  
   v1       = ls_travel-  
customer_id  
   severity =  
if_abap_behv_message=>severity-error )  
   %element-customer_id = if_abap_behv=>mk-on ) TO  
reported.  
        ENDIF.  
    ENDLOOP.  
ENDMETHOD.
```

In the following listing 3, you see details about the implementation of the validate\_customer method:

- (1) The EML read operation `READ ENTITY` provides read access to data from trigger fields `begin_date` and `end_date`. As a result of the read operation the entered (changed) values of the `begin_date` and `end_date` fields for the selected travel instance are written into the table row `lt_travel`.

(2), (3) The validation detects inconsistencies if the date value of `end_date` is before the date value of `begin_date` or if the date value of `begin_date` is in the past. Each validation can produce failed keys and messages. Any failed keys are stored in the table `FAILED` whereas the `REPORTED` table includes all instance-specific messages.

**Listing 3: Implementation of validate\_dates Method**

```
*****
*
* Check validity of dates
*
*****  

METHOD validate_dates.  

    " (1) Read relevant travel instance data  

    READ ENTITY /DMO/I_Travel_M\travel FROM VALUE #(  

        FOR <root_key> IN keys ( %key      = <root_key>  

                                %control = VALUE #( begin_date =  

if_abap_behv=>mk-on  

                                end_date      =  

if_abap_behv=>mk-on ) )  

                                RESULT DATA(lt_travel_result).  

LOOP AT lt_travel_result INTO DATA(ls_travel_result).  

    " (2) Check if end_date is not before begin_date  

    IF ls_travel_result-end_date < ls_travel_result-begin_date.  

        APPEND VALUE #( %key      = ls_travel_result-%key  

                        travel_id   = ls_travel_result-travel_id ) TO failed.  

        APPEND VALUE #( %key      = ls_travel_result-%key  

                        %msg       = new_message( id      = /dmo/  

cx_flight_legacy=>end_date_before_begin_date-msgid  

                                number     = /dmo/  

cx_flight_legacy=>end_date_before_begin_date-msgno  

                                v1         = ls_travel_result-  

begin_date  

                                v2         = ls_travel_result-  

end_date  

                                v3         = ls_travel_result-  

travel_id  

                                severity   =  

if_abap_behv_message=>severity-error )  

                        %element-begin_date = if_abap_behv=>mk-on  

                        %element-end_date  = if_abap_behv=>mk-on ) TO reported.  

    " (3) Check if begin_date is in the future  

    ELSEIF ls_travel_result-begin_date <  

cl_abap_context_info=>get_system_date().  

        APPEND VALUE #( %key      = ls_travel_result-%key  

                        travel_id   = ls_travel_result-travel_id ) TO failed.  

        APPEND VALUE #( %key      = ls_travel_result-%key  

                        %msg       = new_message( id      = /dmo/  

cx_flight_legacy=>begin_date_before_system_date-msgid  

                                number     = /dmo/  

cx_flight_legacy=>begin_date_before_system_date-msgno  

                                severity   =  

if_abap_behv_message=>severity-error )  

                        %element-begin_date = if_abap_behv=>mk-on  

                        %element-end_date  = if_abap_behv=>mk-on ) TO reported.  

    ENDIF.  

ENDLOOP.  

ENDMETHOD.
```

In the following listing 3, you see details about the implementation of the `validate_travel_status` method:

Checking the validity of `overall_status` values is performed within a `case` loop. The valid values `O`, `X`, and `A` are specified directly in the source code.

#### Listing 4: Implementation of `validate_travel_status` Method

```
*****
*
* Validate travel status when saving travel data
*
*****
METHOD validate_travel_status.
  READ ENTITY /DMO/I_Travel_M\travel FROM VALUE #(
    FOR <root_key> IN keys ( %key      = <root_key>
                                %control = VALUE #( overall_status =
if_abap_behv=>mk-on ) ) )
    RESULT DATA(lt_travel_result).
  LOOP AT lt_travel_result INTO DATA(ls_travel_result).
    CASE ls_travel_result-overall_status.
      WHEN 'O'.  "Open
      WHEN 'X'.  "Cancelled
      WHEN 'A'.  "Accepted
      WHEN OTHERS.
        APPEND VALUE #( %key = ls_travel_result-%key ) TO failed.
        APPEND VALUE #( %key = ls_travel_result-%key
                        %msg = new_message( id      = /dmo/
cx_flight_legacy=>status_is_not_valid-msgid
                        number   = /dmo/
cx_flight_legacy=>status_is_not_valid-msgno
                        v1       = ls_travel_result-
overall_status
                        severity =
if_abap_behv_message=>severity-error )
                        %element-overall_status = if_abap_behv=>mk-on ) TO
reported.
      ENDCASE.
    ENDLOOP.
  ENDMETHOD.
```

## Validation on Booking Entity

### UI Preview

In this case, we want to validate the status values of booking instances. If a user enters the wrong value `K`, according to the figure below, the instance with its data is not saved and an error message is displayed instead.

Booking      Booking Supplement


Booking Number: \*Flight Number:  
1 1537

Booking Date: \*Flight Date:  
Jun 27, 2019 Jul 2, 2019

Customer ID: Flight Price:  
7 422.00 EUR

\*Airline ID: \*Status [N(New)| X(Canceled)| B(Booked)]:  
UA K

**Save** **Cancel**



Booking Status Validation on Fiori UI

## Definition

```
define behavior for /DMO/I_Booking_M alias booking
...
{
  ...
  validation validateStatus on save { field booking_status; }
}
```

## Procedure: Implementing Validation on Booking Entity

The validate\_booking\_status method is implemented analogous to the one of the previous case when checking travel status.

### Listing 5: Implementation of validate\_travel\_status Method

```
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.
  PRIVATE SECTION.
    METHODS validate_booking_status FOR VALIDATION booking~validateStatus
      IMPORTING keys FOR booking.
  ...
ENDCLASS.

CLASS lhc_travel IMPLEMENTATION.
METHOD validate_booking_status.
  READ ENTITY-/DMO/I_Travel_M\booking FROM VALUE #( 
    FOR <root_key> IN keys ( %key = <root_key>
```

```

        %control = VALUE #( booking_status =
if_abap_behv=>mk-on ) )
      RESULT DATA(lt_booking_result).
LOOP AT lt_booking_result INTO DATA(ls_booking_result).
CASE ls_booking_result->booking_status.
  WHEN 'N'.  " New
  WHEN 'X'.  " Canceled
  WHEN 'B'.  " Booked
  WHEN OTHERS.
    APPEND VALUE #( %key = ls_booking_result->%key ) TO failed.
    APPEND VALUE #( %key = ls_booking_result->%key
                  %msg = new_message( id          = /dmo/
cx_flight_legacy->status_is_not_valid-msgid
                           number     = /dmo/
cx_flight_legacy->status_is_not_valid-msgno
                           v1         = ls_booking_result-
booking_status
                           severity   =
if_abap_behv_message=>severity-error )
                  %element->booking_status = if_abap_behv=>mk-on ) TO
reported.
  ENDCASE.
  ENDLOOP.
ENDMETHOD.
...
ENDCLASS.
```

### 5.3.3.5 Developing Determinations

A determination is an implicitly executed function that handles side effects of modified entity instances. It is invoked by the business object's framework as soon as a determination's **trigger condition** at a predefined point in time, the **determination time**, is fulfilled.

Determinations are triggered internally based on changes made to the entity instance of a business object. The trigger conditions are checked by business object framework at different points during the transaction cycle, depending on the determination time and the changing operations on the relevant entity instances. For each determination, it is necessary to specify both the determination time and the changes that form the trigger condition. A trigger condition consists of a list of fields belonging to the same entity the determination is assigned to and the changing operations that include creating or updating entity instances. We call this operations **trigger operations**.

In case a field is changed (after creation or update), the condition is fulfilled. The framework evaluates the triggering condition of all determinations at certain points in time (determination time). For determinations, this is today either after each modification or during the save phase.

You can use a determination primarily to compute data that is derived from the values of other fields. The determined fields and the determining fields either belong to the same entity or to different entities of a business object.

As a result, determination can modify entity instances and return transition messages (error, warning, information, success).

#### ❖ Example

As a typical example, a determination is used to calculate the invoice amount depending from a changed price or quantity of an item. The determination would be assigned to the "Item" entity having defined the

trigger operation `UPDATE` and `CREATE` on entity "Item". As soon as the consumer creates a new item entity instances or updates the quantity and price of an existing one, the determination will run and update that item and re-calculate the invoice amount to the new value.

## Trigger Operations

Depending on the use case in question, the business object framework checks the triggers of a determination at specific points during the transaction.

A determination time defines at what time in the transaction cycle the trigger condition of that determination should be evaluated. For example, the re-calculation of the invoice amount should take place every time after a modification is performed (determination time: `on modify`), but only if there are instances of a child entity that were updated (trigger operation: `update`).

The following list shows which trigger operations are evaluated at which determination time:

| Determination Time | Trigger Operation: CREATE | Trigger Operation: UPDATE |
|--------------------|---------------------------|---------------------------|
| On Modify          | X                         | X                         |
| On Save            | X                         | X                         |

The following list shows which trigger operations are evaluated at the field level (field trigger) and for the entire entity (entity trigger):

| Trigger Type   | Trigger Operation: CREATE | Trigger Operation: UPDATE |
|----------------|---------------------------|---------------------------|
| Field Trigger  | X                         | X                         |
| Entity Trigger | X                         | -                         |

### ! Restriction

The current version of the ABAP RESTful programming model does not support `DELETE` as trigger operation in determinations. We suggest using the following workaround in this case: Implement the `DELETE` operation for child entities in a regular action, which implements the semantics of the determination, for example a calculation) and disable the `DELETE` operation by dynamic feature control – if required.

This restriction is the reason why the `DELETE` standard operation is not defined for booking and booking supplement entities in our demo scenario. The deletion only takes place at the root level, for entire travel instances.

## Activities Relevant to Developers

1. Defining Determinations [page 246]
2. Implementing Determinations [page 247]

### 5.3.3.5.1 Defining Determinations

Determinations are specified for individual business object's entities in the behavior definition by using the following syntax:

#### Syntax for Defining Validations

```
[implementation] managed;
define behavior for CDSEntity [alias AliasedName]
implementation in class ABAP_CLASS [unique]
...
{
    // (1) determination for triggers at field level
    determination DeterminationName on (save | modify) { field f1[, f2, ..., fn] ; }
    // (2) determination for triggers at entity level
    determination DeterminationName on (save | modify) { create; }
}
...
```

The definition of a determination that is assigned to a `CDSEntity` is initiated with the `determination` keyword, followed by `DeterminationName`.

Depending on whether the trigger condition is defined at the field or the entity level, the following options are available:

- (1) The option `on (save | modify) { field f1[, f2, ..., fn]; }` defines the determination time on `save` (before save) or on `modify` (immediately after modification) and the trigger fields, which (together with the `create` or `update` operation) form the trigger condition for the determination.
- (2) The option `on (save | modify) { create; }` defines the determination time on `save` or on `modify` for the entire entity (all entity fields are trigger fields), which together with the `create` operation (no `update` operation!) form the trigger condition for the determination.

A determination that belongs to a business object's entity is implemented in the behavior pool that is specified in the behavior definition by the keyword `implementation in class ABAP_CLASS [unique]`.

#### Procedure: Adding Determinations to Behavior Definition /DMO/I\_Travel\_M

As depicted in the listing below, add the following determinations to relevant entities in the behavior definition.

#### Listing: Added Determinations to /DMO/I\_Travel\_M Behavior Definition

```
managed;
define behavior for /DMO/I_Travel_M alias travel
implementation in class /DMO/BP_TRAVEL_M unique
...
```

```

{
  ...
  // No determinations for travel entity
}
define behavior for /DMO/I_Booking_M alias booking
implementation in class /DMO/BP_BOOKING_M unique
...
{
  ...
  // determination for calculation of total flight price
  determination calculateTotalFlightPrice on modify { field flight_price,
  currency_code; }
}
define behavior for /DMO/I_BookSuppl_M alias booksuppl
implementation in class /DMO/BP_BOOKINGSUPPLEMENT_M unique
...
{
  ...
  // determination for calculation of total suppl. price
  determination calculateTotalSupplmPrice on modify { field price,
  currency_code; }
}

```

The determination `calculateTotalFlightPrice` on the booking entity is intended to handle the calculation of total price of all flight bookings that belong to the selected travel. The determination will be triggered by `on modify` as determination time when creating new booking instances or updating the flight price value or when changing the currency. In other words: both fields `flight_price` and `currency_code` serve as trigger fields and form together with create and update operations the trigger condition for the determination.

For the booking supplement entity, the determination `calculateTotalSupplmPrice` is defined analogues. This determination is used to calculate the total price of all supplements assigned to an individual flight booking instance.

All calculated values are finally used to re-calculate the total travel price at the root entity level.

### 5.3.3.5.2 Implementing Determinations

#### Implementing Determinations in the Local Handler Class of the Behavior Pool

A determination that is assigned to a business object's entity is implemented in the behavior pool, which is referred in the behavior definition by the keyword `implementation in class ABAP_CLASS_NAME [unique]`.

The implementation of a determination is based on the ABAP language in a local handler class as part of the behavior pool.

As depicted in the listing below, each such local class inherits from the base handler class `CL_ABAP_BEHAVIOR_HANDLER`. The signature of the corresponding handler method `lhc_handler` is typed

based on the entity that is defined by the keyword FOR DETERMINATION followed by AliasedEntityName~DeterminationName.

To identify the instance of an entity, it\_key is used as input parameter of the handler method.

### **Listing 1: Implementing a Determination in a Local Handler Class**

```
CLASS lhc_handler DEFINITION INHERITING FROM cl_abap_behavior_handler.  
PRIVATE SECTION.  
METHODS method_name FOR DETERMINATION AliasedEntityName~DeterminationName  
    IMPORTING it_key FOR AliasedEntityName.  
ENDCLASS.  
CLASS lhc_handler IMPLEMENTATION.  
METHOD method_name.  
    // Implement method for determination here!  
ENDMETHOD.  
ENDCLASS.
```

## **Determination on Booking Entity**

### **UI Preview**

The figure below refers to the starting point of viewing with a newly created travel instance with the initial amount (*Total Price*) and the travel currency *0.00 EUR*.

| Travels (1)   Standard ▾ |                         |                |               |              |             | Create Travel by Template | Delete | Create | ⋮ |
|--------------------------|-------------------------|----------------|---------------|--------------|-------------|---------------------------|--------|--------|---|
| Travel ID                | Agency ID               | Customer ID    | Starting Date | End Date     | Total Price | Booking Status            |        |        |   |
| 1                        | Sunshine Travel (70001) | Neubasler (71) | Jul 24, 2019  | Aug 21, 2019 | 0.00 EUR    | O                         |        |        | > |

The Newly Created Travel with a Total Price 0.00 EUR.

If a user adds a flight booking to the travel, then also the travel's *Total Price* is updated.

The screenshot shows the SAP Fiori interface for Travel and Booking. In the Travel section, fields include Travel ID (1), Agency ID (Sunshine Travel (70001)), Customer ID (Neubasler (71)), Starting Date (Jul 24, 2019), End Date (Aug 21, 2019), Booking Fee (33.00 EUR), and Total Price (422.00 EUR). In the Booking section, a table lists one booking entry with Booking Number (1), Booking Date (Jul 24, 2019), Customer ID (7), Airline ID (United Airlines, Inc. (UA)), Flight Number (1537), Flight Date (Jul 29, 2019), and Flight Price (422.00 EUR). A yellow box highlights the 'Total Price' field in the Travel section and the 'Flight Price' field in the Booking table.

If the user switches the booking's object page to edit mode and then changes the *Flight Price*, then the *Total Price* is also updated at root level.

The screenshot illustrates the update process. It shows a table with a single booking entry (Booking Number 1) and a 'Flight Price' of 411.00 EUR. A yellow box highlights the 'Flight Price' field. An arrow points down to the 'Save' button, indicating the update. Another arrow points down to the Travel entity table, where the 'Total Price' is now updated to 411.00 EUR. A yellow box highlights the 'Total Price' field in the Travel table.

Updated Total Price at Root Level

## Definition

In the behavior definition, the determination on the booking entity is defined as follows:

```
managed;
define behavior for /DMO/I_Booking_M alias booking
  ...
{
```

```

...
    determination calculateTotalFlightPrice on modify { field flight_price,
    currency_code; }
}

```

## Procedure: Implementing the Determination Code in the Auxiliary Class

Since the pricing calculation is required for both determinations and we will access them from different handler classes, we outsource the more generic code of the `calculate_price` method to a separate class, which we already created in one of the previous steps as auxiliary class `/dmo/cl_travel_auxiliary_m`.

**Listing 2: Implementation of `calculate_price` Method as Part of the Auxiliary Class**

```

CLASS /dmo/cl_travel_auxiliary_m DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
PUBLIC SECTION.
*   Type definition for import parameters -----
  TYPES tt_travel_id          TYPE TABLE OF /dmo/travel_id.
  TYPES tt_travel_reported    TYPE TABLE FOR REPORTED /dmo/i_travel_m.
  TYPES tt_booking_reported   TYPE TABLE FOR REPORTED /dmo/
i_booking_m.
  TYPES tt_bookingsupplement_reported TYPE TABLE FOR REPORTED /dmo/
i_booksuppl_m.
*   Method for price calculation (used in determination calls) -----
  CLASS-METHODS calculate_price IMPORTING it_travel_id TYPE tt_travel_id.
ENDCLASS.

CLASS /dmo/cl_travel_auxiliary_m IMPLEMENTATION.
  METHOD calculate_price.
    IF it_travel_id IS INITIAL.
      RETURN.
    ENDIF.

*   (1) Read relevant travel instance data
-----
  READ ENTITIES OF /dmo/i_travel_m
    ENTITY travel
      FROM VALUE #( FOR lv_travel_id IN it_travel_id (
        travel_id = lv_travel_id
        %control-currency_code = if_abap_behv=>mk-on ) )
    RESULT DATA(lt_read_travel).
*   (2) Read relevant booking instance data by using the association (travel to
bookig)-----
  READ ENTITIES OF /dmo/i_travel_m
    ENTITY travel BY \booking
      FROM VALUE #( FOR lv_travel_id IN it_travel_id (
        travel_id = lv_travel_id
        %control-flight_price = if_abap_behv=>mk-on
        %control-booking_id = if_abap_behv=>mk-on
        %control-currency_code = if_abap_behv=>mk-on ) )
    RESULT DATA(lt_read_booking_by_travel).
LOOP AT lt_read_booking_by_travel INTO DATA(ls_booking)
  GROUP BY ls_booking-travel_id INTO DATA(ls_travel_key).
  ASSIGN lt_read_travel[ KEY entity COMPONENTS travel_id = ls_travel_key ]
    TO FIELD-SYMBOL(<ls_travel>).
  CLEAR <ls_travel>-total_price.
  LOOP AT GROUP ls_travel_key INTO DATA(ls_booking_result)
    GROUP BY ls_booking_result-currency_code INTO DATA(lv_curr).
    DATA(total_book_price_by_trav_curr) = VALUE /dmo/total_price( ).
    LOOP AT GROUP lv_curr INTO DATA(ls_booking_line).
      total_book_price_by_trav_curr += ls_booking_line-flight_price.
    ENDLOOP.
    IF lv_curr = <ls_travel>-currency_code.
      <ls_travel>-total_price += total_book_price_by_trav_curr.
    ELSE.

```

```

* (2') Call procedure for currency conversion
-----
/dmo/cl_flight_amdp=>convert_currency(
    EXPORTING
        iv_amount                = total_book_price_by_trav_curr
        iv_currency_code_source   = lv_curr
        iv_currency_code_target   = <ls_travel>-currency_code
        iv_exchange_rate_date     =
cl_abap_context_info=>get_system_date( )
    IMPORTING
        ev_amount                 = DATA(total_book_price_per_curr)
).
<ls_travel>-total_price += total_book_price_per_curr.
ENDIF.
ENDLOOP.
ENDLOOP.
* (3) Read relevant supplement data by using the association (booking to
bookig supplement)-----
READ ENTITIES OF /dmo/i_travel_m
    ENTITY booking BY \_BookSupplement
        FROM VALUE #( FOR ls_travel IN lt_read_booking_by_travel (
            travel_id                  = ls_travel-travel_id
            booking_id                 = ls_travel-booking_id
            %control-price              = if_abap_behv=>mk-on
            %control-currency_code      = if_abap_behv=>mk-on ) )
        RESULT    DATA(lt_read_booksuppl).
LOOP AT lt_read_booksuppl INTO DATA(ls_booking_suppl)
    GROUP BY ls_booking_suppl-travel_id INTO ls_travel_key.
    ASSIGN lt_read_travel[ KEY entity COMPONENTS travel_id = ls_travel_key ] TO <ls_travel>.
    LOOP AT GROUP ls_travel_key INTO DATA(ls_booksuppl_result)
        GROUP BY ls_booksuppl_result-currency_code INTO lv_curr.
        DATA(total_suppl_price_by_trav_curr) = VALUE /dmo/total_price( ).
        LOOP AT GROUP lv_curr INTO DATA(ls_booking_suppl2).
            total_suppl_price_by_trav_curr += ls_booking_suppl2-price.
        ENDLOOP.
        IF lv_curr = <ls_travel>-currency_code.
            <ls_travel>-total_price += total_suppl_price_by_trav_curr.
        ELSE.
* (3') Call procedure for currency conversion
-----
/dmo/cl_flight_amdp=>convert_currency(
    EXPORTING
        iv_amount                = total_suppl_price_by_trav_curr
        iv_currency_code_source   = lv_curr
        iv_currency_code_target   = <ls_travel>-currency_code
        iv_exchange_rate_date     =
cl_abap_context_info=>get_system_date( )
    IMPORTING
        ev_amount                 = DATA(total_suppl_price_per_curr)
).
<ls_travel>-total_price += total_suppl_price_per_curr.
ENDIF.
ENDLOOP.
ENDLOOP.
* (4) Update the total_price value for the relevant travel instance
-----
MODIFY ENTITIES OF /dmo/i_travel_m
    ENTITY travel
        UPDATE FROM VALUE #( FOR travel IN lt_read_travel (
            travel_id                  = travel-travel_id
            total_price                 = travel-total_price
            currency_code               = travel-currency_code
            %control-total_price        = if_abap_behv=>mk-on ) ) .
ENDMETHOD.
ENDCLASS.
```

## Procedure: Implementing the Determination on Booking Entity

The implementation of the determination method `calculate_total_flight_price` in the handler class `lhc_travel` of the corresponding class pool `/dmo/bp_booking_m` is now reduced to the method call `/dmo/cl_travel_auxiliary_m=>calculate_price()`.

### Listing 3: Implementation of `calculate_total_flight_price` Method

```
*****
*
* Calculates total booking price
*
*****
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.
PRIVATE SECTION.
...
METHODS calculate_total_flight_price FOR DETERMINATION
booking~calculateTotalFlightPrice
    IMPORTING keys FOR booking.
ENDCLASS.

CLASS lhc_travel IMPLEMENTATION.
METHOD calculate_total_flight_price.
    IF keys IS NOT INITIAL.
        /dmo/cl_travel_auxiliary_m=>calculate_price(
            it_travel_id = VALUE #(  FOR GROUPS <booking> OF booking_key IN keys
                                     GROUP BY booking_key-travel_id WITHOUT
MEMBERS
   ( <booking> ) ) .
        ENDIF.
    ENDMETHOD.
...
ENDCLASS.
```

## Validation on Booking Supplement Entity

### UI Preview

If the user adds a supplement to a given flight booking, then the travel amount is re-calculated.

| Booking Number:<br>1                                                        | Flight Number:<br>1537                        |               |
|-----------------------------------------------------------------------------|-----------------------------------------------|---------------|
| Booking Date:<br>Jul 24, 2019                                               | Flight Date:<br>Jul 29, 2019                  |               |
| Customer ID:<br>7                                                           | Flight Price:<br>411.00 EUR                   |               |
| Airline ID:<br>United Airlines, Inc. (UA)                                   | Status [N(New)  X(Canceled)  B(Booked)]:<br>N |               |
| <b>Booking Supplement</b>                                                   |                                               |               |
| <input type="text" value="Search"/> <span>Delete</span> <span>Export</span> |                                               |               |
| Book. Supp. Number                                                          | Product ID                                    | Product Price |
| 1                                                                           | Hamburg Salad with Fresh Shrimps (ML-0012)    | 17.00 EUR     |

#### Added Supplement Changes the Travel Amount

The updated travel amount is displayed in as new value of Total Price.

| Travel ID | Agency ID               | Customer ID    | Starting Date | End Date     | Total Price | Booking Status |
|-----------|-------------------------|----------------|---------------|--------------|-------------|----------------|
| 1         | Sunshine Travel (70001) | Neubasler (71) | Jul 24, 2019  | Aug 21, 2019 | 428.00 EUR  | O              |

#### Updated Total Price of the Travel Instance

In addition to the price, the currency was also defined as another trigger field for determination. In this way, we want to ensure that currency conversion is also carried out when the total amount is re-calculated. In our case, the supplement price with the current currency ([USD](#)) is converted into the travel currency ([EUR](#)).

| Booking Supplement                    | <input type="text" value="Search"/> <span>Delete</span> <span>Export</span> |                |               |              |             |                |
|---------------------------------------|-----------------------------------------------------------------------------|----------------|---------------|--------------|-------------|----------------|
| Book. Supp. Number                    | Product ID                                                                  |                |               |              |             |                |
| 1                                     | ML-0012 <span>USD</span>                                                    |                |               |              |             |                |
| <span>Save</span> <span>Cancel</span> |                                                                             |                |               |              |             |                |
| Travel ID                             | Agency ID                                                                   | Customer ID    | Starting Date | End Date     | Total Price | Booking Status |
| 1                                     | Sunshine Travel (70001)                                                     | Neubasler (71) | Jul 24, 2019  | Aug 21, 2019 | 429.08 EUR  | O              |

#### Currency Conversion of Supplement Price and Updated Total Price in EUR

## Definition

In the behavior definition, the determination on the booking supplement entity is defined as follows:

```
define behavior for /DMO/I_BookSuppl_M alias booksuppl
implementation in class /DMO/BP_BOOKINGSUPPLEMENT_M unique
...
{
  ...
  determination calculateTotalSupplmPrice on modify { field price,
  currency_code; }
}
```

## Procedure: Implementing the Determination on Booking Supplement Entity

The implementation of the determination method calculate\_total\_supplm\_price in the handler class lhc\_travel of the corresponding class pool /dmo/bp\_bookingsupplement\_m is now reduced to the method call /dmo/cl\_travel\_auxiliary\_m=>calculate\_price().

### Listing 4: Implementation of calculate\_total\_supplm\_price Method

```
CLASS lhc_travel DEFINITION INHERITING FROM cl_abap_behavior_handler.
  PRIVATE SECTION.
  METHODS calculate_total_supplm_price FOR DETERMINATION
    booksuppl~calculateTotalSupplmPrice
      IMPORTING keys FOR booksuppl.
  ...
ENDCLASS.
CLASS lhc_travel IMPLEMENTATION.
*****{*}
* * Calculates total supplement price *
*****
METHOD calculate_total_supplm_price.
  IF keys IS NOT INITIAL.
    /dmo/cl_travel_auxiliary_m=>calculate_price(
      it_travel_id = VALUE #(  FOR GROUPS <booking_suppl> OF booksuppl_key
    IN keys
      GROUP BY booksuppl_key-travel_id WITHOUT
    MEMBERS
      ( <booking_suppl> ) ) .
  ENDIF.
ENDMETHOD.
ENDCLASS.
```

## 5.3.4 Developing a Projection Layer for Flexible Service Consumption

For a more flexible service consumption, every transactional business object is projected into a service specific context. In other words, only those elements of the data model and those behavior characteristics and operations that are needed in the relevant business service context are exposed for the service. By means of projections, you can expose one BO in different business contexts by using different BO subsets. The general business logic is defined in the BO whereas the BO projection adopts a subset of the business logic.

A layering with projections enables robust application programming. You can change or enhance the BO without changing the exposed service as the scope of the service is defined in the projection layer. Enhancing the business object with additional structure or behavior does not have any effect on the resulting service.

## Projection Layers in the Travel Business Scenario

The business object that you developed with the help of the previous sections is ready to run. It uses the managed runtime for CRUD (create, read, update, delete) operation. In addition, the relevant business logic for managing travels with action, determinations and validations was implemented. The BO CDS entities expose every element that might be relevant for any business service scenario. The behavior is defined and implemented for any kind of business service.


This demo scenario uses two projections with a different service scope. The resulting apps represent two role-based approaches to managing travels:

One business object projection uses the BO characteristics and the operations that are relevant for processing travel data. This resulting UI service serves the role of a data processor. The responsible person can enter the information about travels, bookings and booking supplements into the role-based app for processing travel data. This person needs functionality to create, update and delete entries on all three tiers of the business object. In addition, the action `CreateByTravelTemplate` is designed to facilitate the creation of new travel entries. The instance-bound action reads the values of the selected entry and creates a new entry based on these values with some deviations for the `TravelID` and the travel dates.

The other business object projection is the basis for a UI service that contains the functionality that is relevant for an approver. Imagine a person, maybe a manager of a travel agency, that approves the data that was entered by the processor. That means, this person sees the travel information and the corresponding booking data. Based on this data, the approver can either accept or reject the travel. For a minimal scope of fields in the travel entity the approver is enabled to edit the values, for example the `BookingFee` or the `Description`. The information about bookings is set to read-only for the approver. The approver is not allowed to change the fields of the booking entity.

See [Business Scenario \[page 191\]](#) for a detailed list of features for the respective roles.

The design time artifacts that you need for these projection scenarios are illustrated in the following figure. The CDS views, as well as the behavior definition must be projected for both roles. To expose the BO projections for a UI service, you need to create a service definition and binding for both BO projections. The behavior implementation is not projected. Every behavior characteristic or operation that is used in the BO projection must be implemented in the underlying BO implementation. You cannot define new behavior that needs implementation in the BO projection.



## Activities Relevant to Developers

1. [Providing a Data Model for Projections \[page 256\]](#)
  1. [Projection Views for the Processor BO Projection \[page 258\]](#)
  2. [Projection Views for the Approver BO Projection \[page 269\]](#)
2. [Providing Behavior for Projections \[page 276\]](#)
  1. [Behavior for the Processor BO Projection \[page 277\]](#)
  2. [Behavior for the Approver BO Projection \[page 278\]](#)
3. [Defining Business Services Based on Projections \[page 279\]](#)

## Related Information

[Business Object Projection \[page 52\]](#)

### 5.3.4.1 Providing a Data Model for Projections

The data model for the BO projection is defined in CDS projection views. Projection views are data definition artifacts with a syntax that differs slightly from CDS views. With projection views, you define the consumption-specific data model.

Expand the following section to view the syntax of a CDS projection view.

## Syntax: CDS Projection View

To define a CDS projection view, the following syntax is used:

```
@EndUserText.label: 'EndUserText'  
@AccessControl.authorizationCheck: #VALUE  
[@view anno]  
/* Definition of projection view */  
[define] [root] view entity ProjectionViewName  
/* Defines the data source for the projection.*/  
as projection on ProjectedEntity [as ProjectedEntityAlias ]  
/* Subset of elements from the projected entity */  
{  
    /* Fields from the projected entity*/  
    [@element_annot]  
    ElemtName           [as ElemtAlias] ,  
    /*Localized element */  
    [ [@element_annot]  
        Assoc.Element2      [as Elemt2Alias] : localized , ]  
    /* Cast element */  
    [ [@element_annot]  
        cast Elemt3Name : {DataElement | ABAPType }      [as Elemt3Alias] , ]  
    /* Associations from the projected entity with possible redirections */  
    [ _Association : [redirected to ProjectionViewTarget], ]  
  
    /* Redirected compositions */  
    [ _Composition : redirected to composition child ChildProjectionView, ]  
    /* Redirected association to parent */  
    [ _ParentAssoc : redirected to parent ParentProjectionView ]  
}
```

For a detailed explanation of the syntax, see [CDS Projection View \[page 55\]](#).

## Data Model in the Travel Scenario

For our travel scenario, the data models for the two projections have to be defined. For the processor BO, all three entities of the underlying BO are projected; the approver BO only uses the travel entity and the booking entity. All elements are aliased as an automatic mapping is provided for the elements in the projection views. For both projections, we use all elements from the underlying CDS views and the associations that are defined in the projected entity. For the processor BO, the only language-dependent text element in the booking supplement entity must be localized to get the description in the relevant language.

For both BO projections, the compositions have to be redirected.

## UI Specifics for the Travel Scenario

Since the projection layer is the first service-specific layer, all UI specification must be defined in the CDS projection views. In the travel scenario, the following UI specifics are relevant on the projection layer:

- UI annotations defining position, labels, and facets of UI elements
- Search Enablement
- Text elements (language dependent and independent)
- Value Helps

These features have to be defined via annotations in the projection views.

The following sections provide a detailed description on how to project the existing BO to define a data model for one business object that is tailored to expose a UI service for a data processor and one that is tailored for a data approver.

- Projection Views for the Processor BO Projection [page 258]
- Projection Views for the Approver BO Projection [page 269]

## Related Information

[CDS Projection View \[page 55\]](#)

### 5.3.4.1.1 Projection Views for the Processor BO Projection

To define a data model for the BO projection that defines the scope for the processor application, the following tasks need to be done:

- [Creating the Projection CDS Views for the Processor \[page 258\]](#)
- [Defining the Data Model for the Processor Projection Views \[page 259\]](#)

#### 5.3.4.1.1.1 Creating the Projection CDS Views for the Processor

A data processor needs to be able to create, update, and delete entries for the travel entity, the booking entity, and the booking supplement entity. That means, all three nodes of the composition structure must be projected.

For the following CDS views, create the corresponding projection views by choosing the projection view template in the creation wizard for data definitions.

|                             |                                    |                                    |                                   |
|-----------------------------|------------------------------------|------------------------------------|-----------------------------------|
| CDS views for BO structure  | / DMO/<br>I_TRAVEL_M               | / DMO/<br>I_BOOKING_M              | / DMO/<br>I_BOOKSUPPL_M           |
| CDS views for BO projection | / DMO/<br>C_TRAVEL_PRO<br>CESSOR_M | / DMO/<br>C_BOOKING_PR<br>CESSOR_M | / DMO/<br>C_BOOKSUPPL_PROCESSOR_M |

#### i Note

The names are assigned according to the naming conventions for projection views: [Naming Conventions for Development Objects \[page 673\]](#).

For more information, see [Creating Projection Views \[page 667\]](#).

The resulting CDS projection views must have the following syntax:

```
define root view entity <projection_view> as projection on <projected_view>
```

For more information about the syntax in projection views, see

## 5.3.4.1.1.2 Defining the Data Model for the Processor Projection Views

The following topics provide you with a detailed description on how to define the data model for the CDS projection views that are used in the BO projection for the processor.

- [Travel Projection View /DMO/C\\_TRAVEL\\_PROCESSOR\\_M \[page 259\]](#)
- [Booking Projection View /DMO/C\\_BOOKING\\_PROCESSOR\\_M \[page 263\]](#)
- [Booking Supplement Projection View /DMO/C\\_BOOKSUPPL\\_PROCESSOR\\_M \[page 267\]](#)

### 5.3.4.1.1.2.1 Travel Projection View /DMO/C\_TRAVEL\_PROCESSOR\_M

For the service specific projection, the elements as well as all the UI specifics need to be defined.

The data model defines which elements are exposed for the UI service. In addition, in data definitions for projection views you define all UI specifications.

The following UI is achieved by implementing the corresponding features in the CDS Travel projection view for the processor.

#### Preview: UI Application for Processor

| Travel ID | Agency ID               | Customer ID      | Starting Date | End Date     | Total Price  | Booking Status |
|-----------|-------------------------|------------------|---------------|--------------|--------------|----------------|
| 1         | Happy Hopping (70003)   | Buchholm (6)     | Jul 5, 2019   | Jul 13, 2019 | 1,587.04 EUR | A              |
| 2         | Sunshine Travel (70001) | Lautenbach (591) | Jul 8, 2019   | Aug 7, 2019  | 9,940.46 EUR | O              |

Travel List Report

|                                       |                               |                                                |
|---------------------------------------|-------------------------------|------------------------------------------------|
| Travel ID [1,...,99999999]:<br>2      | Starting Date:<br>Jul 8, 2019 | Total Price:<br>9,940.46 EUR                   |
| Agency ID:<br>Sunshine Travel (70001) | End Date:<br>Aug 7, 2019      | Status [O(Open) A(Accepted) X(Canceled)]:<br>O |
| Customer ID:<br>Lautenbach (591)      | Booking Fee:<br>234.00 EUR    | Description:<br>Business Trip USA              |

### Travel Object Page

Expand the following listing to see the full data definition of the travel projection view /DMO/C\_TRAVEL\_PROCESSOR\_M that results in the previously shown UI:

/DMO/C\_TRAVEL\_PROCESSOR\_M

```

@EndUserText.label: 'Travel projection view'
@AccessControl.authorizationCheck: #NOT_REQUIRED
@UI: {
    headerInfo: { typeName: 'Travel', typeNamePlural: 'Travels', title: { type: #STANDARD, value: 'TravelID' } } }
@Search.searchable: true
define root view entity /DMO/C_Travel_Processor_M
    as projection on /DMO/I_Travel_M
{
    @UI.facet: [ { id: 'Travel', purpose: #STANDARD, type: #IDENTIFICATION_REFERENCE, label: 'Travel', position: 10 },
        { id: 'Booking', purpose: #STANDARD, type: #LINEITEM_REFERENCE, label: 'Booking', position: 20, targetElement: '_Booking' } ]
    @UI: {
        lineItem: [ { position: 10, importance: #HIGH } ],
        identification: [ { position: 10, label: 'Travel ID [1,...,99999999]' } ] }
        @Search.defaultSearchElement: true
    key travel_id as TravelID,
    @UI: {
        lineItem: [ { position: 20, importance: #HIGH } ],
        identification: [ { position: 20 } ],
        selectionField: [ { position: 20 } ] }
        @Consumption.valueHelpDefinition: [ { entity: { name: '/DMO/I_Agency', element: 'AgencyID' } } ]
        @ObjectModel.text.element: ['AgencyName']
        @Search.defaultSearchElement: true
    agency_id as AgencyID,
    _Agency.Name as AgencyName,
    @UI: {
        lineItem: [ { position: 30, importance: #HIGH } ],
        identification: [ { position: 30 } ],
        selectionField: [ { position: 30 } ] }
        @Consumption.valueHelpDefinition: [ { entity: { name: '/DMO/I_Customer', element: 'CustomerID' } } ]
        @ObjectModel.text.element: ['CustomerName']
        @Search.defaultSearchElement: true
    customer_id as CustomerID,
}

```

```

Customer.LastName as CustomerName,
@UI: {
    lineItem: [ { position: 40, importance: #MEDIUM } ],
    identification: [ { position: 40 } ] }
begin_date as BeginDate,
@UI: {
    lineItem: [ { position: 41, importance: #MEDIUM } ],
    identification: [ { position: 41 } ] }
end_date as EndDate,
@UI: {
    identification: [ { position: 42 } ] }
@Semantics.amount.currencyCode: 'CurrencyCode'
booking_fee as BookingFee,
@UI: {
    lineItem: [ { position: 43, importance: #MEDIUM } ],
    identification: [ { position: 43, label: 'Total Price' } ] }
@Semantics.amount.currencyCode: 'CurrencyCode'
total_price as TotalPrice,
@Consumption.valueHelpDefinition: [{entity: {name: 'I_Currency', element:
'Currency'}}]
currency_code as CurrencyCode,
@UI: {
    lineItem: [ { position: 50, importance: #HIGH },
    { type: #FOR_ACTION, dataAction:
'createTravelByTemplate', label: 'Create Travel by Template' } ],
    identification: [ { position: 45, label: 'Status [O(Open) | A(Accepted) |
X(Canceled)]' } ],
    overall_status as TravelStatus,
    @UI: {
        identification: [ { position: 46 } ] }
description as Description,
@UI.hidden: true
last_changed_at as LastChangedAt,
/* Associations */
Booking : redirected to composition child /DMO/C_Booking_Processor_M,
_Agency,
_Customer
}

```

## Explanation

For the data model of the travel projection view in our scenario, you can adopt all elements of the projected view, except for `created_by`, `created_at` and `last_changed_by`. Those element are not needed for our service use cases. The element `last_changed_at`, however, is needed to store the eTag, but the other administrative elements are not needed in the scenario. The other elements for travel information are used to process travel data.

### → Remember

The eTag is needed for optimistic concurrency check. In the travel BO, all nodes use the root eTag.

All elements of the projection can be given an alias with an automatic mapping done by the service framework.

The travel projection view uses a subset of the associations that are defined in the projected view. `_Agency` and `_Customer` are needed for text provisioning. These associations can simply be adopted in the projection view. On the other hand, the composition to the child entity booking must be redirected as the target entity changes in the projection layer. The association `_Currency` is not necessary in the projection view. It is only defined in the underlying BO data model to represent a complete data model structure.

## i Note

Before you can activate the travel projection root view for the processor, you need to create the booking projection view with the redirection of the composition to parent in the booking projection child view. Compositions must always be consistent from parent to child and vice-versa.

## UI Specifics

The UI header information is given in an entity annotation to label the list report page.

The travel processor projection view is the root node of the BO projection. When opening the travel processing app, the travel entries are displayed as list items with a navigation to their object page and the corresponding bookings. From this object page, it is possible to navigate to the booking supplements. In the back end, navigating is implemented by compositions. For the UI to enable navigation, UI facets need to be defined in the travel projection view for the identification reference of the travel entity on the object page and for the line item reference of the booking entity.

In addition, the elements for list items and the identification reference for the object page need to be annotated in the projection view with the respective UI annotations to define position, importance and possible labels.

To indicate the number range for the `TravelID` element, the range is added to the label. In the same manner, the possible values for the element `TravelStatus` are added.

For more information about UI navigation and positioning of elements, see [Designing the User Interface for a Fiori Elements App \[page 33\]](#) or [UI Annotations \[page 514\]](#).

The annotations that are used in the projected entity are propagated to the projection view. You do not need to reannotate elements with the same annotations as in the projected entity. However, if an annotation draws reference to a specific element and the name of that specific element is changed with an alias in the projection view, the propagated annotation keeps the reference that was given in the projected entity. A semantic relationship between two elements can then be lost. In such a case, you have to reuse the same annotation and use the alias name in the element reference of the annotation.

In our example scenario, this is the case for the semantic relationship between `CurrencyCode` and `TotalPrice` or `BookingFee`. In the projection view, you do not need to annotate `CurrencyCode` with `@Semantics.currencyCode: true` as this annotation is inherited from the projected entity. The annotation `@Semantics.amount.currencyCode: 'currency_code'` is inherited as well, but the name of the field has changed in the projection view. So you need to reannotate the element with the new alias name: `@Semantics.amount.currencyCode: 'CurrencyCode'`.

## → Tip

Check the [Active AnnotationsView](#) to find out which annotations are active for the current CDS view and what are the values of the active annotations. For more information, see .

To be able to search for a specific data set, the travel projection view must be search enabled and at least one element must be assigned as default search element. In addition, you can define selection fields to provide a filter bar for certain elements. For more information about search enabling, see [Enabling Text and Fuzzy Searches in SAP Fiori Apps \[page 355\]](#). For more information about selection fields, see [List Report Header \[page 36\]](#)

To access the corresponding texts or descriptions for ID elements, the relationship between the elements `AgencyID` and `CustomerID` and their text elements in the associated text provider views must be established.

The text elements of the text provider view must be integrated in the projection view. The text provider view must be associated to the projection view and the text element in the text provider view must be annotated with `@Semantics.text: true`. For more information about text povationing, see [Defining Text Elements \[page 349\]](#).

Especially for a data processing role, value helps are particularly important to find the necessary values for the ID elements `AgencyID`, `CustomerID` and `CurrencyCode`. Value helps are defined with the annotation `@Consumption.valueHelpDefinititon`. The value help provider view does not have to be associated to get the value help as the entity and the element are referenced in the annotation. For more information, see [Providing Value Help \[page 362\]](#).

In the projection view, you also have to define the position of the execution button of actions, that you have defined in the behavior definition. On the list report page, the position of the button for the action `createTravelByTemplate` is defined. For more information about the action, see [Developing Actions \[page 217\]](#).

## 5.3.4.1.1.2.2 Booking Projection View /DMO/C\_BOOKING\_PROCESSOR\_M

For the service-specific projection , the elements as well as all the UI specifics must be defined.


The data model defines which elements are exposed for the UI service. In addition, in data definitions you have to define all UI specifications.

The following UI is achieved by implementing the corresponding features in the CDS Booking projection view for the processor.

### Preview: UI Application for Processor

| Booking        |               |                                 |            |               |              |                |        |
|----------------|---------------|---------------------------------|------------|---------------|--------------|----------------|--------|
|                |               |                                 |            | Search        |              | Delete         | Create |
| Booking Number | Booking Date  | Customer ID                     | Airline ID | Flight Number | Flight Date  | Flight Price   | Status |
| 1              | Jul 8, 2019 7 | United Airlines, Inc. (UA)      |            | 1537          | Jul 13, 2019 | 422.00 EUR N   | >      |
| 2              | Jul 8, 2019 7 | Singapore Airlines Limited (SQ) |            | 11            | Apr 19, 2019 | 4,880.00 SGD N | >      |
| 3              | Jul 8, 2019 7 | United Airlines, Inc. (UA)      |            | 59            | Apr 17, 2019 | 6,053.00 USD N | >      |

Booking List Report Page



### Booking Object Page

Expand the following listing to see the full data definition of the booking projection view /DMO/C\_BOOKING\_PROCESSOR\_M that results in the previously shown UI:

```
/DMO/C_BOOKING_PROCESSOR_M
```

```
@EndUserText.label: 'Booking projection view'
@AccessControl.authorizationCheck: #NOT_REQUIRED
@UI: {
  headerInfo: { typeName: 'Booking',
                typeNamePlural: 'Bookings',
                title: { type: #STANDARD, value: 'BookingID' } } }
@Search.searchable: true
define view entity /DMO/C_Booking_Processor_M as projection on /DMO/I_Booking_M
{
  @UI.facet: [ { id: 'Booking',
                  purpose: #STANDARD,
                  type: #IDENTIFICATION_REFERENCE,
                  label: 'Booking',
                  position: 10 },
               { id: 'BookingSupplement',
                  purpose: #STANDARD,
                  type: #LINEITEM_REFERENCE,
                  label: 'Booking Supplement',
                  position: 20,
                  targetElement: '_BookSupplement' } ]

  @Search.defaultSearchElement: true
  key travel_id as TravelID,
  @UI: { lineItem: [ { position: 20, importance: #HIGH } ],
         identification: [ { position: 20 } ] },
  @Search.defaultSearchElement: true
  key booking_id as BookingID,
  @UI: { lineItem: [ { position: 30, importance: #HIGH } ],
         identification: [ { position: 30 } ] }
  booking_date as BookingDate,
  @UI: { lineItem: [ { position: 40, importance: #HIGH } ],
         identification: [ { position: 40 } ] }
  @Consumption.valueHelpDefinition: [{entity: {name: '/DMO/I_Customer',
element: 'CustomerID'}}]
  @Search.defaultSearchElement: true
  customer_id as CustomerID,
  @UI: { lineItem: [ { position: 50, importance: #HIGH } ],
         identification: [ { position: 50 } ] }
  @Consumption.valueHelpDefinition: [{entity: {name: '/DMO/I_Carrier',
element: 'AirlineID'}}]
```

```

@ObjectModel.text.element: ['CarrierName']
carrier_id
    as CarrierID,
_Carrier.Name
    as CarrierName,

@UI: { lineItem: [ { position: 60, importance: #HIGH } ],
identification: [ { position: 60 } ] }
@Consumption.valueHelpDefinition: [ {entity: {name: '/DMO/I_Flight',
element: 'ConnectionID'}},
additionalBinding: [ { localElement:
'FlightDate', element: 'FlightDate'}, { localElement:
'CarrierID', element: 'AirlineID'}, { localElement:
'FlightPrice', element: 'Price'}, { localElement:
'CurrencyCode', element: 'CurrencyCode' } ] ]
connection_id
    as ConnectionID,

@UI: { lineItem: [ { position: 70, importance: #HIGH } ],
identification: [ { position: 70 } ] }
@Consumption.valueHelpDefinition: [ {entity: {name: '/DMO/I_Flight',
element: 'FlightDate'}},
additionalBinding: [ { localElement:
'ConnectionID', element: 'ConnectionID'}, { localElement:
'CarrierID', element: 'AirlineID'}, { localElement:
'FlightPrice', element: 'Price'}, { localElement:
'CurrencyCode', element: 'CurrencyCode' } ] ]
flight_date
    as FlightDate,

@UI: { lineItem: [ { position: 80, importance: #HIGH } ],
identification: [ { position: 80 } ] }
@Semantics.amount.currencyCode: 'CurrencyCode'
flight_price
    as FlightPrice,

@Consumption.valueHelpDefinition: [{entity: {name: 'I_Currency', element:
'Currency'}}]
currency_code
    as CurrencyCode,

@UI: { lineItem: [ { position: 90, importance: #HIGH, label:
>Status' } ],
identification: [ { position: 90, label: 'Status [N(New) | X(Canceled) | B(Booked)]' } ] }
booking_status
    as BookingStatus,

@UI.hidden: true
last_changed_at
    as LastChangedAt, -- Take over from parent

/* Associations */
_Travel: redirected to parent /DMO/C_Travel_Processor_M,
BookSupplement: redirected to composition child /DMO/
C_BookSuppl_Processor_M,
_Customer,
_Carrier
}

}

```

## Explanation

For the data model of the booking projection view, you can adopt all elements of the projected view. For the eTag, include the element `last_changed_at`, which is taken over from the root entity in the projected booking entity.

### → Remember

The eTag is needed for the optimistic concurrency check. In the travel BO, all entities use the root eTag.

All elements of the projection can be given an alias with an automatic mapping done by the service framework.

The booking projection view uses a subset of the associations that are defined in the projected view. The associations `_Customer` and `_Carrier` are needed for text provisioning. These associations can simply be adopted in the projection view. On the other hand, the compositions to the parent entity `_Travel` and to the child entity `_BookSupplement` must be redirected as the target entities change in the projection layer. The association `_Connection` is not necessary in the projection view. It is defined in the underlying BO data model to complete the BO data model structure.

### i Note

Before you can activate the booking projection view for the processor, you need to create the booking supplement projection view with the redirection to the composition to parent from the booking supplement projection child view. Compositions must always be consistent from parent to child and vice-versa.

## UI Specifics

Like in the travel projection view, the UI header information for the booking projection view is given in an entity annotation.

For the UI to enable navigation from the Booking to the BookingSupplement entity, you need to define UI facets. The booking entity must be defined as identification reference and the BookingSupplement as line item reference.

In addition, the elements for list items and identification reference for the second navigation need to be annotated in the booking projection view with the respective UI annotations to define position, importance, and possible labels.

For more information about UI navigation and positioning of elements, see [Designing the User Interface for a Fiori Elements App \[page 33\]](#) or [UI Annotations \[page 514\]](#).

As in the travel projection view, the annotation `@Semantics.amount.currencyCode: 'CurrencyCode'` needs to be repeated in the projection view, since the annotation value changes due to aliasing.

To be able to search for a specific data set, the booking projection view must be search enabled and at least one element must be assigned as default search element. For more information about search enabling, see [Enabling Text and Fuzzy Searches in SAP Fiori Apps \[page 355\]](#).

To access the corresponding texts or descriptions for ID elements, the relationship between the element `CarrierID` and its text element in the associated text provider view must be established. Therefore, you need the association to the text provider view. The text element of the text provider view must be integrated in the projection view. The text provider view must be associated to the projection view and the text element in the text provider view must be annotated with `@Semantics.text: true`. For more information about text provisioning, see [Defining Text Elements \[page 349\]](#).

Especially for a data processing role, value helps are important to find the necessary values for the ID elements `CustomerID`, `CarrierID`, `ConnectionID` and to find adequate values for `FlightDate` and `CurrencyCode`. Value helps are defined with the annotation `@Consumption.valueHelpDefinititon`. The value help for `ConnectionID` and `FlightDate` use additional bindings, so that only those values appear that match the entries in the given local elements. The value help provider view does not have to be associated to get the value

help as the entity and the element are referenced in the annotation. However, it needs to be included in the service definition. For more information, see [Providing Value Help \[page 362\]](#).

### 5.3.4.1.1.2.3 Booking Supplement Projection View /DMO/

C\_BOOKSUPPL\_PROCESSOR\_M

For the service-specific projection , the elements as well as all the UI specifics must be defined.

The data model defines which elements are exposed for the UI service. In addition, in data definitions you have to define all UI specifications.

The following UI is achieved by implementing the corresponding features in the CDS Booking Supplement projection view for the processor.

#### Preview: UI Application for Processor

| Booking Supplement |                                             |               |
|--------------------|---------------------------------------------|---------------|
|                    | Product ID                                  | Product Price |
| 1                  | Mango Juice (BV-0007)                       | 3.50 EUR      |
| 2                  | Apple Pie (ML-0003)                         | 1.50 EUR      |
| 3                  | Bulky goods like sports equipment (LU-0004) | 80.00 EUR     |
| 4                  | Pear Pie (ML-0004)                          | 1.50 EUR      |
| 5                  | Hamburg Salad with Fresh Shrimps (ML-0012)  | 17.00 EUR     |

#### Booking Supplement List Report Page

Expand the following listing to see the full data definition of the booking projection view /DMO/C\_BOOKSUPPL\_PROCESSOR\_M that results in the previously shown UI:

/DMO/C\_BOOKSUPPL\_PROCESSOR\_M

```
@EndUserText.label: 'Booking supplement projection view'
@AccessControl.authorizationCheck: #NOT_REQUIRED
@UI: { headerInfo: { typeName: 'Booking Supplement',
                     typeNamePlural: 'Booking Supplements',
                     title: { type: #STANDARD,
                               label: 'Booking Supplement',
                               value: 'BookingSupplementID' } } }
@Search.searchable: true
define view entity /DMO/C_BookSuppl_Processor_M as projection on /DMO/
I_BookSuppl_M
{
    @UI.facet: [ { id: 'BookingSupplement',
                   purpose: '#STANDARD',
                   type: '#IDENTIFICATION_REFERENCE',
                   label: 'Booking Supplement',
                   position: 10 } ]
    @Search.defaultSearchElement: true
    key travel_id as TravelID,
```

```

@Search.defaultSearchElement: true
key booking_id as BookingID,
@UI: { lineItem: [ { position: 10, importance: #HIGH } ],
        identification: [ { position: 10 } ] }
key booking_supplement_id as BookingSupplementID,
@UI: { lineItem: [ { position: 20, importance: #HIGH } ],
        identification: [ { position: 20 } ] }
@Consumption.valueHelpDefinition: [ {entity: {name: '/DMO/I_SUPPLEMENT',
element: 'SupplementID' } },
                                    additionalBinding: [ { localElement:
'Price', element: 'Price' },
                                    { localElement:
'CurrencyCode', element: 'CurrencyCode' } ] ]
@ObjectModel.text.element: ['SupplementDescription']
supplement_id as SupplementID,
_SupplementText.Description as SupplementDescription:
localized,
@UI: { lineItem: [ { position: 30, importance: #HIGH } ],
        identification: [ { position: 30 } ] }
@Semantics.amount.currencyCode: 'CurrencyCode'
price as Price,
@Consumption.valueHelpDefinition: [ {entity: {name: 'I_Currency', element:
'Currency' } }]
currency_code as CurrencyCode,
@UI.hidden
last_changed_at as LastChangedAt,
/* Associations */
_Booking: redirected to parent /DMO/C_Booking_Processor_M,
_SupplementText
}

```

For the data model of the booking supplement projection view, you can adopt all elements of the projected view. For the eTag, include the element `last_changed_at`, which is taken over from the root entity in the projected entity.

### → Remember

The eTag is needed for the optimistic concurrency check. In the travel BO, all entities use the root eTag.

All elements of the projection can be given an alias with an automatic mapping done by the service framework.

The booking supplement projection view uses a subset of the associations that are defined in the projected view. The association `_SupplementText` is needed for text provisioning. This association can simply be adopted in the projection view. On the other hand, the composition to the parent entity `_Booking` must be redirected as the target entity changes in the projection layer. The association `_Supplement` is not necessary in the projection view of the service context. It is defined in the underlying BO data model to complete the BO data model structure. The association `_Travel` is not necessary either, as the association to get the eTag element `LastChangedAt` is not needed in the projection view.

### i Note

Now, that all compositions are redirected, you can activate the three projection views for the processor.

## UI Specifics

Like in the travel and the booking projection view, the UI header information for the booking supplement projection view is given in an entity annotation.

### **! Restriction**

The Fiori Elements Preview does not support the navigation to more than one child entity. Hence, when accessing the preview via entity set `Travel` and association `to_Booking`, it is not possible to navigate to the object page of the `BookingSupplement` entity. That means, some of the UI annotations are not relevant if you only use the preview to test your application. For example, the UI annotations referring to `identification` cannot be shown in the preview, when testing via the root node `Travel`.

However, if you want to develop a real application or test your service with the Web IDE, you can configure the application to enable navigation to any number of child entities. That is why, the UI annotation concerning `identification` are included in the following description.

You can imitate the behavior of the Web IDE for the second-level navigation by accessing the Fiori Elements Preview via entity set `Booking` and Association `to_BookSupplement`.

To show the entries of the booking supplement entity on its object page, the UI facet for `#IDENTIFICATION_REFERENCE` must be defined.

In addition, the elements for list items (to appear on the object page of the booking entity) and identification must be annotated in the Booking Supplement projection view with the respective UI annotation to define position, importance, and possible labels.

For more information about UI navigation and positioning of elements, see [Designing the User Interface for a Fiori Elements App \[page 33\]](#) or [UI Annotations \[page 514\]](#).

As in the travel projection view, the annotation `@Semantics.amount.currencyCode: 'CurrencyCode'` needs to be repeated in the projection view, since the annotation value changes due to aliasing.

To be able to search for a specific data set, the booking supplement projection view must be search enabled and at least one element must be assigned as default search element. For more information about search enabling, see [Enabling Text and Fuzzy Searches in SAP Fiori Apps \[page 355\]](#).

To access the corresponding texts or descriptions for ID elements, the relationship between the element `SupplementID` and its text element in the associated text provider view must be established. Therefore, you need the association to the text provider view. The text element of the text provider view must be integrated in the projection view. The text provider view must be associated to the projection view and the text element in the text provider view must be annotated with `@Semantics.text: true`. For more information about text provisioning, see [Defining Text Elements \[page 349\]](#).

Especially for a data processing role, value helps are important to find the necessary values for the ID element `SupplementID` as well as for `CurrencyCode`. Value helps are defined with the annotation `@Consumption.valueHelpDefinition`. The value help for `SupplementID` uses additional binding, so that only those values appear that match the entry in the field `CurrencyCode` field. The value help provider view does not have to be associated to get the value help as the entity and the element are referenced in the annotation. For more information, see [Providing Value Help \[page 362\]](#).

## **5.3.4.1.2 Projection Views for the Approver BO Projection**

To define a data model for the BO projection that defines the scope for the approver application, the following tasks need to be done:

- Creating the Projection CDS Views for the Approver [page 270]
- Defining the Data Model for the Approver Projection Views [page 270]

### 5.3.4.1.2.1 Creating the Projection CDS Views for the Approver

The scope of the UI service for the approver is more limited than for the processor. The approver can only modify the travel entity with accepting or rejecting the travel entries. The values in the corresponding booking entries are the basis for this decision-making. Only these two entities are relevant for the approver app. That means, only these two entities must be projected for the approver BO projection.

For the following CDS views, create the corresponding projection views by choosing the projection view template in the creation wizard for data definitions.

|                             |                                  |                                   |
|-----------------------------|----------------------------------|-----------------------------------|
| CDS views for BO structure  | /DMO/<br>I_TRAVEL_M              | /DMO/<br>I_BOOKING_M              |
| CDS views for BO projection | /DMO/<br>C_TRAVEL_APP<br>ROVER_M | /DMO/<br>C_BOOKING_AP<br>PROVER_M |

#### i Note

The names are assigned according to the naming conventions for projection views: [Naming Conventions for Development Objects \[page 673\]](#).

For more information, see [Creating Projection Views \[page 667\]](#).

The resulting CDS projection views must have the following syntax:

```
define root view entity <projection_view> as projection on <projected_view>
```

For more information about the syntax in projection views, see

### 5.3.4.1.2.2 Defining the Data Model for the Approver Projection Views

The following topics provide you with a detailed description on how to define the data model for the CDS projection views that are used in the BO projection for the approver.

- Travel Projection View /DMO/C\_TRAVEL\_APPROVER\_M [page 271]
- Booking Projection View /DMO/C\_BOOKING\_APPROVER\_M [page 273]

## 5.3.4.1.2.2.1 Travel Projection View /DMO/C\_TRAVEL\_APPROVER\_M

For the service-specific projection, the elements as well as all the UI specifics for the approver BO projection must be defined.

The data model defines which elements are exposed for the UI service. In addition, in data definitions you have to define all UI specifications.

The following UI is achieved by implementing the corresponding features in the CDS Travel projection view for the approver.

### Preview: UI Application for Approver

The screenshot shows a user interface for managing travel records. At the top, there is a search bar labeled 'Search' with a magnifying glass icon, and dropdown menus for 'Agency ID', 'Customer ID', and 'Overall Status'. Below the search bar are buttons for 'Adapt Filters' and 'Go'. A table titled 'Travels (2)' displays two rows of travel information. Each row includes a checkbox, a travel ID (1 or 2), an overall status (A or O), an agency ID (Happy Hopping or Sunshine Travel), a customer ID (Buchholm or Lautenbach), a booking fee (234.00 EUR), a total price (1,587.04 EUR or 9,940.46 EUR), and a description (Vacation or Business Trip USA). There are also 'Reject Travel' and 'Accept Travel' buttons and a gear icon for settings.

| Travel ID | Overall Status | Agency ID               | Customer ID      | Booking Fee | Total Price  | Description       |
|-----------|----------------|-------------------------|------------------|-------------|--------------|-------------------|
| 1         | A              | Happy Hopping (70003)   | Buchholm (6)     | 234.00 EUR  | 1,587.04 EUR | Vacation          |
| 2         | O              | Sunshine Travel (70001) | Lautenbach (591) | 234.00 EUR  | 9,940.46 EUR | Business Trip USA |

Travel List Report Page

The screenshot shows a detailed view of a specific travel record. The top navigation bar has a back arrow, the title 'Travel', and a 'Travel' tab. The travel ID is 1. On the right, there are buttons for 'Edit', 'Reject Travel', and a refresh icon. The page displays various travel details: Travel ID 1, Overall Status A, Agency ID Happy Hopping (70003), Customer ID Buchholm (6), Starting Date Jul 5, 2019, End Date Jul 13, 2019, Booking Fee 234.00 EUR, Total Price 1,587.04 EUR, and Description Vacation.

Travel Object Page

Expand the following listing to see the full data definition of the travel projection view /DMO/C\_TRAVEL\_APPROVER\_M that results in the previously shown UI:

```
/DMO/C_TRAVEL_APPROVER_M
```

```
@EndUserText.label: 'Travel projection view'
@AccessControl.authorizationCheck: #NOT_REQUIRED
@UI: {
    headerInfo: { typeName: 'Travel', typeNamePlural: 'Travels', title: { type: '#STANDARD', value: 'TravelID' } } }
@Search.searchable: true
define root view entity /DMO/C_Travel_Approver_M
    as projection on /DMO/I_Travel_M
{
    @UI.facet: [ { id: 'Travel',
                    purpose: '#STANDARD',
                    type: '#IDENTIFICATION_REFERENCE',
                    label: 'Travel',
                    position: 10 },
                  { id: 'Booking',
                    purpose: '#STANDARD',
                    type: '#LINEITEM_REFERENCE',
                    label: 'Booking',
                    position: 20,
                    targetElement: '_Booking'} ]
    @UI: {
        lineItem: [ { position: 10, importance: #HIGH } ],
        identification: [ { position: 10 } ] }
    @Search.defaultSearchElement: true
    key travel_id as TravelID,
    @UI: {
        lineItem: [ { position: 20, importance: #HIGH } ],
        identification: [ { position: 20 } ],
        selectionField: [ { position: 20 } ] }
    @Consumption.valueHelpDefinition: [ { entity: { name: '/DMO/I_Agency', element: 'AgencyID' } } ]
    @ObjectModel.text.element: ['AgencyName']
    @Search.defaultSearchElement: true
    agency_id as AgencyID,
    _Agency.Name as AgencyName,
    @UI: {
        lineItem: [ { position: 30, importance: #HIGH } ],
        identification: [ { position: 30 } ],
        selectionField: [ { position: 30 } ] }
    @Consumption.valueHelpDefinition: [ { entity: { name: '/DMO/I_Customer', element: 'CustomerID' } } ]
    @ObjectModel.text.element: ['CustomerName']
    @Search.defaultSearchElement: true
    customer_id as CustomerID,
    _Customer.LastName as CustomerName,
    @UI: {
        identification: [ { position: 40 } ] }
    begin_date as BeginDate,
    @UI: {
        identification: [ { position: 41 } ] }
    end_date as EndDate,
    @UI: {
        lineItem: [ { position: 42, importance: #MEDIUM } ],
        identification: [ { position: 42 } ] }
    @Semantics.amount.currencyCode: 'CurrencyCode'
    booking_fee as BookingFee,
    @UI: {
        lineItem: [ { position: 43, importance: #MEDIUM } ],
        identification: [ { position: 43, label: 'Total Price' } ] }
    @Semantics.amount.currencyCode: 'CurrencyCode'
    total_price as TotalPrice,
    @Consumption.valueHelpDefinition: [ { entity: { name: 'I_Currency', element: 'Currency' } } ]
    currency_code as CurrencyCode,
    @UI: {
        lineItem: [ { position: 15, importance: #HIGH } ],
```

```

        { type: '#FOR_ACTION', dataAction: 'acceptTravel',
label: 'Accept Travel' },
        { type: '#FOR_ACTION', dataAction: 'rejectTravel',
label: 'Reject Travel' } ],
identification: [ { position: 15 },
{ type: '#FOR_ACTION', dataAction: 'acceptTravel',
label: 'Accept Travel' },
{ type: '#FOR_ACTION', dataAction: 'rejectTravel',
label: 'Reject Travel' } ],
selectionField: [ { position: 40 } ] }
@EndUserText.label: 'Overall Status'
overall_status      as TravelStatus,
@UI: {
    lineItem: [ { position: 45, importance: '#MEDIUM' } ],
    identification:[ { position: 45 } ] }
description          as Description,
@UI.hidden: true
last_changed_at      as LastChangedAt,
/* Associations */
Booking : redirected to composition child /DMO/C_Booking_Approver_M,
_Agency,
_Customer
}

```

## Explanation

Except for the actions, which are different in the processor and the approver projection, the CDS projection views for the processor and the approver BO are identical. Refer to for a thorough description on the travel projection view.

Minor changes can be detected in the field label of the field `TravelID` and `TravelStatus`. This results from the fact, that the approver does not create new travel entries. It is not necessary for this role to know the number range of the `TravelID` or the possible values of the `TravelStatus`. In addition, the approver BO projection has gained a selection field for the `TravelStatus` to make it easier for the approver to filter for open/accepted/rejected travels.

## Actions

The position and the label for the action button must be defined in the CDS projection views. In the case of an approver, the available actions concerning the travel entity set are `Accept Travel` and `Reject Travel`. The implementation of these actions is done in the behavior pool, see [Developing Actions \[page 217\]](#). It is simply the UI appearance that needs to be configured in the projection view. The action buttons for the respective actions are designed to appear on the travel list report page and on the travel object page. That is why the annotations are used in the list item and identification UI annotation. When executing the action on the list report page, a travel instance must be selected to assign an instance for the instance-bound action. On the object page, the instance for which the action shall be executed is clear. For more information about the annotations to define the action buttons, see [Actions \[page 413\]](#).

## 5.3.4.1.2.2.2 Booking Projection View /DMO/C\_BOOKING\_APPROVER\_M

The data model defines which elements are exposed for the UI service. In addition, in data definitions you have to define all UI specifications.

## Preview: UI Application Approver

| Booking Number | Booking Date | Customer ID | Airline ID                 | Flight Number | Flight Date  | Flight Price | Status |   |
|----------------|--------------|-------------|----------------------------|---------------|--------------|--------------|--------|---|
| 1              | Jul 5, 2019  | 7           | United Airlines, Inc. (UA) | 1537          | Jul 10, 2019 | 500.00 AUD   | N      | > |
| 2              | Jul 5, 2019  | 7           | United Airlines, Inc. (UA) | 1537          | Jul 10, 2019 | 422.00 USD   | N      | > |
| 3              | Jul 8, 2019  | 7           | United Airlines, Inc. (UA) | 1537          | Jul 13, 2019 | 422.00 EUR   | N      | > |
| 4              | Jul 8, 2019  | 7           | United Airlines, Inc. (UA) | 1537          | Jul 13, 2019 | 422.00 EUR   | N      | > |

Booking List Report Page

| Booking                    |                                          |
|----------------------------|------------------------------------------|
| 1 /                        | Booking                                  |
| 1                          |                                          |
| Booking                    |                                          |
| Booking Number:            | Flight Number:                           |
| 1                          | 1537                                     |
| Booking Date:              | Flight Date:                             |
| Jul 5, 2019                | Jul 10, 2019                             |
| Customer ID:               | Flight Price:                            |
| 7                          | 500.00 AUD                               |
| Airline ID:                | Status [N(New)  X(Canceled)  B(Booked)]: |
| United Airlines, Inc. (UA) | N                                        |

Booking Object Page

Expand the following listing to see the full data definition of the booking projection view /DMO/C\_BOOKING\_APPROVER\_M that results in the previously shown UI:

/DMO/C\_BOOKING\_APPROVER\_M

```
@EndUserText.label: 'Booking projection view'
@AccessControl.authorizationCheck: #NOT_REQUIRED
@UI: {
    headerInfo: { typeName: 'Booking',
                  typeNamePlural: 'Bookings',
                  title: { type: #STANDARD, value: 'BookingID' } }
}
@Search.searchable: true
define view entity /DMO/C_Booking_Approver_M as projection on /DMO/I_Booking_M
{
    @UI.facet: [ { id: 'Booking',
                   purpose: #STANDARD,
                   type: #IDENTIFICATION_REFERENCE,
                   label: 'Booking',
                   position: 10 } ]
}
```

```

@Search.defaultSearchElement: true
key travel_id           as TravelID,
@UI: { lineItem:      [ { position: 20, importance: #HIGH } ],
       identification: [ { position: 20 } ] }

@Search.defaultSearchElement: true
key booking_id           as BookingID,
@UI: { lineItem:      [ { position: 30, importance: #HIGH } ],
       identification: [ { position: 30 } ] }
booking_date           as BookingDate,
@UI: { lineItem:      [ { position: 40, importance: #HIGH } ],
       identification: [ { position: 40 } ],
       selectionField: [{ position: 10 }] }
}
@Search.defaultSearchElement: true
customer_id           as CustomerID,
@UI: { lineItem:      [ { position: 50, importance: #HIGH } ],
       identification: [ { position: 50 } ] }
@ObjectModel.text.element: ['CarrierName']
carrier_id           as CarrierID,
_Carrier.Name         as CarrierName,
@UI: { lineItem:      [ { position: 60, importance: #HIGH } ],
       identification: [ { position: 60 } ] }
connection_id           as ConnectionID,
@UI: { lineItem:      [ { position: 70, importance: #HIGH } ],
       identification: [ { position: 70 } ] }
flight_date           as FlightDate,
@UI: { lineItem:      [ { position: 80, importance: #HIGH } ],
       identification: [ { position: 80 } ] }
@Semantics.amount.currencyCode: 'CurrencyCode'
flight_price           as FlightPrice,
currency_code           as CurrencyCode,
@UI: { lineItem:      [ { position: 90, importance: #HIGH, label:
'Status' } ],
       identification: [ { position: 90, label: 'Status [N(New) | X(Canceled) | B(Booked)]' } ] }
booking_status           as BookingStatus,
@UI.hidden: true
last_changed_at           as LastChangedAt,      -- Take over from
parent
/* Associations */
_Travel: redirected to parent /DMO/C_Travel_Approver_M,
_Customer,
_Carrier
}

```

## Explanation

The CDS projection views for the processor and the approver BO are almost identical. Refer to [Booking Projection View /DMO/C\\_BOOKING\\_PROCESSOR\\_M \[page 263\]](#) for a thorough description on the booking projection view.

Value helps are not necessary for the interpretation of the approver role in this scenario. As the booking entity is a read-only entity in this scenario and selection fields with value helps cannot be defined for a sub entity, value helps cannot be applied and thus are not necessary to be defined for the booking entity.

### 5.3.4.2 Providing Behavior for Projections

The behavior for the BO projection is defined in a behavior definition of type `projection`. The type is defined in the behavior definition header. The projection behavior definition provides the behavior for the projection CDS view. All characteristics and operations that you want to include in the BO projection must be listed explicitly. The keyword for this is `use`.

Expand the following section to view the syntax of a behavior definition for BO projection.

#### Syntax: Behavior Definition for Projection

The syntax in a projection behavior definition is the following:

```
projection;
  define behavior for ProjectionView alias ProjectionViewAlias
    /* use the same eTag defined in underlying behavior definititon */
    use etag
  {
    /* define static field control */
    field ( readonly ) ProjViewElem1;
    field ( mandatory ) ProjViewElem2;
    /* expose standard operations defined in underlying behavior definition */
    use create;
    use update;
    use delete;
    /* expose actions or functions defined in underlying behavior definition */
    use action|function ActionName [as ProjAction] [external ExtProjname];
    /* expose create_by_association for child entities defined in underlying
       behavior definition */
    use association _Assoc { create; }
  }
```

For a detailed explanation of the syntax, see [Projection Behavior Definition \[page 58\]](#).

#### Defining the BO Projection Behavior in the Travel Scenario

As described in [Reference Business Scenario \[page 188\]](#) the BO projections for the processor and the approver differ with regard to their behavior. The following sections provide a detailed description on how to project the existing BO to define a behavior for one business object that is tailored to expose a UI service for a data processor and one that is tailored for a data approver.

- [Behavior for the Processor BO Projection \[page 277\]](#)
- [Behavior for the Approver BO Projection \[page 278\]](#)

#### Related Information

[Projection Behavior Definition \[page 58\]](#)

## 5.3.4.2.1 Behavior for the Processor BO Projection

The behavior for the BO projection that defines the scope for the processor application is defined in a behavior definition with type projection.

### 5.3.4.2.1.1 Creating a Behavior Definition for the Processor BO Projection

The easiest way to create a projection behavior definition is to use the context menu in the project explorer by selecting the relevant projection root view /DMO/C\_TRAVEL\_PROCESSOR\_M and choosing *New Behavior Definition*. The behavior definition always uses the same name as the corresponding root view.

For a more detailed description, see [Creating Behavior Definitions \[page 651\]](#).

As the behavior definition is created on the basis of the root projection view, the template with type projection is generated.

### 5.3.4.2.1.2 Defining the Behavior for the Processor BO Projection

When creating the behavior definition based on the projection view, the template automatically creates the type projection and lists all available characteristics and operations of the underlying behavior definition. That means, if nothing is done explicitly the BO projection has exactly the same behavior as the underlying BO.

For the processor projection, only the following elements are used:

```
projection;
define behavior for /DMO/C_Travel_Processor_M alias TravelProcessor
use etag
{
    field ( readonly ) TotalPrice;
    field ( mandatory ) BeginDate, EndDate, CustomerID;
    use create;
    use update;
    use delete;
    use action createTravelByTemplate;
    use association _BOOKING { create; }
}
define behavior for /DMO/C_Booking_Processor_M alias BookingProcessor
use etag
{
    use update;
//    use delete; // workaround for missing determination on delete
    use association _BOOKSUPPLEMENT { create; }
}
define behavior for /DMO/C_BookSuppl_Processor_M alias BookSupplProcessor
use etag
{
    use update;
//    use delete; // workaround for missing determination on delete
```

}

## Explanation

Only the characteristics and operations that are relevant for the processor are used in the projection behavior definition. This is only a subset of the behavior that was defined in the underlying BO. See [Developing Business Logic \[page 212\]](#) to compare the projection BO to the underlying one.

The eTag that was defined in the underlying BO is used for all three entities. Especially for the processor role, which is enabled to modify, it is necessary to have a concurrency check.

The static field control that was defined for the underlying BO cannot be modified. However, new controls are added to correspond the processor role. The field `TotalPrice` is set to `readonly` as its value is calculated by a determination. The basic elements for a travel entry `BeginDate`, `EndDate` and `CustomerID` are set to mandatory.

All standard operations are used for the processor on all the root entity. The child entities can only be created via a `create_by_association`. The `delete` is not enabled for the view `Booking` and `BookingSupplement` as the determination to calculate the total flight price is not triggered on `delete`.

For the travel entity, the action to create a travel entry by a template is enabled for the processor. This action copies certain values from an existing travel entry to create a new travel entity.

## 5.3.4.2.2 Behavior for the Approver BO Projection

The behavior for the BO projection that defines the scope for the approver application id defined in a behavior definition with type `projection`.

### 5.3.4.2.2.1 Creating a Behavior Definition for the Processor BO Projection

The easiest way to create a projection behavior definition is to use the context menu in the project explorer by selecting the relevant projection root view `/DMO/C_TRAVEL_APPROVER_M` and choosing [New Behavior Definition](#). The behavior definition always uses the same name as the corresponding root view.

For a more detailed description, see [Creating Behavior Definitions \[page 651\]](#).

As the behavior definition is created on the basis of the root projection view, the template with type `projection` is generated.

## 5.3.4.2.2.2 Defining the Behavior for the Approver BO Projection

When creating the behavior definition based on the projection, the template automatically creates the type projection and lists all available characteristics and operations of the underlying behavior definition. That means, if nothing is done explicitly the BO projection has exactly the same behavior as the underlying BO.

For the approver projection, only the following elements are used:

```
projection;
define behavior for /DMO/C_Travel_Approver_M alias Approver
use etag
{
  field ( readonly ) BeginDate, EndDate, TotalPrice, CustomerID;
  use update;
  use action acceptTravel;
  use action rejectTravel;
}
```

### Explanation

Only the characteristics and operations that are relevant for the approver are used in the projection behavior definition. This is only a subset of the behavior that was defined in the underlying BO. See [Developing Business Logic \[page 212\]](#) to compare the projection BO to the underlying one.

The eTag that was defined in the underlying BO is used in the approver projection as well. The concurrency check is relevant for the approver. It must be ensured that the data has not been changed between checking the data and executing the action `accept` or `reject travel`.

The static field control that was defined for the underlying BO cannot be modified. However, new controls are added to correspond the approver role. The fields that are mandatory for the processor are set to read-only for the approver. In the approver application, one can only change the fields `OverallStatus`, `AgencyID`, `BookingFee` and `Description`.

The `update` operation is enabled for the approver as a modification on the travel entries must be available.

The actions `accept` and `reject` are enabled to change the status of the travel entry.

There is no behavior defined for the booking entity. All fields are read-only in this case.

The booking supplement entity is not part of the approver BO projection, so there is no behavior for this entity either.

## 5.3.5 Defining Business Services Based on Projections

With the help of the previous sections, you developed a business object and its projection for two complementary business roles. The next step is to build a business service for both projections in order to consume the business object. The business service defines the scope of the service and binds it to a specific OData protocol. For more information, see [Business Service \[page 66\]](#).

This scenario is designed to build a UI service for both business object projections. Follow the development steps to build an application for both BO projections. For a detailed step-by-step description, see [Creating an OData Service \[page 22\]](#).

1. Create a service definition for the processor service and one for the approver service.
2. Expose the relevant CDS views for each service.

### i Note

Only the projection CDS views of the business object projection must be exposed for the service. The delegation to the underlying BO is automatically done.

#### 1. Service Definition for Processor Service:

```
@EndUserText.label: 'Service definition for managing travels'
define service /DMO/UI_TRAVEL_Processor_M {
    expose /DMO/C_Travel_Processor_M as Travel;
    expose /DMO/C_Booking_Processor_M as Booking;
    expose /DMO/C_BookSuppl_Processor_M as BookingSupplement;
    expose /DMO/I_Supplement as Supplement;
    expose /DMO/I_SupplementText as SupplementText;
    expose /DMO/I_Customer as Passenger;
    expose /DMO/I_Agency as TravelAgency;
    expose /DMO/I_Carrier as Airline;
    expose /DMO/I_Connection as FlightConnection;
    expose /DMO/I_Flight as Flight;
    expose I_Currency as Currency;
    expose I_Country as Country;
}
```

The complete composition hierarchy is exposed for the data processing service. In addition, the text and value help provider views are necessary components of the service scope to get the respective feature for the service.

#### 2. Service Definition for Approver Service

```
@EndUserText.label: 'Service definition for managing travels'
define service /DMO/UI_TRAVEL_Approver_M {
    expose /DMO/C_Travel_Approver_M as Travel;
    expose /DMO/C_Booking_Approver_M as Booking;
    expose /DMO/I_Customer as Passenger;
    expose /DMO/I_Agency as TravelAgency;
    expose I_Currency as Currency;
}
```

The approver service contains only two entities of the travel BO and a more limited number of text and value help provider views.

3. Create a service binding with binding type **ODATA V2 – UI** for both service definitions and activate the local service endpoints.

As soon as the service is activated, it is ready for consumption through an OData client such as an SAP Fiori app. You can use the preview function in the service binding to check how the UI of the Fiori application looks like.

## 5.4 Developing a Web API


An OData service can be published as a web API. This enables the consumption of the service by any client, independent from a particular UI.

### Introduction

A [Web API \[page 703\]](#) is an OData service whose metadata does not entail any UI-specific annotations that are defined for the data model. It is published for the purpose of providing an API to access the service by an unspecified client. A Web API facilitates the exchange of business information between an application and any client, including from a different system or server.

In this development guide you will reuse the service that you created in [Developing Unmanaged Transactional Apps Based on Existing Application Logic \[page 104\]](#) and publish a Web API for it. Since a Web API is not being used directly in a UI context, the consumer of a service of this type only requires a reduced set of metadata. The metadata lacks any kind of UI-relevant information.

The basis for the service remains identical to an OData service exposed for a UI. It is just the binding type in the service binding that differs, which can be seen in the subsequent figure. It is even possible to expose a service that was created originally as a UI service for API consumption. The metadata are automatically reduced to the relevant information for Web API, which means without UI-related annotations or value helps.



The procedure of consuming a remote Web API service like this from a foreign system is described in the following development guide [Developing a UI Service with Access to a Remote Service \[page 286\]](#).

## Prerequisites

The development of an Web API requires the following:

- You have access to and an account for **SAP Cloud Platform, ABAP environment**.
- You have installed ABAP Development Tools (ADT).  
SAP recommends that you use the latest version of the client installation. The ADT download is available on the update site <https://tools.hana.ondemand.com/>.
- To recreate the demo scenario, the database tables of the *ABAP Flight Reference Scenario* that represents the legacy business logic must be available in your *ABAP Environment*.  
You can download the complete ABAP Flight Reference Scenario for the ABAP RESTful Programming Model from GitHub <https://github.com/SAP/abap-platform-refscen-flight/tree/Cloud-Platform>. The steps to include the development objects in your ADT are described in the *README.md* file.

### → Remember

The namespace `/DMO/` is reserved for the demo content. Apart from the downloaded ABAP Flight Scenario, do not use the namespace `/DMO/` and do not create any development objects in the downloaded packages. You can access the development objects in `/DMO/` from your own namespace.

- You have understood the development steps to create a transactional OData service for a UI as described in [Developing Unmanaged Transactional Apps Based on Existing Application Logic \[page 104\]](#).  
In particular, you are able to reuse the data model including the behavior of the existing OData service `/DMO/TRAVEL_U` to expose it for a Web API.  
Via ABAPGit You can import the service `/DMO/TRAVEL_U` including the related development objects into your development environment. So you do not have to build the service to test the publishing as Web API. You find the service in the package `/DMO/FLIGHT_UNMANAGED`.  
For information about downloading the ABAP Flight Reference Scenario, see [Downloading the ABAP Flight Reference Scenario \[page 11\]](#).

## Example Scenario

As described above, the following guide reuses the data model and behavior of the service that was created in the transactional guide. This means that the following artifacts must be available in your system to follow the steps of this guide.

| Artefact                      | Description                                                                                                                                                                                                         |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CDS Entities</b>           |                                                                                                                                                                                                                     |
| <code>/DMO/I_TRAVEL_U</code>  | The <code>Travel</code> entity defines general travel data, such as the agency ID or customer ID, status of the travel booking, and the price of travel. The entity represents the root node of the business object |
| <code>/DMO/I_Booking_U</code> | The <code>Booking</code> entity manages data for a booked flight for a certain travel instance. It is a composition of the <code>Travel</code> entity and is therefore dependent on its root.                       |

| Artefact                         | Description                                                                                                                                            |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| /DMO/I_Agency                    | The Agency defines general data about the responsible agency for a travel. It is associated with the Travel entity.                                    |
| /DMO/I_Customer                  | The Customer defines personal data about the customers involved in travel and booking. It is associated with the Travel entity and the Booking entity. |
| <b>Behavior Artifacts</b>        |                                                                                                                                                        |
| /DMO/I_TRAVEL_U                  | The behavior definition defines the capabilities of the business object involved.                                                                      |
| /DMO/CL_TRAVEL_U                 | The behavior is implemented in the special ABAP classes.                                                                                               |
| <b>Business Service Artifact</b> |                                                                                                                                                        |
| /DMO/TRAVEL_U                    | The service definition defines all the entities that are exposed for the service.                                                                      |

## 5.4.1 Publishing a Web API

### Prerequisites

You have an existing service definition for which you want to create a Web API service. In our example scenario we reuse the service definition [/DMO/TRAVEL\\_U](#), which was already exposed as a UI service in the transactional scenario.

If no service definition is available, choose the entities that you want to expose as an API and create a service definition for these entities. For a description on how to create a service definition, refer to [Creating a Service Definition \[page 23\]](#).

### Context

You have defined the scope of the service that you want to expose in a service definition. The service must now be bound to an OData protocol and published as a Web API.

### Procedure

1. In your ABAP project, open the context menu for the existing service definition [/DMO/TRAVEL\\_U](#) and choose [New Service Binding](#) to launch the creation wizard.
2. In addition to the [Project](#) and [Package](#), enter the [Name](#) and the [Description](#) for the service binding you want to create.

## i Note


The maximum length for the name of a service binding is 26 characters.

The screenshot shows the 'New Service Binding' dialog box. At the top, it says 'Service Binding' and has a note: 'Specify a value for field 'Binding Type''. Below that, there are fields for 'Project:' (set to 'sys\_nr\_user\_en') and 'Package:' (set to '/DMO/FLIGHT\_UNMANAGED'). There is also a checkbox 'Add to favorite packages' which is unchecked. The next section contains fields for 'Name:' (set to '/DMO/API\_TRAVEL\_U\_V2'), 'Description:' (set to 'Web API for Travel Service'), and 'Original Language:' (empty). Below these is a dropdown for 'Binding Type:' which is currently empty. The final section shows 'Service Definition:' with the value '/DMO/TRAVEL\_U' and a 'Browse...' button. At the bottom of the dialog are buttons for '?', '< Back' (disabled), 'Next >', 'Finish', and 'Cancel'.

3. Select the *Binding Type ODATA V2 (Web API - Application to X Users: Exposed as API)* to bind the service to a V2 protocol and expose it as a Web API.
4. Verify that the correct *Service Definition* is preset in the wizard to be used as a base for your service binding.
5. Choose *Next*.
6. Assign a transport request and choose *Finish*.

The ABAP back end creates a service binding and stores it in the ABAP Repository.

In the *Project Explorer*, the new service binding is added to the *Business Services* folder of the corresponding package node. As a result, the service binding form editor is opened and you can verify the information of the service.



Service Binding Artifact Form Editor for a Web API

- To expose the service, choose the button [Activate](#).

The metadata document can be accessed by following the link [Service URL](#). The UI preview is naturally not available.

## Results

Except for UI features, the service including all implemented features is now exposed as an API. In particular, this means that the implemented behavior is also exposed in this API.

The difference to a service that is published for a UI client can best be seen in the service metadata. Whereas the metadata of a UI service carries information about the UI representation of the service, the Web API service does not contain any such information.

### • Example

In our example scenario this difference can be seen when comparing the annotation section that refers to the implemented value help.

The UI service lists every field of a value help provider view as `ValueListParameter` in the annotation section. The Web API on the other hand lacks any UI specific information, although the value help annotation is defined in the respective CDS views.

## 5.5 Developing a UI Service with Access to a Remote Service

Based on a remote OData service, you create a new service that enhances the remote service with additional information.

### Introduction


In this scenario, you develop an OData service that consumes a [Web API \[page 703\]](#). This Web API represents a remote service from which you retrieve data. This data is then enhanced with additional data. That means, the new OData service has two data sources. One is the remote service, the other source is a database table in the consuming development system. You build a new SAP Fiori UI application that consumes the remote service from the provisioning tenant, and enhances the remote service with persistent data of the consuming tenant.

The data model for the new service is defined in a [CDS custom entity \[page 693\]](#), which enables you to retrieve data from different sources. A CDS custom entity has an [unmanaged query \[page 702\]](#), which has to be implemented manually in a related ABAP class, the [query implementation class \[page 700\]](#). In this ABAP class, data from different sources, including from another system, can be retrieved.

With the help of the [service consumption model \[page 701\]](#), you can import the OData metadata of the remote service into the consuming cloud tenant and create proxy artifacts of the remote service. This gives you a local representation of the remote data model in your tenant, which helps you to define a data model for the new service.

This guide also describes how you implement transactional behavior to modify the additional data on the local database table.

The following image gives an overview of the architecture of the service consumption scenario.



To be able to get data from a remote service, you build an [OData client proxy \[page 698\]](#) in your implementation to forward and transform the requests for the remote service. The client proxy can only consume the remote service if a connection to the provisioning tenant is established. The configuration of such a destination is a precondition for developing this scenario.

## Development Steps to Create a New Service to Consume a Remote Service

- Save the XML file of the remote service locally.
- Create proxy artifacts with the service consumption model wizard.
- Create a CDS custom entity as a data model for the new service.
- Implement the query in an ABAP class.
- Implement the transactional behavior for the local fields.
- Create an OData service.

## Prerequisites

The prerequisites for developing an OData service with the service consumption model are as follows:

- You have access to and an account for SAP Cloud Platform, ABAP environment.
- You have installed ABAP Development Tools (ADT). We recommend using the latest version of the client installation. The ADT download is available on the update site <https://tools.hana.ondemand.com/>.
- You know a service in an S/4HANA Cloud system that you can consume.

In this demo scenario, the service `/DMO/API_TRAVEL_U_V2` is used as remote service. This service is part of the ABAP Flight Reference Scenario.

You can download the complete ABAP Flight Reference Scenario for the ABAP RESTful Programming Model from GitHub <https://github.com/SAP/abap-platform-refscen-flight/tree/Cloud-Platform>. The steps to include the development objects in your ADT are described in the `README.md` file.

#### → Remember

The namespace `/DMO/` is reserved for the demo content. Apart from the downloaded ABAP Flight Scenario, do not use the namespace `/DMO/` and do not create any development objects in the downloaded packages. You can access the development objects in `/DMO/` from your own namespace.

### Prerequisites for Calling an OData Service of an S/4HANA Cloud System

This scenario consumes a remote service from an S/4HANA Cloud System. You can consume any OData service, but different prerequisites might apply.

The following prerequisites apply for this consumption scenario:

- You know the URL of the remote service or have access to the CSDL XML file of the service.
- The remote OData service has been published in a communication scenario.  
For more information, see [.](#)
- A communication arrangement exists in the provisioning system.  
For more information, see [Implementation Steps in the SAP S/4HANA Cloud System](#).
- A cloud destination is configured for the provisioning system in the Cloud Cockpit.  
For more information, see [Configure a Destination for the Sample Apps](#).
- A communication arrangement for the destination service instance in the ABAP environment has been created in your consuming system (`SAP_COM_0276`).  
For more information, see [Creating a Communication Arrangement for the Destination Service Instance in the ABAP Environment](#)

## 5.5.1 Scenario Description

### Starting Point: Remote OData Service

In this development guide, we reuse the service that was built in [Developing a Web API \[page 281\]](#). We only use the root node from the remote service for our consumption and the transactional behavior is ignored. The new service in the consuming tenant does not implement operations to create, update, or delete data from the provisioning tenant. Instead, it retrieves the data from there and enriches the service with additional fields. These additional fields, however, can be modified. Therefore, the new UI service contains transactional capabilities for these additional fields.

A Web API service is the prototypical example for this consumption scenario. It contains all the required information, but does not contain any metadata that is superfluous in the consumption scenario (for example, UI-relevant annotations). However, it is also possible to consume an OData service that was published as a UI service.

The available entity types of the remote service can be viewed in the metadata document when extended. We only consume the root node `Travel`.

## Metadata of the Remote Service

## End Point: New OData Service with Additional Fields

We want to consume the remote service in the local system and extend it with additional fields for discounts. The end user will be able to maintain possible discounts for each trip in an SAP Fiori application. These discount fields are persisted on a local database table and retrieved together with the data of the remote service. The end user UI does not show any difference between the persisted fields and the fields that are retrieved remotely.

The discount fields are:

- *Discount Percentage*: The end user can maintain a proportional discount for the total price of travel.
  - *Discount Absolute*: The end user can maintain an absolute value as discount for the total price of the travel

In our scenario, these fields are persisted in the database table `/dmo/traveladd`, which consists of the two discount fields, the travel ID as the key, and administrative data to track changes.

In addition to the persistent fields, there is also a calculated field (*Total Price with Discount*) that displays the new total price including the possible discount. This field, however, is not persisted in the database, but is transient.

The following figure shows the end user UI with fields that are retrieved remotely from the provisioning system, persistent fields, and the transient field.

| Standard                   |           | Travel ID:  | Agency ID:  | Customer ID: | Status:      |            |                   | Adapt Filters             | Go                          |        |   |
|----------------------------|-----------|-------------|-------------|--------------|--------------|------------|-------------------|---------------------------|-----------------------------|--------|---|
| Trips (125)   Standard * ▾ |           |             |             |              |              |            |                   |                           |                             |        |   |
| Travel ID                  | Agency ID | Customer ID | Begin Date  | End Date     | Total Price  | Discount % | Discount Absolute | Total Price with Discount | Description                 | Status |   |
| 1                          | 70041     | 594         | Aug 4, 2018 | Jun 2, 2019  | 1,881.30 USD | 0          | 0.00 USD          | 1,881.30 USD              | Vacation 2                  | B      | ▶ |
| 3                          | 70046     | 93          | Aug 4, 2018 | Jun 2, 2019  | 3,645.14 USD | 0          | 0.00 USD          | 3,645.14 USD              | Vacation                    | B      | ▶ |
| 4                          | 70042     | 665         | Aug 4, 2018 | Jun 2, 2019  | 1,871.00 USD | 0          | 0.00 USD          | 1,871.00 USD              | Vacation                    | P      | ▶ |
| 5                          | 70007     | 225         | Aug 4, 2018 | Aug 4, 2018  | 992.00 USD   | 0          | 0.00 USD          | 992.00 USD                | Business Trip for Kurt, Ida | B      | ▶ |
| 6                          | 70048     | 22          | Aug 4, 2018 | Jun 2, 2019  | 5,686.00 USD | 0          | 0.00 USD          | 5,686.00 USD              | Vacation                    | B      | ▶ |

Fiori Elements App for Managing Travel and Discounts

## Procedure

To merge the locally and remotely retrieved data, the application developer must import the metadata of the remote service into the consuming tenant. Abstract entities that mirror the original data model of the remote service are generated by the service consumption wizard. It is then possible to access the service within the local ABAP code. To build a new OData service based on the remote service including additional database fields, a CDS custom entity is used to represent the data model, including both local and remote fields.

The program logic of a custom entity is not managed by ABAP runtime frameworks, but has to be implemented manually. The implementation includes the query itself and every query option as well as the transactional behavior for the local fields. The query is implemented in a query implementation class and the transactional runtime behavior is defined via a behavior definition and implemented in the related behavior pool. To access the data from the remote service, a cloud destination to the provisioning system must be instantiated in the implementation classes.

To create the OData service, we expose the custom entity in a service definition and create a service binding to bind the service against a protocol. In our example case, this is a V2 UI service.

As a result, the existing remote read-only service and database fields with transactional capabilities are merged within the same SAP Fiori Elements app.

## Related Information

[Developing a Web API \[page 281\]](#)

[Developing Unmanaged Transactional Apps Based on Existing Application Logic \[page 104\]](#)


## 5.5.2 Preparing Access to the Remote OData Service

In order to consume the remote service in your local system, you need a local representation of the remote service.

## Context

To be able to access the remote OData service, you need to generate proxy artifacts for it. These abstract entities mirror the data model of the remote service.

The wizard that creates the proxy artifacts requires a [CSDL XML \[page 694\]](#) document of the external service as a basis for the abstract entities.



## 5.5.2.1 Getting the OData Service Metadata

### Context

A CSDL XML file can be retrieved from any service if the service URL is known. The following procedure describes the steps for saving a CSDL XML document on your local machine.

### Procedure

1. Open your browser.
2. Call the external OData service metadata document.

#### i Note

You get the metadata document by adding `/$metadata` to the service URL.

3. Save the metadata as an *XML Document* on your local machine.



## Next Steps

You can now use this CSDL XML document in the service consumption wizard.

### 5.5.2.2 Generating Proxy Artifacts

#### Prerequisites

The metadata CSDL XML file of the service you want to consume is stored on your local machine.

#### Context

The proxy artifacts that represent the remote service in your system are required to access the remote service in your ABAP code. A wizard generates these proxy artifacts.

#### Procedure


1. In your ABAP package, open the context menu and choose ► **New** ► **Other** ► **ABAP** ► **Business Services** ► **Service Consumption Model** to launch the creation wizard.
2. In addition to the **Project** and **Package**, enter a **Name** for the new service consumption model and a **Description**.

We use the name **/DMO/TRAVEL\_C\_A** in our example scenario. The suffix **\_C** for consumption scenario and **\_A** for abstract.

#### i Note

This name is also used for the service definition that will be generated.

3. Browse your local machine for the **Service Metadata File**.
4. Choose **Next**.
5. On the **Mapping Names** screen, deselect all service entity sets, except for **Travel** and edit the ABAP artifact name for this entity set to prevent name clashes with other artifacts.



In this example scenario, we only use the root node of the business object (Travel).

6. Choose **Next**.

On the *ABAP Artifact Generation List* screen, in addition to the selected entity set, the service definition that is generated is listed.

7. Choose **Next** and assign a transport request.
8. Choose **Finish**.

The service consumption model editor is opened, in which you can see and verify the generated artifacts. The wizard creates an [abstract entity \[page 692\]](#) in your local system for each entity from the external service that you have chosen. If the source service contains creatable, updatable, or deletable entities, a behavior definition is created with the same name as the related abstract entity. These entities are found in the Core Data Services folder in ADT. Additionally, the generated [service definition](#) is created in the Business Services folder. It carries the same name as the service consumption model.

### → Remember

We only use the root node of the external service, which is now represented as `/DMO/TRAVEL_C_A`.

You can access any of the development objects directly from this editor.

The service consumption model also generated code samples with placeholders for CRUD operations, which facilitate your entity set consumption.

## Results

The following codeblock displays the source code of the abstract entity `/DMO/TRAVEL_C_A`:

```
***** Generation Administration Data*****
@OData.entitySet.name: 'Travel'
@OData.entityType.name: 'TravelType'
define root abstract entity /DMO/TRAVEL_C_A
{
    key TravelID      : abap.numc( 8 );
    AgencyID        : abap.numc( 6 );
    AgencyID_Text   : abap.char( 80 );
    CustomerID     : abap.numc( 6 );
    CustomerID_Text : abap.char( 40 );
    BeginDate       : abap.dats;
    EndDate         : abap.dats;
    @Semantics.amount.currencyCode: 'CurrencyCode'
    BookingFee      : abap.dec( 17, 3 );
    @Semantics.amount.currencyCode: 'CurrencyCode'
    TotalPrice      : abap.dec( 17, 3 );
    @Semantics.currencyCode: true
    CurrencyCode    : abap.cuky( 5 );
    Memo            : abap.char( 1024 );
    Status          : abap.char( 1 );
    LastChangedAt   : tzntstmp;
    ETAG__ETAG      : abap.string( 0 );
}
```

### i Note

Element types, the semantics annotations, and the OData entity set name, which is referenced in the annotation, are taken from the service metadata document of the remote service. If an ETag is maintained in the original service, an element for the ETag is added. The text element for the elements that have a text association in the original service are also added to the abstract entity. We will not use them in the service consumption scenario.

This abstract entity serves as a template for the data model of the new service.

## Related Information

[Creating Service Consumption Model \[page 662\]](#)

## 5.5.3 Creating a Database Table for the Persistent Fields

### Context

The remote service is enriched with discount fields (`discount_pct` and `discount_abs`). These enable the end user to maintain discounts for trips. The discounts can be either absolute or relative to the total price of the trip. These fields are used to calculate the new price (`TotalPriceWithDiscount`) in a transient field.

To create the database table for the discount fields, follow the steps.

### Procedure

1. In the *Project Explorer*, select the relevant *Package* node, open the context menu, and choose ► *New* ► *Other ABAP Repository Object* ► *Dictionary*.
2. Select *Database Table* to launch the creation wizard.

The *Creation wizard* opens.

3. Enter the necessary information for the wizard to create the database table `/dmo/traveladd`.  
For a detailed description of how to use the wizard, see .  
Once you have completed the wizard, the initially generated source code is displayed and ready for editing.
4. Define the fields for the database table.

```
@EndUserText.label : 'Travel Discount Information'  
@AbapCatalog.enhancementCategory : #NOT_EXTENSIBLE  
@AbapCatalog.tableCategory : #TRANSPARENT  
@AbapCatalog.deliveryClass : #A  
@AbapCatalog.dataMaintenance : #LIMITED  
define table /dmo/traveladd {  
    key client : abap.clnt not null;  
    key travel_id : abap.numc(8) not null;  
    discount_pct : abap.dec(3,1);  
    discount_abs : abap.dec(16,2);  
    lastchangedat : timestamp;  
}
```

5. Save and activate.

## 5.5.4 Using a CDS Custom Entity for Data Modeling

Custom entities are used for data models whose runtime is implemented manually.

### Context

This service consumption scenario retrieves its data partly from a remote service and partly from a local database table. In [custom entities \[page 693\]](#), you define the elements and type them to be used in the local

OData service. Custom entities do not come with a `select` on the data source. The implementation of the logic to retrieve the data is implemented in an ABAP class that is referenced in an entity annotation.

For more information, see [Unmanaged Query \[page 62\]](#).

### 5.5.4.1 Creating a CDS Custom Entity

#### Procedure

1. In your ABAP project, select the relevant package node in the *Project Explorer*. Open the context menu and choose **New > Other... > Core Data Services > Data Definition** to launch the creation wizard.
2. Enter the necessary information for the wizard to create the CDS custom entity. Choose *Define Custom Entity with Parameters* as the template.

For a detailed description of how to use the wizard, see .

A new data definition for a CDS custom entity is created and added to the *Core Data Services* folder of the corresponding package node. In our scenario, the name of the custom entity is `/DMO/I_TRAVEL_C_C` (first suffix for consumption scenario, the second for custom entity).

3. Delete the `with parameters` statement. Parameters are not needed in the current scenario.

#### Results

Unlike CDS views, custom entities do not have a `select` statement to retrieve the data from a data source. The runtime of a custom entity must be implemented in a related ABAP class, which must be referenced using the annotation `@ObjectModel.query.implementedBy`.

#### Next Steps

The elements can now be defined in the editor. At least one element must be `key`. It is also necessary to determine a class for the query implementation in the annotation `@ObjectModel.query.implementedBy`.

### 5.5.4.2 Defining the Data Model in a CDS Custom Entity

#### Context

As described in [Scenario Description \[page 288\]](#), the data for the new OData service is partly retrieved from a foreign S/4HANA system and partly taken from a local database. As we have already generated the proxy

artifacts, we can copy the data structure and the data types from the abstract entity `/DMO/TRAVEL_C_A`. In addition, the additional discount elements are included, which have the same data types as declared in the database table `/dmo/traveladd`.

## Procedure

1. If you have not already done so, open the new data definition for the CDS custom entity in the editor.
2. Define the data model for the new travel service. You can copy the elements from the abstract entity `/DMO/TRAVEL_C_A`.

You do not have to use the same names as in the abstract entity, but if you do use a different name, you have to map this manually in the query implementation. For example, the element `Memo` is renamed to `Description` in the custom entity.

3. Delete `ETAG_ETAG` element and the text elements `AgencyID_Text` and `CustomerID_Text`.

### i Note

You do not need the element `ETAG_ETAG` from the remote service. We use a calculated eTag in this scenario, which contains the timestamp from the local database table and the time timestamp from the remote service to ensure that no data has changed, neither on the local database nor in the remote service.

4. Include the additional discount fields from `/dmo/traveladd`.

```
DiscountPct          : abap.dec( 3, 1 );
DiscountAbs          : abap.dec( 16, 3 );
```

5. Add the element for the transient field that calculates the total price with discount.

```
TotalPriceWithDiscount: abap.dec(17,3)
```

6. Add an element for the calculated eTag.

```
CalculatedEtag      : abap.string( 0 );
```

7. Define the semantic relations between the amount and currency fields with the relevant annotations..

```
@Semantics.amount.currencyCode: 'CurrencyCode'
@Semantics.currencyCode: true
```

## Results

The following codeblock displays the custom entity elements with the right types and the semantic annotations.

```
@EndUserText.label: 'CE for Service Consumption Scenario'
define custom entity /DMO/I_TRAVEL_C_C
{
    key TravelID           : abap.numc( 8 );
    AgencyID              : abap.numc( 6 );
```

```

CustomerID           : abap.numc( 6 );
BeginDate            : abap.dats;
EndDate              : abap.dats;
@Semantics.amount.currencyCode: 'CurrencyCode'
BookingFee           : abap.dec( 17, 3 );
@Semantics.amount.currencyCode: 'CurrencyCode'
TotalPrice            : abap.dec( 17, 3 );
@Semantics.currencyCode: true
CurrencyCode          : abap.cuky( 5 );
Description           : abap.char( 1024 );    //renamed element
Status                : abap.char( 1 );
LastChangedAt         : tzntstmp1;
DiscountPct           : abap.dec( 3, 1 );
@Semantics.amount.currencyCode: 'CurrencyCode'
DiscountAbs            : abap.dec( 16, 3 );
@Semantics.amount.currencyCode: 'CurrencyCode'
TotalPriceWithDiscount : abap.dec(17,3);
CalculatedEtag        : abap.string( 0 );
}

```

## Next Steps

Before you can activate the CDS custom entity, you need to create an ABAP class that implements the interface `IF_RAP_QUERY_PROVIDER`. This class needs to be referenced in the entity annotation `@ObjectModel.query.implementedBy`.

### 5.5.4.3 Creating the Query Implementation Class

#### Context

The runtime of a CDS custom entity must be implemented manually. Therefore, it requires an ABAP class that implements the `select` method of the interface `IF_RAP_QUERY_PROVIDER` to handle query requests by the client. This class is referenced by the custom entity and is dedicated to implementing the OData client data requests.

#### Procedure

1. In the `Project Explorer`, select the relevant package node, open the context menu, and choose `New > ABAP Class` to launch the creation wizard.
2. Follow the steps of the creation wizard and enter the necessary information. In the example scenario, we choose the name `/DMO/CL_TRAVEL_C_Q` for the query implementation class.

For a detailed description of how to use the wizard, see .

Once you have completed the wizard, the initially generated source code is displayed and ready for editing.

3. Implement the `select` method of the query provider interface `IF_RAP_QUERY_PROVIDER`.

The custom entity can only be activated once the `select` method of the interface `IF_RAP_QUERY_PROVIDER` is implemented in the query implementation class.

```
CLASS /dmo/cl_travel_c_q DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
  PUBLIC SECTION.
    INTERFACES if_rap_query_provider.
  PROTECTED SECTION.
  PRIVATE SECTION.
ENDCLASS.

CLASS /dmo/cl_travel_c_q IMPLEMENTATION.
  METHOD if_rap_query_provider~select.
  ENDMETHOD.
ENDCLASS.
```

4. In the custom entity `/DMO/I_TRAVEL_C_C`, add the entity annotation `@ObjectModel.query.implementedBy` and reference the newly created query implementation class `/DMO/CL_TRAVEL_C_Q`.

The reference to the ABAP class must start with `ABAP:`.

```
@ObjectModel.query.implementedBy: 'ABAP:/dmo/cl_travel_c_q'
define custom entity /DMO/I_TRAVEL_C_C
```

5. Activate the custom entity `/DMO/I_TRAVEL_C_C`.

## 5.5.5 Consuming the Remote OData Service

Address a remote service in your ABAP code and implement the query contract and the transactional behavior for the business object to build a new OData service.

Our service consumption scenario includes the creation of a new OData service in the consuming tenant. You have defined a data model for this service in a CDS custom entity, and now, the unmanaged query must be implemented in a related ABAP class as the query is not managed by a framework.

Additionally, this scenario also illustrates how transactional behavior can be included for the new OData service. To update the discount data, the business object (consisting only of the custom entity in this case) must be equipped with the implementation of the transactional runtime in a behavior pool. This includes the implementation of the interaction phase and save sequence.

Both, the query and the behavior implementation need to retrieve data from the remote service. With the help of a remote client proxy, the connection to the provisioning system is established and read requests are delegated to consume the remote service. The client proxy implementation is done in an auxiliary class for reuse reasons.

### → Remember

The consumption of a Web API requires the configuration of the involved systems (provisioning and consuming system) to allow the communication between them. See [Prerequisites for Calling an OData Service of an S/4 HANA Cloud System \[page 288\]](#).

The following sections guide you through the implementation steps to instantiate a remote client proxy to reach the provisioning system, to implement the query for read access to the remote service and to implement transactional access to the discount persistence layer.

- [Creating a Remote Client Proxy \[page 300\]](#)
- [Implementing the Query for Service Consumption \[page 303\]](#)
- [Adding Transactional Behavior to the Business Object \[page 318\]](#)

### 5.5.5.1 Creating a Remote Client Proxy

To enable data retrieval from a remote service, you must establish a connection to the provisioning tenant and instantiate a client proxy that passes the OData requests to the remote service.

#### Prerequisites

To be able to address a remote service, make sure that you meet the [Prerequisites for Calling an OData Service of an S/4 HANA Cloud System \[page 288\]](#).

#### Context

A remote client proxy is used when an OData service is consumed remotely using an HTTP request. For reuse reasons, it is useful to instantiate the client proxy in a separate helper class.

#### Exception and Message Handling

In the service consumption scenario, several types of errors might occur. The execution of query or transactional requests is quite complex, as one request must pass not only the consuming service but also the provisioning service. In different parts of your coding, errors can happen. For example, while trying to connect to the provisioning system, while instantiating the client proxy, while executing the unmanaged query, during the execution of the application logic or during the modification of the discount values. Every kind of error must be handled with a suitable exception and message. Therefore, it is convenient to unite all exceptions and their related message in one exception class and one message class.

Before starting with the implementation of the consumption of the remote service, create an exception and a message class. For more information about exception and message handling, see [, , and .](#)

The exception class must inherit from the superclass `CX_RAP_QUERY_PROVIDER`.

In the example scenario, the name of the exception class is `CX_TRAVEL_SERV_CONS`. The name of the message class is `CM_SERV_CONS`.

## Implementation Steps

### 1. Create an Auxiliary Class for the Client Proxy Implementation

- In the *Project Explorer*, select the relevant package node, open the context menu, and choose **New > ABAP Class** to launch the creation wizard.
- Follow the steps of the creation wizard and enter the necessary information. In the example scenario, we choose the name **/DMO/CL\_TRAVEL\_C\_CP\_AUX**. Once you have completed the wizard, the initially generated source code is displayed and ready for editing.  
For a detailed description of how to use the wizard, see .
- Declare a static method in the public section of the auxiliary class for the creation of a client proxy: **create\_client\_proxy** with a returning parameter **ro\_client\_proxy** and an exception to be raised if there are errors..

```
CLASS /dmo/cl_travel_cp_aux DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
  PUBLIC SECTION.
    CLASS-METHODS:
      get_client_proxy RETURNING VALUE(ro_client_proxy) TYPE REF TO /iwbeb/
if_cp_client_proxy           RAISING   /dmo/cx_travel_serv_cons.
    PROTECTED SECTION.
    PRIVATE SECTION.
  ENDCLASS.
CLASS /dmo/cl_travel_cp_aux IMPLEMENTATION.
  METHOD get_client_proxy.
  ENDMETHOD.
ENDCLASS.
```

### 2. Get the destination to the provisioning system and create an HTTP client

To be able to access the provisioning tenant, you must maintain a cloud destination for the foreign system and create an HTTP client. Use the code samples of the service consumption model for this.

- Call the method **create\_by\_http\_destination** of the class **CL\_WEB\_HTTP\_MANAGER** to create an HTTP client.
- Call the public static method **create\_by\_cloud\_destination** of the class **CL\_HTTP\_DESTINATION\_PROVIDER** to create a client proxy. Provide the name of the destination and the name of the service instance name. In our scenario, the destination is set up under the name **TRAVEL\_BASIC** and the service instance name is **OutboundCommunication**.  
The method has another input parameter, which relates to the authentication mode. If you do not fill this input parameter, the default authentication is BasicAuthentication with the user of the destination. This can be made explicit by using the parameter with the value **if\_a4c\_cp\_service=>service\_specific**.
- Include error handling. Use the exception class **/DMO/CX\_TRAVEL\_SERV\_CONS** to raise adequate exception message, for example **Access to remote system failed**.  
For information about how to work with exception classes and message classes, see .

```
  " Getting the destination of foreign system
TRY.
  " Getting the destination of foreign system
  " Create http client
  " Details depend on your connection settings
  DATA(lo_http_client) =
cl_web_http_client_manager=>create_by_http_destination(
```

```

cl_http_destination_provider=>create_by_cloud_destination(
                                i_name                  =
'Travel_Basic'
                                i_service_instance_name =
'OutboundCommunication' ) .
    " Error handling
    CATCH cx_http_dest_provider_error INTO DATA(lx_http_dest_provider_error).
        RAISE EXCEPTION TYPE /dmo/cx_travel_serv_cons
            EXPORTING
                textid   = /dmo/cx_travel_serv_cons=>remote_access_failed
                previous = lx_http_dest_provider_error.
    CATCH cx_web_http_client_error INTO DATA(lx_web_http_client_error).
        RAISE EXCEPTION TYPE /dmo/cx_travel_serv_cons
            EXPORTING
                textid   = /dmo/cx_travel_serv_cons=>remote_access_failed
                previous = lx_web_http_client_error.
ENDTRY..

```

### 3. Instantiate the Client Proxy

To consume the remote service from the provisioning system, we need a client proxy that delegates the requests to the remote service. Since our scenario works with OData V2, we need a V2 client proxy.

The service consumption model provides code templates for this.

- Create a client proxy by calling the method `create_v2_remote_proxy` of the class `CL_WEB_ODATA_CLIENT_FACTORY`. The client proxy is instantiated with the service definition generated by the service consumption model, the previously created HTTP client, and the URL path to the Web API.
- Use the exception class `/DMO/CX_TRAVEL_SERV_CONS` to raise adequate exception message, for example `Client Proxy could not be instantiated..`

For information about how to work with exception classes and message classes, see .

```

" Instantiation of client proxy
TRY.
    ro_client_proxy = cl_web_odata_client_factory=>create_v2_remote_proxy(
        EXPORTING
            iv_service_definition_name = '/DMO/TRAVEL_C_A'
            io_http_client             = lo_http_client
            iv_relative_service_root   = '/sap/opu/odata/DMO/API_TRAVEL_U_V2' ).
    CATCH cx_web_http_client_error INTO DATA(lx_web_http_client_error).
        RAISE EXCEPTION TYPE /dmo/cx_travel_serv_cons
            EXPORTING
                textid   = /dmo/cx_travel_serv_cons=>client_proxy_failed
                previous = lx_web_http_client_error.
    CATCH /iwbeb(cx_gateway INTO DATA(lx_gateway).
        RAISE EXCEPTION TYPE /dmo/cx_travel_serv_cons
            EXPORTING
                textid   = /dmo/cx_travel_serv_cons=>client_proxy_failed
                previous = lx_gateway.
ENDTRY.

```


## 5.5.5.2 Implementing the Query for Service Consumption

The following topics guide you through the implementation steps required to execute a query request in a service consumption scenario.

### Runtime Logic for the Query in the Service Consumption Scenario

Our scenario has two different data sources. One is a remote service from a different cloud tenant. To retrieve data from this service, you must have an appropriate connection to the provisioning tenant (see [Prerequisites for Calling an OData Service of an S/4 HANA Cloud System \[page 288\]](#)) and the `select` method in the query implementation class must instantiate a client proxy that executes requests for the remote service. Additionally, it must include the implementation of every query option you want to support. The other data source is a database table in the consuming tenant that stores the additional discount fields. To retrieve the data from this table, the `select` method includes an ABAP SQL `SELECT`.

The following figure illustrates how the query works in the service consumption scenario.



Query for Service Consumption Scenario

Apart from the simple data retrieval, the scenario also includes the query options [filtering](#), [selecting](#), [sorting](#), and [paging](#). All of these capabilities must be implemented in the query implementation class.

The client proxy is a powerful means to pass on OData requests to the provisioning tenant. It must be instantiated in the query implementation class. All the possible query options of the OData request in the consuming tenant must then be added to the request for the client proxy. This needs to be done for every query option separately. After the actual execution of the request and the data retrieval, the data set from the remote service is extended with its matching discount data.

### i Note

The query options can only be delegated to the client proxy if the query options only affect the elements from the remote service. If the query options are operated on local database fields, they must be implemented manually after the retrieval of the data set from the provisioning system. As this might cause serious performance issues, it is not demonstrated in this example scenario. Consider performance aspects for your use case, if you decide to implement this.

## Structure of the Query

For every request that is sent to the remote service you need to instantiate the client proxy. The method to create a client proxy. With this client proxy, you create a read request (as you only want to execute a query on the remote service). Before sending this read request to the remote service, it must be equipped with all the necessary query options. For example, whenever the count is requested by the UI, the query option for count must be added to the read request. The interface `IF_RAP_QUERY_PROVIDER` provides methods to find out which query options are requested by the UI and hence must be delegated to the remote service.

### i Note

When choosing the `GO` button on the UI to retrieve data, it always requests the count and paging. Therefore, the implementation for data retrieval must include at least counting and paging. Otherwise you will get a runtime error.

When all necessary query options are added to the request, it can be executed and the result must be given back to the UI.

The procedure for implementing the query implementation is described in the following in detail:

1. [Implementing Data and Count Retrieval \[page 305\]](#)
2. [Implementing Filtering \[page 311\]](#)
3. [Implementing Column Selections \[page 314\]](#)
4. [Implementing Sorting \[page 316\]](#)

## Related Information


[Query Runtime Implementation \[page 62\]](#)

## 5.5.5.2.1 Implementing Data and Count Retrieval

To enable data retrieval from a remote service, you must establish a connection to the provisioning tenant and instantiate a client proxy that passes the OData requests to the remote service. The data sets from the remote service are then imported to the consuming tenant and can be merged with additional data.

### Preview

Choosing the **Go** button on an SAP Fiori UI triggers the OData request for data and count retrieval. The UI automatically includes a paging query option with usually 25 data records per page.



| Trips (375) |          |            |             |              |              |            |                   |                           |                               |        |                             |
|-------------|----------|------------|-------------|--------------|--------------|------------|-------------------|---------------------------|-------------------------------|--------|-----------------------------|
| TravelID    | AgencyID | CustomerID | BeginDate   | EndDate      | TotalPrice   | Discount % | Discount Absolute | Total Price with Discount | Description                   | Status | Last changed on             |
| 15          | 70028    | 466        | Aug 4, 2018 | May 31, 2019 | 3,001.00 USD | 0          | 0.00 USD          | 3,001.00 USD              | Sightseeing in Miami, Florida | B      | Jul 13, 2018, 9:39:10 PM >  |
| 16          | 70050    | 640        | Aug 4, 2018 | Jun 2, 2019  | 5,937.00 USD | 0          | 0.00 USD          | 5,937.00 USD              | Vacation                      | P      | Jul 27, 2018, 5:42:47 AM >  |
| 17          | 70048    | 478        | Aug 4, 2018 | Jun 2, 2019  | 6,087.00 USD | 0          | 0.00 USD          | 6,087.00 USD              | Vacation                      | P      | Jul 23, 2018, 12:16:52 PM > |
| 18          | 70050    | 264        | Aug 4, 2018 | Jun 2, 2019  | 4,040.00 USD | 0          | 0.00 USD          | 4,040.00 USD              | Vacation                      | P      | Jul 26, 2018, 11:05:59 PM > |
| 19          | 70049    | 155        | Aug 4, 2018 | Jun 2, 2019  | 2,042.00 USD | 0          | 0.00 USD          | 2,042.00 USD              | Vacation                      | P      | Jul 25, 2018, 9:41:07 PM >  |
| 20          | 70049    | 680        | Aug 4, 2018 | Jun 2, 2019  | 6,272.00 USD | 0          | 0.00 USD          | 6,272.00 USD              | Vacation                      | P      | Jul 28, 2018, 1:57:29 AM >  |
| ...         | ...      | ...        | ...         | ...          | ...          | ...        | ...               | ...                       | ...                           | ...    | ...                         |

### Implementation Steps

#### 1. Instantiate the Client Proxy

To send requests to the provisioning system, you need a remote client proxy.

- In the query implementation class, call the method `get_client_proxy` of the auxiliary class `/DMO/CL_TRAVEL_CP_AUX` in the `select` method.

```
METHOD if_rap_query_provider~select.  
    """Instantiate Client Proxy  
    DATA(lo_client_proxy) = /dmo/cl_travel_cp_aux=>get_client_proxy( ).  
    ...  
ENDMETHOD.
```

#### 2. Create a Read Request

To execute a query request on the remote service, a read request for the relevant entity set must be created. This read request will then be enhanced with query options.

- On the client proxy object, call the method `create_resource_for_entity_set` with the `TRAVEL` entity set name as importing parameter.

#### i Note

The OData entity set name can be found in the relevant abstract entity:

```

@OData.entitySet.name: 'Travel'
@OData.entityType.name: 'TravelType'
define root abstract entity /DMO/TRAVEL_C_A

{
  key TravelID      : abap.numc( 8 );
  AgencyID         : abap.numc( 6 );
}

```

In our scenario, the alias *Travel* is used.

### i Note

Use uppercase for the OData entity set name of the entity for this method, since the internal ABAP representation of entity sets is in uppercase.

This method returns an object for the entity set resource.

- Create a read request by calling the method `create_request_for_read` on the entity set resource.
- Surround the method call with a `TRY-CATCH` block and include error handling with a suitable error message.

```

TRY.
  """Create Read Request
  DATA(lo_read_request) = lo_client_proxy-
>create_resource_for_entity_set( 'TRAVEL' )->create_request_for_read( ).
  CATCH /iwbep/cx_gateway INTO DATA(lx_gateway).
    RAISE EXCEPTION TYPE /dmo/cx_travel_serv_cons
      EXPORTING
        textid   = /dmo/cx_travel_serv_cons=>query_failed
        previous = lx_gateway.
  ENDTRY.

```

### 3. Request the Inline Count of the Remote Service

As a Fiori UI always requests the inline count of the service, this request must be delegated to the remote service to get the total number of records from there.

- Within the try-catch Block, check whether the total number of records is requested by the UI by calling the method `is_total_numb_of_rec_requested` of the interface `IF_RAP_QUERY_REQUEST`.  
For more information about `is_total_numb_of_rec_requested`, see [Method `is\_total\_numb\_of\_rec\_requested` \[page 637\]](#).

### i Note

The same exception as previously defined can be used for all methods called on the read request.

- Call the method `request_count` on the read request.

```

  """Request Count
  IF io_request->is_total_numb_of_rec_requested( ).
    lo_read_request->request_count( ).
  ENDIF.

```

### 4. Implement Paging if Data is Requested

Whenever the UI requests paging, the query framework checks that the query does not return more data records than requested. Therefore, you need to set the paging information for the read request the client proxy sends to the remote service.

- Within the try-catch block, check whether data is requested.
- Get the paging information of the UI request into a local variable (`ls_paging`) by calling the method `get_paging` of the interface `IF_RAP_QUERY_REQUEST`.  
For more information about `get_paging`, see [Method `get\_paging` \[page 638\]](#).
- If the offset is  $\geq 0$ , pass it to the read-request.
- Pass the page size to the read request if it is not unlimited.

### i Note

If all data records are requested, the method returns the constant `page_size_unlimited`, which has the value `-1`. If this constant is returned, the query option `$skip` must not be passed to the read request.

```
"""Request Paging
DATA(ls_paging) = io_request->get_paging( ).
IF ls_paging->get_offset( ) >= 0.
    lo_read_request->set_skip( ls_paging->get_offset( ) ).
ENDIF.
IF ls_paging->get_page_size( ) <>
if_rap_query_paging->page_size_unlimited.
    lo_read_request->set_top( ls_paging->get_page_size( ) ).
ENDIF.
```

## 5. Execute the Request

The read request for the remote OData service is now equipped with the query options for count `$inlinecount=allpages` (if total number of records is requested) and for paging `$skip` and `$top` (if data is requested). At least, these two query options should be implemented in the query implementation class if the consuming service is a UI service.

### → Remember

By default, the UI sends the query options for counting and paging.

Now, the request can be sent. In other words, it is executed on the remote service.

- Execute the request and write it into a local variable `lo_response`.

```
"""Execute the Request
DATA(lo_response) = lo_read_request->execute( ).
```

## 6. Provide the Count Result for the Response of the Unmanaged Query

The response parameter `io_response` of `IF_RAP_QUERY_PROVIDER~select` must be filled with the total number of records that the count request to the remote service returns.

- Check if the total number of records is requested.
- Get the count from the response of the remote service by calling the method `get_count` on the remote service response object.
- Set the returned number for the response to the unmanaged query by calling the method `set_total_number_of_records` on the response object of the unmanaged query.

```
"""Set Count
IF io_request->is_total numb of rec requested( ).
    io_response->set_total number of records( lo_response->get_count( ) ).
ENDIF.
```

## 7. Provide the Result Data for the Response of the Unmanaged Query

The response parameter `io_response` of `IF_RAP_QUERY_PROVIDER~select` must be filled with the requested data, which are returned by the remote service and enhanced with the local discount data.

- Check whether data is requested.
- Declare `lt_travel` with the same type as the generated abstract entity. The data from the remote service will be written into that table.
- Declare `lt_travel_ce` with the type of the custom entity. This table is used to fill the output parameter of the select method.
- Declare `lt_traveladd` with the type of the local database table. The data from the database table `/dmo/traveladd` is read into this table.
- Get the data from the response object of remote service request by calling the method `get_business_data` and write it into `lt_travel`.
- If `lt_travel` returns entries, provide a mapping for those elements in the custom entity that are not identical with the names of the abstract entity elements. In our scenario, this concerns the element `Description`.
- Select the local data (discounts) based on the entity sets that are retrieved from the remote service.
- Select the latest time stamp for the discount data.
- Calculate the eTag from the values of the `lastChangedAt` fields of the remote and local service.

### i Note

The eTag is used to ensure that discount data has not changed. That is why, the retrieved value is overwritten with the initial timestamp for the field.

- Calculate the amount for the field `TotalPriceWithDiscount` if a discount exists.
- If no discount is maintained, fill the field `TotalPriceWithDiscount` with the value of `TotalPrice` without discount and set an initial value for the field `lastchangedat`.
- Set the returned data for the response to the unmanaged query by calling the method `set_data` on the response object of the unmanaged query.

```
"""Set Data
IF io_request->is_data_requested( ).
  DATA: lt_travel      TYPE STANDARD TABLE OF /dmo/travel_c_a,
        lt_travel_ce  TYPE STANDARD TABLE OF /dmo/i_travel_c_c,
        lt_traveladd   TYPE STANDARD TABLE OF /dmo/traveladd.
  lo_response->get_business_data( IMPORTING et_business_data =
lt_travel ).

  IF lt_travel IS NOT INITIAL.
    lt_travel_ce = CORRESPONDING #( lt_travel MAPPING description =
memo ).

    SELECT * FROM /dmo/traveladd FOR ALL ENTRIES IN @lt_travel_ce WHERE
travel_id = @lt_travel_ce-travelid INTO TABLE @lt_traveladd.
    LOOP AT lt_travel_ce ASSIGNING FIELD-SYMBOL(<fs_travel_ce>).
      IF line_exists(`lt_traveladd[ travel_id = <fs_travel_ce>-
travelid ]`).
        <fs_travel_ce>-discountpct          = lt_traveladd[ travel_id =
<fs_travel_ce>-travelid ]-discount_pct.
        <fs_travel_ce>-discountabs         = lt_traveladd[ travel_id =
<fs_travel_ce>-travelid ]-discount_abs.
        <fs_travel_ce>-totalpricewithdiscount = <fs_travel_ce>-
totalprice * ( 1 - <fs_travel_ce>-discountpct / 100 ) - <fs_travel_ce>-
discountabs.
        <fs_travel_ce>-lastchangedat       = lt_traveladd[ travel_id =
<fs_travel_ce>-travelid ]-lastchangedat.
      ENDIF.
    ENDLOOP.
  ENDIF.
ENDIF.
```

```

        <fs_travel_ce>-calculatedetag      = <fs_travel_ce>-
calculatedetag && '-' && lt_traveladd[ travel_id = <fs_travel_ce>-travelid ]-
lastchangedat.
        ELSE.
            <fs_travel_ce>-totalpricewithdiscount = <fs_travel_ce>-
totalprice.
            <fs_travel_ce>-lastchangedat          = '20000101120000' .
"initial value Jan 1, 2000, 12:00:00 AM
        ENDIF.
    ENDLOOP.
ENDIF.
io_response->set_data( lt_travel_ce ).
```

## Results

Expand the following codeblock to view the complete query implementation for data retrieval and count:

### Query Implementation Class

```

CLASS /dmo/cl_travel_c_q DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
  PUBLIC SECTION.
    INTERFACES if_rap_query_provider.
  PROTECTED SECTION.
  PRIVATE SECTION.
ENDCLASS.

CLASS /dmo/cl_travel_c_q IMPLEMENTATION.
  METHOD if_rap_query_provider~select.
    """Instantiate Client Proxy
    DATA(lo_client_proxy) = /dmo/cl_travel_cp_aux=>get_client_proxy( ).
    TRY.
      """Create Read Request
      DATA(lo_read_request) = lo_client_proxy->create_resource_for_entity_set( 'TRAVEL' )->create_request_for_read( ).
      """Request Count
      IF io_request->is_total numb_of_rec_requested( ).
        lo_read_request->request_count( ).
      ENDIF.
      """Request Data
      IF io_request->is_data_requested( ).
        """Request Paging
        DATA(ls.paging) = io_request->get_paging( ).
        IF ls.paging->get_offset( ) >= 0.
          lo_read_request->set_skip( ls.paging->get_offset( ) ).
        ENDIF.
        IF ls.paging->get_page_size( ) <>
if_rap_query.paging=>page_size_unlimited.
          lo_read_request->set_top( ls.paging->get_page_size( ) ).
        ENDIF.
      """Execute the Request
      DATA(lo_response) = lo_read_request->execute( ).
      """Set Count
      IF io_request->is_total numb_of_rec_requested( ).
        io_response->set_total_number_of_records( lo_response->get_count( ) ).
      ENDIF.
      """Set Data
      IF io_request->is_data_requested( ).
        DATA: lt_travel_ TYPE STANDARD TABLE OF /dmo/travel_c_a,
              lt_travel_ce TYPE STANDARD TABLE OF /dmo/i_travel_c_c,
```

```

        lt_traveladd TYPE STANDARD TABLE OF /dmo/traveladd.
        lo_response->get_business_data( IMPORTING et_business_data =
lt_travel ).  

        IF lt_travel IS NOT INITIAL.  

            lt_travel_ce = CORRESPONDING #( lt_travel MAPPING description =
memo ).  

            SELECT * FROM /dmo/traveladd FOR ALL ENTRIES IN @lt_travel_ce WHERE
travel_id = @lt_travel_ce-travelid INTO TABLE @lt_traveladd.  

            LOOP AT lt_travel_ce ASSIGNING FIELD-SYMBOL(<fs_travel_ce>).
                IF line_exists('lt_traveladd[ travel_id = <fs_travel_ce>-
travelid ]').  

                    <fs_travel_ce>-discountpct           = lt_traveladd[ travel_id =
<fs_travel_ce>-travelid ]-discount_pct.  

                    <fs_travel_ce>-discountabs          = lt_traveladd[ travel_id =
<fs_travel_ce>-travelid ]-discount_abs.  

                    <fs_travel_ce>-totalpricewithdiscount = <fs_travel_ce>-
totalprice * ( 1 - <fs_travel_ce>-discountpct / 100 ) - <fs_travel_ce>-
discountabs.  

                    <fs_travel_ce>-lastchangedat       = lt_traveladd[ travel_id =
<fs_travel_ce>-travelid ]-lastchangedat.  

                ELSE.  

                    <fs_travel_ce>-totalpricewithdiscount = <fs_travel_ce>-
totalprice.  

                    <fs_travel_ce>-lastchangedat       = '20000101120000' .  

                "initial value Jan 1, 2000, 12:00:00 AM  

                ENDIF.  

            ENDLOOP.  

        ENDIF.  

        io_response->set_data( lt_travel_ce ).  

    ENDIF.  

    CATCH /iwbep/cx_gateway INTO DATA(lx_gateway).
        RAISE EXCEPTION TYPE /dmo/cx_travel_serv_cons
        EXPORTING
            textid   = /dmo/cx_travel_serv_cons->query_failed
            previous = lx_gateway.
    ENDTRY.  

ENDMETHOD.  

ENDCLASS.
```

If you have defined a UI service for the custom entity (see [Defining an OData Service \[page 334\]](#)), you can test your implementation with the SAP Fiori Elements Preview. When you open the app and choose the [Go](#) button, you receive the data and the count from the remote service together with the matching discount data.


## Related Information

- [Implementing an Unmanaged Query \[page 429\]](#)
- [Implementing Paging in an Unmanaged Query \[page 442\]](#)
- [Interface IF\\_RAP\\_QUERY\\_REQUEST \[page 636\]](#)

## 5.5.5.2.2 Implementing Filtering

Filter options can be delegated to the remote service. Fill the request that is passed to the OData client proxy with the query option `$filter`.

### Preview



The screenshot shows a search interface with several input fields: TravelID, AgencyID, CustomerID, and Status. The CustomerID field contains the value '=115' and has a delete icon next to it. A yellow box highlights this field. Below the search bar is a table titled 'Trips (3)'. The table has columns: TravelID, AgencyID, CustomerID, BeginDate, EndDate, TotalPrice, Discount %, Discount Absolute, Total Price with Discount, Description, and Status. Three rows are listed, all corresponding to CustomerID 115. A yellow box highlights the CustomerID column header and the first three rows.

| TravelID | AgencyID | CustomerID | BeginDate    | EndDate      | TotalPrice   | Discount % | Discount Absolute | Total Price with Discount | Description                            | Status |
|----------|----------|------------|--------------|--------------|--------------|------------|-------------------|---------------------------|----------------------------------------|--------|
| 9        | 70032    | 115        | Aug 4, 2018  | Jun 2, 2019  | 5,792.00 USD | 0          | 0.00 USD          | 5,792.00 USD              | Visiting Anna                          | B >    |
| 2135     | 70018    | 115        | Aug 3, 2018  | Aug 3, 2018  | 3,369.00 USD | 0          | 0.00 USD          | 3,369.00 USD              | Business Trip to USA                   | N >    |
| 4134     | 70028    | 115        | May 30, 2019 | May 30, 2019 | 7,375.00 USD | 0          | 0.00 USD          | 7,375.00 USD              | Sightseeing in New York City, New York | B >    |

To retrieve the appropriate entries for the filter, you must implement a filter factory to get the filtered results from the remote service.

### Implementation Steps

This scenario only implements filtering by fields of the remote service. The service proxy API provides a filter factory to delegate the filter to the remote service. Filtering by local fields is not supported in this scenario.

#### i Note

To filter by local fields, you would have to retrieve all available data sets of the remote service and merge the local fields to these first, to be able to filter by discount values then. In this case, paging could not be delegated to the remote service either and would have to be implemented after data retrieval manually. Hence filtering for discount values might cause serious performance issues and is therefore not exemplified in this scenario.

#### i Note

Filtering on an amount field only works if the end user also provides a filter on the unit field, in our case a currency code. In our scenario, the fields `TotalPrice` and `BookingFee` are amount fields. If a filter is entered for these fields, the currency code must be in the filter condition as well. Hence, the implementation must also include the currency every time a filter for the field `TotalPrice` is supplied.

The screenshot shows a search interface for travel trips. The search bar includes filters for TotalPrice (<1,000.00) and CurrencyCode (=USD). The results table shows 211 trips, with one row highlighted.

| TravelID | AgencyID | CustomerID | BeginDate    | EndDate      | TotalPrice | Discount % | Discount Absolute | Total Price with Discount | Description                 | Status |
|----------|----------|------------|--------------|--------------|------------|------------|-------------------|---------------------------|-----------------------------|--------|
| 5        | 70007    | 225        | Aug 4, 2018  | Aug 4, 2018  | 985.77 USD | 0          | 0.00 USD          | 985.77 USD                | Business Trip for Kurt, Ida | B >    |
| 10       | 70016    | 697        | Jul 11, 2018 | Aug 6, 2018  | 955.27 USD | 0          | 0.00 USD          | 955.27 USD                | Business Trip               | B >    |
| 58       | 70009    | 423        | May 31, 2019 | May 31, 2019 | 876.00 USD | 0          | 0.00 USD          | 876.00 USD                | Business Trip for Siegfried | N >    |
| 67       | 70003    | 661        | Aug 6, 2018  | Aug 6, 2018  | 729.00 USD | 0          | 0.00 USD          | 729.00 USD                | Vacation                    | N >    |
| 71       | 70042    | 50         | Aug 6, 2018  | Aug 6, 2018  | 804.00 USD | 0          | 0.00 USD          | 804.00 USD                | Vacation                    | P >    |

The filter information is relevant for data and count retrieval. Therefore the implementation for the filter must be independent of the checks for data or count requests. The filter information must be added to the read request for the remote service. So the filter implementation must be called before executing the read request.

- The unmanaged query API provides a method to get the filter conditions from the UI OData request into a local variable. Use `io_request->get_filter() ->get_as_ranges()` to get the filter conditions as ranges into a local variable `lt_filter`. Handle the exception if the filter cannot be converted into a ranges table.  
For more information about the unmanaged query filter API, see [Interface IF\\_RAP\\_QUERY\\_FILTER \[page 641\]](#).
- Loop over `lt_filter`.

### → Remember

Some filter requests require special handling before sending them to the remote service:

- Filtering on local fields is not allowed.
- For filtering on an amount field, the unit must be provided in the filter.

- Raise an exception with an adequate message, for example `Filtering on &1 is not allowed` if filter is requested for a local field.  
For information about how to work with exception classes and message classes, see [and](#).
- Find out the currency code for filter requests on amount fields.
- Raise an exception if currency code is not provided, for example `Currency code is not supplied for &1`.
- Create the filter property to be passed to the remote service. Map the element `Description` to `Memo` for the remote service to match the data model of the remote service.
- Create a filter factory to provide the filter request for the client proxy.
- Create the filter ranges for the remote service by calling the method `create_by_range` of the filter factory and export the filter property, the filter range and, if necessary, the currency code.
- If a filter is defined for more than one element, concatenate the filter condition.
- Set the filter for the request.

```
"""
Request Filtering
TRY.
  DATA(lt_filter) = io_request->get_filter() ->get_as_ranges().
  CATCH cx_rap_query_filter_no_range INTO DATA(lx_no_range).
    RAISE EXCEPTION TYPE /dmo/cx_travel_serv_cons
      EXPORTING
        textid   = /dmo/cx_travel_serv_cons=>no_ranges
        previous = lx_no_range.
```

```

ENDTRY.
LOOP AT lt_filter ASSIGNING FIELD-SYMBOL(<fs_filter>).
  IF <fs_filter>-name = 'DISCOUNTPCT' OR
    <fs_filter>-name = 'DISCOUNTABS' OR
    <fs_filter>-name = 'TOTALPRICEWITHDISCOUNT' OR
    <fs_filter>-name = 'CALCULATEDETAG'.
    RAISE EXCEPTION TYPE /dmo/cx_travel_query
      EXPORTING
        textid = /dmo/cx_travel_query=>filtering_failed
        element = <fs_filter>-name.
  ENDIF.
  "provide currency code, if filtering on amount field
  IF <fs_filter>-name = 'TOTALPRICE' OR
    <fs_filter>-name = 'BOOKINGFEE'.
    IF line_exists( lt_filter[ name = 'CURRENCYCODE' ] ).
      DATA(lv_currencycode) = VALUE waers_curc( lt_filter[ name =
'CURRENCYCODE' ]-range[ option = 'EQ' ]-low OPTIONAL ).
    ELSE.
      RAISE EXCEPTION TYPE /dmo/cx_travel_serv_cons
        EXPORTING
          textid = /dmo/cx_travel_serv_cons=>no_currencycode
          element = <fs_filter>-name.
   ENDIF.
  ENDIF.
  "map element names
  DATA(lv_filter_property) = COND /iwbep/
if_cp_runtime_types=>ty_property_path( WHEN <fs_filter>-name ='DESCRIPTION'
  THEN 'MEMO'

  ELSE <fs_filter>-name .
    "create filter factory for read request
    DATA(lo_filter_factory) = lo_read_request->create_filter_factory( ).
    "
    DATA(lo_filter_for_current_field) = lo_filter_factory-
>create_by_range( iv_property_path = lv_filter_property

    it_range = <fs_filter>-range

    iv_currency_code = lv_currencycode .
      "Concatenate filter if more than one filter element
      DATA: lo_filter           TYPE REF TO /iwbep/if_cp_filter_node.
      IF lo_filter IS INITIAL.
        lo_filter = lo_filter_for_current_field.
      ELSE.
        lo_filter = lo_filter->and( lo_filter_for_current_field ).
     ENDIF.
    ENDLOOP.
    "set filter
    IF lo_filter IS NOT INITIAL.
      lo_read_request->set_filter( lo_filter ).
   ENDIF.

```

## Results

If you have defined a UI service for the custom entity (see [Defining an OData Service \[page 334\]](#)), you can test your implementation with the SAP Fiori Elements Preview. You can define filters and check that the UI only retrieves data that matches the filter request.

## Related Information

[Interface IF\\_RAP\\_QUERY\\_FILTER \[page 641\]](#)


[Implementing Filtering in an Unmanaged Query \[page 436\]](#)

### 5.5.5.2.3 Implementing Column Selections

Select options can be delegated to the remote service. Fill the request that is passed to the OData client proxy with the query option \$select.

#### Preview

The SAP Fiori UI allows you to select columns.



To retrieve the appropriate data, you must transfer the selected properties to the read request for the remote service.

## Implementation Steps

You can optimize the performance if you only select those elements from the remote service that are selected on the UI. The local fields are selected separately. Therefore, you must exclude the local fields from the requested elements as they are not delegated to the remote service.

Considering the requested elements from the UI when delegating the request to the remote service is only necessary when data is requested. Therefore the implementation must only be called if data is requested before the execution of the read request.

- The unmanaged query API provides a method to get those elements that are requested by the UI. Use `DATA(lt_req_elements) = io_request->get_requested_elements( ).` to get the elements into a local variable.  
For more information about the unmanaged query API, see [Interface IF\\_RAP\\_QUERY\\_REQUEST \[page 636\]](#).
- Delete the local elements from the properties that are selected.

### → Remember

Local fields are not delegated to the remote service. They are selected manually.

- Loop over `lt_req_elements` and map the element `Description` to `Memo` for the remote service to match the data model of the remote service.
- Declare `lt_select_properties` and type it as a table of property paths. This table contains the properties that are given to the client proxy for creating the select query option.
- Fill the table `lt_select_properties` that is given to the client proxy with the elements to be selected from the remote service.
- Set the select properties for the OData request of the remote service.

```
"""
Request Elements
DATA(lt_req_elements) = io_request->get_requested_elements( ).
"delete local fields out of the fields to be selected via OData Client
Proxy
    DELETE lt_req_elements WHERE table_line = 'DISCOUNTPCT' OR
                                table_line = 'DISCOUNTABS' OR
                                table_line = 'TOTALPRICEWITHDISCOUNT' OR
                                table_line = 'CALCULATEDETAG'.
    "map differing names
    LOOP AT lt_req_elements ASSIGNING FIELD-SYMBOL(<fs_req_elements>).
        DATA(lv_select_property) = COND /iwbep/
if_cp_runtime_types=>ty_property_path( WHEN <fs_req_elements> ='DESCRIPTION'
THEN 'MEMO'

        ELSE <fs_req_elements> .
        DATA: lt_select_properties TYPE /iwbep/
if_cp_runtime_types=>ty_t_property_path.
        APPEND lv_select_property TO lt_select_properties.
    ENDLOOP.
    "set select properties
    IF lt_select_properties IS NOT INITIAL.
        lo_read_request->set_select_properties( lt_select_properties ) .
    ENDIF.
```

## Results

If you have defined a UI service for the custom entity (see [Defining an OData Service \[page 334\]](#)), you can test your implementation with the SAP Fiori Elements Preview. Trigger the selection by choosing columns on the SAP Fiori UI and check whether the request works.

## Related Information


[Interface IF\\_RAP\\_QUERY\\_REQUEST \[page 636\]](#)

[Considering Requested Elements in an Unmanaged Query \[page 445\]](#)

### 5.5.5.2.4 Implementing Sorting

Sorting options can be delegated to the remote service. Fill the request that is passed to the OData client proxy with the relevant query option `$orderby`.

## Preview



| Trips (75) Standard * ▾ |          |              |             |              |            |                   |                           |                                |        |
|-------------------------|----------|--------------|-------------|--------------|------------|-------------------|---------------------------|--------------------------------|--------|
| TravelID                | AgencyID | BeginDate    | EndDate     | TotalPrice   | Discount % | Discount Absolute | Total Price with Discount | Description                    | Status |
| 45                      | 70043    | May 31, 2019 | Jun 2, 2019 | 1,454.00 USD | 0          | 300.00 USD        | 1,154.00 USD              | Vacation                       | P >    |
| 54                      | 70024    | May 31, 2019 | Jun 2, 2019 | 5,061.00 USD | 0          | 0.00 USD          | 5,061.00 USD              | Vacation to USA                | N >    |
| 28                      | 70040    | Aug 4, 2018  | Jun 2, 2019 | 4,524.00 USD | 0          | 0.00 USD          | 4,524.00 USD              | Business Trip                  | P >    |
| 35                      | 70046    | Aug 4, 2018  | Jun 2, 2019 | 5,025.00 USD | 0          | 0.00 USD          | 5,025.00 USD              | Vacation                       | P >    |
| 39                      | 70048    | May 31, 2019 | Jun 2, 2019 | 3,601.00 USD | 0          | 0.00 USD          | 3,601.00 USD              | Vacation                       | P >    |
| 31                      | 70008    | Aug 4, 2018  | Aug 4, 2018 | 1,348.00 USD | 0          | 0.00 USD          | 1,348.00 USD              | Business Trip for Andrej, Anna | N >    |

To retrieve the data in the appropriate order, you must add sorting information to the request for the OData client proxy.

## Implementation Steps

This scenario only implements sorting by fields of the remote service. The service proxy API provides the method `set_order_by` to delegate the sorting order to the remote service.

### i Note

To sort by local fields, you would have to retrieve all available data sets of the remote service and merge the local fields to these first, to be able to sort by discount values then. In this case, paging could not be

delegated to the remote service either and would have to be implemented after data retrieval manually. Hence, sorting by discount values might cause serious performance issues and is therefore not exemplified in this scenario.

The sorting information is only relevant if you retrieve data. Therefore the implementation must only be called if data is requested to equip the read request for the remote service with this information.

- The unmanaged query API provides a method to get the sorting information. Use `DATA(lt_sort) = io_request->get_sort_elements( )` to get the sorting information into a local variable.  
For more information about the unmanaged query API, see [Implementing Column Selections \[page 314\]](#).
- Loop over `lt_sort`.

#### → Remember

Sorting on local elements is not supported due to performance reasons.

- Raise an exception with an adequate message, for example `Sorting on &1 is not allowed.`  
For information about how to work with exception classes and message classes, see [and](#).
- Declare `lt_sort_properties`. This table is passed to the client proxy with the elements to be sorted.
- Map the element `Description` to `Memo` for the remote service to match the data model of the remote service.
- Fill the table `lt_sort_properties` that is given to the client proxy with the elements to be selected from the remote service and map the columns.
- Set the sorting properties for the request by using the `set orderby`.

```
"""Request Sorting
DATA(lt_sort) = io_request->get_sort_elements( ).
LOOP AT lt_sort ASSIGNING FIELD-SYMBOL(<fs_sort>).
  IF <fs_sort>-element_name = 'DISCOUNTPCT' OR
    <fs_sort>-element_name = 'DISCOUNTABS' OR
    <fs_sort>-element_name = 'TOTALPRICEWITHDISCOUNT' OR
    <fs_sort>-element_name = 'CALCULATEDETAG'.
    RAISE EXCEPTION TYPE /dmo/cx_travel_query
      EXPORTING
        textid = /dmo/cx_travel_query=>sorting_failed
        element = <fs_sort>-element_name.
  ENDIF.
  "map differing names
  DATA: lt_sort_properties TYPE /iwbep/
if_cp_runtime_types=>ty_t_sort_order.
  APPEND VALUE #( property_path = COND #( WHEN <fs_sort>-element_name
= 'DESCRIPTION' THEN 'MEMO'
                                ELSE <fs_sort>-element_name )
                descending = <fs_sort>-descending )
                TO lt_sort_properties.
ENDLOOP.
"set sorting properties
IF lt_sort_properties IS NOT INITIAL.
  lo_read_request->set orderby( lt_sort_properties ).
ENDIF.
ENDIF.
```

## Results

If you have defined a UI service for the custom entity (see [Defining an OData Service \[page 334\]](#)), you can test your implementation with the SAP Fiori Elements Preview. Try out the sorting on different elements and check whether the results are sorted or an exception is thrown.

## Related Information

[Interface IF\\_RAP\\_QUERY\\_REQUEST \[page 636\]](#)

[Implementing Sorting in an Unmanaged Query \[page 443\]](#)

### 5.5.5.3 Adding Transactional Behavior to the Business Object

The following steps guide you through the implementation steps to update a business object when a remote service is merged with local data.

Like in [Developing Unmanaged Transactional Apps Based on Existing Application Logic \[page 104\]](#), creating, updating, and deleting data requires a transactional runtime implementation. The service consumption scenario is also a use case for the unmanaged implementation type as the transactional logic is defined and implemented by the application developer. That means, the transactional behavior must be defined in a [behavior definition \[page 689\]](#) and has to be implemented in ABAP classes of a [behavior pool \[page 689\]](#).

#### i Note

This scenario only supports transactional activities on the data that is persisted on a database table in the consuming tenant. Transactional operations on the remote service are not supported.

In this example scenario, only the discount data can be manipulated by the end user. The fields on the database table `/dmo/traveladd` that can be changed are `discount_pct` and `discount_abs`. The travel instance for which the discount is maintained is identified by the travel ID, which is retrieved from the remote service. Travel ID is a key field and therefore cannot be changed by the end user. For the eTag check, a distinct field `CalculatedeTag` is used. Its value is concatenated with the timestamp of the remote service and the timestamp from the local database table.

The following tasks are relevant to include transactional behavior for the business object:

- [Defining a Behavior for the Business Object \[page 319\]](#)
- [Implementing the Behavior Pool for the Business Object \[page 321\]](#)

### 5.5.5.3.1 Defining a Behavior for the Business Object

The transactional behavior of the travel business object must be defined in a behavior definition.

To get transactional access to the local data, the data model must be turned into a business object. The custom entity `/DMO/I_TRAVEL_C_C` must be defined as root entity.

1. Open the custom entity `/DMO/I_TRAVEL_C_C` and insert the keyword `root`. A behavior definition can only be created for a root entity.

```
define root custom entity /DMO/I_TRAVEL_C_C
```

2. Activate the root custom entity.

#### Creating a Behavior Definition `/DMO/I_TRAVEL_C_C`

By creating a [behavior definition \[page 690\]](#), the referenced root entity gains a transactional character. In the behavior definition, you define the transactional capabilities of your business object. It is directly related to the root custom entity and must therefore have the same name `/DMO/I_TRAVEL_C_C`.

1. In the [Project Explorer](#), select the relevant node for the data definition that contains the CDS root entity `/DMO/I_Travel_C_C`, for which you want to create a behavior definition.
2. Open the context menu and select [New Behavior Definition](#) to launch the creation wizard.
3. Follow the steps of the creation wizard to create the behavior definition

##### i Note

The implementation type of a custom entity can only be `unmanaged`. That is why, the wizard only allows this option.

#### Result

The created behavior definition object represents the root node of a new business object in ABAP RESTful programming model.

In the Project Explorer, the new behavior definition is added to the Core Data Services folder.

**For more information, see [Creating Behavior Definitions \[page 651\]](#).**

### Defining the Behavior for the Travel Business Object with Discount Data

For the service consumption scenario, only the implementation type [unmanaged \[page 126\]](#) is supported. That means, you as an application developer must implement the essential components of the business object yourself.

#### → Remember

Our scenario is limited to modifying the data that is stored on the database table `/dmo/traveladd`.

Looking at the data model of the custom entity and its data sources, that means that only the discount data can be modified.

```
{
  key TravelID      : abap.numc( 8 );
  AgencyID       : abap.numc( 6 );
  AgencyID_Text  : abap.char( 80 );
  CustomerID     : abap.numc( 6 );
  CustomerID_Text: abap.char( 40 );
  BeginDate      : abap.dat;
  EndDate        : abap.dat;
  @Semantics.amount.currencyCode: 'CurrencyCode'
  BookingFee      : abap.dec( 17, 3 );
  @Semantics.amount.currencyCode: 'CurrencyCode'
  TotalPrice      : abap.dec( 17, 3 );
  @Semantics.currencyCode: true
  CurrencyCode    : abap.cuky( 5 );
  Description      : abap.char( 1024 ); //renamed element
  Status          : abap.char( 1 );

  data from remote service

  DiscountPct      : abap.dec( 3, 1 );
  @Semantics.amount.currencyCode: 'CurrencyCode'
  DiscountAbs      : abap.dec( 16, 3 );
  @Semantics.amount.currencyCode: 'CurrencyCode'
  TotalPriceWithDiscount : abap.dec(17,3);
  LastChangedAt    : timestamppl;

  data from local database table

}
}

  DiscountPct      : abap.dec( 3, 1 );                         ➔ modifiable
  @Semantics.amount.currencyCode: 'CurrencyCode'
  DiscountAbs      : abap.dec( 16, 3 );                         ➔ calculated
  @Semantics.amount.currencyCode: 'CurrencyCode'
  TotalPriceWithDiscount : abap.dec(17,3);                      ➔ used for eTag
  LastChangedAt    : timestamppl;
```

The description of modifying the data that is exposed by the remote service is out of scope of this document. Nevertheless, each manipulation of the persistent data requires the retrieval of the remote data, as the discount data can only be stored in conjunction with the travel ID to match the discount to the relevant travel entry of the remote service. That is why, the creation of new discounts for a travel entry is considered as an update on a certain travel instance of the business object. In the case of creating a data set of discount data, you change the discount from the initial value but the key entry (TRAVEL\_ID) is already there.

Compare the UI when retrieving the travel data merged with the discount data. The discount fields are displayed with the initial values if no discount data is maintained for the relevant travel instances.

| TravelID | AgencyID | CustomerID | BeginDate   | EndDate      | TotalPrice   | Discount % | Discount Absolute | Total Price with Discount | Last changed on             |
|----------|----------|------------|-------------|--------------|--------------|------------|-------------------|---------------------------|-----------------------------|
| 22       | 70037    | 540        | Aug 4, 2018 | Jun 2, 2019  | 2,244.51 USD | 0          | 0.00 USD          | 2,244.51 USD              | Dec 4, 2018, 3:53:22 PM >   |
| 23       | 70049    | 542        | Aug 4, 2018 | Jun 2, 2019  | 2,365.00 USD | 0          | 0.00 USD          | 2,365.00 USD              | Jul 22, 2018, 10:11:24 PM > |
| 24       | 70050    | 346        | Aug 4, 2018 | Jun 2, 2019  | 6,072.64 USD | 20         | 0.00 USD          | 4,858.11 USD              | Dec 7, 2018, 1:02:59 PM >   |
| 25       | 70048    | 478        | Aug 4, 2018 | Jun 2, 2019  | 2,213.00 USD | 0          | 0.00 USD          | 2,213.00 USD              | Aug 7, 2018, 6:42:55 PM >   |
| 26       | 70006    | 220        | Aug 4, 2018 | Aug 4, 2018  | 1,245.00 USD | 0          | 0.00 USD          | 1,245.00 USD              | Nov 12, 2018, 12:50:47 PM > |
| 27       | 70025    | 515        | Aug 4, 2018 | May 31, 2019 | 3,535.27 USD | 0          | 0.00 USD          | 3,535.27 USD              | Dec 5, 2018, 9:14:57 AM >   |

The modification of discount data is an **UPDATE**. Hence, we do not need to implement neither the **CREATE** nor the **DELETE** operation to maintain discount data.

A distinct field must be indicated as [ETag \[page 127\]](#) in the behavior definition. The eTag checks that the data the end user sees that on the UI is consistent with the data on the database and has not been changed in the meantime. The element `CalculatedEtag` is used for this purpose and calculated with data from the database table `/dmo/traveladd` and the remote service. This ensure that neither the remote data nor the local data can be changed without the end user knowing the change.

The newly created behavior definition requires

- defining an update (delete the definitions of create and delete if they are generated)
- defining the field for the eTag

The following code block displays the behavior definition with the definitions that are relevant for the transactional behavior of the business object.

```
implementation unmanaged;
define behavior for /DMOI_/TRAVEL_C_C alias Travel_CE
etag calculatedetag
{
  update;
}
```

### i Note

For better usability in the behavior implementation, you can define an alias for the business object in the behavior definition.

## Related Information

[Adding Behavior to the Business Object \[page 125\]](#)

### 5.5.5.3.2 Implementing the Behavior Pool for the Business Object

The implementation of behavior is done in the local types of an ABAP class.

#### Creating a Behavior Pool /DMO/BP\_TRAVEL\_C\_C

A [behavior pool \[page 689\]](#) for a behavior implementation is needed to implement the behavior that was defined in a behavior definition. A behavior pool is a special ABAP class that is equipped with the extension FOR BEHAVIOR OF and references the root entity of the relevant business object.

1. In the *Project Explorer*, select the relevant behavior definition for which you want to create a behavior implementation class.
2. Open the context menu and select *New Behavior Implementation* to launch the creation wizard.
3. Follow the steps of the creation wizard and check if the suggested entries are correct.

#### Result

The generated global class pool provides you with the extension FOR BEHAVIOR OF with reference to the behavior definition. This statement determines the connection to the business object. One behavior implementation can only define the behavior for one business object.


In the local types, a handler class with an [UPDATE method for modify \[page 616\]](#) is generated. The generated saver class contains the methods FINALIZE, CHECK\_BEFORE\_SAVE, and SAVE, the predefined standard methods for the save sequence.

For more information, see [Creating Behavior Implementations \[page 654\]](#).

## Runtime Logic for Transactional Behavior in the Service Consumption Scenario

In a service consumption scenario, the transactional behavior for the business object (the updating of discount data) must be implemented in the local types of a behavior pool. The implementation includes the data retrieval from the remote service, merging the remote data with the local discount data and finally updating the local discount data. Hence, the logic of how to access a foreign system also comes into play when updating local data. To keep performance expenses on a low level, it is indispensable to work with a transactional buffer and retrieve the remote data only once in one unit of work. Therefore we use a local buffer class to work actively with a transactional buffer.

The runtime of an update operation of the discount data is displayed in the following diagram. It illustrates how the methods for READ, MODIFY, and SAVE and the local buffer class interact with each other and how the OData client proxy is used to request the necessary data from the remote service.



### BUFFER

Due to performance reasons, it is useful to work with the transactional buffer in the service consumption scenario. Retrieving data from the remote service is very costly. Therefore, the data from the remote service should only be read once in one logical unit of work. We use the buffer as intermediate storage for data retrieval and processing.

The READ, MODIFY, and SAVE methods call dedicated methods from the buffer to process data. These buffer methods are:

- `get_data`  
To receive data the Client Proxy is used. To instantiate the client proxy object, the method `get_client_proxy` is called. With this request object, you can define the resource object of the entity set and define the HTTP operation. After the execution, the data can be read from the response object returned by the execution.  
In case of an error, the `FAILED` table is filled and can be used to raise an application error.
- `get_client_proxy`  
This method establishes a cloud destination to the provisioning tenant and instantiates the client proxy. The destination is used at runtime for retrieving data from the remote service.
- `put_data`  
This method calls `get_data` to retrieve the remote data. Additionally, it updates the local discount data for the retrieved entity and calculates the total price with discount. Finally, the method merges the remote and local data.  
If there is an error, the `FAILED` table is filled and can be used to raise an application error.

A detailed step-by-step description for the implementation of the local buffer class is given in [Implementing the Buffer Class \[page 324\]](#).

`read_travel FOR READ`

For the ETag check (which is necessary for the `UPDATE` operation), a method for the `READ` operation must be implemented.

The latest timestamp of the field `lastchangedat` from `/dmo/traveladd` is used to compare with the data in `Last changed on` that is displayed on the UI. Only if these timestamps are equal is the `UPDATE` triggered.

#### → Remember

The field `lastchangedat` is filled with the time stamp of the last modification of the discount data. In our example scenario, only the timestamp from the database table `/dmo/traveladd` is relevant as only these fields can be updated.

The eTag field is filled with the initial value if no discount is maintained for a certain travel instance.

#### i Note

The example implementation in this guide does not only retrieve the data from the relevant ETag fields, but reads the whole data set when the `READ` operation is executed, including the merge with the persistent data. This is done for performance reasons. To calculate the total price with discount, the value of the field `TotalPrice` from the remote instance is needed. Therefore it is more convenient to read the whole data set once, store it in the buffer and use this data set for the calculation on the update.

A detailed step-by-step description for the implementation of the `READ` is given in [Implementing the READ \[page 329\]](#).

For general information about the `READ` method, see [`<method> FOR READ \[page 620\]`](#).

`update_discount FOR MODIFY`

The real update takes place during the `MODIFY` operation. The method `update_discount` calls the buffer method `put_data`, which uses the method `get_data` to retrieve the data from the buffer (if available). The discount data is updated and the entry for the transient field `TotalPriceWithDiscount` is calculated.

The method `update_discount` also calls the method `_map_messages`, which wraps the messages to write them in the `REPORTED` table.

A detailed step-by-step description for the implementation of the `MODIFY` is given in [Implementing the MODIFY \[page 330\]](#).

For general information about the `MODIFY` method, see [<method> FOR MODIFY \[page 616\]](#).

#### SAVE

The save method writes the updated data to the database. It uses the method `get_data` to retrieve the updated data from the buffer. It generates a new time stamp to fill the field `lastchangedat` on the database table `/dmo/traveladd`. At last, it persists the updated data on the database table.

A detailed step-by-step description is given in [Implementing the SAVE \[page 333\]](#).

For general information about the `SAVE` method, see [Method SAVE \[page 626\]](#).

## Implementation Steps

In this service consumption scenario, the `READ` and the `MODIFY` method, including a `_map_messages` method are treated in one handler class, as the retrieved data from the `READ` is reused in the `MODIFY` method. This relies to the [Best Practices for Modularization and Performance \[page 133\]](#).

This guide starts with the implementation of the buffer and consequently describes calls of the buffer methods from the predefined methods `READ`, `MODIFY`, and `SAVE`.

- [Implementing the Buffer Class \[page 324\]](#)
- [Implementing the READ \[page 329\]](#)
- [Implementing the MODIFY \[page 330\]](#)
- [Implementing the SAVE \[page 333\]](#)

### 5.5.5.3.2.1 Implementing the Buffer Class

The local buffer class serves as intermediate storage for the data processing in the service consumption scenario. It is a separate local class in the behavior pool.

#### Creating a Buffer Class

The buffer must be accessed from the predefined methods `READ`, `MODIFY`, and `SAVE`.

1. Create a local buffer class `lcl_buffer` in the local types of the behavior implementation pool.
2. Set the local class to `PRIVATE`.

#### Listing: Local Buffer Class

```
CLASS lcl_buffer DEFINITION CREATE PRIVATE.  
ENDCLASS.
```

```
CLASS lcl_buffer IMPLEMENTATION.
```

```
ENDCLASS.
```

## Creating a Buffer Instance

When working with a transactional buffer to store and process data, an instance of the buffer must be created at first. The singleton pattern is used to ensure that there is only one existing buffer instance of the application buffer.

1. Declare the static method `get_instance` which returns a buffer instance in the public section of the buffer class
2. Implement `get_instance` to receive a buffer instance if no instance exists

**Listing:** Declaration and Implementation of `get_instance`

```
CLASS lcl_buffer DEFINITION CREATE PRIVATE.  
  PUBLIC SECTION.  
    CLASS-METHODS get_instance  
      RETURNING VALUE(ro_instance) TYPE REF TO lcl_buffer.  
  PRIVATE SECTION.  
    CLASS-DATA: go_instance TYPE REF TO lcl_buffer.  
ENDCLASS.
```

```
CLASS lcl_buffer IMPLEMENTATION.  
  METHOD get_instance.  
    IF go_instance IS NOT BOUND.  
      go_instance = NEW #().  
    ENDIF.  
    ro_instance = go_instance.  
  ENDMETHOD.  
ENDCLASS.
```

## Retrieving Data from the Remote Service

The following listing represents the signature and implementation of the method `get_data` that retrieves data from the remote service, if it is not already in the buffer. The implementation of the method includes

1. checking whether the travel instance for which discount data is to be updated is already in the buffer and writing it to the exporting parameter `et_travel`, if available in the buffer. If not in the buffer, the `travel_id` has to be collected to retrieve the relevant data from the persistence.
2. the instantiation of a client proxy, by calling the method `get_client_proxy` of the auxiliary class `/DMO/CL_TARVEL_CP_AUX`, see [Creating a Remote Client Proxy \[page 300\]](#).
3. a reading request for the client proxy with a filter for only requesting the data set for the specific travel ID
4. a select to get and calculate the matching discount data from the database table `/dmo/traveladd` and to process the time stamp for the ETag field. A concatenated eTag from the fields `lastchangedat` of both, the remote and the local service, is used.
5. calculating the `TotalPriceWithDiscount` and setting an initial time stamp if no discount data has changed..

### → Remember

The eTag is used to ensure that discount data has not changed. That is why, the retrieved value is not used for the eTag check but the concatenated value is passed to the UI.

6. filling the `FAILED` table if the travel id is not found.  
and
7. error handling if the access to the remote system fails.

## i Note

If you want to display a suitable message, you need to create a message class. For example, here, the message Accessss to remote system cannot be established is convenient. It is retrieved from the message class /DMO/CM\_SERV\_CONS.

For information about how to create a message class, see .

### **Listing:** Declaration and Implementation of get\_data

```
CLASS lcl_buffer DEFINITION CREATE PRIVATE.
  PUBLIC SECTION.
    CLASS-METHODS get_instance
      RETURNING VALUE(ro_instance) TYPE REF TO lcl_buffer.
    "types used in get_data
    TYPES: BEGIN OF ts_message,
      travelid TYPE /dmo/i_travel_c_c-travelid,
      symsg   TYPE symsg,
      fields   TYPE string_table,
    END OF ts_message,
      tt_travel      TYPE STANDARD TABLE OF /dmo/i_travel_c_c,
      tt_travel_in   TYPE TABLE FOR READ IMPORT /dmo/i_travel_c_c,
      tt_travel_out   TYPE TABLE FOR READ RESULT /dmo/i_travel_c_c,
      tt_travel_failed TYPE TABLE FOR FAILED /dmo/i_travel_c_c,
      tt_message     TYPE STANDARD TABLE OF ts_message.
    METHODS get_data
      IMPORTING it_travel      TYPE tt_travel_in OPTIONAL
      EXPORTING et_travel      TYPE tt_travel_out
        et_travel_failed TYPE tt_travel_failed
        et_message       TYPE tt_message
      RAISING   /dmo/cx_travel_query.
    PRIVATE SECTION.
      CLASS-DATA: go_instance TYPE REF TO lcl_buffer.
      DATA: mt_travel      TYPE tt_travel.
    ENDCLASS..
```

```
CLASS lcl_buffer IMPLEMENTATION.
  ...
  METHOD get_data.
    DATA: lt_travel      TYPE STANDARD TABLE OF /dmo/travel_c_a.
    DATA: ls_result      LIKE LINE OF et_travel.
    DATA: lt_travel_id   TYPE STANDARD TABLE OF /dmo/i_travel_c_c-travelid.
    DATA: lt_filter      TYPE RANGE OF /dmo/i_travel_c_c-travelid.
    DATA: ls_filter      LIKE LINE OF lt_filter.
    DATA: lt_travel_ce   TYPE STANDARD TABLE OF /dmo/i_travel_c_c.
    DATA: lt_traveladd   TYPE STANDARD TABLE OF /dmo/traveladd.
    FIELD-SYMBOLS: <fs_travel_ce> LIKE LINE OF lt_travel_ce.
    IF it_travel IS SUPPLIED.
      LOOP AT it_travel ASSIGNING FIELD-SYMBOL(<fs_travel>).
        IF line_exists( mt_travel[ travelid = <fs_travel>-travelid ] ).
          ls_result = CORRESPONDING #( mt_travel[ travelid = <fs_travel>-travelid ] ).
          " collect from buffer for result
          APPEND ls_result TO et_travel.
        ELSE.
          " collect to retrieve from persistence
          APPEND <fs_travel>-travelid TO lt_travel_id.
        ENDIF.
      ENDLOOP.
    IF lt_travel_id IS NOT INITIAL.
      TRY.
        DATA(lo_client_proxy) = /dmo/cl_travel_cp_aux=>get_client_proxy( ).
        DATA(lo_request) = lo_client_proxy-
      >create_resource_for_entity_set('TRAVEL')->create_request_for_read( ).
```

```

        lt_filter = VALUE #( FOR travel_id IN lt_travel_id ( sign = 'I'
option = 'EQ' low = travel_id ) ).  

            DATA(lo_filter) = lo_request->create_filter_factory( )-  

>create_by_range( iv_property_path = 'TRAVELID'  

        it_range      = lt_filter ).  

        lo_request->set_filter( lo_filter ).  

        DATA(lo_response) = lo_request->execute( ).  

        " get relevant data sets  

        lo_response->get_business_data( IMPORTING et_business_data =  

lt_travel ).  

        " add local data  

        IF lt_travel IS NOT INITIAL.  

            " map OData service to custom entity  

            lt_travel_ce = CORRESPONDING #( lt_travel MAPPING description =  

memo ).  

            SELECT * FROM /dmo/traveladd FOR ALL ENTRIES IN @lt_travel_ce  

WHERE travel_id = @lt_travel_ce-travelid INTO TABLE @lt_traveladd.  

            LOOP AT lt_travel_id ASSIGNING FIELD-SYMBOL(<fs_travel_id>).  

                IF line_exists( lt_travel_ce[ travelid = <fs_travel_id> ] ).  

                    ASSIGN lt_travel_ce[ travelid = <fs_travel_id> ] TO  

<fs_travel_ce>.  

                    IF line_exists( lt_traveladd[ travel_id = <fs_travel_ce>-  

travelid ] ).  

                        <fs_travel_ce>-discountpct      = lt_traveladd[ travel_id  

= <fs_travel_ce>-travelid ]-discount_pct.  

                        <fs_travel_ce>-discountabs     = lt_traveladd[ travel_id  

= <fs_travel_ce>-travelid ]-discount_abs.  

                        <fs_travel_ce>-totalpricewithdiscount = <fs_travel_ce>-  

totalprice * ( 1 - <fs_travel_ce>-discountpct / 100 ) - <fs_travel_ce>-  

discountabs.  

                        <fs_travel_ce>-lastchangedat      = lt_traveladd[ travel_id  

= <fs_travel_ce>-travelid ]-lastchangedat.  

                        <fs_travel_ce>-calculatedettag    = <fs_travel_ce>-  

calculatedettag && '-' && lt_traveladd[ travel_id = <fs_travel_ce>-travelid ]-  

lastchangedat.  

                    ELSE.  

                        <fs_travel_ce>-totalpricewithdiscount = <fs_travel_ce>-  

totalprice.  

                        <fs_travel_ce>-lastchangedat = '20000101120000' . "initial  

value Jan 1, 2000, 12:00:00 AM  

                    ENDIF.  

                    ls_result = CORRESPONDING #( <fs_travel_ce> ).  

APPEND <fs_travel_ce> TO mt_travel.  

APPEND ls_result      TO et_travel.  

                ELSE.  

APPEND VALUE #( travelid = <fs_travel_id> ) TO  

et_travel_failed.  

                    APPEND VALUE #( travelid      = <fs_travel_id>  

symsg-msgty = 'E'  

symsg-msgid = '/DMO/CM_SERV_CONS'  

symsg-msgno = '004'  

symsg-msgv1 = <fs_travel_id> )  

TO et_message.  

                ENDIF.  

            ENDLOOP.  

        ENDIF.  

        CATCH /iwbepl/cx_gateway.  

            et_travel_failed = CORRESPONDING #( lt_travel_id MAPPING travelid =  

table_line ).  

            et_message = CORRESPONDING #( lt_travel_id MAPPING travelid =  

table_line ).  

            LOOP AT et_message ASSIGNING FIELD-SYMBOL(<fs_message>).  

                <fs_message>-symsg-msgty = 'E'.  

                <fs_message>-symsg-msgid = '/DMO/CM_SERV_CONS'.  

                <fs_message>-symsg-msgno = '001'.  

            ENDLOOP.  

        ENDTRY.

```

```

ENDIF.
ELSE.
    et_travel = CORRESPONDING #( mt_travel ).
ENDIF.
ENDMETHOD.
```

## Updating the Discount Data

With the preceding method, the data is retrieved from the remote service into the buffer. The essence of the UPDATE operation, however, is done with the method `put_data`. It uses the data in the buffer, which is already enriched with the additional discount data from the database table `/dmo/traveladd`, and writes the new discount data in the buffer. This is done by

1. calling the method `get_data` to retrieve the data from the buffer
2. looping at `it_travel_upd` to identify the changed fields
3. overwriting the changed fields with the new discount data
4. calculating the data for `TotalPriceWithDiscount`
5. filling the `FAILED` table in case the total price with discount is negative after discount calculation.

### i Note

If you want to display a suitable message, you need to add a message to the message class `/DMO/CM_SERV_CONS`. In this case, an exception needs to be thrown if the Total Price with Discount is negative. For example, here, the message `Total Price with Discount` must be greater than 0 is convenient.

For information about how to create a message class, see .

6. writing the updated data set to the buffer.

### **Listing:** Declaration and Implementation of `put_data`

```

CLASS lcl_buffer DEFINITION CREATE PRIVATE.
  PUBLIC SECTION.
    "types used in put_data
    TYPES:
      tt_travel_upd    TYPE TABLE FOR UPDATE /dmo/i_travel_c_c,
      tt_travel_mapped TYPE TABLE FOR MAPPED /dmo/i_travel_c_c.
    METHODS put_data
      IMPORTING it_travel_upd    TYPE tt_travel_upd
      EXPORTING et_travel_failed TYPE tt_travel_failed
          et_message        TYPE tt_message.
    ...
  ENDCLASS.

CLASS lcl_buffer IMPLEMENTATION.
  ...
  METHOD put_data.
    get_data(
      EXPORTING it_travel           = CORRESPONDING #( it_travel_upd mapping %key =
%key except * )
      IMPORTING et_travel            = data(lt_travel)
              et_travel_failed     = DATA(lt_travel_failed)
              et_message           = DATA(lt_message)
    ).
    LOOP AT it_travel_upd ASSIGNING FIELD-SYMBOL(<fs_travel_upd>).
      CHECK line_exists( lt_travel[ KEY entity COMPONENTS travelid =
<fs_travel_upd>-travelid ] ).
      ASSIGN lt_travel[ KEY entity COMPONENTS travelid = <fs_travel_upd>-
travelid ] TO FIELD-SYMBOL(<fs_travel>).
```

```

        IF <fs_travel_upd>-%control-&DiscountAbs = if_abap_behv=>mk-on.
          <fs_travel>-DiscountAbs = <fs_travel_upd>-DiscountAbs.
        ENDIF.
        IF <fs_travel_upd>-%control-&DiscountPct = if_abap_behv=>mk-on.
          <fs_travel>-DiscountPct = <fs_travel_upd>-DiscountPct.
        ENDIF.
      ENDLOOP.
      " Postprocessing
      LOOP AT lt_travel ASSIGNING FIELD-SYMBOL(<fs_traveladdinfo>).
        DATA(lv_totalpricediscount) = <fs_traveladdinfo>-totalprice * ( 1 -
<fs_traveladdinfo>-discountpct / 100 ) - <fs_traveladdinfo>-discountabs.
        IF lv_totalpricediscount >= 0.
          <fs_traveladdinfo>-totalpricewithdiscount = lv_totalpricediscount.
        ELSE.
          APPEND VALUE #( travelid      = <fs_traveladdinfo>-travelid ) TO
et_travel_failed.
          APPEND VALUE #( travelid      = <fs_traveladdinfo>-travelid
                        symsg-msgty = 'E'
                        symsg-msgid = '/DMO/CM_SERV_CONS'
                        symsg-msgno = '009'
                        symsg-msgv1 = <fs_traveladdinfo>-travelid
                        symsg-msgv2 = |{ lv_totalpricediscount NUMBER = USER }|
                        fields       = VALUE #( ( |discountpct| )
  ( |discountabs| )
   )
                     )
        )
      TO et_message.
    ENDIF.
  ENDLOOP.
  "save data in buffer
  mt_travel = CORRESPONDING #( lt_travel ) .
ENDMETHOD.
ENDCLASS.
```

### 5.5.5.3.2.2 Implementing the READ

The READ is necessary for ETag check.

The READ method processes reading requests. Hence, it is necessary to retrieve the data from the field `lastchangedat`.

This implementation does not only retrieve the time stamp, which is used for the eTag check, but the whole data set to store it in the buffer and use it in the actual UPDATE phase without retrieving the data again. The implementation must ensure that this data is retrieved and handed over to the framework, which handles the comparison with the time stamp of the UI. It is also the framework that prevents the update if the time stamps do not match.

See [<method> FOR READ \[page 620\]](#) for information about parameters of the READ.

#### Declaring a method for READ

A code template for the READ method is generated automatically if an update is declared in the behavior definition.

1. Rename the method for read in the definition part of the handler class with the importing parameter `it_travel_read` and the result parameter `et_traveladdinfo`, which is used for the ETag check. The implementation.

```
CLASS lhc_travel_update DEFINITION INHERITING FROM cl_abap_behavior_handler.
```

```

PRIVATE SECTION.
METHODS read_travel FOR READ
    IMPORTING it_travel_read FOR READ travel_ce
    RESULT et_traveladdinfo.
...
ENDCLASS.
```

### Implementing the method for READ

The actual READ is done by the method `get_data` in the buffer class. It either retrieves the data from the remote system into the buffer or reads the data from the buffer. The data is provided with the result parameter `et_traveladdinfo`. The method `read_travel` instantiates the buffer and calls the method `get_data`.

1. Instantiate the buffer with the method `get_instance`.
2. Call the `get_data` method of the buffer class to get the data into `et_traveladdinfo`.  
If the READ does not return the requested instance, the key of the instance to be read must be written in the `failed` table.

#### → Remember

The `failed` table is an implicit changing parameter of the READ method.

```

METHOD read_travel.
DATA(lo_buffer) = lcl_buffer->get_instance( ).
lo_buffer->get_data(
    EXPORTING
        it_travel           = it_travel_read
    IMPORTING
        et_traveladdinfo   = et_traveladdinfo
        et_travel_failed   = failed-travel_ce
).
ENDMETHOD.
```

### 5.5.5.3.2.3 Implementing the MODIFY

The MODIFY updates data.

The MODIFY method is called by the framework when an UPDATE is defined in the behavior definition. It modifies the data in the application buffer. In this consumption scenario, the buffer method `put_data` is called to do this. To return adequate messages, the MODIFY method also includes a mapping method for messages.

#### Declaring a method for MODIFY

The declaration of the MODIFY method is generated by the template for the behavior implementation as the UPDATE was declared in the behavior definition.

1. Change the name of the MODIFY method to the more transparent name `update_discount`.  
Change the name of the importing parameter into `it_travel_update`.

```

CLASS lhc_travel_update DEFINITION INHERITING FROM cl_abap_behavior_handler.
PRIVATE SECTION.
...
METHODS update_discount FOR MODIFY
    IMPORTING it_travel_update FOR UPDATE travel_ce.
...
```

```
ENDCLASS.
```

## Implementing the method for MODIFY

The real update is done by the method `put_data` in the buffer class. This method firstly calls the method `get_data` to retrieve the data from the buffer or get it from the remote service. Then it updates the discount data for the selected travel instance and calculates the amount for `TotalPriceDiscount`.

For the processing of the appropriate messages if there is a fault event, the method `_map_messages` is called within the method `update_discount`.

1. Instantiate the buffer with the method `get_instance`.
2. Call the `put_data` method of the buffer class to update the discount data for the selected travel ID.  
If the `UPDATE` does not work, the key of the failed travel instance must be written in the `failed` table.

### → Remember

The `failed` table is an implicit changing parameter of the method for `MODIFY`.

Write the messages of `put_data` into a local table `lt_message`.

3. Call the `_map_messages` method to map `lt_message` to the `reported` table.

### → Remember

The `reported` table is an implicit changing parameter of the method for `MODIFY`.

```
METHOD update_discount.  
  DATA(lo_buffer) = lcl_buffer=>get_instance( ).  
  lo_buffer->put_data  
    EXPORTING  
      it_travel_upd      = it_travel_update  
    IMPORTING  
      et_travel_failed   = failed-travel_ce  
      et_message         = DATA(lt_message)  
    ).  
  _map_messages(  
    EXPORTING  
      it_message        = lt_message  
    IMPORTING  
      et_travel_reported = reported-travel_ce  
  ).  
ENDMETHOD.
```

## Message Handling

In case of failure, the issue has to be transferred to the `REPORTED` table, which includes all instance-specific messages. For the processing of such messages, the method `_map_messages` is used. In the consumption scenario, it is defined in the local handler class, as it is only used in the `MODIFY` method.

## Declare \_map\_messages

1. Declare the method `_map_messages` with an importing parameter `it_message` that is compatible to the type the method `put_data` returns for messages; and an exporting parameter `et_travel_reported` that is compatible to the `reported` table of the travel entity.

```
CLASS lhc_travel_update DEFINITION INHERITING FROM cl_abap_behavior_handler.  
PRIVATE SECTION.  
...  
    TYPES: tt_travel_reported TYPE TABLE FOR REPORTED /dmo/  
i_travel_ce.  
    METHODS: _map_messages  
        IMPORTING it_message TYPE lcl_buffer=>tt_message  
        EXPORTING et_travel_reported TYPE tt_travel_reported.  
...  
ENDCLASS.
```

## Implement \_map\_messages

To write messages to the `REPORTED` table, they have to align with a fixed structure. Messages for this structure are created via the method `new_message`, which is inherited from the interface `IF_ABAP_BEHV_MESSAGE`.

1. For each message in `it_message`, create a new message for the `REPORTED` table by calling the method `new_message`.
2. Fill the relevant fields in `ls_travel_reported` with the `travel_id` of the message and change the flag for the element which causes the message.

```
METHOD _map_messages.  
    DATA: ls_travel_reported LIKE LINE OF et_travel_reported.  
    FIELD-SYMBOLS: <fs_element> TYPE data.  
    LOOP AT it_message ASSIGNING FIELD-SYMBOL(<fs_message>).  
        CLEAR ls_travel_reported.  
        ls_travel_reported-%msg = new_message( id = <fs_message>-symsg-  
msgid  
                    number = <fs_message>-symsg-  
msgno  
                    severity =  
if_abap_behv_message=>severity-error  
                    v1 = <fs_message>-symsg-  
msgv1  
                    v2 = <fs_message>-symsg-  
msgv2  
                    v3 = <fs_message>-symsg-  
msgv3  
                    v4 = <fs_message>-symsg-  
msgv4 ).  
        IF <fs_message>-travelid IS NOT INITIAL.  
            ls_travel_reported-%key-travelid = <fs_message>-travelid.  
            ls_travel_reported-travelid = <fs_message>-travelid.  
            LOOP AT <fs_message>-fields ASSIGNING FIELD-SYMBOL(<fs_field>).  
                ASSIGN COMPONENT <fs_field> OF STRUCTURE ls_travel_reported-  
%element TO <fs_element>.  
                CHECK sy-subrc = 0.  
                <fs_element> = if_abap_behv=>mk-on.  
            ENDLOOP.  
            APPEND ls_travel_reported TO et_travel_reported.  
        ENDIF.  
    ENDLOOP.  
ENDMETHOD.
```

## 5.5.5.3.2.4 Implementing the SAVE

The template for the behavior implementation provides you with the method declarations for redefinitions of the save sequence.

```
CLASS lsc_travel DEFINITION INHERITING FROM cl_abap_behavior_saver.  
  PROTECTED SECTION.  
    METHODS finalize          REDEFINITION.  
    METHODS check_before_save REDEFINITION.  
    METHODS save              REDEFINITION.  
  ENDCLASS.
```

### i Note

In this consumption scenario, we do not exemplify the implementation for `finalize` and `check_before_save` as both of the implementations are optional and not required in our sample scenario.

In the method `SAVE`, the transactional buffer is saved to the database. The following listing illustrates the procedure for the `SAVE` implementation. The saving action includes

1. instantiating of the buffer instance
2. calling the method `get_data` to get the updated data set
3. retrieving the latest time stamp
4. modifying the database table `/dmo/traveladd`

```
CLASS lsc_travel_update IMPLEMENTATION.  
  METHOD finalize.  
  ENDMETHOD.  
  METHOD check_before_save.  
  ENDMETHOD.  
  METHOD save.  
    DATA: ls_traveladd TYPE /dmo/traveladd.  
    DATA(lo_buffer) = lcl_buffer=>get_instance( ).  
    lo_buffer->get_data(  
      IMPORTING  
        et_travel = DATA(lt_travel)  
    ).  
    LOOP AT lt_travel ASSIGNING FIELD-SYMBOL(<fs_traveladdinfo>).  
      ls_traveladd = CORRESPONDING #( <fs_traveladdinfo> MAPPING travel_id      =  
        travelid  
                                discount_pct =  
        discountpct  
                                discount_abs =  
        discountabs ).  
      GET TIME STAMP FIELD ls_traveladd-lastchangedat.  
      MODIFY /dmo/traveladd FROM @ls_traveladd.  
    ENDLOOP.  
  ENDMETHOD..  
ENDCLASS.
```

## 5.5.6 Defining an OData Service

In order to be able to consume the service with an SAP Fiori UI, you need to create an OData service.

1. Follow the development steps as described in [Creating an OData Service \[page 22\]](#).

Create a *service definition* and a *service binding* to expose the CDS custom entity including its query implementation for a service. You only need to include the custom entity in the service definition, its implementation is included implicitly.

You can then test the resulting UI service by using the *Fiori Elements Preview* in the service binding.

2. Follow the steps described in [Designing the User Interface for a Fiori Elements App \[page 33\]](#)

Use @UI annotations to define the UI of the SAP Fiori app. UI annotations are maintained in the CDS custom entity in exactly the same way as in CDS views.

For this consumption scenario, it is convenient to label the element for line items and identification annotations as the data element information is not retrieved from the remote service.

### i Note

For selection fields, it is not possible to maintain a label in the @UI annotations. Use the @EndUser.label annotation instead for elements with selection fields.

Expand the following code snippet to display the source code for the CDS custom entity with the relevant UI annotations.

```
@EndUserText.label: 'CE for Service Consumption Scenario'
@QueryImplementedBy: '/DMO/CL_TRAVEL_C_Q'          //reference to query
implementation class
@UI.headerInfo:{ typeName: 'Trip',
                 typeNamePlural: 'Trips'}

define root custom entity /DMO/TRAVEL_C_C
{
    @UI.facet           : [
        { id             : 'Travel',
          purpose        : '#STANDARD',
          type           : '#IDENTIFICATION_REFERENCE',
          label          : 'Travel',
          position       : 10 } ],
    @UI                : {lineItem: [ { position: 10, label: 'Travel
ID', importance: #HIGH } ],
                         selectionField: [ { position: 10 }],
                         identification: [ { position: 10, label:
'Travel ID' } ] },
    @EndUserText.label : 'Travel ID'
    key TravelID      : abap.numc( 8 );
    @UI                : {lineItem: [ { position: 20, label: 'Agency
ID', importance: #HIGH } ],
                         selectionField: [ { position: 20 }],
                         identification: [ { position: 20, label:
'Agency ID' } ] },
    @EndUserText.label : 'Agency ID'
    AgencyID          : abap.numc( 6 );
    @UI                : {lineItem: [ { position: 30, label: 'Customer
ID', importance: #HIGH } ],
                         selectionField: [ { position: 30 }],
                         identification: [ { position: 30, label:
'Customer ID' } ] },
    @EndUserText.label : 'Customer ID'
    CustomerID        : abap.numc( 6 );
    @UI                : {lineItem: [ { position: 40, label: 'Starting
Date', importance: #MEDIUM } ],
                         selectionField: [ { position: 40 }] }
```

```

        identification:[ { position: 40, label:
'Starting Date' } ] }
    BeginDate : abap.dats;
    @UI : {lineItem: [ { position: 45, label: 'End
Date', importance: #MEDIUM } ],
identification:[ { position: 45, label:
'End Date' } ] }
    EndDate : abap.dats;
    @UI : {identification:[ { position: 60, label:
'Booking Fee' } ] }
    @Semantics.amount.currencyCode: 'CurrencyCode'
    BookingFee : abap.dec( 17, 3 );
    @UI : {lineItem: [ { position: 70, label: 'Total
Price', importance: #MEDIUM } ],
identification:[ { position: 70, label:
'Total Price' } ] }
    @Semantics.amount.currencyCode: 'CurrencyCode'
    TotalPrice : abap.dec( 17, 3 );
    @UI : {lineItem: [ { position: 80, label: 'Discount
%', importance: #MEDIUM } ],
identification:[ { position: 80, label:
'Discount %' } ] }
    DiscountPct :
abap.int1; //modifiable data
    @UI : {lineItem: [ { position: 75, label: 'Discount
Absolute', importance: #MEDIUM } ],
identification:[ { position: 75, label:
'Discount Absolute' } ] }
    @Semantics.amount.currencyCode: 'CurrencyCode'
    DiscountAbs : abap.dec( 17,
3 ); //modifiable data
    @UI : {lineItem: [ { position: 72, label: 'Total
Price with Discount', importance: #MEDIUM } ],
identification:[ { position: 72, label:
'Total Price with Discount' } ] }
    @Semantics.amount.currencyCode: 'CurrencyCode'
    TotalPriceWithDiscount : abap.dec( 17,
3 ); //calculated data
    @Semantics.currencyCode: true
    CurrencyCode : abap.cuky;
    @UI : {lineItem: [ { position: 50, label: 'Comment',
importance: #MEDIUM } ],
identification:[ { position: 50, label:
'Comment' } ] }
    Description :
abap.char( 1024 ); //renamed element
    @UI : {lineItem: [ { position: 90, label: 'Status',
importance: #HIGH } ],
identification:[ { position: 90, label:
>Status' } ] }
    Status : abap.char( 1 );
    @EndUserText.label : 'Last changed on'
    LastChangedAt : timestamppl;
}

```

3. Add static feature control for attributes to set them read-only or mandatory.

The only attributes that are modifiable are `DiscountPct` and `DiscountAbs`. They need to be filled with values. Set all other attributes as mandatory. For further information, see [Adding Feature Control \[page 359\]](#).

Expand the following code snippet to display the source code for the behavior definition with the relevant feature control additions.

```

implementation unmanaged;
define behavior for /DMO/TRAVEL_C_C alias Travel_CE
etag LASTCHANGEDAT
{ update;

```

```
        field (read only) TRAVELID, AGENCYID, CUSTOMERID,  
        BEGINDATE, ENDDATE, DESCRIPTION,  
        BOOKINGFEE, TOTALPRICE, TOTALPRICEWITHDISCOUNT,  
        STATUS, CURRENCYCODE;  
    field (mandatory) DISCOUNTABS, DISCOUNTPCT;  
}
```

## Related Information

[Creating an OData Service \[page 22\]](#)

[Designing the User Interface for a Fiori Elements App \[page 33\]](#)

[Adding Feature Control \[page 359\]](#)

# 6 Extend

SAP provides you with a solution to extend delivered applications with additional features. You can extend an application without modifying the delivered code.

Two approaches are available:

## Key User Extensibility

The extensibility option by [S/4 HANA](#) enables you to customize an app that was delivered by SAP or an SAP partner with additional features. In that case you do not have to add or modify any delivered code, but you can apply the configuration directly in the app. This is only possible if the app is enabled for extensibility.

More on this: [General Functions for the Key User](#)

SAP recommends to use this option whenever possible and sufficient.

## Custom Code Extensibility

You can extend your application by using the extensibility option by the [ABAP platform](#). You add custom fields to your CDS data model with an extension view with modifying delivered code. It requieres the entire development cycle to implement extensions by means of code additions.

More on this: [Extending Apps with Custom Code \[page 337\]](#)

## 6.1 Extending Apps with Custom Code

As an SAP customer you may want - in some cases - to extend the user interfaces (UI) of the applications delivered by SAP or SAP partners with additional fields.

Using a concrete example, this documentation section demonstrates how you, as an SAP customer, can implement field extensions with your own custom code in the context of the ABAP CDS extension model. In this example, we assume that the fields you want to use for your extension are already persisted on the database.

### i Note

If you want to extend an application with fields that are not persisted on the database, you need to define an [append structure](#) first. You define all the fields to be extended in this structure. This is only possible if the database table is enabled for extensibility (annotation `@AbapCatalog.enhancementCategory : #EXTENSIBLE_ANY`).

## Field Extensibility

The extensibility infrastructure of the ABAP platform enables the extension of existing application with your own custom code. That means, when you want to include new fields into your application you do not need to modify delivered code, but you simply attach new code to the relevant development artifacts. The infrastructure ensures that the new elements are added to all involved layer from database to UI (ABAP Dictionary, CDS; Business Service, UI).

`EXTEND VIEW` syntax: For each CDS view to be extended, the developer needs to create a data definition as development object and implement the corresponding CDS view extension using

```
AbapCatalog.sqlViewAppendName: 'CDS_APPEND_VIEW'  
[@extension_annot1]  
[@extension_annot2]  
...  
EXTEND VIEW cds_view_original WITH cds_view_extension  
[association1 association2 ...]  
{ select_list_extension } [;]
```

Using the syntax above, you can extend a delivered CDS view `cds_view_original` using a CDS view extension `cds_view_extension`. The CDS view extension adds the following elements to the `SELECT` list of the available view without making modifications:

- The elements of the specified extension list `select_list_extension`, as known from view fields
- Optional associations `association1, association2, ...` for the `SELECT` statement of the extended CDS view
- Further annotations `extension_annot1, extension_annot2...` can also be specified.

### i Note

A CDS view can be extended using multiple CDS view extensions.

## Typical Use Cases for Custom Code Adaption


- Adding calculated fields
- Defining new associations in the extension code
- Adding fields resulting from new associations

## CDS Extension Model and Append Views

For each CDS view to be extended, the developer needsThe CDS extension is based on the proven append technique that you probably already know from the ABAP Dictionary. Special views, known as append views, are the type of views that you as an SAP customer can use to add new fields to existing database views. They are intended for enhancements of database views of the SAP standard.

### → Remember

With an append view, fields of the original tables can be included in the view without modifications. An append view is assigned to one database view. However, you can create more than one append view for a database view. For each active database view, the system looks for all the append views that are assigned and their fields are then appended to the database view. When you create or change an append view, the assigned database view is automatically adjusted to this change when you activate the append view.



CDS extension model for field extensibility – design time view

## Related Information

[Syntax of ABAP CDS - EXTEND VIEW](#)

[Append Structures](#)

## 6.1.1 Creating an Appropriate CDS View Extension

### Prerequisites

- You need the standard developer authorization profile to create ABAP development objects with [ABAP Development Tools](#).

- You identified the data definition that implements the original CDS-based data model you are going to extend.
- The fields that you want to add are already defined in the database table.

## Context

### Starting Point

Let us assume you - as an SAP customer – are accessing our own Fiori Launchpad where you open a list reporting app displaying all parties that are relevant for your business activities.

However, in your business context you may require some further details that were not foreseen by the application's UI delivered by SAP. For example, you would like to display the role (supplier, customer, partner, and so on) or the contact details for each organization displayed in the list. In other words: You would like to provide additional fields in the given business application context that is represented by the UI actually used.

| Org ID    | Organization         | Location |
|-----------|----------------------|----------|
| 100003380 | Tessile Casa Di Roma | Rome >   |
| 100003380 | Tessile Casa Di Roma | Rome >   |
| 600005660 | Alessio Galasso      | Rome >   |
| 600005660 | Alessio Galasso      | Rome >   |

Actually used UI – an example

Let us also assume you have identified the development object (data definition) that implements the original data model for *Party Address Data* - as shown in the listing below.

```

@AbapCatalog.sqlViewName: 'SQL_PARTY_ORIG'
@AbapCatalog.compiler.compareFilter: true
@AccessControl.authorizationCheck: #NOT_REQUIRED
@EndUserText.label: 'Party Address Data'

@Search.searchable: true

@OData.publish: true

define view DEMO_PARTY_ORIG
    as select from SEPM_I_Party_E as Organization
{
    @UI.lineItem: { importance: #HIGH, label: 'Org ID', position: 10 }
    key Organization.Party
        as OrgID,

```

```

    @Search.defaultSearchElement: true
    @UI.lineItem: { importance: #HIGH, label: 'Organization', position: 20 }
        Organization.PartyName           as OrgName,
    @UI.selectionField.position: 10
    @Search.defaultSearchElement: true
    @Search.fuzzinessThreshold: 0.5

    @UI.lineItem: { label: 'Location', position: 30 }
        Organization.CityName          as City
}


```

The original source code defines quite a simple data model based on the CDS view called `DEMO_PARTY_ORIG`. This view is implemented by means of a query for performing a `SELECT` statement, where the predefined CDS view (that originates from the EPM demo application) `SEPM_I_Party_E` is used as the data source. The select list includes a rather small set of fields for the ID, name, and location of the parties. In addition to the original CDS view, the SQL view (database view) `SQL_PARTY_ORIG` has also been created in the ABAP Dictionary.

## Procedure

To create a data definition for extending a CDS view, proceed as follows:

1. Launch the *ABAP Development Tools*.
2. In your ABAP project, select the relevant package node in the *Project Explorer*.
3. Open the context menu and choose  *New* > *Other ABAP Repository Object* > *Core Data Services* > *Data Definition*  to launch the creation wizard.
4. In addition to the *Project* and *Package*, enter the *Name* (with due regard to your namespace) and the *Description* for the extension to be implemented. Choose *Next*.
5. Assign a transport request and choose *Next*.
6. Select the *Extend View* template to speed up the extension definition.



Selecting a suited template for extending a view

7. Choose *Finish*.

## Results

In the selected package, the ABAP back-end system creates an inactive version of a data definition for the extension and stores it in the ABAP Repository. The generated source code is automatically displayed in the DDL editor and already provides you with the necessary view annotations and adds placeholders for names of the append view, the original CDS view, and for the actual view extension.

```

1@AbapCatalog.sqlViewAppendName: 'sql_view_append_name'
2@EndUserText.label: 'Extended Party Adress Data'
3extend view view_name with Zdemo_Party_Ext {
4  data_source_name.element_name
5}

```

The generated template code in the DDL editor

## Next Steps

If you have not yet already done so, open the newly created data definition and specify the names of the...

- Append view to be generated in the ABAP Dictionary, for example: ZSQL\_PARTY\_EXT

- Original CDS view: DEMO\_PARTY\_ORIG (in our example)
- Actual view extension, for example: ZDEMO\_PARTY\_EXT.

## 6.1.2 Adding Custom Fields to Extension View

This topic demonstrates how you can extend the syntax of the original CDS view with a view extension to provide some additional custom fields.

### Adding predefined fields from original data source

In our example, by far not all fields from the original data source have been adopted into the data model. For example, details on the exact address of the organizations are missing. As a substitute for further address data, we will adopt the field `CountryName` into the list of line items:

```
...
    -- Adding predefined field
    @UI.lineItem: { label: 'Country', position: 35 }
    Organization.CountryName
...

```

Again, these fields must already be defined on the original database - in our case `SEPM_I_Party_E`.

### Adding a calculated field

Fields that were not foreseen and result only after a calculation based on other defined fields are a very good example of the use of view extensions. In the following listing, a new field named `party_role` has been introduced. The values of this field are determined first within the `case` statement. In this way, the specification of the role `Customer` or `Supplier` can be output for each individual organization.

```
...
    -- Adding calculated field
    @UI.lineItem: { label: 'Role', position: 25}
    case Organization.PartyRole
        when '01' then 'Customer'
        when '02' then 'Supplier'
        else 'Unspecified'
    end   as party_role
...

```

## Results

The resulting source code for the CDS view extension is the following:

```
@AbapCatalog.sqlViewAppendName: 'ZSQL_PARTY_EXT'  
@EndUserText.label: 'Party Adress Data Extended'  
extend view DEMO_PARTY_ORIG with ZDEMO_PARTY_EXT  
{  
    -- Adding predefined field  
    @UI.lineItem: { label: 'Country', position: 35 }  
    @Search.defaultSearchElement: true  
    Organization.CountryName,  
    -- Adding a calculated field  
    @UI.lineItem: { label: 'Role', position: 25 }  
    @Search.defaultSearchElement: true  
    case Organization.PartyRole  
        when '01' then 'Customer'  
        when '02' then 'Supplier'  
        else 'Unspecified'  
    end as party_role  
}
```

After successful activation of the data definition, two ABAP Dictionary objects are created for the CDS view extension and are automatically added to the same ABAP package (and therefore the same transport request) as the underlying DDL source:

- The actual CDS view extension that is specified after the `EXTEND VIEW` keyword
- The CDS append view for a classic append view that is specified in quotation marks after the `@AbapCatalog.sqlViewAppendName` annotation. The new append view extends the CDS SQL database view of the extended CDS view.

### ⚠ Caution

The name given to the append view can no longer be changed after the CDS view has been transported into a follow-on system.

### → Tip

To verify the result set of the extended CDS view, you can utilize the [Data Preview](#). **More on this:** [Verifying the Results Set in the Data Preview Tool \[page 21\]](#)

### 6.1.3 Adding Fields from Association

This topic demonstrates how you can extend the syntax of the CDS view with view extension to provide some additional custom fields that result from new associations defined in the extension code.

#### Creating a Second Extension


Create a data definition second as the second development object for extending the original CDS view `DEMO_PARTY_ORIG` and specify the names of the append view as `ZSQL_PARTY_EXT2` and

ZDEMO\_PARTY\_EXT2 for the new view extension. This association \_PartyContact associates the original CDS view with the target data source SEPM\_I\_ContactPerson\_E. The target is a predefined CDS view that originates from the EPM demo application you can use to provide contact data for the business partner. For representation of this contact data, we adopt only the field EmailAddress into the list of LineItems.

```
@AbapCatalog.sqlViewAppendName: 'ZSQL_PARTY_EXT2'  
@EndUserText.label: 'Party Address Data Extended with Contact'  
extend view DEMO_PARTY_ORIG with ZDEMO_PARTY_EXT2  
    association [1..1] to SEPM_I_ContactPerson_E as _PartyContact  
    on Organization.businesspartner = _PartyContact.businesspartner  
{  
    @UI.lineItem: { label: 'Contact - Email', position: 50 }  
    _PartyContact._BusinessPartner.EmailAddress  
}
```

## Results

If you open the DDL editor with the original data definition, you will detect that (after a refresh) a new decorator  indicates that extensions are available in the current system. If you move the cursor over the decorator, an info screen provides you with links to all existing view extensions. Prerequisites: both extension data definitions has been activated successfully in ABAP Development Tools.



Info screen after a successful activation of both extensions

### → Tip

To verify the result set of the extended CDS view, you can utilize the [Data Preview](#). More on this: [Verifying the Results Set in the Data Preview Tool \[page 21\]](#)

## 6.1.4 Previewing the Extended Fiori App

To make sure that the added custom fields work correctly for the end user, we are now going to run the resulting application.

### Prerequisites

For the corresponding OData service we assume that...

- The original CDS view is exposed as OData service.  
More on this: [Creating an OData Service \[page 22\]](#)

### Procedure

If an OData exists for the original CDS view, it will automatically update its metadata document. The additional fields are added as OData properties to the entity types.

If you preview the list reporting app with the preview function in the service binding, the UI provides you with the extensions- without any further (configuration) steps (no service re-activation required). The resulting UI screen displays all added fields – as shown in the figure below.

The screenshot shows a Fiori application interface titled "Demo Extend". At the top, there is a search bar and a filter bar with the text "Standard \*". Below the header, a "City:" field contains "Rome". The main area displays a table of customer data with four columns highlighted by orange rounded rectangles:

| Org ID    | Organization         | calculated field | predefined field | field from association                                         |
|-----------|----------------------|------------------|------------------|----------------------------------------------------------------|
| 100003380 | Tessile Casa Di Roma | Role<br>Customer | Location<br>Rome | Country<br>Italy<br>Contact - Email<br>alessio.galasso@tcdr.it |
| 100003380 | Tessile Casa Di Roma | Role<br>Customer | Location<br>Rome | Country<br>Italy<br>Contact - Email<br>alessio.galasso@tcdr.it |
| 600005660 | Alessio Galasso      | Role<br>Supplier | Location<br>Rome | Country<br>Italy<br>Contact - Email<br>alessio.galasso@tcdr.it |
| 600005660 | Alessio Galasso      | Role<br>Supplier | Location<br>Rome | Country<br>Italy<br>Contact - Email<br>alessio.galasso@tcdr.it |

The resulting UI screen provides additional fields

# 7 Common Tasks

## ----- Development Tasks Related to... -----

### Object Model

[Providing Value Help \[page 362\]](#)

### Data Provisioning

[Enabling Text and Fuzzy Searches in SAP Fiori Apps \[page 355\]](#)

[Adding Feature Control \[page 359\]](#)

[Using Aggregate Data in SAP Fiori Apps \[page 371\]](#)

### UI Semantics

[Defining Text Elements \[page 349\]](#)

[Adding Field Labels and Descriptions \[page 347\]](#)

[Defining CDS Annotations for Metadata-Driven UIs \[page 378\]](#)

### Business Objects

[Consuming Business Objects with EML \[page 421\]](#)

### Query

[Implementing an Unmanaged Query \[page 429\]](#)

## 7.1 Adding Field Labels and Descriptions

End-user texts, such as field labels or field descriptions, are taken from ABAP Dictionary data elements to which the corresponding element is bound - unless you redefine the texts using CDS annotations. Unlike technical element names, the header texts, field labels and descriptions are **language-dependent**. For example, the field 'Airline' would have a language-dependent label 'Airline Code'.

Such texts must be translated. Therefore, the CDS development infrastructure is able to extract them from the source code and transfer the extracted texts to the actual translation infrastructure of the corresponding delivery package.

## Relevant Annotations

| Annotation                          | Effect                                                                                                                                                                                     |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| @EndUserText.label:<br>'<text>'     | This annotation is used to define translatable semantic short texts (with maximum 60 characters) for an element of the CDS view (label text).                                              |
| @EndUserText.quickInfo:<br>'<text>' | The annotation defines a human-readable <text> that provides additional information compared to the label text. The quick info is used for accessibility hints or the mouse over function. |

### → Remember

The <text> specified in the source code should consist of text in the original language of the CDS source code and will be translated into the required languages.

## Example

The listing below demonstrates the usage of @EndUserText annotations at the view and element (field) level:

```
...
@EndUserText.label: 'Overview of available flights' -- Annotation at the view
level

DEFINE VIEW <CDS_view> as Flights {
  ...
  -- Annotation at the field level
  @EndUserText: { label: 'Airline Code',
    quickinfo: 'Code to identify which airline operates the flight' }
  carrier_id as CarrierID;
  ...
}
```

### → Tip

Press **F1** in the CDS source code editor for extended help content on @EndUserText annotation!

### i Note

If @UI labeling annotations are used, they will be evaluated primarily. That means, they will overwrite the text given with the @EndUserText annotations.

## OData Metadata

To verify that the additional information of labels and descriptions is pushed correctly to the OData service, you can check the OData metadata document. This can also be helpful to find out which label information is used if you maintain @UI and @EndUserText in your CDS view.

If no UI annotations are used, the OData metadata document of the example above should contain the annotations that are marked in the following image:

```
<EntityType sap:content-version="1" sap:label="Overview of Available Flights" Name="FlightsType">
  <Key>
    <Property sap:label="Airline Code" Name="CarrierID" sap:quickinfo="Code to identify which airline operates the flight" sap:display-format="UpperCase"
```

## 7.2 Defining Text Elements

This section describes how to determine and provide texts for a CDS view element within the context of the ABAP RESTful Programming Modell.

### Contents

You have two different options to provide text for identifier elements:

- [Providing Text by Text Elements in the Same Entity \[page 349\]](#)  
Use this option if the identifier element and the text element are part of the same entity. You can establish a direct link between the two elements.
- [Getting Text Through Text Associations \[page 351\]](#)  
Use this option if the identifier element and the text element are not part of the same entity, or if the text element is language-dependent and shall be displayed in the system logon language in scenarios without projection layer.

### 7.2.1 Providing Text by Text Elements in the Same Entity

Language independent text elements can be maintained in the same entity as the identifier element.

Within the context of CDS views, the text elements establish the link between identifier elements (code values) of the view and its descriptive language-independent texts. For example, you can define a link between a company code and the (descriptive) company name, or between currency code and the currency name if these elements are part of the one CDS view. These kinds of descriptive texts are **language-independent**. That means, they do not contain text that is to be translated.

## Relevant Annotation

Annotation	Effect
<code>@ObjectModel.text.element[]</code>	Establishes the link between the annotated element (that defines an identifier element) and its descriptive language-independent texts

### i Note

The usage of this annotation excludes the usage of `@ObjectModel.text.association` in the same CDS entity. .

**More on this:** [ObjectModel Annotations \[page 478\]](#)

### i Note

**SADL Runtime Behavior:** In scenarios with exposure via OData, only the **first text element** listed in the annotation array will be handled as a descriptive text of the annotated field.

## Example

In the listing below, the CDS view `I_Plant` defines the fields `PlantName` and `PlantDescription` that both serve as language-independent descriptions for the view field `Plant`. In an OData exposed scenario only the text of the element `PlantName` will be handled as text for the element `Plant`.

```
...
define view I_Plant as ...
{
  @ObjectModel.text.element: ['PlantName', 'PlantDescription']
  key Plant,
  PlantName,
  PlantDescription,
  ...
}
```

## Result

## Related Information

[Getting Text Through Text Associations \[page 351\]](#)

## 7.2.2 Getting Text Through Text Associations

### Context

Using the CDS text association, you can define the relationship between an element (field) and its corresponding texts or descriptions. The texts are usually language-dependent and are displayed in the end user's language. If you annotate an element with a text association (as described below), the associated text or description field is added as a field to the referencing entity. At runtime, this field is read from the database and filtered by the logon language of the OData consumer automatically. It is not necessary to use session properties or view parameters in your CDS view.

To retrieve texts by direct use of text associations, proceed as follows:

### Procedure

1. Create a data definition with a CDS view that serves as text provider

The following annotations are required at **element level** in the text provider view to annotate the language key element and the text elements from the view's element list:

Annotation and Values	Effect
<code>@Semantics.language: true</code>	The annotated element identifies the language field.
<code>@Semantics.text: true</code>	Identifies view elements as text elements (fields pointing to a textual description)

**i Note**

In general, you can annotate more than one view field as a text field. However, only the first annotated field will be considered in the text consumer view for OData exposure.

**More on this:** [Semantics Annotations \[page 511\]](#)

2. Create a text association from your consumer CDS view to the text provider view .

The following CDS annotation is relevant when creating text associations:

Annotation and Values	Effect
<code>@ObjectModel.text.association: '&lt;_AssocToTextProvider&gt;'</code>	Name of an association with a text view that provides descriptive texts for the annotated element. In other words: the annotation indicates that the description for the annotated element is available using the text association <code>&lt;_AssocToTextProvider&gt;</code> .

## More on this: [ObjectModel Annotations \[page 478\]](#)

The view /DMO/I\_BookSuppl\_T serves as a consumer for the text provider view /DMO/I\_SupplText\_T. For this purpose, the association \_Text with the text provider view as target is defined. To indicate the field for which a text should be made available through the association \_Text, the annotation @ObjectModel.text.association is added. Note that only the first text element (Description) from the text provider, which is annotated with @Semantics.text: true, will be considered for OData exposure. In Fiori Elements apps, the supplement ID will then be displayed together with the long text in description of the text provider view.

### Text Provider View /DMO/I\_SupplText\_T

```
define view /DMO/I_SupplText_T as select from /dmo/suppl_text as
  SupplementText
{
  key SupplementText.supplement_id as SupplementID,
    @Semantics.language: true
  key SupplementText.language_code as LanguageCode,
    @Semantics.text: true
  SupplementText.description as Description
    @Semantics.text: true
  SupplementText.alt_Description as AlternativeDescription
}
```

### Text Consuming View /DMO/I\_BookSuppl\_T

```
define root view /DMO/I_BookSuppl_T as select from /dmo/book_suppl as
  BookingSupplement
  association [1..*] to /DMO/I_SupplText_T as _SupplementText on
  $projection.supplement_id = _SupplementText.SupplementID
{
  key travel_id,
  key booking_id,
  key booking_supplement_id,
    @ObjectModel.text.association: '_SupplementText'
    supplement_id,
    /* Associations */
    _SupplementText
}
```

## Related Information

[Providing Text by Text Elements in the Same Entity \[page 349\]](#)

## 7.2.3 Getting Language-Dependent Text in Projection Views

The denormalization of language-dependent text in projection views is done via the keyword `localized` for the text elements, which are included in the projection view and referenced with the annotation `@ObjectModel.text.element: '<text_element>'`.

## Context

You have a text provider view, in which text for unreadable elements is maintained. To get the text from there you do not need any preparation in the text provider view.


To establish a connection to this text provider view, the projected view must have an association to the text provider view.

### i Note

To use the denormalization in projection views, you must not use the indicator for text associations `@ObjectModel.text.association: '<text_association>'` in the projected view.

You can then include the text element via the association in the projection view. The relationship between identifier elements and the respective text is defined in the projection view via the annotation `@ObjectModel.text.element: '<text_element>'`. If the keyword `localized` is used, the text in the system logon language is drawn.

The following diagram illustrates the modeling of text denormalization in projection views.



## Prerequisites

- The text provider view has a key element indicating the language of the text.
- The projected CDS view has an association to the text provider view, but does not use the annotation `ObjectModel.text.association`.

## Procedure

1. Include the text element from the text provider view into the projection view.
2. Annotate the element in the projection view, for which you want to provide the text with `@ObjectModel.text.element: <text_element>` and reference the text element.
3. To get language-dependent texts use the keyword `localized` on the text element.

### ❖ Example

#### Text Provider View

The text provider view selects from a database table, in which the description texts in different languages are stored.

```
define view /DMO/I_SupplText_T as select from /dmo/suppl_text as
SupplementText
{
    key SupplementText.supplement_id as SupplementID,
    key SupplementText.language_code as LanguageCode,
    SupplementText.description as Description
}
```

#### Projected View

```
define root view /DMO/I_BookSuppl_T as select from /dmo/book_suppl as
BookingSupplement
    association [1..*] to /DMO/I_SupplText_T as _SupplementText on
$projection.supplement_id = _SupplementText.SupplementID
{
    key travel_id,
    key booking_id,
    key booking_supplement_id,
    supplement_id,
    /* Associations */
    _SupplementText
}
```

#### Projection View

The projection view denormalizes the supplement description and filters the relevant values based on the requested language.

### i Note

It depends on the language configuration of your cloud system, which language are allowed.

```
define root view entity /DMO/C_BookSuppl_T as projection on /DMO/I_BookSuppl_T
{
    key travel_id as TravelID,
    key booking_id as BookingID,
    key booking_supplement_id as BookingSupplementID,
    @ObjectModel.text.element: ['SupplementDescription']
    supplement_id as SupplementID,
    _SupplementText.Description as SupplementDescription: localized,
    _SupplementText
```

If you create a UI service for this example, you can check the results when sending the request in different languages.

The image contains two side-by-side screenshots of SAP Fiori applications. Both screens show a list of products under the heading 'Booking Supplements (3,073) Standard \*'. The left screen is in English, and the right screen is in German. Each screen has a search bar at the top, followed by a table with columns: 'Book. Supp. Number', 'Product ID', and 'Product Price'. The data lists various items with their respective numbers, IDs, prices, and descriptions.

Book. Supp. Number	Product ID	Product Price
4	Apple Juice (BV-0005)	3,50 EUR >
1	Lemon Limonade (BV-0008)	3,50 EUR >
5	Pear Juice (BV-0006)	3,50 EUR >
1	Mango Juice (BV-0007)	3,50 EUR >
2	Hot Chocolate (BV-0001)	2,30 EUR >
1	Alcohol free Champagne (BV-0002)	7,50 EUR >

Book. Supp. Number	Product ID	Product Price
4	Apfelsaft (BV-0005)	3,50 EUR >
1	Zitronenlimonade (BV-0008)	3,50 EUR >
5	Birnensaft (BV-0006)	3,50 EUR >
1	Mangosaft (BV-0007)	3,50 EUR >
2	Heiße Schokolade (BV-0001)	2,30 EUR >
1	Alkoholfreier Champagner (BV-0002)	7,50 EUR >

Supplement Descriptions in English and German

## Related Information

[Getting Text Through Text Associations \[page 351\]](#)

[Providing Text by Text Elements in the Same Entity \[page 349\]](#)

## 7.3 Enabling Text and Fuzzy Searches in SAP Fiori Apps

The descriptions in this topic refer to the range of functions for text and fuzzy searches that are provided in the context of SAP HANA.

### Text and Fuzzy Searches

The full text searching (or just text search) provides you with the capability to identify natural language terms that satisfy a query and, optionally, to sort them by relevance (ranking) to the query. The most common type of search is to find texts that contain the term specified and return them in the order of their similarity to these terms.

Fuzzy search is a fast and fault-tolerant search feature of SAP HANA. The basic concept behind the **fault-tolerant search** is that a database query returns records even if the search term (user input) contains additional or missing characters, or even spelling errors. Fuzzy search can be used in various applications -- for example, to trigger a fault-tolerant search in a structured database content, like a search for a product called 'coffee krisp biscuit' and you find 'Toffee Crisp Biscuits'.

## Providing Freestyle Search Capabilities in SAP Fiori UI screen

Within the context of the ABAP RESTful programming model, you only need to enable the text and fuzzy search functionality in your data model definitions. For this purpose, you implement it in designated CDS views using appropriate text and fuzzy search annotations (listed below).

### i Note

As an application developer however, you must ensure that your CDS views are suitable for text and fuzzy search enabling. For more information take a look at the corresponding topics in the [SAP HANA Search Developer Guide](#).

## Annotations for Text- and Fuzzy Search

As the name suggests, search annotations enable the search feature on the CDS view elements.

First of all, you need the following CDS annotation at the **view level**:

Annotation and Value	Effect
<code>@Search.searchable: true/false</code>	Defines whether a CDS view is generally relevant for search scenarios. This annotation provides a general switch and a means to quickly detect whether a view is search-relevant or not. Set to value true in order to enable search support by means of @Search annotations. Here, at least one view field must be defined as <code>@defaultSearchElement</code> at element level.

The annotations (required) at the **element level** are:

Annotation and Values	Effect
<code>@Search.defaultSearchElement: true/false</code>	<p>Specifies that the annotated element is to be considered in a full-text search</p> <p><b>i Note</b></p> <p>At least one element has to be defined for the default full-text search. Searching in views without default full-text search elements is not supported!</p> <p>All view elements that are annotated for the default search define the search scope. (The search will be performed on all elements that have this annotation.).</p> <p><b>⚠ Caution</b></p> <p>Such a search must not operate on all elements – for performance reasons and because not all elements qualify for this kind of access.</p>

Annotation and Values	Effect
@Search.fuzzinessThreshold : <value>	<p>This annotation specifies the least level of fuzziness the element has to have in order to be considered in a fuzzy search at all.</p> <p>The &lt;value&gt; defines the threshold for a fuzzy search (how fuzzy scores are calculated when comparing two strings or two terms).</p> <p>Possible values are: 0 .. 1 The default value is 1. The fuzzy search algorithm calculates a fuzzy score for each string comparison. The higher the score, the more similar the strings are. A score of 1 . 0 means the strings are identical. A score of 0 . 0 means the strings have nothing in common.</p>
@Search.ranking: <value>	<p>This annotation specifies how relevant the values of an element (view field) are for ranking, should the freestyle search terms match the element's value.</p> <p>The ranking can have the following values:</p> <ul style="list-style-type: none"> <li>• HIGH - The element is of high relevance; typically, this is useful for IDs and their descriptions.</li> <li>• MEDIUM - The element is of medium relevance; designated usually for important elements.</li> <li>• LOW - Although the element is relevant for a freestyle search, a hit for this element has no real significance for the ranking of a result item.</li> </ul>

### → Tip

For the fuzzy search threshold, we recommend using the default value 0 . 7 to start with. Later on, you can fine-tune the value based on your experiences with the search. You can also fine-tune the search using feedback collected from your users.

## Example

The listing below implements a search model for searching products. The model definition results from the data source db\_pd that already specifies the persistence layer for searching. The data source provides product data and text reference fields.

The annotation @Search.searchable: true marks the view as searchable. In addition, the elements Name and Category are annotated with @Search.defaultSearchElement: true. This means that a freestyle search is enabled on the search UI where it is possible to search for the annotated elements. The annotation @Search.fuzzinessThreshold: 0 . 7 (0 . 8) defines that the text search should be applied to the element Category with a similarity value of 70% and to the element Name with a similarity value of 80%.

```

...
@Search.searchable : true

define view SearchForProducts as select from db_pd
    key pd_id as ID,
    @Search.defaultSearchElement : true

```

```

@Search.fuzzinessThreshold : 0.8
@Search.ranking : #HIGH
pd_text as Name,
@Search.defaultSearchElement : true
@Search.fuzzinessThreshold : 0.7
@Search.ranking : #LOW
pd_category as Category
}

```

## Results

If you expose a CDS view with search annotations for an OData service, the OData entity set receives the annotation `sap:searchable: true`.

The following image displays a Fiori UI that consumes an OData service with the example CDS view.

The screenshot shows a Fiori application interface. At the top, there is a search bar with a placeholder "Standard \*". To the right of the search bar is a yellow-highlighted input field containing "Notebooks HT-". A red oval surrounds the entire search bar area. To the right of the search bar is a button labeled "Hide Filter Bar". Below the search bar is a table with two columns: "Product Category" and "Product ID". The table contains three rows, all of which have "Notebooks" in the "Product Category" column and a unique "HT-XXXX" value in the "Product ID" column (HT-1000, HT-1001, HT-1002). A red arrow points from the text "To show filters here, add them to the filter bar in Filters" to the yellow-highlighted input field.

Product Category	Product ID
Notebooks	HT-1000
Notebooks	HT-1001
Notebooks	HT-1002

Standard filter allows to search for product category and product name

## Related Information

[Search Annotations \[page 507\]](#)

## 7.4 Adding Feature Control

This topic treats the concept of feature control in the context of ABAP RESTful application development for transactional use cases.

### Feature Control in a Nutshell

Feature control is a means that you can provide as information to the service on how data has to be displayed for consumption in SAP Fiori UI.

In general, the following characteristics are relevant when providing feature control:

- **Read-only** - Will the user be allowed to change the value of a field?
- **Mandatory** - Must the user provide a value?
- **Hidden** - Should a field be available for consumption in the UI?

#### → Remember

We do not cover this characteristics in this topic since the relevant information is provided by the UI annotation `@UI.hidden: true`. You can use this annotation to prevent fields from being displayed on a UI and in the personalization dialog but leaving the annotated fields available for the consumer. **More on this:** [Field Hiding \[page 417\]](#)

The feature control information is either static or dynamic:

- **Static** - The field (and action) control information is valid for all instances of a business object node, regardless of their state. For example, consider a field `PAID` in an invoice scenario that is always read-only since it can only be changed by an action, not directly by the consumer after an update procedure. **More on this:** [Static Feature Control \[page 359\]](#)
- **Dynamic** - The field (and action) control information depends on the state of the node instances. For example, the field `COMMENTS` should be read-only if the invoice's `PAID` attribute is set to `true`.

### 7.4.1 Static Feature Control

Here we explain how you can implement static feature control in the behavior model of a business object.

#### Overview

In a typical transactional scenario, you have to specify which operations should be provided by the whole entity (entity scope) or you must specify which fields of an entity have specific access restrictions (field scope).

The feature control can relate to a whole entity (business object node instance) or to individual fields (attributes of a business object's node):

- The transactional character of a business object is defined in the behavior definition where all supported transactional operations are specified for each node of the business object's composition tree. Whenever the corresponding root or child entity is going to be created, updated, or deleted, these operations must be declared in the behavior definition. In this way, you specify at the business object node level whether each node instance is enabled for creation, update, or deletion.
- By using field properties in the behavior definition, you can also specify which fields of an entity have specific access restrictions. In this way, you specify the field control at the attribute level of the corresponding business object node.

## Defining Static Entity Control at BO's Node Instance Level

Within the behavior definition, you can specify the following operations for static entity control:

Operation	Effect
create	<p>Specifies that new instances of a business object node that correspond to the underlying (root or child) entity can be created.</p> <p>If this operation is not declared for an entity in the behavior definition, creation of new instances of the corresponding business object nodes is not allowed.</p>
update	<p>Specifies that data of existing instances of a business object node that corresponds to the underlying (root or child) entity can be updated.</p> <p>If this operation is not declared for the entity in the behavior definition, updating existing instances is not allowed.</p>
delete	<p>Specifies that existing instances of a business object node that corresponds to the underlying (root or child) entity can be deleted.</p> <p>If this operation is not declared for an entity in the behavior definition, deletion of existing instances is allowed.</p>

### Example

The following behavior definition specifies that `root` instances of a business object node can be updated, but not created or deleted whereas the `subnode` instances can be created, updated and deleted.

Use cases for the only need to update BO instance data could occur, for example, if the instances only need to be archived or if they are to be created and deleted only by means of an action.

```
implementation ...;
define behavior for BO_Root alias root
{
  update;
}
define behavior for BO_Subnode alias subnode
{
  create;
  update;
  delete;
}
```

## Defining Static Field Control at BO's Attribute Level

Within the behavior definition, you can specify individual fields of an entity that have certain access restrictions.

### Syntax

```
implementation {unmanaged | managed | abstract};  
define behavior for Entity [alias AliasName]  
...  
{  
    /* Static field control */  
    field (read only | mandatory) field1[, field2, ..., fieldn];  
...  
}
```

You can use the following field properties to define static field control:

#### Field Properties

Property	Effect
field (read only)	Restricts the specified fields to non-editable fields  This property defines that the specified fields must not be created or updated by the consumer. The BO runtime rejects modifying requests when creating or updating the specified fields.
field (mandatory)	Defines that the specified fields are mandatory  The specified fields must be filled by the consumer when executing modifying requests. For the relevant fields, must be given a value in create operations. In update operations, it must not be given the null value.

### Example

For the business object from our flight demo application, the static field control is used to restrict properties of particular fields. Here, the key field `TravelID` cannot be created or updated by the consumer. The fields `AgencyID`, `CustomerID`, `BeginDate`, and `EndDate` are mandatory, that is, the fields must contain a value in modifying requests.

```
implementation ...;  
define behavior for /DMO/I_Travel_U alias travel  
...  
{  
    field (read only) TravelID;  
    field (mandatory) AgencyID, CustomerID, BeginDate, EndDate;  
    create;  
    update;  
    ...  
}
```

Travel ID: 11 — **read only field**

\*Agency ID: 70005 — **mandatory field**

\*Customer ID: 582

\*Starting Date: Aug 18, 2018, 2:00:00 AM

\*End Date: Aug 18, 2018, 2:00:00 AM

Booking Fee: 20.00

Total Price: 13,575.26

USD

Comment:

Read-only and mandatory fields on SAP Fiori UI

Travel ID: 11

\*Agency ID: 70005

\*Customer ID:

**Customer 0 unknown** — **message**

Error message processed in case of an empty field that is specified as mandatory

## Related Information

[Adding Behavior to the Business Object \[page 125\]](#)

## 7.5 Providing Value Help

The implementation of a value help in CDS enables the end user to choose values from a predefined list for input fields on a user interface.

### Why and When to Use Value Help


You can define value helps in the CDS data layer for any input field on the UI (for example, selection fields, parameters, or writable fields in transactional scenarios). A value help is useful when the values for the input

field have to be taken from a predefined set of values. When you call the value help, it displays all the available values from the value help provider. It appears on the UI when you choose the button  in the input field or press the **F4** key. The end user can filter by related information to identify the correct value. This makes it easier to find the desired value, especially if the value itself contains little or no identifying information, for example, an ID number.

### ❖ Example

To help the end user to enter the right customer ID to create a new booking, the application developer defines a value help that enables the user to enter the name or any other element from the value help provider to help find the correct number. The value help provider view in this case is a CDS view that manages customer information. As shown below, the end user is searching for a particular customer ID. The value help offers to filter by the customer last name, so that the end user can choose from the available entries. The value of the customer ID field is then transferred to the respective input field.

Expand the following figure to view the procedure of calling the value help on a Fiori Elements UI.



The screenshot shows a Fiori Elements UI for creating a new booking. The main title is <Unnamed Object>. Under 'General Information', there are fields for 'Agency ID' (containing '70006') and 'Customer ID' (containing 'I'). To the right of the 'Customer ID' input field is a small blue square icon with a white question mark, which is the value help icon. Below these fields are 'Starting Date' and 'End Date' fields, both with calendar icons. At the bottom of the screen, there is a dark bar with 'Save' and 'Cancel' buttons. The entire interface is titled 'Value Help on a Fiori Elements UI'.

### How are Value Helps Implemented?

Value helps are defined in CDS with an annotation on the element or parameter for which the value help dialog is to appear on the UI. The annotation `@Consumption.valueHelpDefinition` allows you to reference the value help provider without implementing an association. You simply assign a CDS entity as the value help provider and provide an element for the mapping in the annotation. All fields of the value help provider are displayed on the UI. When you choose one of the entries of the value help provider, the value of the referenced element is transferred to the input field.

For the default implementation of the value help, you can use any CDS entity that contains the desired values of the element for the input field. You do not need to explicitly define a CDS entity as the value help provider. However, the value help provider must be exposed for the OData service to make use of the value help.

## i Note

Any annotation that is maintained in the value help provider is evaluated. This means that associated entities, value helps, and text associations of the value help provider view are also displayed and can be used in the value help. This means that you can have a value help in the value help.

The following value help options are available within the programming model:

[Simple Value Help \[page 364\]](#)

[Multiple Value Helps on One Element \[page 367\]](#)

[Value Help with Additional Binding \[page 369\]](#)

## Related Information

[Providing Value Help for the Selection Fields \[page 98\]](#)

[Consumption Annotations \[page 475\]](#)

## 7.5.1 Simple Value Help

A simple value help is convenient if you want to display values from the value help provider for an input field.

### Context

You want to provide a value help for an input field on the UI.

The following steps implement a value help for a customer ID field, using a booking CDS view as an example.

### Procedure

1. Create a data definition for a CDS view that serves as a value help provider. It must contain a field with the available values for the input field in the source view.

#### • Example

The value help provider view contains the customer ID and fields to identify the customer ID, such as the customer's name or address. The end user can then filter by these fields to find the right customer ID.

```
define view /DMO/I_Customer_VH as select from /dmo/customer
{
  key customer_id,
  first_name,
```

```
last_name,  
title,  
street,  
postal_code,  
city,  
country_code,  
phone_number,  
email_address  
}
```

2. In your CDS source view, add the following annotation to the element for which you want to provide the value help on the UI.

```
@Consumption.valueHelpDefinition: [{ entity: { name: 'entityRef' ,  
element:  
'elementRef' } } ]
```

The annotation defines the binding for the value help to the value help providing entity. You must specify the entity name and the element providing the possible values for the annotated element.

### ❖ Example

The following code example shows how an annotation is used on the element `CustomerID` in `/DMO/I_Booking`. It references the value help provider view (`/DMO/I_CUSTOMER_VH`) for the customer ID and the element providing the possible values (`customer_id`) in the value help provider view.

```
define view /DMO/I_Booking as select from /dmo/booking  
{...  
    @Consumption.valueHelpDefinition: [{entity: { name: '/DMO/  
I_CUSTOMER_VH',  
element:  
'customer_id' }}]  
    customer_id as CustomerID,  
    ... }
```

## Results

Choosing `F4` in the selection field opens a search mask and the end user can filter by any field in the value help provider view. Selecting an entry transfers the value of the element that is referenced in the annotation to the annotated element in the source view.

The metadata of the OData service displays the value help implementation for the following properties:

- The property in the CDS source view for which a value help is implemented (`sap:value-list="standard"`)
- The value help provider entity type (`sap:value-list="true"`)
- The value help provider entity is marked as `Target` in the `Annotations` property. The value list enumerates every property in the value help provider that is exposed for the value help (`Annotation Term="Common.ValueList"`).
- The element that is defined in the mapping condition is marked as an inbound and outbound parameter `Record Type="Common.ValueListParameterInOut"`.

Expand to see the extracts of the metadata document of a service exposing a booking CDS view and the value help provider for the element `CustomerID`.

```

- <EntityType sap:content-version="1" sap:label="Consumer CDS View - Booking" Name="BookingType">
  + <Key>
    <Property sap:label="Travel ID" Name="TravelID" sap:quickinfo="Flight Reference Scenario: Travel ID" sap:display-format="NonNegative" MaxLength="8" Nullable="false" Type="Edm.String"/>
    <Property sap:label="Booking Number" Name="BookingID" sap:quickinfo="Flight Reference Scenario: Booking ID" sap:display-format="NonNegative" MaxLength="4" Nullable="false" Type="Edm.String"/>
    <Property sap:label="Booking Date" Name="BookingDate" sap:quickinfo="Flight Reference Scenario: Booking Date" sap:display-format="Date" Type="Edm.DateTime" Precision="0"/>
    <Property sap:label="Customer ID" Name="CustomerID" sap:quickinfo="Flight Reference Scenario: Customer ID" sap:display-format="NonNegative" MaxLength="6" Type="Edm.String" sap:value-list="standard"/>
    <Property sap:label="Airline ID" Name="CarrierID" sap:quickinfo="Flight Reference Scenario: Carrier ID" sap:display-format="UpperCase" MaxLength="3" Type="Edm.String"/>
    <Property sap:label="Flight Number" Name="ConnectionID" sap:quickinfo="Flight Reference Scenario: Connection ID" sap:display-format="NonNegative" MaxLength="4" Type="Edm.String"/>
    <Property sap:label="Flight Date" Name="FlightDate" sap:quickinfo="Flight Reference Scenario: Flight Date" sap:display-format="Date" Type="Edm.DateTime" Precision="0"/>
    <Property sap:label="Flight Price" Name="FlightPrice" sap:quickinfo="Flight Reference Scenario: Flight Price" Type="Edm.Decimal" Precision="17" sap:unit="CurrencyCode" Scale="3"/>
    <Property sap:label="Currency Code" Name="CurrencyCode" sap:quickinfo="Flight Reference Scenario: Currency Code" MaxLength="5" Type="Edm.String" sap:semantics="currency-code"/>
  </EntityType>
- <EntityType sap:content-version="1" sap:label="CDS View Customer - Value Help Provider" Name="CustomerType" sap:value-list="true">
  + <Key>
    <Property sap:label="Customer ID" Name="customer_id" sap:quickinfo="Flight Reference Scenario: Customer ID" sap:display-format="NonNegative" MaxLength="6" Nullable="false" Type="Edm.String"/>
    <Property sap:label="First Name" Name="first_name" sap:quickinfo="Flight Reference Scenario: First Name" MaxLength="40" Type="Edm.String"/>
    <Property sap:label="Last Name" Name="last_name" sap:quickinfo="Flight Reference Scenario: Last Name" MaxLength="40" Type="Edm.String"/>
  </EntityType>
- <Annotations xmlns="http://docs.oasis-open.org/odata/ns/edm" Target="cds_xdmobooking_vh.BookingType/CustomerID">
  - <Annotation Term="Common.ValueList">
    - <Record>
      <PropertyValue String="CDS View Customer - Value Help Provider" Property="Label"/>
      <PropertyValue String="Customer" Property="CollectionPath"/>
      <PropertyValue Property="SearchSupported" Bool="true"/>
    - <PropertyValue Property="Parameters">
      - <Collection>
        - <Record Type="Common.ValueListParameterInOut">
          <PropertyValue Property="LocalDataProperty" PropertyPath="CustomerID"/>
          <PropertyValue String="customer_id" Property="ValueListProperty"/>
        </Record>
        - <Record Type="Common.ValueListParameterDisplayOnly">
          <PropertyValue String="first_name" Property="ValueListProperty"/>
        </Record>
        - <Record Type="Common.ValueListParameterDisplayOnly">
          <PropertyValue String="last_name" Property="ValueListProperty"/>
        </Record>
        + <Record Type="Common.ValueListParameterDisplayOnly">
          <Record Type="Common.ValueListParameterDisplayOnly">
            <PropertyValue String="street" Property="ValueListProperty"/>
          </Record>
          + <Record Type="Common.ValueListParameterDisplayOnly">
            <Record Type="Common.ValueListParameterDisplayOnly">
              <PropertyValue String="city" Property="ValueListProperty"/>
            </Record>
            - <Record Type="Common.ValueListParameterDisplayOnly">
              <PropertyValue String="country_code" Property="ValueListProperty"/>
            </Record>
            - <Record Type="Common.ValueListParameterDisplayOnly">
              <PropertyValue String="phone_number" Property="ValueListProperty"/>
            </Record>
            + <Record Type="Common.ValueListParameterDisplayOnly">
              <PropertyValue String="email_address" Property="ValueListProperty"/>
            </Record>
          </Collection>
        </Record>
      </Collection>
    </Record>
  </Annotation>

```

This value help provider is also search supported.

## Metadata Document

## Postrequisites

If the source view is exposed for an OData service, you need to include the value help provider view in the service definition to be able to retrieve the values from the value help.

## Other Value Help Options

### Other Capabilities for the Value Help Provider

Any annotation that is maintained in the value help provider is evaluated. This means that the following capabilities are possible for the value help:

- Associations:** If the target of the association is included in the OData service, the elements of entities associated with the value help provider are also displayed as additional input fields.
- Search Capabilities:** Including search capabilities in your value help provider enables the end user to search for any detail in an input field.

- **Value Helps:** The value help can itself contain value helps.
- **Text:** Text that is provided for the value help provider is also displayed.

## Postrequisites


If the source view is exposed for an OData service, you need to include the value help provider view in the service definition to be able to retrieve the values from the value help.

### 7.5.1.1 Multiple Value Helps on One Element

#### Context

It is possible to provide more than one value help on one element. The end user selects which value help to use to find the correct value.

The following image displays the value helps for the carrier ID element in the booking CDS view. One value help provider is defined by a carrier CDS view and one by a connection CDS view that also contains the carrier ID field.



#### Procedure

1. To implement two value helps on one element, proceed as described in [Simple Value Help \[page 364\]](#) and add another entity as a value help provider.

```
define view /DMO/I_Booking as select from /dmo/booking
{...
    @Consumption.valueHelpDefinition: [{ entity: { name: '/DMO/
I_Carrier_VH' ,
```

```

    'carrier_id' })
          element:
{ entity: { name: '/DMO/
I_Connection_VH',
          element:
'carrier_id} }
carrier_id as CarrierID,
... }

```

You can define more than two value helps on one element.

2. Assign labels to the different value helps to differentiate them on the UI.

```

define view /DMO/I_Booking as select from /dmo/booking
{...
  @Consumption.valueHelpDefinition: [{ entity: { name: '/DMO/
I_Carrier_VH' ,
          element:
'carrier_id' },
label: 'Carrier VH' },
{ entity: { name: '/DMO/
I_Connection_VH',
          element:
'carrier_id' },
label: 'Connection VH'}]
carrier_id as CarrierID,
... }

```

3. Equip one value help with a qualifier.

```

define view /DMO/I_Booking as select from /dmo/booking
{...
  @Consumption.valueHelpDefinition: [{ entity: { name: '/DMO/
I_Carrier_R' ,
          element:
'carrier_id' },
label: 'Carrier VH' },
{ entity: { name: '/DMO/
I_Connection_VH',
          element:
'carrier_id' },
label: 'Connection VH' ,
qualifier: 'Secondary Value
Help'}]
carrier_id as CarrierID,
... }

```

If you have more than one value help, it is important that all except one are equipped with a qualifier. The default value help is the one without a qualifier. The qualifier marks the value helps that are less important. If all value helps are annotated with the qualifier argument, then none of them are displayed as there is no default.

## Results

Choosing **[F4]** in the input field opens a search mask with the fields of the default value help. The default value help is the one without a qualifier. The end user can select which value help to use from a dropdown menu.

## 7.5.2 Value Help with Additional Binding


A preset filter condition can be established by an additional binding for the value help.

### Context

You use an additional binding to define more than one binding condition between the source view and the value help provider. The value help is then automatically filtered by the additional binding. It proposes only entries that match the additional binding. This additional binding can either be another element or a parameter. These need to be present in the source view and in the value help provider view. When an entry is selected in the value help provider, the values of both binding elements are transferred to the input fields of the source CDS view.

#### Example

In our booking scenario, we can apply the value help with an additional binding on the field `ConnectionID`. The value help provider is a view that manages connections. This value help provider contains not only the field for the connection IDs, but also a field for carrier IDs, which is also in the consumer view. We can establish a second binding condition so that the value help provider only displays connections with the prechosen carrier ID.



### Procedure

1. Create a data definition for a CDS view that serves as a value help provider. It must contain a field with the available values for the input field in the source view. In addition, it must contain the field for which the additional binding is established.

The value help provider view contains the connection ID and the carrier ID, for which a mapping condition is defined.

```
define view /DMO/I_Connection_VH as select from /dmo/connection
{
  key carrier_id,
  key connection_id,
  airport_from_id,
  airport_to_id,
  departure_time,
```

```

    arrival_time,
    distance,
    distance_unit
}

```

2. In your CDS source view, add the following annotation to the element for which you want to provide the value help on the UI.

```

        @Consumption.valueHelpDefinition: [{ entity: {name:
'entityRef', element: 'elementRef'},
additionalBinding: [{ element: 'elementRef',
localElement: 'elementRef' }]}]

```

The additional binding defines a second condition for the value help on the same target value help provider entity for filtering the value help result list and/or returning values from the selected value help record. The additional binding can be defined for an additional element or parameter.

The annotation requires an array as value.

The following code example shows the usage of the annotation on the element `ConnectionID` in `/DMO/I_Booking`. It references the value help provider view (`/DMO/I_Connection_VH`) and the element providing the possible values (`connection_id`) in the value help provider view, as well as the matching condition on the elements `CarrierID` and `carrier_id` in the consumer view and the value help provider view, respectively.

```

define view /DMO/I_Booking_VH as select from /dmo/booking
{...
  @Consumption.valueHelpDefinition: [{ entity:
    {name: '/DMO/I_Connection_VH', element: 'connection_id' },
    additionalBinding: [{ localElement: 'CarrierID', element:
      'carrier_id' }]}
  connection_id as ConnectionID,
  ...
}

```

## Results

Choosing `F4` in the selection field opens a search mask and the end user can display all available entries in the value help provider or filter by a field, for example, the destination airport. If the carrier ID is already filled in the consumer view, the value help provider is prefetched by that value. Selecting an entry in the value help transfers the connection ID as well the carrier ID to the CDS consumer view.

The metadata of the OData service displays the value help implementation on the following properties:

- The property in the CDS source view for which a value help is implemented (`sap:value-list="standard"`)
- The value help provider entity type (`sap:value-list="true"`)
- The value help provider entity is marked as `Target` in the `Annotations` property. The value list enumerates every property in the value help provider that is exposed for the value help (`Annotation Term="Common.ValueList"`).
- The elements that are defined in the mapping conditions are marked as inbound and outbound parameters `Record Type="Common.ValueListParameterInOut"`.

## Next Steps

If the consumer view is exposed for an OData service, you need to include the value help provider view in the service definition to be able to retrieve the value help.

## 7.6 Using Aggregate Data in SAP Fiori Apps

This topic explains how you can provide aggregate data for your SAP Fiori application. The available aggregate functions operations are sum, minimum, maximum, and average. Alongside this, the framework also provides options for counting.

### What is Aggregate Data?

We speak of aggregate data when numerical values are combined to form a single value that signifies meaning. General assumptions can be drawn from this value that is representative for all values that were included in the calculation of the value.

The classic aggregate functions are:

- sum
- minimum
- maximum
- average

These functions determine a value from which you can assume information relating to all the values that were included in the calculation.

Apart from these functions, there is also a counting function available:

- distinct count.

This counting option determine a natural number based on the number of entries in the calculation.

All of these functions are supported by the SADL framework.

### Aggregate Data in your SAP Fiori App

Aggregate data calculated by the SADL framework provides additional and enhanced information for your list reporting app.

To display aggregate data in your application, annotate the respective elements in CDS with the annotations described in [Annotating Aggregate Functions in CDS \[page 372\]](#). These annotations cause the CDS entity to be respected as an aggregated entity by OData. A thorough description of how OData interprets the annotations is provided in [OData Interpretation of Aggregation Annotations \[page 375\]](#).

Based on the entity that calculates aggregate data, the SAP Fiori user interface displays aggregate data depending on the settings you choose. The aggregated values are displayed in your list reporting app as an additional field in the relevant column.

Sales Order	Item	Company	Product	Category	Gross Amount	Gross Amount in EUR	Net Amount	Tax Amount	Number of Prod...	Distinct Products
500007257	50	Panorama Studios	HT-1036	Flat Screen Monitors	1,023.40 CAD	725.82 EUR	860.00 CAD	163.40 CAD	1	1
500007257	60	Panorama Studios	HT-1037	Flat Screen Monitors	1,463.70 MXN	159.44 EUR	1,230.00 MXN	233.70 MXN	1	1
500007257	70	Panorama Studios	HT-1000	Notebooks	3,412.92 EUR	3,412.92 EUR	2,868.00 EUR	544.92 EUR	1	1
500007257	80	Panorama Studios	HT-1001	Notebooks	1,486.42 EUR	1,486.42 EUR	1,249.09 EUR	237.33 EUR	1	1
Aggregate Data					Show Details	9,367.78 EUR	Show Details	Show Details	8	7

List Reporting App of Sales Order Items with Aggregate Data

## 7.6.1 Annotating Aggregate Functions in CDS

The elements for which you want to display aggregate data in your SAP Fiori App must be annotated in the CDS entity with the relevant annotation for the aggregate function.

### Metadata for Aggregations

The annotation `@Aggregation.Default: #<AGGR_FUNCTION>` enables the aggregation of the values of the annotated element.

Only measures can be annotated with an aggregation annotation. Measures are elements that either represent numerical values, which means they can be summed, averaged, or otherwise mathematically manipulated. In addition, elements with date values, can also be compared with each other to determine the maximum or minimum. Date values can also be measures. Typically, measures are units that express the size, amount, or degree of something, for example prices.

The other elements in a CDS entity are called dimensions. Dimensions provide structured labeling information about otherwise unordered numeric measures. They are relevant for the grouping and the order of the elements in the Fiori App.

The SADL framework supports the following aggregating functions for measures:

Annotation and Value	Effect
<code>@Aggregation.Default: #SUM</code>	Calculates the sum of the values of the annotated element.
<code>@Aggregation.Default: #MAX</code>	Calculates the maximum of the values of the annotated element.
<code>@Aggregation.Default: #MIN</code>	Calculates the minimum of the values of the annotated element.
<code>@Aggregation.Default: #AVG</code>	Calculates the average of the values of the annotated element.

Annotation and Value	Effect
<pre>@Aggregation.Default: #COUNT_DISTINCT</pre>	<p>Counts the number of distinct values of the annotated element.</p> <p><b>i Note</b></p> <p>The value of the annotated element is always displayed as 1 for single data records, regardless of the actual value of the element. Only when an aggregated value is requested is the count value displayed.</p> <p>For this reason, it is recommended that a new element for the counting of elements be created. Make sure that you use an adequate numerical type for this element.</p> <p>To count distinct values of a different element, use the subannotation <code>@Aggregation.ReferenceElement: ['elementRef']</code> with the respective element as a value. The aggregate function then counts the values of the element which is specified as a reference.</p>

Only one aggregate function can be used on one element. You cannot display different aggregated values of the same element.

## • Example

The following listing displays a CDS entity in which all the necessary annotations for analytical operations are used. This view describes sales order combined with associated product and customer information.

```
define view ZDEMO_C_SOI_ANLY
  as select from <data source> as Item
    association [0..1] to SEPM_I_Product_E as _Product      on
$projection.Product = _Product.Product
    association [0..1] to ZDEMO_C_SO_ANLY as _SalesOrder on
$projection.SalesOrderID = _SalesOrder.SalesOrder
{
  key SalesOrder
  SalesOrderID,
  key SalesOrderItem
  ItemPosition,
  Item._SalesOrder.Customer
  CustomerID,
  Item._SalesOrder._Customer.CompanyName
  CompanyName,
  @ObjectModel.foreignKey.association: '_Product'
  Product
  Product,
  _Product.ProductCategory
  ProductCategory,
  @Semantics.currencyCode: true
  TransactionCurrency
  CurrencyCode,
  @Semantics.currencyCode: true
  cast( 'EUR' as abap.cuky )
  TargetCurrency,
  @Aggregation.Default: #SUM
  @Semantics.amount.currencyCode: 'TargetCurrency'
  CURRENCY_CONVERSION(
  amount           => Item.GrossAmountInTransacCurrency,
```

```

        source_currency      => Item.TransactionCurrency,
        target_currency      => cast( 'EUR' as abap.cuky ),
        exchange_rate_date  => cast( '20180315' as abap.dats ),
        error_handling       => 'SET_TO_NULL' ) as
    ConvertedGrossAmount,
        @Semantics.amount.currencyCode: 'CurrencyCode'
        @Aggregation.Default: #AVG
        GrossAmountInTransacCurrency as
    GrossAmount,
        @Semantics.amount.currencyCode: 'CurrencyCode'
        @Aggregation.Default: #MIN
        NetAmountInTransactionCurrency as
    NetAmount,
        @Semantics.amount.currencyCode: 'CurrencyCode'
        @Aggregation.Default: #MAX
        TaxAmountInTransactionCurrency as
    TaxAmount,
        @Aggregation.Default: #COUNT
        cast ( 1 as abap.int4 ) as
AllProducts,
    @Aggregation.referenceElement: ['Product']
    @Aggregation.Default: #COUNT_DISTINCT
    cast( 15 as abap.int4 ) as
DistinctProducts,
    _SalesOrder,
    _Product
}

```

## i Note

The aggregate functions only respect values with the same semantics. This means, that, if you have prices in different currencies that are annotated with an aggregation annotation, you receive aggregated data for each currency.

The following figure displays the maximum tax amount with regard to the respective currency.



A screenshot of a Fiori application interface. At the top, there's a navigation bar with icons for Home, Search, and Help. Below the header, a title bar says "Aggregate Data for Distinct Currencies". The main area contains a table with four rows of data. To the right of the table is a summary section titled "Totals" with four entries: "759.62 EUR", "162.45 GBP", "87,362 JPY", and "596.60 USD". A green rectangular box highlights this "Totals" section. At the bottom of the table, there are three buttons: "Show Details" under the first two columns, "26,339.99 EUR" under the third column, and another "Show Details" button under the fourth column.

Sales Order	Item	Company	Product	Category	Gross Amount	Gross Amount in EUR	Net Amount
500007270	40	SAP	HT-1003	Notebooks	3,927.00 EUR	3,927.00 EUR	3,300.00 EUR
500007270	50	SAP	HT-1007	PDAs & Organizers	1,067.43 USD	1,135.56 EUR	897.00 USD
500007270	60	SAP	HT-1010	Notebooks	4,757.62 EUR	4,757.62 EUR	3,998.00 EUR
500007270	70	SAP	HT-1011	Notebooks	547.162 JPY	5,040.18 EUR	459.800 JPY

Aggregate Data for Distinct Currencies

## Related Information

[Using Aggregate Data in SAP Fiori Apps \[page 371\]](#)

[OData Interpretation of Aggregation Annotations \[page 375\]](#)

## 7.6.2 OData Interpretation of Aggregation Annotations

The following sections provide an overview of the most prominent features of aggregated entities in OData.

Data models with aggregation annotations are considered as aggregated entities by OData. The behavior of these aggregated OData entities differs from non-aggregated entities.

### OData Annotations

The OData entity is given multiple annotations based on the aggregate annotation you use in CDS for your data model. The following figure displays the metadata of an aggregated entity that processes sales order items. The annotations specific to aggregations are highlighted and labeled. Further descriptions of the annotations in OData are given below.

Aggregated OData Entity

The screenshot shows the XML metadata for an aggregated OData entity. The root element is `<EntityType sap:content-version="1" sap:label="Sales Order Items" sap:semantics="aggregate" Name="ZDEMO_C_SOI_ANLYType">`. It includes sections for Generated ID, Dimension, Attribute, and Measure. The `sap:semantics="aggregate"` annotation is highlighted in green. Other annotations like `sap:filterable`, `sap:sortable`, `sap:display-format`, `sap:display-role`, `sap:measure`, and `sap:dimension` are also highlighted in green. A green bracket labeled "Text Property" covers the `sap:quickinfo` attribute of the `<Property sap:label="Product Category" Name="ProductCategory" Type="Edm.String" sap:quickinfo="EPM: Product Category">` element. A green bracket labeled "Currency Code" covers the `<Property sap:label="TSC Currency Code" sap:semantics="currency-code" Name="CurrencyCode" Type="Edm.String" sap:quickinfo="EPM: Currency Code" sap:aggregation-role="dimension" MaxLength="5"/>` element. A green bracket labeled "Measure" covers the `<Property sap:label="Total Gross Amount" Name="GrossAmount" sap:filterable="false" Type="Edm.Decimal" sap:quickinfo="EPM: Total Gross Amount" sap:aggregation-role="measure" Precision="16" sap:unit="CurrencyCode" Scale="3"/>` element. A green bracket labeled "Dimension" covers the `<Property sap:label="Customer ID" Name="CustomerID" Type="Edm.String" sap:quickinfo="EPM: Customer ID" sap:display-format="UpperCase" sap:aggregation-role="dimension" MaxLength="10"/>` element. A green bracket labeled "Attribute" covers the `<Property sap:label="Product ID" Name="Product" Type="Edm.String" sap:quickinfo="EPM: Product ID" sap:text="to_Product/Product_Text" sap:display-format="UpperCase" sap:aggregation-role="dimension" MaxLength="10" sap:value-list="standard />` element. A green bracket labeled "ID" covers the `<PropertyRef Name="ID"/>` element. A green bracket labeled "NavigationProperty" covers the `<NavigationProperty Name="to_SalesOrder" ToRole="ToRole_assoc_FCD485C2E8FB98D874E8452CC7AB576A" FromRole="FromRole_assoc_AAF8BC2D7DDDE36AF83ED42DD9AA9D33" Relationship="SERVICE_NAME.assoc_AAF8BC2D7DDDE36AF83ED42DD9AA9D33"/>` element. A green bracket labeled "Relationship" covers the `<Relationship Name="to_SalesOrder" ToRole="ToRole_assoc_FCD485C2E8FB98D874E8452CC7AB576A" FromRole="FromRole_assoc_AAF8BC2D7DDDE36AF83ED42DD9AA9D33" Relationship="SERVICE_NAME.assoc_AAF8BC2D7DDDE36AF83ED42DD9AA9D33"/>` element.

```
<EntityType sap:content-version="1" sap:label="Sales Order Items" sap:semantics="aggregate" Name="ZDEMO_C_SOI_ANLYType">
  - <Key>
    <PropertyRef Name="ID"/>
  </Key>
</EntityType>
Generated ID
<Property Name="ID" sap:filterable="false" sap:sortable="false" Nullable="false" Type="Edm.String"/>
<Property sap:label="Sales Order ID" Name="SalesOrderID" Type="Edm.String" sap:quickinfo="EPM: Sales Order Number" sap:display-format="UpperCase" sap:aggregation-role="dimension" MaxLength="10" sap:updatable="false" sap:createable="false" sap:value-list="standard />
<Property sap:label="Item Position" Name="ItemPosition" Type="Edm.String" sap:quickinfo="EPM: Sales Order Item Position" sap:display-format="UpperCase" sap:aggregation-role="dimension" MaxLength="10"/>
<Property sap:label="Customer ID" Name="CustomerID" Type="Edm.String" sap:quickinfo="EPM: Customer ID" sap:display-format="UpperCase" sap:aggregation-role="dimension" MaxLength="10"/>
<Property sap:label="Company Name" Name="CompanyName" Type="Edm.String" sap:quickinfo="EPM: Company Name" MaxLength="80" sap:attribute-for="CustomerID"/>
<Property sap:label="Product ID" Name="Product" Type="Edm.String" sap:quickinfo="EPM: Product ID" sap:text="to_Product/Product_Text" sap:display-format="UpperCase" sap:aggregation-role="dimension" MaxLength="10" sap:value-list="standard />
<Property sap:label="Product Category" Name="ProductCategory" Type="Edm.String" sap:quickinfo="EPM: Product Category" sap:attribute-for="Product" MaxLength="10" sap:display-role="Text Property"/>
<Property sap:label="TSC Currency Code" sap:semantics="currency-code" Name="CurrencyCode" Type="Edm.String" sap:quickinfo="EPM: Currency Code" sap:aggregation-role="dimension" MaxLength="5"/>
<Property sap:semantics="currency-code" Name="TargetCurrency" Type="Edm.String" sap:aggregation-role="dimension" MaxLength="5"/>
<Property Name="ConvertedGrossAmount" sap:filterable="false" Type="Edm.Decimal" sap:aggregation-role="measure" Precision="16" sap:unit="TargetCurrency" Scale="3"/>
<Property sap:label="Total Gross Amount" Name="GrossAmount" sap:filterable="false" Type="Edm.Decimal" sap:quickinfo="EPM: Total Gross Amount" sap:aggregation-role="measure" Precision="16" sap:unit="CurrencyCode" Scale="3"/>
<Property sap:label="Total Net Amount" Name="NetAmount" sap:filterable="false" Type="Edm.Decimal" sap:quickinfo="EPM: Total Net Amount" sap:aggregation-role="measure" Precision="16" sap:unit="CurrencyCode" Scale="3"/>
<Property sap:label="Total Tax Amount" Name="TaxAmount" sap:filterable="false" Type="Edm.Decimal" sap:quickinfo="EPM: Total Tax Amount" sap:aggregation-role="measure" Precision="16" sap:unit="CurrencyCode" Scale="3"/>
<Property sap:semantics="count" Name="AllItems" sap:filterable="false" Type="Edm.Int32" sap:aggregation-role="measure"/>
<Property Name="DistinctProducts" sap:filterable="false" Type="Edm.Int32" sap:aggregation-role="measure"/>
<NavigationProperty Name="to_Product" ToRole="ToRole_assoc_AAF8BC2D7DDDE36AF83ED42DD9AA9D33" FromRole="FromRole_assoc_AAF8BC2D7DDDE36AF83ED42DD9AA9D33" Relationship="SERVICE_NAME.assoc_AAF8BC2D7DDDE36AF83ED42DD9AA9D33"/>
<NavigationProperty Name="to_SalesOrder" ToRole="ToRole_assoc_FCD485C2E8FB98D874E8452CC7AB576A" FromRole="FromRole_assoc_FCD485C2E8FB98D874E8452CC7AB576A" Relationship="SERVICE_NAME.assoc_FCD485C2E8FB98D874E8452CC7AB576A"/>
</EntityType>
```

Metadata of an Aggregated Entity

### Aggregated OData Entities

As soon as one element in the CDS view is annotated with the aggregation annotation

`@Aggregation.Default: #<AGGR_FUNCTION>`, the OData entity is annotated with `sap:semantics="aggregate"`. Hence, the OData entity is identified as an aggregated entity.

In the example of the screenshot above, this OData annotation can be found in the first line of the extract of the metadata.

### Measures

The aggregated entity is characterized by measures and dimensions. Measures are those properties that are annotated with the annotation relevant for aggregating data in CDS. Measures are given the OData annotation `sap:aggregation-role="measure"`.

In the example of the screenshot above, there are six properties which are marked as measures: ConvertedGrossAmount, GrossAmount, NetAmount, TaxAmount, AllItems, and DistinctProducts.

## Dimensions

Dimensions are all properties that are neither marked as measures nor as attributes. Dimensions are given the OData annotation `sap:aggregation-role="dimension"`.

In the example of the screenshot above, there are six OData properties which are marked as dimensions: SalesOrderID, ItemPosition, Customer ID, Product, CurrencyCode, and TargetCurrency.

Each dimension can have a maximum of one text property. A text property is an element that is defined as a text element in CDS, as described in [Defining Text Elements \[page 349\]](#). Dimensions with a text property are annotated by OData with `sap:text="<TEXT_PROPERTY>"`.

In the example of the screenshot above, the dimension Product has a text property.

## Generated ID for Aggregated OData Entities

An aggregated OData entity is given an additional property for a generated ID (`<Property Name="ID"/>`). The generated ID for the aggregate entity uniquely identifies each record so that every entity request for a given ID always returns the same values.

In the example of the screenshot above, the property for the generated ID can be found as the first property on the list.

The ID is also generated for every group record when it is requested for the first time. Following from this, you can use this ID in a further request.

### ❖ Example

This behavior is exemplified by a request on the entity that supplies the metadata above. It retrieves sales order items. The following request selects the generated ID (`ID`), the dimension `Product`, and some aggregated measures related to the selected dimension.

```
....sap/opu/odata/SAP/<service_name>/ZDEMO_C_SOT_ANLY?
$select=ID,Product,GrossAmount,NetAmount,TaxAmount,AllProducts
```

This request retrieves the following result:

```

<?xml version="1.0"?>
<feed xmlns="https://HOST/sap/opu/odata/SAP/SERVICE_NAME/" xmlns:d="http://schemas.microsoft.com/ado/2007/08/dataservices" xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata"
      xmlns="http://www.w3.org/2005/Atom">
  <id>https://HOST/sap/opu/odata/SAP/SERVICE_NAME/ZDEMO_C_SOI_ANLY</id>
  <title text="ZDEMO_C_SOI_ANLY"/>
  <updated>2018-04-03T13:27:26Z</updated>
  <author>
    <name/>
  </author>
  <link title="ZDEMO_C_SOI_ANLY" rel="self" href="ZDEMO_C_SOI_ANLY"/>
  <entry>
    <id>https://HOST/sap/opu/odata/SAP/SERVICE_NAME/ZDEMO_C_SOI_ANLY('4~HT%26c1002.6~USD')</id>
    <title type="text">ZDEMO_C_SOI_ANLY('4~HT%26c1002.6~USD')</title>
    <updated>2018-04-03T13:27:26Z</updated>
    <category scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" term="SERVICE_NAME.ZDEMO_C_SOI_ANLYType"/>
    <link title="ZDEMO_C_SOI_ANLYType" rel="self" href="ZDEMO_C_SOI_ANLY('4~HT%26c1002.6~USD')"/>
    <content type="application/xml">
      <m:properties xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices" xmlns:ns="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata">
        <d:ID>4~HT&#x1002.6~USD</d:ID>
        <d:Product>HT1002</d:Product>
        <d:GrossAmount>3529.01</d:GrossAmount>
        <d:NetAmount>1570.00</d:NetAmount>
        <d:TaxAmount>596.60</d:TaxAmount>
        <d>AllProducts>9</d>AllProducts>
      </m:properties>
    </content>
  </entry>
  <entry>
    <id>https://HOST/sap/opu/odata/SAP/SERVICE_NAME/ZDEMO_C_SOI_ANLY('4~HT%26c1007.6~USD')</id>
    <title type="text">ZDEMO_C_SOI_ANLY('4~HT%26c1007.6~USD')</title>
    <updated>2018-04-03T13:27:26Z</updated>
    <category scheme="http://schemas.microsoft.com/ado/2007/08/dataservices/scheme" term="SERVICE_NAME.ZDEMO_C_SOI_ANLYType"/>
    <link title="ZDEMO_C_SOI_ANLYType" rel="self" href="ZDEMO_C_SOI_ANLY('4~HT%26c1007.6~USD')"/>
    <content type="application/xml">
      <m:properties xmlns:m="http://schemas.microsoft.com/ado/2007/08/dataservices" xmlns:ns="http://schemas.microsoft.com/ado/2007/08/dataservices/metadata">
        <d:ID>4~HT&#x1007.6~USD</d:ID>
        <d:Product>HT1007</d:Product>
        <d:GrossAmount>598.00</d:GrossAmount>
        <d:NetAmount>934.00</d:NetAmount>
        <d:TaxAmount>170.43</d:TaxAmount>
        <d>AllProducts>8</d>AllProducts>
      </m:properties>
    </content>
  </entry>
</feed>

```

### Aggregate Data of Group Record with Generated ID for Group Record

Each group record is given its own generated ID which retrieves the same results when requested again. Based on this group ID, you can also execute other requests, as in /sap/opu/odata/SAP/<service\_name>/ZDEMO\_C\_SOI\_ANLY ('4~HT%26c1002.6~USD')?\$select=AllProducts, which will only retrieve the count of this group, which is 9.

## Requesting Data from an Aggregated Entity

Results of requesting data from aggregated entities depend on the elements you select in your OData request. Grouping and aggregation are both driven by the elements you request with the parameter \$select in entity set queries. The result of a query consists of aggregated entities with distinct values for the requested dimension properties and requested measures are aggregated using the aggregate function with which the measure elements are annotated in CDS.

If an attribute is requested, the result is grouped by its corresponding dimension and within that group it is grouped by the attribute itself.

### i Note

If you use a SAP Fiori app, the \$select statement of the OData request directly depends on the columns you select in the list reporting app. The following descriptions of requesting data with OData can also be managed by selecting the respective columns in your Fiori App.

## Related Information

[Using Aggregate Data in SAP Fiori Apps \[page 371\]](#)

## 7.7 Defining CDS Annotations for Metadata-Driven UIs

Metadata-driven UIs are dynamic UIs because metadata, namely CDS annotations in this context, are stored in a repository and can be retrieved from the client as needed. CDS annotations depend on the UI in which they are supposed to be used.

UIs might differ from user to user. Even though if, for example, three different users use the same application, each of them might have different permissions or different preferences, which results in different UI perspectives. Users might want to personalize their UIs and see different columns in tables, for example. CDS annotations offer default views for modelling UIs, however, CDS annotations can be overruled by personalization preferences.

The following chapters inform you about CDS annotations that you can use to define metadata-driven UIs, and answer the following questions:

- [How can I define the title of a field or a table? \[page 379\]](#)
- [How can I define the columns of a field or a table? \[page 381\]](#)
- [How can I define fields for filtering? \[page 382\]](#)
- [How can I define the header of an object-page floorplan? \[page 384\]](#)
- [How can I define the body of an object-page floorplan? \[page 386\]](#)
- [How can I group fields? \[page 388\]](#)
- [How can I expose elements to UIs? \[page 389\]](#)
- [How can I overwrite default labels? \[page 390\]](#)
- [How can I position fields? \[page 390\]](#)
- [How can I prioritize fields? \[page 391\]](#)
- [How can I define charts? \[page 393\]](#)
- [How can I visualize criticality? \[page 397\]](#)
- [How can I visualize trends? \[page 398\]](#)
- [How can I visualize criticality based on trend calculation? \[page 400\]](#)
- [How can I visualize a person responsible and a reference period? \[page 403\]](#)
- [How can I use the dataField type #AS\\_DATAPOINT? \[page 405\]](#)
- [How can I define a contact? \[page 406\]](#)
- [How can I define navigation between screens? \[page 407\]](#)
- [How can I define navigation to external web sites? \[page 409\]](#)
- [How can I define navigation based on actions executed on semantic objects? \[page 411\]](#)
- [How can I define actions? \[page 413\]](#)
- [How can I display fields in a text area? \[page 415\]](#)
- [How can I mask fields? \[page 416\]](#)
- [How can I hide fields? \[page 417\]](#)
- [How can I define interaction between annotations? \[page 418\]](#)

## 7.7.1 Tables and Lists

Get an overview of how to use UI annotations for lists and tables for SAP Fiori UIs.

In Fiori we distinguish tables and list. Both mostly hold homogeneous data, but lists hold in general rather simple data whereas tables hold usually more complex ones.

Lists are mostly used in the master list section of the master-detail floorplan and in popovers or dialogs. Sure there is also the possibility to have them in full-screen floorplans for certain use cases.

A table contains a set of line items and usually comprises rows (one row showing one line item) and columns. Line items can contain data of any kind, but also interactive controls, for example, for editing the data, navigating, or triggering actions relating to the line item.

To display large amounts of data in tabular form, several table controls are provided. These are divided into two groups, each of which is defined by a consistent feature set:

- Fully responsive tables
- Desktop-centric tables

In order to expose a CDS view in a table-like or list-like format, you can use the annotations explained in the following sections::

- [Title \[page 379\]](#)
- [Columns \[page 381\]](#)
- [Selection Fields \[page 382\]](#)

### 7.7.1.1 Title

Get information about what UI annotations to use to work with titles of lists or tables for SAP Fiori UIs.

If necessary, you can provide a header for your list or table.

**Sales Orders (1,190)** Standard \* ⓘ

Company:

Hide Filter Bar Filters Go

Sales Order ID	Company	Currency Code	Gross Amount
500000000	SAP	EUR	25,867.03 EUR >
500000001	DelBont Industries	EUR	14,602.49 EUR >
500000002	TECUM	EUR	5,631.08 EUR >
500000003	Asia High tech	EUR	1,704.04 EUR >
500000004	Asia High tech	EUR	761.24 EUR >
500000005	AVANTEL	EUR	101,299.22 EUR >
500000006	Talpa	EUR	250.73 EUR >
500000007	Panorama Studios	EUR	10,311.35 EUR >
500000008	Telecomunicaciones Star	EUR	195.16 EUR >
500000009	SAP	EUR	3,972.22 EUR >
500000010	DelBont Industries	EUR	827.95 EUR >
500000011	Panorama Studios	EUR	325.94 EUR >
500000012	TECUM	EUR	24,704.40 EUR >
500000013	Asia High tech	EUR	8,256.22 EUR >
500000014	Asia High tech	EUR	3,459.33 EUR >
500000015	AVANTEL	EUR	862.73 EUR >
500000016	Panorama Studios	EUR	70.18 EUR >

#### Example of title of table

You can use the following UI annotation to define what can be displayed in the title of a table or a list:

- [@UI.headerInfo.typeNamePlural \[page 575\]](#)

#### ↳ Sample Code

```
...
@UI.headerInfo: { typeNamePlural: 'Sales Orders' }
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    ...
}
```

## Related Information

[Tables and Lists \[page 379\]](#)

[Columns \[page 381\]](#)


## Selection Fields [page 382]

### 7.7.1.2 Columns

Get information about what UI annotations to use to work with columns of lists or tables for SAP Fiori UIs.

What columns are needed for a table or list depends on the use case, for example, an overview table may require more fields than a value help list. For this reason, you can define several list layouts and table layouts that are distinguished by a qualifier, for example 'ValueList'.

If a CDS view contains analytical annotations, for example the `@DefaultAggregation` annotation, the UI automatically takes this into consideration and no additional UI annotations are required.



The screenshot shows a SAP Fiori application interface. At the top, there is a search bar with placeholder text 'Search' and a dropdown menu labeled 'Standard \*'. To the right of the search bar are buttons for 'Hide Filter Bar', 'Filters', and 'Go'. Below the search bar is a 'Company:' filter field with a clear button. The main area displays a table titled 'Sales Orders (1,190) | Standard \*'. The table has a header row with columns: 'Sales Order ID', 'Company', 'Currency Code', and 'Gross Amount'. The data is grouped by company. For 'Company: African Gold ...', there are two rows: one for 'African Gold And Diamond Corporation' with a total of 84,676.32 EUR and another for 'Alpine Systems' with a total of 84,676.32 EUR. For 'Company: Anav Ideon', there are multiple rows, each representing a sales order with its details and a total amount of 101,299.22 EUR. The table uses a light blue background for the header and alternating row colors for better readability.

Sales Order ID	Company	Currency Code	Gross Amount
> Company: African Gold ...	African Gold And Diamond Corporation	EUR	84,676.32 EUR
> Company: Alpine Systems	Alpine Systems	EUR	84,676.32 EUR
▼ Company: Anav Ideon			
500000105	Anav Ideon	EUR	101,299.22 EUR
500000115	Anav Ideon	EUR	862.73 EUR
500000123	Anav Ideon	EUR	411.50 EUR
500000128	Anav Ideon	EUR	1,704.04 EUR
500000140	Anav Ideon	EUR	541.31 EUR
500000147	Anav Ideon	EUR	521.22 EUR
500000355	Anav Ideon	EUR	101,299.22 EUR
500000365	Anav Ideon	EUR	862.73 EUR
500000373	Anav Ideon	EUR	411.50 EUR
500000378	Anav Ideon	EUR	1,704.04 EUR
500000390	Anav Ideon	EUR	541.31 EUR
500000397	Anav Ideon	EUR	521.22 EUR
500000605	Anav Ideon	EUR	101,299.22 EUR
500000615	Anav Ideon	EUR	862.73 EUR
500000623	Anav Ideon	EUR	411.50 EUR
500000628	Anav Ideon	EUR	1,704.04 EUR
500000640	Anav Ideon	EUR	541.31 EUR
500000647	Anav Ideon	EUR	521.22 EUR
500000855	Anav Ideon	EUR	101,299.22 EUR

Example of `@DefaultAggregation` annotation

For more information about the `@DefaultAggregation` annotation, see section *DefaultAggregation Annotations* linked below.

You can use the following UI annotation to define what can be displayed in the title of a table or a list:

- [@UI.lineItem \[page 584\]](#)

#### ↳ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
  @UI.lineItem: [ { position: 10 }, { qualifier: 'ValueList', position:
  10 } ]
  key so.sales_order_id as SalesOrder,
  @UI.lineItem: [ { position: 20 }, { qualifier: 'ValueList', position:
  20 } ]
  so.customer.company_name as CompanyName,
  @UI.lineItem: [ { position: 30 } ]
  so.currency_code as CurrencyCode,
  @DefaultAggregation: #SUM
  @UI.lineItem: [ { position: 40 } ]
  so.gross_amount as GrossAmount
}
```

For more information about positioning, see section *Positioning Fields* linked below.

## Related Information

[Aggregation Annotations \[page 452\]](#)

[Positioning Fields \[page 390\]](#)


[Tables and Lists \[page 379\]](#)

[Title \[page 379\]](#)

[Selection Fields \[page 382\]](#)

## 7.7.1.3 Selection Fields

Get information about what UI annotations to use to work with selection fields for SAP Fiori UIs.



If a CDS is annotated as [@Search.searchable \[page 507\]](#), the UI automatically takes this into consideration and no additional UI annotations are required to expose a search field or a value help. If your table or list contains many data and therefore many rows, it gets hard to find the information you need. To facilitate finding the desired information, you can use selection fields to specify the range of information that you are looking for.

The screenshot shows a SAP Fiori application interface. At the top, there is a search bar with placeholder text "Search" and a "Go" button. To the left of the search bar is a dropdown menu set to "Standard". Below the search bar is a "Company:" label with a dropdown menu. On the right side of the header are "Hide Filter Bar", "Filters", and a gear icon. The main area displays a table titled "Sales Orders (1,190) | Standard". The table has columns: "Sales Order ID", "Company", "Currency Code", and "Gross Amount". The data shows several entries, with the first two being collapsed under "Company: African Gold ...". A third section, "Company: Anav Ideon", is expanded, showing 22 individual sales orders. All entries have a currency code of EUR and gross amounts ranging from 411.50 to 101,299.22 EUR.

	Sales Order ID	Company	Currency Code	Gross Amount
>	Company: African Gold ...	African Gold And Diamond Corporation	EUR	84,676.32 EUR
>	Company: Alpine Systems	Alpine Systems	EUR	84,676.32 EUR
▼	Company: Anav Ideon			
<input type="checkbox"/>	500000105	Anav Ideon	EUR	101,299.22 EUR
<input type="checkbox"/>	500000115	Anav Ideon	EUR	862.73 EUR
<input type="checkbox"/>	500000123	Anav Ideon	EUR	411.50 EUR
<input type="checkbox"/>	500000128	Anav Ideon	EUR	1,704.04 EUR
<input type="checkbox"/>	500000140	Anav Ideon	EUR	541.31 EUR
<input type="checkbox"/>	500000147	Anav Ideon	EUR	521.22 EUR
<input type="checkbox"/>	500000355	Anav Ideon	EUR	101,299.22 EUR
<input type="checkbox"/>	500000365	Anav Ideon	EUR	862.73 EUR
<input type="checkbox"/>	500000373	Anav Ideon	EUR	411.50 EUR
<input type="checkbox"/>	500000378	Anav Ideon	EUR	1,704.04 EUR
<input type="checkbox"/>	500000390	Anav Ideon	EUR	541.31 EUR
<input type="checkbox"/>	500000397	Anav Ideon	EUR	521.22 EUR
<input type="checkbox"/>	500000605	Anav Ideon	EUR	101,299.22 EUR
<input type="checkbox"/>	500000615	Anav Ideon	EUR	862.73 EUR
<input type="checkbox"/>	500000623	Anav Ideon	EUR	411.50 EUR
<input type="checkbox"/>	500000628	Anav Ideon	EUR	1,704.04 EUR
<input type="checkbox"/>	500000640	Anav Ideon	EUR	541.31 EUR
<input type="checkbox"/>	500000647	Anav Ideon	EUR	521.22 EUR
<input type="checkbox"/>	500000855	Anav Ideon	EUR	101,299.22 EUR

#### Example for @Search.searchable annotation

If your table or list contains many data and therefore many rows, it gets hard to find the You can use the following UI annotation to enable specific elements for selection, for example using a filter bar:

- [@UI.selectionField \[page 596\]](#)

#### ↳ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    key so.sales_order_id as SalesOrder,
    @UI.selectionField: [ { position: 10 } ]
    so.customer.company_name as CompanyName,
    ...
}
```

## Related Information

[Tables and Lists \[page 379\]](#)

[Title \[page 379\]](#)

[Columns \[page 381\]](#)

## 7.7.2 Detail Pages

Get an overview of how to use UI annotations for object-page floorplans for SAP Fiori UIs.

You can use the object-page floorplan if you need to display, create, or edit any object regardless of its complexity level. You can use the object-page floorplan with either a facet (tabs) or flat (anchors) approach.

To expose a CDS view in an object-page floorplan, you can use the annotations explained in the following sections:

- [Page Header \[page 384\]](#)
- [Page Body \[page 386\]](#)

### 7.7.2.1 Page Header

Get information about what UI annotations to use to work with page headers of object-page floorplans for SAP Fiori UIs.

The page header contains information on the object you are editing in the object-page floorplan, for example.

The screenshot shows a SAP Fiori detail page for a Sales Order. At the top, there is a header bar with a back arrow, the text "Sales Order", and two buttons: "Sales Order: 5000000000" and "Customer: SAP". Below the header is a section titled "GENERAL INFORMATION". Under this section, there is a heading "General Information" followed by several data entries:

- Sales Order ID: 5000000000
- Company: SAP
- Currency Code: EUR
- Gross Amount: 25,867.03 EUR

Example of `@UI.headerInfo` for page header of object-page floorplan

You can use the following UI annotations to use several properties to influence the header section of the object-page floorplan:

- [@UI.headerInfo \[page 566\]](#)

#### « Sample Code

```
@UI.headerInfo: {
    typeName: 'Sales Order',
    title: {
        label: 'Sales Order',
        value: 'SalesOrder'      -- Reference to element in element list
    },
    description: {
        label: 'Customer',
        value: 'CompanyName'    -- Reference to element in element list
    }
}
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    key so.sales_order_id as SalesOrder,
    so.customer.company_name as CompanyName,
    ...
}
```

- [@UI.badge \[page 525\]](#)

This UI annotation can be considered as the combination of the UI annotations [@UI.headerInfo \[page 566\]](#) and [@UI.identification \[page 575\]](#). The properties imageUrl, typeImageUrl and title should usually correspond to the properties of the UI annotation [@UI.headerInfo \[page 566\]](#). In addition to the title, a headLine, mainInfo and secondaryInfo of the same format can be specified.

#### « Sample Code

```
@UI.badge: {
    title: {
        label: 'Sales Order',
        value: 'SalesOrderID'    -- Reference to element in element list
    },
    headLine: {
        label: 'Customer',
        value: 'CompanyName'    -- Reference to element in element list
    },
    mainInfo: {
        label: 'Gross Amount',
        value: 'GrossAmount'     -- Reference to element in element list
    },
    secondaryInfo: {
        label: 'Billing Status',
        value: 'BillingStatus'   -- Reference to element in element list
    }
}
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    key so.sales_order_id as SalesOrder,
    so.customer.company_name as CompanyName,
    so.gross_amount as GrossAmount,
    so.billing_status as BillingStatus,
    ...
}
```

- [@UI.statusInfo \[page 607\]](#)

This UI annotation can be used to display status information of an entity on the UI, for example the delivery status or payment status of an entity. This annotation is similar to the [@UI.lineItem \[page 584\]](#) annotation.

However, the [@UI.statusInfo \[page 607\]](#) annotation is usually used together with the `criticality` property instead of the `qualifier` property.

#### « Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    key so.sales_order_id as SalesOrder,
    @UI.statusInfo: [ { position: 10 } ]
    so.delivery_status as DeliveryStatus,
    @UI.statusInfo: [ { position: 20 } ]
    so.billing_status as BillingStatus,
    @UI.statusInfo: [ { position: 30 } ]
    so.lifecycle_status as LifecycleStatus,
    ...
}
```

## Related Information

[Detail Pages \[page 384\]](#)


[Page Body \[page 386\]](#)

[Defining Criticality of Field Values \[page 392\]](#)

## 7.7.2.2 Page Body

Get information about what UI annotations to use to work with page bodies of object-page floorplans for SAP Fiori UIs.

The page body can consist of a list or a table, for example, in which you can see and edit details of an object from the master-detail floorplan.



#### Example of columns of table on object-page floorplan

You can use the following UI annotation to define what elements are displayed in the page body of the object-page floorplan:

- [@UI.identification \[page 575\]](#)

This annotation is similar to the UI annotation [@UI.lineItem \[page 584\]](#), but [@UI.identification \[page 575\]](#) has no qualifier.

#### ↳ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    @UI.identification: [ { position: 10 } ]
    key so.sales_order_id as SalesOrder,
    @UI.identification: [ { position: 20 } ]
    so.customer.company_name as CompanyName,
    @UI.identification: [ { position: 30 } ]
    so.currency_code as CurrencyCode,
    @UI.identification: [ { position: 40 } ]
    so.gross_amount as GrossAmount
}
```

## Related Information


[Detail Pages \[page 384\]](#)

[Page Header \[page 384\]](#)

## 7.7.3 Field Groups

Get information about what UI annotations to use to work with field groups for SAP Fiori UIs.

If you want to group fields under one heading to consolidate semantically connected information, you can use field groups. With field groups, you can build sections for forms, for example.



Example of field group

You can use the following UI annotation to group several fields:

- This annotation is similar to the UI annotation [@UI.lineItem \[page 584\]](#) because the different field groups have unique qualifiers.

### ↳ Sample Code

```
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {  
    @UI.fieldGroup: [ { qualifier: 'GeneralInformation', position: 10 } ]  
    key so.sales_order_id as SalesOrder,  
  
    @UI.fieldGroup: [ { qualifier: 'GeneralInformation', position: 20 } ]  
    so.customer.company_name as CompanyName,  
  
    @UI.fieldGroup: [ { qualifier: 'SalesData', position: 10 } ]  
    so.currency_code as CurrencyCode,  
    @UI.fieldGroup: [ { qualifier: 'SalesData', position: 20 } ]  
    so.gross_amount as GrossAmount,  
}
```

## 7.7.4 Annotations Similar to `dataField`

Get an overview of how to use UI annotations that are similar to the OData annotation `dataField`.

The OData annotation `dataField` refers to a property of the OData service that is used.

Some annotations are syntactically similar or even identical. These annotations are the following:

- [@UI.lineItem \[page 584\]](#)
- [@UI.selectionField \[page 596\]](#)
- [@UI.statusInfo \[page 607\]](#)
- [@UI.identification \[page 575\]](#)
- 

These annotations are called **dataField-like annotations** in the following sections:

- [Exposing Elements \[page 389\]](#)
- [Overwriting Default Labels \[page 390\]](#)
- [Positioning Fields \[page 390\]](#)
- [Prioritizing UI Elements \[page 391\]](#)

### 7.7.4.1 Exposing Elements

Get information about how to expose elements to SAP Fiori UIs.

You can use dataField-like annotations to reference elements from a different CDS view using to-one-associations. You therefore need to explicitly define the elements with a value property. These elements are then exposed to the UI.

#### ↳ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so
    association [0..1] to sepm_cds_business_partner as _BusinessPartner
        on $projection.buyer_guid = _BusinessPartner.business_partner_key
{
    key so.sales_order_id as SalesOrder,
    so.buyer_guid,
    ...
    @UI.Identification: [
        { value: '_BusinessPartner.company_name', position: 110 },
        { value: '_BusinessPartner.bp_role', position: 120 }
    ]
    _BusinessPartner
}
```

## Related Information

[Annotations Similar to `dataField` \[page 389\]](#)

[Overwriting Default Labels \[page 390\]](#)

[Positioning Fields \[page 390\]](#)

[Prioritizing UI Elements \[page 391\]](#)

## 7.7.4.2 Overwriting Default Labels

Get information about how to overwrite default labels for SAP Fiori UIs.

If a CDS element is exposed via a dataField-like annotation, the label is by default derived from the CDS annotation `@EndUserText.label` if available, or from a DDIC element.

If you want a default label to be overwritten by a specific label, for example *Customer* instead of *Business*, you can use the label property.

### ↳ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so
    association [0..1] to sepm_cds_business_partner as _BusinessPartner
        on $projection.buyer_guid = _BusinessPartner.business_partner_key
{
    key so.sales_order_id as SalesOrder,
    so.buyer_guid,
    ...
    @UI.Identification: [
        { value: '_BusinessPartner.company_name', position: 110, label: 'Customer
Name' },
        { value: '_BusinessPartner.bp_role', position: 120, label: 'Customer
Role' }
    ]
    _BusinessPartner
}
```

## Related Information

[Annotations Similar to dataField \[page 389\]](#)

[Exposing Elements \[page 389\]](#)

[Positioning Fields \[page 390\]](#)

[Prioritizing UI Elements \[page 391\]](#)

## 7.7.4.3 Positioning Fields

Get information about how to change the position of fields on SAP Fiori UIs.

To define the order of fields in the UI, you can use the `position` property of dataField-like annotations. Only the positioning order is relevant, so you can use any decimal number as value for the positioning property.

### ↳ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    @UI.identification: [ { position: 1 } ]
    key so.sales_order_id as SalesOrder,
    @UI.identification: [ { position: -5 } ]
    so.customer.company_name as CompanyName,
    @UI.identification: [ { position: 9999 } ]
    so.currency_code as CurrencyCode,
    @UI.identification: [ { position: '1.1' } ]
    so.gross_amount as GrossAmount
}
```

## Related Information

[Annotations Similar to dataField \[page 389\]](#)

[Exposing Elements \[page 389\]](#)

[Overwriting Default Labels \[page 390\]](#)

[Prioritizing UI Elements \[page 391\]](#)

## 7.7.4.4 Prioritizing UI Elements

Get information about how to set the priority of elements displayed on SAP Fiori UIs.

To define the priority of elements, you can use the `importance` property of dataField-like annotations. This information is relevant for adaptive UIs. If a UI is displayed on a small screen, elements with low priority can automatically be hidden. To define importance, you can choose the following values:

- `#HIGH`
- `#MEDIUM`
- `#LOW`
- not set

### ↳ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    @UI.identification: [ { position: 10, importance: "#HIGH" } ]-
    key so.sales_order_id as SalesOrder,
    @UI.identification: [ { position: 20, importance: #MEDIUM } ]
    so.customer.company_name as CompanyName,
    @UI.identification: [ { position: 30, importance: #LOW } ]
    so.currency_code as CurrencyCode,
    @UI.identification: [ { position: 40 } ]
```

```
    so.gross_amount as GrossAmount  
    ...  
}
```

## Related Information

[Annotations Similar to dataField \[page 389\]](#)

[Exposing Elements \[page 389\]](#)

[Overwriting Default Labels \[page 390\]](#)

[Positioning Fields \[page 390\]](#)

### 7.7.4.5 Defining Criticality of Field Values

Get information about how to define the criticality of field values for SAP Fiori UIs.

To define if a field value is negative, critical, or positive, you can use the `criticality` property of `dataField`-like annotations. This property must refer to a CDS element that has the value 1 (negative), 2 (critical), or 3 (positive).

#### Sample Code

```
...  
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {  
    @UI.identification: [ { position: 10, importance: #HIGH } ]  
    key so.sales_order_id as SalesOrder,  
    ...  
    @UI.statusInfo: [ { position: 10, criticality: 'GrossAmountCrit' } ]  
    so.billing_status as BillingStatus,  
    so.billing_status_crit as BillingStatusCrit,  
    ...  
}
```

## Related Information

[Annotations Similar to dataField \[page 389\]](#)

[Exposing Elements \[page 389\]](#)

[Overwriting Default Labels \[page 390\]](#)


[Positioning Fields \[page 390\]](#)

[Prioritizing UI Elements \[page 391\]](#)

## 7.7.5 Charts

Get information about what UI annotations to visualize data on SAP Fiori UIs.

If you want to visualize data, you can use a chart.



Example of a line chart

You can use the following UI annotation to define the properties of a chart:

- [@UI.chart \[page 545\]](#)

You define this UI annotation at view level. It refers to the elements that are to be used in the chart. Additionally, you can provide a title and description.

### ↳ Sample Code

```
...
@UI.chart: {
    title: 'Gross Amount by Customer',
    description: 'Line-chart displaying the gross amount by customer',
    chartType: #LINE,
    dimensions: [ 'CompanyName' ],      -- Reference to one element
    measures: [ 'GrossAmount' ]         -- Reference to one or more elements
}
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    key so.sales_order_id as SalesOrder,
    so.customer.company_name as CompanyName,
    so.currency_code as CurrencyCode,
    @Semantics.amount.currencyCode: 'CurrencyCode'
    so.gross_amount as GrossAmount,
    ...
}
```

## Related Information

[Charts \[page 394\]](#)

## 7.7.5.1 Charts

Get an overview of what chart types you can use to visualize data on SAP Fiori UIs.

Each chart type has different restrictions referring to how many dimensions and measures are required or allowed. The following table lists the admissible types and their restrictions.

Chart Types for Data Visualization

Type	Dimensions	Measures
COLUMN	One dimension	One or more measures
COLUMN_STACKED	Displayed on the x-axis	Displayed on the y-axis
COL- UMN_STACKED_100		
AREA		
AREA_STACKED		
AREA_100		
LINE		
BAR	One dimension	One or more measures
BAR_STACKED	Displayed on the y-axis	Displayed on the x-axis
BAR_STACKED_100		
HORIZONTAL_AREA		
HORIZON- TAL_AREA_STACKED		
HORIZON- TAL_AREA_100		
PIE	One dimension	One Measure
DONUT	For segmentation	For size of segment
SCATTER	Two dimensions	Up to two measures (symbol and color)
BUBBLE	One for the x-axis, one for the y-axis	One measure (size of bubble)
RADAR	Three or more dimensions	No measures

Type	Dimensions	Measures
HEAT_MAP	Two dimensions  One for the x-axis, one for the y-axis	One measure (color)
TREE_MAP	One or more hierarchical dimensions	One measure (rectangle size)  One optional measure (color)
WATERFALL	One dimension  Displayed on the x-axis	One measure  Displayed on the y-axis

## Related Information

[Charts \[page 393\]](#)

## 7.7.6 Data Points

Get an overview of how to use data points to display criticality, trends, and references to people and time periods on SAP Fiori UIs.

In some cases, you want to visualize a single point of data that typically is a number that can be enriched with business-relevant data but may also be textual, for example a status value.

# Gross Amount

Gross Amount per Customer

→ **34.5 kEUR**

Reference Period: 2015 Q3


Responsible: John Doe

Example of data points

You can use the following UI annotation to define a single point of data:

- [@UI.dataPoint \[page 612\]](#)

You can, for example, express if a high or a low value is desired, or if a value is increasing or decreasing. The simplest variant of the UI annotation [@UI.dataPoint \[page 612\]](#) consists of the title property.



Example of simple variant of data point

In the following example, only the title is exposed to the UI.

## ↳ Sample Code

```
...
define view ZExample_SalesOrdersByCustomer as select from ... as so {
    key so.buyer_guid as BuyerGuid,
    @Semantics.currencyCode: true
    so.currency_code as CurrencyCode,
    @UI.dataPoint: { title: 'Gross Amount' }
    @Semantics.amount.currencyCode: 'CurrencyCode'
    so.actual_amount as ActualAmount
}
```

## Related Information

[Criticality \[page 397\]](#)

[Trends \[page 398\]](#)

[Trend-Criticality Calculation \[page 400\]](#)

[Person Responsible and Reference Period \[page 403\]](#)

[DataField Type: #AS\\_DATAPOINT \[page 405\]](#)

## 7.7.6.1 Criticality

Get information about how to use data points to display criticality on SAP Fiori UIs.

A more usable variant of the UI annotation [@UI.dataPoint \[page 612\]](#) also contains information about the criticality, the trend, and the name of a person responsible.

You can use the sub-annotation [@dataPoint.criticality \[page 546\]](#) to express if a value is positive or negative, for example.

You can use the sub-annotation [@dataPoint.trend \[page 553\]](#) to express if a value has decreased or increased, for example.

In this case, the properties `targetValue`, `criticality`, and `trend` are already evaluated in the CDS view. In the CDS view, the target value is already calculated, and if the current value thus is negative or positive, and if the current value has improved or declined, for example. These values are only referred to from the [@UI.dataPoint \[page 612\]](#) annotation.

Data can be defined as being either positive, critical, or negative. These data can be statuses, for example.

You can use the following sub-annotation to highlight criticality:

- [UI.dataPoint.criticality \[page 546\]](#)

You define this UI annotation at view level. It refers to the elements that are to be used in the chart.

Additionally, you can provide a title and description.

The table below lists the values that are valid for the UI annotation [@UI.dataPoint.criticality \[page 546\]](#), and shows how these values are visualized on the UI:

Values and Visualization of Criticality

Value	Description	Visualization in Color
1	Negative	Red
2	Critical	Yellow
3	Positive	Green

### ↳ Sample Code

```
...
define view ZExample_SalesOrdersByCustomer as select from ... as so {
    key so.buyer_guid as BuyerGuid,
    @Semantics.currencyCode: true
    so.currency_code as CurrencyCode,
```

```

@UI.dataPoint: {
    title: 'Gross Amount',
    targetValueElement: 'TargetAmount',      -- Reference to element
    criticality: 'AmountCriticality',       -- Reference to element
    trend: 'AmountTrend',                  -- Reference to element
}
@Semantics.amount.currencyCode: 'CurrencyCode'
so.actual_amount as ActualAmount,

@Semantics.amount.currencyCode: 'CurrencyCode'
so.target_amount as TargetAmount,
so.criticality as AmountCriticality,
so.trend as AmountTrend
}

```

## Related Information

[Data Points \[page 395\]](#)

[Trends \[page 398\]](#)

[Trend-Criticality Calculation \[page 400\]](#)

[Person Responsible and Reference Period \[page 403\]](#)

[DataField Type: #AS\\_DATAPOINT \[page 405\]](#)

## 7.7.6.2 Trends

Get information about how to use data points to display trends on SAP Fiori UIs.

Data can be defined as being either increasing, decreasing, or stable. These data can be measured over a certain period of time and visualized on the UI.

You can use the following sub-annotations to highlight trends:

- [@UI.dataPoint.trend \[page 553\]](#)

### ❖ Example

For an example, see the example code in section *Criticality* linked below.

- [@UI.dataPoint.trendCalculation \[page 553\]](#)


### ❖ Example

The table below lists the values that are valid for the UI annotation [@UI.dataPoint.trendCalculation \[page 553\]](#), and shows how these values are visualized on the UI:

## Values and Visualization of Trend

Value	Description	Visualization
1	Strong up	↑
2	Up	↗
3	Sideways	→
4	Down	↘
5	Strong down	↓

For the trend calculation, the flag `isRelativeDifference` indicates whether the absolute or the relative difference between the actual value and the reference value is used to calculate the trend.



## Sample Code

```
...
define view ZExample_SalesOrdersByCustomer as select from ... as so {
    key so.buyer_guid as BuyerGuid,
    @Semantics.currencyCode: true
    so.currency_code as CurrencyCode,

    @UI.dataPoint: {
        title: 'Gross Amount',
        //...
        trendCalculation: {
            referenceValue: 'ReferenceAmount',      -- Reference to element
            isRelativeDifference: true,           -- Comparison of ratio
            strongUpDifference: 1.25,
            upDifference: 1.1,
            downDifference: 0.9,
        }
    }
}
```

```
        strongDownDifference: 0.75
    }
}
@Semantics.amount.currencyCode: 'CurrencyCode'
so.target_amount as TargetAmount,
@Semantics.amount.currencyCode: 'CurrencyCode'
so.reference_amount as ReferenceAmount
}
```

## Related Information

[Criticality \[page 397\]](#)

[Data Points \[page 395\]](#)

[Trend-Criticality Calculation \[page 400\]](#)


[Person Responsible and Reference Period \[page 403\]](#)

[DataField Type: #AS\\_DATAPOINT \[page 405\]](#)

## 7.7.6.3 Trend-Criticality Calculation

Get information about how to use data points to calculate and display trend-criticality relations.

Another way to specify properties of criticality and trend is to define rules for criticality and trend within the UI annotation [@UI.dataPoint \[page 612\]](#).



Example of visualization of trend-criticality calculation

You can use the following sub-annotations to calculate trends and derive from these calculation the criticality of data:


- [@UI.dataPoint.trendCalculation \[page 553\]](#)
- [@UI.dataPoint.criticalityCalculation \[page 546\]](#)

#### ↳ Sample Code

```
...
define view ZExample_SalesOrdersByCustomer as select from ... as so {
    key so.buyer_guid as BuyerGuid,
    @Semantics.currencyCode: true
    so.currency_code as CurrencyCode,

    @UI.dataPoint: {
        title: 'Gross Amount',
        targetValue: 9216,
        criticalityCalculation: {
            improvementDirection: #TARGET,
            toleranceRangeLowValue: 9200,
            toleranceRangeHighValue: 9300,
            deviationRangeLowValue: 8800,
            deviationRangeHighValue: 9700
        },
        trendCalculation: {
            referenceValue: 'ReferenceAmount',      -- Reference to element
            isRelativeDifference: false,           -- Comparison of difference
            strongUpDifference: 100,
            upDifference: 10,
            downDifference: -10,
            strongDownDifference: -100
        }
    }
    @Semantics.amount.currencyCode: 'CurrencyCode'
    so.target_amount as TargetAmount,
    @Semantics.amount.currencyCode: 'CurrencyCode'
    so.reference_amount as ReferenceAmount
}
```

For the criticality calculation, the value of the property `improvementDirection` is crucial because this value determines what further properties are needed. If, for example, the value is `#MINIMIZE`, the properties `ToleranceRangeHighValue` and `DeviationRangeHighValue` are relevant.




## ToleranceRangeHighValue



Example of improvementDirection: # MINIMIZE

## ToleranceRangeLowValue

### DeviationRangeLowValue



Example of improvementDirection: # MAXIMIZE

The properties of the sub-annotation [@UI.dataPoint.criticalityCalculation \[page 546\]](#) can have either constant values or derive values from referencing to other elements. If a property references to another element, the suffix Element must be added to the name of the property.

#### i Note

This also applies to the properties of the sub-annotation [@UI.dataPoint.trendCalculation \[page 553\]](#), except for the property `referenceValue`. This property always references to another element.

#### • Example

`toleranceRangeLowValue` becomes `toleranceRangeLowValueElement`.

## Related Information

[Data Points \[page 395\]](#)

[Criticality \[page 397\]](#)

[Trends \[page 398\]](#)

[Person Responsible and Reference Period \[page 403\]](#)

[DataField Type: #AS\\_DATAPOINT \[page 405\]](#)

### 7.7.6.4 Person Responsible and Reference Period

Get information about how to use data points to display references to persons responsible and to reference periods on SAP Fiori UIs.

You can add the following properties to the UI annotation `@UI.dataPoint [page 612]`:

- `referencePeriod`
- `responsibleName`

You can define both properties either in the UI annotation directly, or in another element and reference from the UI annotation to this element.

#### Example

In the following example, the data point has a static reference period and a static person responsible. The value of the gross amount is formatted with the `valueFormat` property. The value is thus scaled with factor 1000 and is displayed with one decimal place, this is the value 34500 EUR would be displayed as `34.5 kEUR`.



Example of visualization of person responsible, reference period, and value format

## ↳ Sample Code

```
...
define view ZExample_SalesOrdersByCustomer as select from ... as so {
    key so.buyer_guid as BuyerGuid,
    @Semantics.currencyCode: true
    so.currency_code as CurrencyCode,

    @UI.dataPoint: {
        title: 'Gross Amount',
        description: 'Gross Amount per Customer',
        longDescription: 'The gross amount per customer ...',
        valueFormat: {
            scaleFactor: 1000,
            numberOfFractionalDigits: 1
        },
        referencePeriod: { description: '2015 Q3' },
        responsibleName: 'John Doe'
    }
    @Semantics.amount.currencyCode: 'CurrencyCode'
    so.actual_amount as ActualAmount
}
```

## ❖ Example

In the following example, a dynamic reference period is used that is supplied by the following parameters:

- start
- end

These parameters have to be aliased in the element list before they can be used in the [@UI.dataPoint \[page 612\]](#) annotation. The responsible property must refer to a to-one-association. The target entity of this association should contain the contact data of the person responsible.

## ↳ Sample Code

```
...
define view ZExample_SalesOrdersByCust
with parameters p_StartDate : abap.dats,
                  p_EndDate   : abap.dats
as select from ... as so
association [0..1] to Employees as _PersonResponsible
    on _PersonResponsible.EmployeeId = $projection.PersonResponsible
{
    ...
    $parameters.p_StartDate as StartDate,      -- Alias is required for
annotation
    $parameters.p_EndDate as EndDate,          -- Alias is required for
annotation
    so.person_responsible as PersonResponsible,
    @Semantics.currencyCode: true
    so.currency_code as CurrencyCode,

    @UI.dataPoint: {
        title: 'Gross Amount',
        referencePeriod: {
            start: 'StartDate',           -- Reference to element
            end: 'EndDate'              -- Reference to element
        },
        responsible: '_PersonResponsible'       -- Reference to association
    }
    @Semantics.amount.currencyCode: 'CurrencyCode'
    @DefaultAggregation: #SUM
```

```

        so.actual_amount as ActualAmount,
        _PersonResponsible
    }
where so.validity_date >= $parameters.p_StartDate
and   so.validity_date <= $parameters.p_EndDate

```

For a definition of element list, see section *Glossary* linked below.

## Related Information

[Glossary \[page 687\]](#)

[Data Points \[page 395\]](#)

[Criticality \[page 397\]](#)

[Trends \[page 398\]](#)

[Trend-Criticality Calculation \[page 400\]](#)

[DataField Type: #AS\\_DATAPOINT \[page 405\]](#)

## 7.7.6.5 DataField Type: #AS\_DATAPOINT

Get information about how to use the type #AS\_DATAPOINT to refer to other annotations.

The type #AS\_DATAPOINT maps to *DataFieldForAnnotation*. *DataFieldForAnnotation* is used to refer to other annotations using the *Edm.AnnotationPath* abstract type. The annotation path must end in *vCard.Address* or *UI.dataPoint*.

You can use the following type to reference an exposed data point from dataField-like annotations:

- #AS\_DATAPOINT

You use this type to include a microchart in the UI annotation @*UI.lineItem* [page 584], for example.

### ❖ Example

In this example, the UI annotation @*UI.lineItem* [page 584] has to be defined at the same CDS element as the UI annotation @*UI.dataPoint* [page 612] itself.

### ↳ Sample Code

```

...
define view ZExample_SalesOrdersByCustomer as select from ... as so {
    key so.buyer_guid as BuyerGuid,
    ...
    @Semantics.currencyCode: true
    so.currency_code as CurrencyCode,
    @UI.dataPoint: { title: 'Gross Amount' }
    @UI.lineItem: [ { type: #AS_DATAPOINT } ]
    @Semantics.amount.currencyCode: 'CurrencyCode'
    so.actual_amount as ActualAmount
}

```

## Related Information

[Data Points \[page 395\]](#)

[Criticality \[page 397\]](#)

[Trends \[page 398\]](#)

[Trend-Criticality Calculation \[page 400\]](#)

[Person Responsible and Reference Period \[page 403\]](#)

## 7.7.7 Contact Data

Get information about what UI annotations to use to display contact data on SAP Fiori UIs.

In some cases users of an application need to see contact data, for example, of business partners, customers, or employees.

You can use the following annotation set to inform a client that an entity contains contact information and map the CDS elements to the corresponding address field:

- [@Semantics](#)

This annotation set contains annotations to inform about telephone numbers, email addresses, names, addresses, and contacts.

### ❖ Example

The following example contains sub-annotations belonging to the annotation set [@Semantics](#). For a complete list, see section [Semantics Annotations](#) linked below.

### ↳ Sample Code

```
...
define view Employees as select from ...
{
    key EmployeeId,
    @Semantics.name.givenName
    FirstName,
    @Semantics.name.additionalName
    MiddleName,
    @Semantics.name.familyName
    LastName,
    GenderCode,
    @Semantics.telephone.type: [#WORK, #PREF]
    PhoneNumber,
    @Semantics.telephone.type: [#FAX]
    FaxNumber,
    @Semantics.telephone.type: [#CELL]
    MobilePhoneNumber,
    @Semantics.eMail.address
    EmailAddress,
    PreferredLanguage,
    @Semantics.contact.birthDate
    BirthDate
}
```

## Related Information

[Semantics Annotations \[page 511\]](#)

## 7.7.8 Navigation

Get an overview of how to use *dataField* types to provide means of navigation on SAP Fiori UIs.

It often is not sufficient to stay on one screen. Users might need to navigate between screens or even to web sites outside an application. You can use the following *dataField* types to include navigation concepts:

- [#WITH\\_NAVIGATION\\_PATH \[page 407\]](#)  
Used for navigation within an application.
- [#WITH\\_URL \[page 409\]](#)  
Used for navigation from an application to an external web site.
- [#FOR\\_INTENT\\_BASED\\_NAVIGATION \[page 411\]](#)  
Used for navigation based on an action that is related to a semantic object.

### 7.7.8.1 With Navigation Path

Get information about how to provide navigation between UI screens and pages on SAP Fiori UIs.

This navigation type contains either a navigation property or a term cast. The term either is of type Edm.EntityType, a concrete entity type, or a collection of these types.

The screenshot shows a SAP Fiori application interface. At the top, there is a search bar with placeholder text 'Search' and a 'Go' button. To the right of the search bar are buttons for 'Hide Filter Bar', 'Filters', and 'Go'. Below the search bar is a dropdown menu labeled 'Company:' with a small icon next to it. The main area displays a table titled 'Sales Orders (1,216) | Demo'. The table has four columns: 'Sales Order ID', 'Company', 'Currency Code', and 'Gross Amount'. The 'Business Partner' column header is highlighted with a yellow box. The table contains 15 rows of data, each representing a sales order with its details.

Sales Order ID	Company	Currency Code	Gross Amount
500000000	SAP	EUR	25,867.03 EUR >
500000001	DelBont Industries	EUR	14,602.49 EUR >
500000002	TECUM	EUR	5,631.08 EUR >
500000003	Asia High tech	EUR	1,704.04 EUR >
500000004	Asia High tech	EUR	761.24 EUR >
500000005	AVANTEL	EUR	101,299.22 EUR >
500000006	Talpa	EUR	250.73 EUR >
500000007	Panorama Studios	EUR	10,311.35 EUR >
500000008	Telecomunicaciones Star	EUR	195.16 EUR >
500000009	SAP	EUR	3,972.22 EUR >
500000010	DelBont Industries	EUR	827.95 EUR >
500000011	Panorama Studios	EUR	325.94 EUR >
500000012	TECUM	EUR	24,704.40 EUR >
500000013	Asia High tech	EUR	8,256.22 EUR >
500000014	Asia High tech	EUR	3,459.33 EUR >
500000015	AVANTEL	EUR	862.73 EUR >

#### Example of dataField of type #WITH\_NAVIGATION\_PATH

You can use the following dataField type to expose a link to other pages of a UI:

- #WITH\_NAVIGATION\_PATH

#### Example

In the following example, `CompanyName` is displayed as link referring to the association `_BusinessPartner`.

#### Sample Code

```

...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as
so
    association [0..1] to sepm_cds_business_partner as _BusinessPartner
    on $projection.buyer_guid = _BusinessPartner.business_partner_key
{
    key so.sales_order_id as SalesOrder,
    so.buyer_guid,
    ...
    @UI.lineItem: [ {
        position: 20,

```

```
    type: '#WITH_NAVIGATION_PATH,  
    targetElement: '_BusinessPartner'      -- Reference to association  
  } ]  
  so.customer.company_name as CompanyName,  
  ...  
  '_BusinessPartner'  
}
```

## Related Information

[Navigation \[page 407\]](#)


[With URL \[page 409\]](#)

[Based on Intent \[page 411\]](#)

### 7.7.8.2 With URL

Get information about how to provide navigation from SAP Fiori UIs to external web sites, for example.

This type navigation contains a reference to a URL to navigate to specific web sites, for example.



Sales Order ID	Company	Currency Code	Gross Amount
500000000	SAP	EUR	25,867.03 EUR >
500000001	DelBont Industries	EUR	14,602.49 EUR >
500000002	TECUM	EUR	5,631.08 EUR >
500000003	Asia High tech	EUR	1,704.04 EUR >
500000004	Asia High tech	EUR	761.24 EUR >
500000005	AVANTEL	EUR	101,299.22 EUR >
500000006	Talpa	EUR	250.73 EUR >
500000007	Panorama Studios	EUR	10,311.35 EUR >
500000008	Telecomunicaciones Star	EUR	195.16 EUR >
500000009	SAP	EUR	3,972.22 EUR >
500000010	DelBont Industries	EUR	827.95 EUR >
500000011	Panorama Studios	EUR	325.94 EUR >
500000012	TECUM	EUR	24,704.40 EUR >
500000013	Asia High tech	EUR	8,256.22 EUR >
500000014	Asia High tech	EUR	3,459.33 EUR >

#### Example of dataField of type #WITH\_URL

You can use the following `dataField` type to display links to external websites:

- `#WITH_URL`

#### ❖ Example

In the following example, `CompanyName` is displayed as link referring to the CDS element `WebsiteUrl`.

#### « Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as
so
{
  key so.sales_order_id as SalesOrder,
  ...

  @UI.lineItem: [ {
    position: 20,
    type: #WITH_URL,
    url: 'WebsiteUrl'      -- Reference to element
  } ]
  so.customer.company_name as CompanyName,
```

```
    so.customer.web_address as WebsiteUrl,  
    ...  
}
```

## Related Information

[Navigation \[page 407\]](#)

[With Navigation Path \[page 407\]](#)

[Based on Intent \[page 411\]](#)

### 7.7.8.3 Based on Intent

Get information about how to provide navigation related on actions that are executed on SAP Fiori UIs.

This navigation type contains an action that is related to a semantic object. This combination of action and semantic object is an **intent**. The annotation is required for navigation based on intent. The client decides how to react when this navigation is triggered.

The screenshot shows a SAP Fiori application interface. At the top, there is a header with the SAP logo and a user dropdown set to 'Default User'. Below the header, the page title is 'AnnoDokuExmaple'. A search bar with placeholder 'Search' and a 'Go' button is present. To the right of the search bar are 'Hide Filter Bar', 'Filters', and another 'Go' button. A 'Company:' field with a dropdown arrow is below the search bar. The main content area displays a table titled 'Sales Orders (1,216)' with a 'Demo' dropdown. The table has four columns: 'Sales Order ID', 'Company', 'Currency Code', and 'Gross Amount'. Each row contains a radio button, the sales order ID, company name, currency code, and gross amount. The first row's radio button is checked. A yellow box highlights the 'Show customer-details' button in the top right corner of the table header. The table has 15 rows of data.

Sales Order ID	Company	Currency Code	Gross Amount
5000000000	SAP	EUR	25,867.03 EUR >
5000000001	DelBont Industries	EUR	14,602.49 EUR >
5000000002	TECUM	EUR	5,631.08 EUR >
5000000003	Asia High tech	EUR	1,704.04 EUR >
5000000004	Asia High tech	EUR	761.24 EUR >
5000000005	AVANTEL	EUR	101,299.22 EUR >
5000000006	Talpa	EUR	250.73 EUR >
5000000007	Panorama Studios	EUR	10,311.35 EUR >
5000000008	Telecomunicaciones Star	EUR	195.16 EUR >
5000000009	SAP	EUR	3,972.22 EUR >
5000000010	DelBont Industries	EUR	827.95 EUR >
5000000011	Panorama Studios	EUR	325.94 EUR >
5000000012	TECUM	EUR	24,704.40 EUR >
5000000013	Asia High tech	EUR	8,256.22 EUR >
5000000014	Asia High tech	EUR	3,459.33 EUR >
5000000015	AVANTEL	EUR	862.73 EUR >

#### Example of dataField of type #FOR\_INTENT\_BASED\_NAVIGATION

You can use the following `dataField` type to expose the intent to navigate without specifying how this navigation is to be resolved:

- `#FOR_INTENT_BASED_NAVIGATION`

#### ❖ Example

In the following example, the intent 'Show' (action) 'BusinessPartner' (semantic object) is expressed. The client can, for example, open a separate application to display the details of the corresponding business partner.

#### ⇐ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as
so
{
```

```
key so.sales_order_id as SalesOrder,  
...  
  
@UI.lineItem: [ {  
    position: 20,  
    label: 'Show customer-details',  
    type: #FOR_INTENT_BASED_NAVIGATION,  
    semanticObjectAction: 'Show'          -- Action  
} ]  
@Consumption.semanticObject: 'BusinessPartner'    -- Semantic Object  
so.customer.company_name as CompanyName,  
...  
}
```

## Related Information

[Navigation \[page 407\]](#)

[With Navigation Path \[page 407\]](#)

[With URL \[page 409\]](#)

## 7.7.9 Actions

Get information about how to use *dataField* types to provide means of executing actions on SAP Fiori UIs.

Actions are directly related to items that you can see in a table on a master-detail floorplan, for example. Users can select items and execute certain actions on the selected items.

The screenshot shows a SAP Fiori application interface. At the top, there's a header with a house icon, the SAP logo, and a user dropdown labeled "Default User". Below the header, the page title is "AnnoDokuExmaple". A search bar with placeholder "Search" and a "Go" button are on the right. Underneath, a "Company:" field has a dropdown arrow. The main content area displays a table titled "Sales Orders (1,216)" with a "Demo" filter. The table has four columns: "Sales Order ID", "Company", "Currency Code", and "Gross Amount". Each row contains a radio button, the sales order ID, company name, currency, and amount. The first row, which has a selected radio button, also includes a "Copy" button with a yellow border. Other buttons in the header include "Hide Filter Bar", "Filters", and a blue "Go" button.

Sales Order ID	Company	Currency Code	Gross Amount
<input checked="" type="radio"/> 5000000000	SAP	EUR	25,867.03 EUR >
<input type="radio"/> 5000000001	DelBont Industries	EUR	14,602.49 EUR >
<input type="radio"/> 5000000002	TECUM	EUR	5,631.08 EUR >
<input type="radio"/> 5000000003	Asia High tech	EUR	1,704.04 EUR >
<input type="radio"/> 5000000004	Asia High tech	EUR	761.24 EUR >
<input type="radio"/> 5000000005	AVANTEL	EUR	101,299.22 EUR >
<input type="radio"/> 5000000006	Talpa	EUR	250.73 EUR >
<input type="radio"/> 5000000007	Panorama Studios	EUR	10,311.35 EUR >
<input type="radio"/> 5000000008	Telecomunicaciones Star	EUR	195.16 EUR >
<input type="radio"/> 5000000009	SAP	EUR	3,972.22 EUR >
<input type="radio"/> 5000000010	DelBont Industries	EUR	827.95 EUR >
<input type="radio"/> 5000000011	Panorama Studios	EUR	325.94 EUR >
<input type="radio"/> 5000000012	TECUM	EUR	24,704.40 EUR >
<input type="radio"/> 5000000013	Asia High tech	EUR	8,256.22 EUR >
<input type="radio"/> 5000000014	Asia High tech	EUR	3,459.33 EUR >
<input type="radio"/> 5000000015	AVANTEL	EUR	862.73 EUR >

#### Example of action 'Copy' on master-detail floorplan

You can use the following `dataField` type to expose actions to the client:

- `#FOR_ACTION`

This property has to be assigned to some arbitrary element. It is thereby irrelevant if the property refers to the element to which the property is assigned.

#### ↳ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    @UI.lineItem: [
        -- Standard Lineitem
        { position: 10 },
        -- Action Lineitem
        { type: #FOR_ACTION, dataAction: 'BOPF:Copy', label: 'Copy' }
    ]
    key so.sales_order_id as SalesOrder,
    ...
}
```

```
}
```

## 7.7.10 Field Manipulation

Get information about what UI annotations to use to manipulate fields for SAP Fiori UIs.

This chapter describes annotations that influence the appearance exposed fields. When a field is marked with these annotations, it is manipulated no matter in what other annotations the field is used. The reason for this is that annotations for manipulation are self-contained annotations and not properties of other annotations.

For example, when a field is marked with the [@UI.masked \[page 592\]](#) annotation, the field is masked regardless if it is used in a [@UI.lineItem \[page 584\]](#) annotation or a [@UI.identification \[page 575\]](#) annotation.

To manipulate the appearance of fields on SAP Fiori UIs, you can use the annotations explained in the following sections:

- [Multi-Line Text \[page 415\]](#)
- [Field Masking \[page 416\]](#)
- [Field Hiding \[page 417\]](#)
- [Interaction with Other Annotations \[page 418\]](#)

### 7.7.10.1 Multi-Line Text

Get information about what UI annotations to use to display fields as multi-line text on SAP Fiori UIs.

You can use the following annotation to mark a field to be displayed by a control that supports multi-line input, for example a text area:

- [@UI.multiLineText \[page 593\]](#)

#### ↳ Sample Code

```
...
define view Product as select from ... {
    @UI.identification: [ { position: 10 } ]
    key ProductID,
    @UI.identification: [ { position: 20 } ]
    ProductName,
    @UI.identification: [ { position: 30 } ]
    @UI.multiLineText: true
    Description,
    ...
}
```

## Related Information

[Field Manipulation \[page 415\]](#)

[Field Masking \[page 416\]](#)

[Field Hiding \[page 417\]](#)

[Interaction with Other Annotations \[page 418\]](#)

### 7.7.10.2 Field Masking

Get information about what UI annotations to use to mask fields, for example for password input, on SAP Fiori UIs.

In some cases, data of fields need to be consumed by the client, but must not be visible on the UI. This field behavior is required when users need to enter passwords, for example.

You can use the following annotation to mark a field to not to be displayed in clear text by the client because, for example, it contains sensitive data:

- [@UI.Masked \[page 592\]](#)

This annotation does not influence how data is transferred. If a field is marked with the [@UI.masked \[page 592\]](#) annotation, the data belonging to this field is still transferred to the client like any other property in clear text.

#### ↳ Sample Code

```
...
define view Destination as select from ... {
    @UI.identification: [ { position: 10 } ]
    key DestinationID,
    ...
    @UI.identification: [ { position: 20 } ]
    AuthType,          -- None, Basic, SSO, ...
    @UI.identification: [ { position: 30 } ]
    BasicAuthUserName,
    @UI.identification: [ { position: 40 } ]
    @UI.masked
    BasicAuthPassword,
    ...
}
```

## Related Information

[Field Manipulation \[page 415\]](#)

[Multi-Line Text \[page 415\]](#)

[Field Hiding \[page 417\]](#)

[Interaction with Other Annotations \[page 418\]](#)

### 7.7.10.3 Field Hiding

Get information about what UI annotations to use hide fields from SAP Fiori UIs.

Generally, all fields that are exposed by the OData service are available to the client, regardless if the fields are exposed explicitly using UI annotations. To enable end-user personalization, the client may offer the possibility to add fields that are hidden by default, for example to a list report.

You can use the following annotation to prevent fields from being displayed on a UI and in the personalization dialog, but leaving the field available for client:

- [@UI.hidden \[page 575\]](#)

You can use this annotation if, for example, a CDS view contains technical keys, for example GUIDs, that have to be exposed to the OData service to work. These keys are usually not supposed to be displayed on the UI. You can also use this annotation if fields are required in calculations, but are not supposed to be displayed on a UI.

#### ❖ Example

In the following example, the annotation [@UI.dataPoint \[page 612\]](#) with pre-calculated criticality and trend is exposed. The hidden fields `AmountCriticality` and `AmountTrend` are required by the client to calculate the corresponding values, but are not supposed to be displayed on the UI.

#### ❖ Sample Code

```
...
define view ZExample_SalesOrdersByCustomer as select from ... as so {
    @UI.hidden
    key so.buyer_guid as BuyerGuid,
    ...

    @UI.dataPoint: {
        criticality: 'AmountCriticality',      -- Reference to element
        trend: 'AmountTrend',                  -- Reference to element
    }
    so.actual_amount as ActualAmount,
    @UI.hidden
    so.criticality as AmountCriticality,
    @UI.hidden
    so.trend as AmountTrend
}
```

You can use the following annotation to prevent fields from being available to a client:

- Preventing fields from being available to a client is necessary for system parameters. These parameters are filled by the runtime engine, but must not be available to the client.

#### ❖ Sample Code

```
...
define view OverdueSalesOrder with parameters
    @Consumption.hidden : true
    @Environment.systemField : #SYSTEM_DATE
    P_Date : sydate,
as select from ...
{
```

```
}
```

For more information about consumption annotations, see section *Consumption Annotations* linked below.

### ❖ Example

In the following example, the field `buyer_guid` is required by the association to `_BusinessPartner` only. This means, the field must be included in the element list of the CDS view, but must **not** be transferred to the client.

#### ↳ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so
  association [0..1] to sepm_cds_business_partner as _BusinessPartner
  on $projection.buyer_guid = _BusinessPartner.business_partner_key
{
  key so.sales_order_id as SalesOrder,
  @Consumption.hidden: true
  so.buyer_guid,
  ...
  _BusinessPartner
}
```

There may be cases, where a field is needed in the client, for example for calculations, but should not be displayed directly in a list or table, or on an object-page floorplan. In this case the annotation is not suitable.

## Related Information

[Consumption Annotations \[page 475\]](#)

[Field Manipulation \[page 415\]](#)

[Multi-Line Text \[page 415\]](#)


[Field Masking \[page 416\]](#)

[Interaction with Other Annotations \[page 418\]](#)

## 7.7.10.4 Interaction with Other Annotations

Get information about how to provide interaction between annotations.

In addition to UI annotation, you can use model-specific annotations that affect the desired client behavior. You can implement, for example, unit-currency-mappings, ID-text-mappings, or properties for field control that are represented by model-specific annotations. These model-specific annotations can be evaluated by the client and **no** additional UI annotations are required.



Example of interaction between CDS annotations

## • Example

In the following example, the field `CurrencyCode` is marked with `a` and is referenced by field `GrossAmount`. This means that the field `GrossAmount` is always displayed with the corresponding currency. The field `CurrencyCode` does not need to be exposed explicitly.

Furthermore the field `GrossAmount` is marked as being mandatory. This means that the field is treated accordingly by the client: The field is marked with an asterisk, and if users do not fill in a value for this property, an error is raised. The administrative fields such as `CreatedAt` and `CreatedBy`, are set in a back-end validation and must **not** be changed by the client. For this reason, these fields are marked as being read-only.

### ↳ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so
{
    @UI.identification: [ { position: 10 } ]
    key so.sales_order_id as SalesOrder,
    @Semantics.currencyCode: true
    so.currency_code as CurrencyCode,

    @Semantics.amount.currencyCode: 'CurrencyCode'
    @ObjectModel.mandatory: true
    @UI.identification: [ { position: '20' } ]
    so.gross_amount as GrossAmount,
    ...
    @ObjectModel.readOnly: true
    @UI.identification: [ { position: '110' } ]
    so.created_at as CreatedAt,
    ...
    @ObjectModel.readOnly: true
    @UI.identification: [ { position: '120' } ]
    so.created_by as CreatedBy,
    ...
    @ObjectModel.readOnly: true
    @UI.identification: [ { position: '130' } ]
    so.changed_at as ChangedAt,
    ...
    @ObjectModel.readOnly: true
    @UI.identification: [ { position: '140' } ]
    so.changed_by as ChangedBy,
}
```

## Related Information

[Field Manipulation \[page 415\]](#)

[Multi-Line Text \[page 415\]](#)

[Field Masking \[page 416\]](#)

[Field Hiding \[page 417\]](#)

### 7.7.10.5 Inheritance of Annotations

Get information about what property to use to prevent elements from being inherited from an underlying CDS view.

By default, all UI annotation elements are inherited from the underlying CDS view. You can explicitly disable this behavior. You can use the following property to prevent a UI annotation element from being inherited:

- **exclude**

The following sample code depicts the CDS view `ZP_SalesOrder` that inherits elements from the underlying CDS view `SEPM_CDS_SALES_ORDER`, and uses the UI annotation [@UI.identification \[page 575\]](#):

#### ↳ Sample Code

```
...
define view ZP_SalesOrder as select from sepm_cds_sales_order as so {
    @UI.identification: [ { position: 10 } ]
    key so.sales_order_id as SalesOrder,
    @UI.identification: [ { position: 20 } ]
    so.customer.company_name as CompanyName,
}
...
```

The following sample code depicts the CDS view `ZI_SalesOrder` that inherits elements from the underlying CDS view `ZP_SalesOrder`. In this view, the element `key SalesOrder` is inherited from the underlying CDS view as UI annotation [@UI.identification \[page 575\]](#) by default. The element `so.customer.company_name as CompanyName`, however, is not inherited as UI annotation [@UI.identification \[page 575\]](#) because of the property `exclude`:

#### ↳ Sample Code

```
...
define view ZI_SalesOrder as select from ZP_SalesOrder as so {
    key SalesOrder,
    @UI.identification: [ { exclude } ]
    so.customer.company_name as CompanyName,
}
...
```

## 7.8 Consuming Business Objects with EML

Business objects can be consumed not only by means of the OData protocol (for example, in Fiori UIs) but also directly in ABAP by using Entity Manipulation Language (EML).

This topic offers some code samples to demonstrate how you can access our Travel business object with EML syntax in a simple consumer class. You will get to know the core structure of EML at this point.

### Contents:

[EXAMPLE 1: Implementing UPDATE for Travel Data \[page 421\]](#)

[EXAMPLE 2: Executing an Action \[page 422\]](#)

[EXAMPLE 3: Implementing DELETE for Travel Instances and Their Child Instances \[page 424\]](#)

[EXAMPLE 4: Creating Instances Along the Composition Hierarchy \("deep create"\) \[page 425\]](#)

### EXAMPLE 1: Implementing UPDATE for Travel Data

In this example, two fields `agencyid` and the `memo` text should be changed to a given travel instance.

#### Prerequisites

The entity instances can only be updated in a `MODIFY` call if the `update` operation is specified for each relevant entity in the behavior definition and is implemented in the behavior pool accordingly.

Because the change will only affect one entity, we use the short form of the `MODIFY` syntax:

#### Syntax for UPDATE

```
MODIFY ENTITY EntityName
    UPDATE FROM it_instance_u
    [FAILED ls_failed | DATA(ls_failed)]
    [REPORTED ls_reported | DATA(ls_reported)].
```

In addition to the travel instance data to be updated, it is necessary to specify in the sub-structure `%control`, which is part of the import parameter `it_instance_u`. The `UPDATE` call allows to trigger delta updates on consumer side where only the key field and the new values need to be supplied. From provider side, it allows to identify which fields are overwritten and which need to be kept according to the DB data. The `%control` structure contains for each entity field a flag `cl_abap_behv=>flag_changed`, which indicates whether the field was provided by the consumer or not.

The following listing provides you with the source code of an executable consumer class. To enable the `classrun` mode, the consumer class implements the `if_oo_adt_classrun` interface.

Since the result data is not exported as part of the `UPDATE` statement, a subsequent `READ ENTITY` call is required to read the changed data from transactional buffer. The result data of the read operation is specified in the target variable `lt_received_travel_data`.

### Listing 1: Implementing UPDATE for Travel Data

```
CLASS /dmo/cl_eml_travel_update DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
  PUBLIC SECTION.
    INTERFACES if_oo_adt_classrun.
  PROTECTED SECTION.
  PRIVATE SECTION.
ENDCLASS.

CLASS /dmo/cl_eml_travel_update IMPLEMENTATION.
  METHOD if_oo_adt_classrun~main.
    DATA(lv_travel_id)      = '00000011'. " Valid travel ID
    DATA(lv_description)   = 'Changed Travel Agency'.
    DATA(lv_new_agency_id) = '070017'.    " Valid agency ID
    " UPDATE travel data
    MODIFY ENTITY /DMO/I_Travel_U
      UPDATE FROM VALUE #((
        travelid           = lv_travel_id
        agencyid          = lv_new_agency_id
        memo              = lv_description
        %control-agencyid = cl_abap_behv=>flag_changed
        %control-memo     = cl_abap_behv=>flag_changed ) )
    FAILED  DATA(ls_failed)
    REPORTED DATA(ls_reported).
    " Read travel data from transactional buffer
    CLEAR: ls_reported, ls_failed.
    READ ENTITY /DMO/I_Travel_U1
      FROM VALUE #( ( travelid = lv_travel_id
                      %control = VALUE #( agencyid =
cl_abap_behv=>flag_changed
                                memo      =
cl_abap_behv=>flag_changed ) )
      RESULT  DATA(lt_received_travel_data)
    REPORTED ls_reported
    FAILED  ls_failed.
    " Output result data on the console
    OUT->WRITE( lt_received_travel_data ).
    " Persist changed travel data in the database
    COMMIT ENTITIES.
  ENDMETHOD.
ENDCLASS.
```

### Checking Results

To check the results of the MODIFY call, run the main method of the consumer class /dmo/cl\_eml\_travel\_update by pressing **F9** key and view the received RESULT data (`lt_received_travel_data`) on the console output. This data contains all fields of the target travel instance (in this example, with the travel ID = 11).

The screenshot shows the SAP ABAP Console interface. The title bar says 'Console' and 'ABAP Console'. Below the title bar is a toolbar with various icons. The main area is titled 'Table' and displays a single row of data:

TRAVELEID	AGENCYID	CUSTOMERID	BEGINDATE	ENDDATE
00000011	070017	000582	2018-12-15	2018-12-15

Below the table, a message reads 'Received RESULT Data from Transactional Buffer'.

## EXAMPLE 2: Executing an Action

All modify operations in EML that cannot be implemented by standard operations (create, update, delete) are handled by actions.

This example demonstrates the implementation of an action related to a given travel instance. The consumer class (see Listing 2 below) is implemented to change the status of the travel processing to booked.

### Prerequisites

The SET\_STATUS\_BOOKED action is specified in the behavior definition at the root entity level and is implemented in the behavior pool accordingly.

The MODIFY statement uses the following general syntax for executing an action:

### Syntax for UPDATE (short form)

```
MODIFY ENTITY EntityName
  EXECUTE action_name FROM it_instance_a
    [RESULT result_action | DATA(result_action)]
    [FAILED ls_failed | DATA(ls_failed)]
    [REPORTED ls_reported | DATA(ls_reported)].
```

The `action_name` refers to the name of an action as it is defined in the behavior definition for the corresponding entity, which is referred by the name of the CDS entity `EntityName`. The input parameter `it_instance_a` is a table type containing the keys field information.

The syntax for executing an action allows exporting of result data. The result data of an action execution is specified in the target variable `result_action`.

The following listing provides you with the source code of an executable consumer class implementing the execution of `set_status_booked` action for a selected travel instance. Again, to enable the class-run mode, the consumer class `/dmo/cl_eml_travel_action` implements the `if_oo_adt_classrun` interface.

### Listing 2: Executing the SET\_STATUS\_BOOKED Action

```
CLASS /dmo/cl_eml_travel_action DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
  PUBLIC SECTION.
    INTERFACES if_oo_adt_classrun.
  PROTECTED SECTION.
  PRIVATE SECTION.
ENDCLASS.

CLASS /dmo/cl_eml_travel_action IMPLEMENTATION.
  METHOD if_oo_adt_classrun~main.
    DATA(lv_travel_id) = '00000026'. " Valid travel ID
    " EXECUTE action for travel data
    MODIFY ENTITY /DMO/I_Travel_U
      EXECUTE set_status_booked
        FROM VALUE #(`travelid = lv_travel_id`)
        RESULT DATA(lt_set_status_booked)
    FAILED DATA(ls_failed)
    REPORTED DATA(ls_reported).

    " Output result data on the console
    OUT->WRITE( lt_set_status_booked[ 1 ]-%param ).
```

```

    " Persist changed travel data in the database
    COMMIT ENTITIES.
ENDMETHOD.
ENDCLASS.
```

## Checking Results

To check the results of the `MODIFY` call, run the `main` method of the class from listing above by pressing **[F9]** key and then view the received `RESULT` data (`lt_set_status_booked`) on the console output.

## EXAMPLE 3: Implementing DELETE for Travel Instances and Their Child Instances

This example demonstrates how you can implement multiple `DELETE` operations for different entities in one `MODIFY` call. In this case, we use the long form of the `MODIFY` statement that allows you to collect multiple operations on multiple entities of one business object that is identified by `RootEntityName`.

### Prerequisites

The entity instances can only be deleted in a `MODIFY` call if the `delete` operation is specified for each relevant entity in the behavior definition and is implemented in the behavior pool(s) accordingly.

### Syntax for DELETE (long form)

```

MODIFY ENTITIES OF RootEntityName
  ENTITY entity_1_name
    DELETE FROM it_instance1_d
  ENTITY entity_2_name
    DELETE FROM it_instance2_d
  ...
  [FAILED DATA(it_failed)]
  [REPORTED DATA(it_reported)].
```

To delete individual instances of entities, the keys of the entity must be specified in the `FROM` clause of the `MODIFY` statement.

Each `DELETE` operation has a table of instances as input parameters: `it_instance1_d` and `it_instance2_d`, which provide the `MODIFY` call with key information.

The following listing provides you with the source code of an executable consumer class that implements the deletion of a given travel instance `lv_travel_to_delete` and a booking supplement `lv_booksuppl_to_delete`.

### Listing 3: Implementing DELETE for Travel and Booking Supplement Instances

```

CLASS /dmo/cl_eml_travel_delete DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
  PUBLIC SECTION.
```

```

INTERFACES if_oo_adt_classrun.
PROTECTED SECTION.
PRIVATE SECTION.
ENDCLASS.

CLASS /dmo/cl_eml_travel_delete IMPLEMENTATION.
METHOD if_oo_adt_classrun~main.

DATA(lv_travel_to_delete)      = '00000077'. " Valid IDs
DATA(lv_travel_id)            = '00000101'.
DATA(lv_booking_id)           = '0002'.
DATA(lv_booksuppl_to_delete)   = '04'.
MODIFY ENTITIES OF /dmo/i_travel_U
    " Delete travel and all child instances (booking, booking supplements)
ENTITY travel
    DELETE FROM VALUE #( ( travelid          = lv_travel_to_delete ) )
    " Delete booking supplement with the ID =04
ENTITY bookingsupplement
    DELETE FROM VALUE #( ( travelid          = lv_travel_id
                           bookingid         = lv_booking_id
                           bookingsupplementid =
                           lv_booksuppl_to_delete ) )
    REPORTED DATA(ls_reported)
    FAILED    DATA(ls_failed).
    " Persist changed travel data in the database
    COMMIT ENTITIES.
ENDMETHOD.

ENDCLASS.

```

## Checking Results

To check the results of the `MODIFY` call, run the `main` method of the class from listing above by pressing **[F9]** key in the class editor and then search for data of selected instances in the data preview tool (**[F8]** on the CDS root view `DMO/I_TRAVEL_U`.)

## EXAMPLE 4: Creating Instances Along the Composition Hierarchy ("deep create")

This example demonstrates how you can implement a direct `CREATE` and multiple `CREATE BY association` operations for different entities in one `MODIFY` call. In this case, the long form of the `MODIFY` statement is used to collect multiple operations on multiple entities of one business object that is identified by the `RootEntityName`.

### Prerequisites

The instances of entities (root or child) can only be directly created in a `MODIFY` call if the create operation is specified for the relevant entities in the behavior definition and is implemented in the behavior pool accordingly.

The same applies to instances of child entities that are created by association. In this case however, an association to the child entity must be specified in behavior definition and implemented in a handler method of the behavior pool.

### Syntax for CREATE (BY association)

```
MODIFY ENTITIES OF RootEntityName " name of root CDS view
```

```

ENTITY entity_1_name          " alias name
CREATE FROM it_instance1_c
CREATE BY \association1_name  FROM it_instance1_cba
...
ENTITY entity_2_name          " alias name
CREATE BY \association2_name  FROM it_instance2_cba
...
[FAILED   DATA(it_failed)]
[MAPPED   DATA(it_mapped)]
[REPORTED DATA(it_reported)].

```

### → Remember

When multiple entity instances are created by one `MODIFY` statement, then it is required to provide the content ID `%CID` [page 632] information for all instances (to be created) in the `FROM` parameter.

In addition to the content ID and the new values for the instance to be created, also a `%control` structure must be populated with information which fields were supplied. The input parameter `it_instance_c` in the `CREATE FROM` statement is a table type containing the content ID, data for further entity fields and the `%control` [page 633] structure. This structure contains for each field of an entity a flag which indicates whether the field was provided with values by the consumer or not.

If the instances of child entities should to be created by an association, besides the parent key, also the new values for the child entity to be created, must be populated in the create operation. The input parameter `it_instance_cba` in the `CREATE BY \association1_name FROM` statement is therefore a table type containing the parent key (reference to content ID in case the parent instance is created in the same `MODIFY` call) and the `%target` sub-table that refers to the child instance to be created.

The following listing provides you with the source code of an executable consumer class that implements the creation of a new travel instance including a new booking and the associated booking supplement.

### **Listing 4: Creating Instances with %CIDs**

```

CLASS /dmo/cl_eml_travel_subnodes DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
  PUBLIC SECTION.
    INTERFACES if_oo_adt_classrun.
  PROTECTED SECTION.
  PRIVATE SECTION.
ENDCLASS.

CLASS /dmo/cl_eml_travel_subnodes IMPLEMENTATION.
  METHOD if_oo_adt_classrun~main.
    TYPES: BEGIN OF ts_flight,
      carrier_id    TYPE /dmo/carrier_id,
      connection_id TYPE /dmo/connection_id,
      flight_date   TYPE /dmo/flight_date,
      price         TYPE /dmo/flight_price,
      currency_code TYPE /dmo/currency_code,
    END OF ts_flight.
    DATA gv_booking_date TYPE /dmo/booking_date.
    DATA gv_customer_id  TYPE /dmo/customer_id.
    DATA gs_flight        TYPE ts_flight.
    DATA(lv_description) = 'Intro to EML'.
    DATA(lv_agency_id)   = '070048'.
    DATA(lv_my_agency_id) = '070017'.
    " Get current date
    gv_booking_date = cl_abap_context_info=>get_system_date( ).
    " Get valid customer ID

```

```

SELECT SINGLE customer_id FROM /dmo/customer INTO @gv_customer_id..
" Get valid flight data
SELECT SINGLE FROM /dmo/flight FIELDS * INTO @DATA(ls_flight).
" Get valid supplement data
SELECT SINGLE FROM /dmo/supplement FIELDS * INTO @DATA(ls_supplement).
" Create a new travel > booking > booking supplement
MODIFY ENTITIES OF /dmo/i_travel_u
ENTITY travel
    CREATE FROM VALUE #( ( %cid      = 'CID_100'      " Preliminary ID
for new travel instance
                                agencyid   = lv_agency_id
                                customerid = gv_customer_id
                                begindate  = '20190308'
                                enddate    = '20190327'
                                memo       = lv_description
                                status     = CONV #( /dmo/
if_flight_legacy=>travel_status-new )
                                %control-agencyid = if_abap_behv=>mk-
on
                                %control-customerid = if_abap_behv=>mk-
on
                                %control-begindate = if_abap_behv=>mk-
on
                                %control-enddate = if_abap_behv=>mk-
on
                                %control-memo = if_abap_behv=>mk-
on
                                %control-status = if_abap_behv=>mk-
on ) )
                                " Update data of travel instance
                                UPDATE FROM VALUE #( ( %cid_ref = 'CID_100'      " Refers to travel
instance
                                agencyid   = lv_my_agency_id
                                memo       = 'Changed Agency and Status!'
                                status     = CONV #( /dmo/
if_flight_legacy=>travel_status-planned )
                                %control-agencyid = if_abap_behv=>mk-on
                                %control-memo     = if_abap_behv=>mk-on
                                %control-status   = if_abap_behv=>mk-
on ) )
                                " Create a new booking by association
                                CREATE BY \_booking FROM VALUE #( (
root (travel instance)
                                %cid_ref   = 'CID_100'      "refers to the
                                %target    = VALUE #( ( %cid      = 'CID_200' "
Preliminary ID for new booking instance
                                bookingdate = gv_booking_date
                                customerid  = gv_customer_id
                                airlineid   = ls_flight-
carrier_id
                                connectionid = ls_flight-
connection_id
                                flightdate   = ls_flight-
flight_date
                                flightprice  = ls_flight-price
                                currencycode = ls_flight-
currency_code
                                %control = VALUE #( (
                                bookingdate =
                                customerid =
                                airlineid =
                                connectionid =
if_abap_behv=>mk-on
if_abap_behv=>mk-on
if_abap_behv=>mk-on
if_abap_behv=>mk-on

```

```

if_abap_behv=>mk-on   flightdate   =
if_abap_behv=>mk-on   flightprice  =
if_abap_behv=>mk-on ) ) ) ) ) currencycode =
if_abap_behv=>mk-on ) ) ) )
    " Create a booking supplement by association
    ENTITY booking
        CREATE BY \_booksupplement FROM VALUE #(
            %cid_ref = 'CID_200',
            %target = VALUE #((
                %cid      = 'CID_300',
                supplementid = ls_supplement-
supplement_id
                price       = ls_supplement-
price
                currency_code = ls_supplement-
currency_code
                %control = VALUE #(
                    supplementid =
                    price       =
                    currencycode =
if_abap_behv=>mk-on
if_abap_behv=>mk-on
if_abap_behv=>mk-on ) ) ) )
    MAPPED DATA(ls_mapped)
    FAILED DATA(ls_failed)
    REPORTED DATA(ls_reported).
    COMMIT ENTITIES.
ENDMETHOD.
ENDCLASS.

```

## Checking Results

To check the results, run the main method of the consumer class /dmo/cl\_eml\_travel\_subnodes from listing above by pressing **F9** key in the class editor and then search for the newly created travel, booking and booking supplement instances in the data preview tool (**F8** on the travel root CDS view DMO/I\_TRAVEL\_U.)

TravellID	Age...	Custo...	BeginDate	EndDate	12	E
00004139	070017	000001	2019-03-08	2019-03-27		
00004140	070017	000001	2019-03-08	2019-03-27		
00004142	070017	000001	2019-03-08	2019-03-27		

Checking the Newly Created Instances in the Data Preview

## Related Information

[Entity Manipulation Language \(EML\) \[page 76\]](#)

## 7.9 Implementing an Unmanaged Query

An unmanaged query uses an ABAP interface to implement read-only access to persistent or non-persistent data. It enables a more flexible data retrieval than using the SQL push down by the query framework to retrieve data from a database table.


### Context

An unmanaged query is implemented for read-only access to a data source whenever the standard SQL push-down by the query framework is not sufficient or not usable at all; or if there is no persistent data source at all.

Use cases for unmanaged queries are

- the data source for an OData request is not a database table, but, for example another OData service, which is reached by an OData client proxy,
- performance optimization with application specific handling,
- using AMDPs with some query push-down parameters in the SQL script implementation,
- forwarding the call to the analytical engines, or
- enrichment of query result data on property or row level, for example when splitting rows for intermediate sums or condensing the filter result.

In these cases, the data model is defined in a custom entity, which references a query implementation class, where the query is implemented using a query provider interface. The runtime of an unmanaged query is illustrated in the following diagram.



For more background information about the unmanaged query and the custom entity, see [Unmanaged Query \[page 63\]](#).

## Example Scenario

The following sections offer an example for the implementation of the query provider interface. It is aimed to give an understanding on how to work with the interface `IF_RAP_QUERY_PROVIDER`. The example query implementation retrieves data from a database table, which is not a typical use case.

### i Note

Do not use the custom query in the straight-forward case of retrieving data from a database table. The example is only used for demonstration purposes, as no background information about another technology (for example in AMDP implementations) is necessary to understand the example. The recommended implementation for such a scenario is to use a CDS view and the underlying query implementation of the SQL select by the orchestration framework.

The data model is defined in a custom entity. Expand the following codeblock to view the data model of the example scenario. For simplification reasons, the same element names as in the data source are used. (If you use differing names, you must map the elements of the custom entity to the corresponding table fields in the query implementation. Make sure that the types are compatible.)

### Custom Entity /DMO/I\_TRAVEL\_U

```
@EndUserText.label: 'Custom entity for unmanaged travel query'  
@ObjectModel.queryImplementedBy:'ABAP:/dmo/cl_travel_uq'  
define custom entity /DMO/I_TRAVEL_UQ  
{  
    key Travel_ID      : abap.numc( 8 );  
    Agency_ID        : abap.numc( 6 );  
    Customer_ID     : abap.numc( 6 );  
    Begin_Date       : abap.dats;  
    End_Date         : abap.dats;  
    Booking_Fee      : abap.dec( 17, 3 );  
    Total_Price      : abap.dec( 17, 3 );  
    Currency_Code   : abap.cuky;  
    Status          : abap.char( 1 );  
    LastChangedAt   : timestamppl;  
}
```

The annotation `@ObjectModel.query.ImplementedBy` references the query implementation class. Learn how you implement the unmanaged query for this example scenario in the following section.

The data source in the example scenario is the database table `/dmo/travel`, see [ABAP Flight Reference Scenario \[page 668\]](#).

# Implementation

Every method provided by `IF_RAP_QUERY_PROVIDER` is used and explained in this implementation. The complete source code of the query implementation with every method is displayed after the implementation steps.

## Prerequisites

- The custom entity references the query implementation class in the annotation `@ObjectModel.query.implementedBy`.
- The query implementation class implements the interface `IF_RAP_QUERY_PROVIDER` with its `select` method.

### i Note

In scenarios, in which you want to expose your custom entity for a Fiori UI, you have to include at least the implementation for counting and paging as the UI always requests the count and sets the query options `$top` and `$skip` for paging. If the corresponding methods are not implemented and the unmanaged query does not return the respective information, there will be an error during runtime.

## Implementation Steps

- Check that the query is only executed when the requested entity set matches the custom entity.  
For implementation details, see [Returning Requested Entity in an Unmanaged Query \[page 434\]](#).
- Separate your implementation for data retrieval and count.  
For implementation details, see [Requesting and Setting Data or Count in an Unmanaged Query \[page 434\]](#).
- Implement filter conditions according to
  - a requested filter,  
For implementation details, see [Implementing Filtering in an Unmanaged Query \[page 436\]](#)
  - a requested search term,  
For implementation details, see [Implementing Search in an Unmanaged Query \[page 440\]](#)
  - requested parameters.  
For implementation details, see [Using Parameters in an Unmanaged Query \[page 438\]](#).
- Get the paging information and retrieve data according to the requested page.  
For implementation details, see [Implementing Paging in an Unmanaged Query \[page 442\]](#).
- Get the sorting information and order the retrieved data according to the sort elements and direction.  
For implementation details, see [Implementing Sorting in an Unmanaged Query \[page 443\]](#).
- Get the requested elements and select only the relevant elements from the data source.  
For implementation details, see [Considering Requested Elements in an Unmanaged Query \[page 445\]](#).
- Get the aggregated and the grouped elements and aggregated and group the records accordingly.  
For implementation details, see [Implementing Aggregations in an Unmanaged Query \[page 446\]](#).

Expand the following codeblock to see that the full query implementation for the example case described earlier.

## Query Implementation Class

```

CLASS /dmo/cl_travel_uq DEFINITION
  PUBLIC
  FINAL
  CREATE PUBLIC .
  PUBLIC SECTION.
    INTERFACES if_rap_query_provider.
  PROTECTED SECTION.
  PRIVATE SECTION.
ENDCLASS.

CLASS /dmo/cl_travel_uq IMPLEMENTATION.
  METHOD if_rap_query_provider~select.
    TRY.
      CASE io_request->get_entity_id( ).
        WHEN /DMO/I_TRAVEL_UQ` .
      **query implementation for travel entity
      **filter
        DATA(lv_sql_filter) = io_request->get_filter( )-
>get_as_sql_string( ).
        TRY.
          DATA(lt_filter) = io_request->get_filter( )->get_as_ranges( ).
          CATCH cx_rap_query_filter_no_range.
            "handle exception
          ENDTRY.
      **parameters
        DATA(lt_parameters) = io_request->get_parameters( ).
        DATA(lv_next_year) = CONV
      syst_datum( cl_abap_context_info->get_system_date( ) + 365 ) .
        DATA(lv_par_filter) = | BEGIN_DATE >=
' { cl_abap_dyn_prg=>escape_quotes( VALUE #( lt_parameters[ parameter_name =
'P_START_DATE' ]-value
          DEFAULT cl_abap_context_info->get_system_date( ) ) ) }'| &&
          | AND | &&
          | END_DATE <=
' { cl_abap_dyn_prg=>escape_quotes( VALUE #( lt_parameters[ parameter_name =
'P_END_DATE' ]-value
          DEFAULT lv_next_year ) ) }'| .
        IF lv_sql_filter IS INITIAL.
          lv_sql_filter = lv_par_filter.
        ELSE.
          lv_sql_filter = |({ lv_sql_filter } AND { lv_par_filter } )| .
        ENDIF.
      **search
        DATA(lv_search_string) = io_request->get_search_expression( ).
        DATA(lv_search_sql) = |DESCRIPTION LIKE '%
{ cl_abap_dyn_prg=>escape_quotes( lv_search_string ) }%'|.
        IF lv_sql_filter IS INITIAL.
          lv_sql_filter = lv_search_sql.
        ELSE.
          lv_sql_filter = |( { lv_sql_filter } AND { lv_search_sql } )| .
        ENDIF.
      **request data
        IF io_request->is_data_requested( ).
      **paging
        DATA(lv_offset) = io_request->get.paging( )->get_offset( ).
        DATA(lv_page_size) = io_request->get.paging( )->get_page_size( ).
        DATA(lv_max_rows) = COND #( WHEN lv_page_size =
if_rap_query.paging=>page_size_unlimited
                                     THEN 0 ELSE lv_page_size ).
      **sorting
        DATA(sort_elements) = io_request->get_sort_elements( ).
        DATA(lt_sort_criteria) = VALUE string_table( FOR sort_element IN
sort_elements

```

```

        ( sort_element-
element_name && COND #( WHEN sort_element-descending = abap_true THEN `

descending` `

` ELSE ` ascending` ) ) .

DATA(lv_sort_string) = COND #( WHEN lt_sort_criteria IS INITIAL
THEN `primary key` `

ELSE concat_lines_of( table = lt_sort_criteria sep = `, ` ) ) .

**requested elements
    DATA(lt_req_elements) = io_request->get_requested_elements( ) .

**aggregate
    DATA(lt_aggr_element) = io_request->get_aggregation( )-
>get_aggregated_elements( ) .
    IF lt_aggr_element IS NOT INITIAL.
        LOOP AT lt_aggr_element ASSIGNING FIELD-
SYMBOL(<fs_aggr_element>).
            DELETE lt_req_elements WHERE table_line = <fs_aggr_element>-
result_element .
            DATA(lv_aggregation) = |{ <fs_aggr_element>-
aggregation_method }| { <fs_aggr_element>-input_element } ) as
{ <fs_aggr_element>-result_element }|.
            APPEND lv_aggregation TO lt_req_elements .
        ENDLOOP .
    ENDIF .
    DATA(lv_req_elements) = concat_lines_of( table = lt_req_elements
sep = `, ` ) .

****grouping
    DATA(lt_grouped_element) = io_request->get_aggregation( )-
>get_grouped_elements( ) .
    DATA(lv_grouping) = concat_lines_of( table = lt_grouped_element
sep = `, ` ) .

**select data
    DATA lt_travel_response TYPE STANDARD TABLE OF /dmo/i_travel_uq .
    SELECT (lv_req_elements) FROM /dmo/travel
        WHERE (lv_sql_filter)
        GROUP BY (lv_grouping)
        ORDER BY (lv_sort_string)
        INTO CORRESPONDING FIELDS OF TABLE
@lt_travel_response
        OFFSET @lv_offset UP TO @lv_max_rows ROWS .

**fill response
    io_response->set_data( lt_travel_response ) .
ENDIF .

**request count
    IF io_request->is_total numb_of_rec_requested( ) .
**select count
    SELECT COUNT( * ) FROM /dmo/travel
        WHERE (lv_sql_filter)
        INTO @DATA(lv_travel_count) .

**fill response
    io_response->set_total_number_of_records( lv_travel_count ) .
ENDIF .

WHEN `/DMO/I_BOOKING_UQ` .
**query implementation for booking entity
ENDCASE .
CATCH cx_rap_query_provider .
ENDTRY .
ENDMETHOD .
ENDCLASS .

```

## 7.9.1 Returning Requested Entity in an Unmanaged Query

Getting the requested entity ID into your query implementation class can be helpful to ensure that the query is only executed if a specific entity is queried. You can also differentiate between query implementations of different custom entities in one query implementation class. The interface `IF_RAP_QUERY_REQUEST` provides a method to get the entity ID, which is requested.

### Prerequisites

For general prerequisites of an unmanaged query implementation, see [Prerequisites Unmanaged Query \[page 431\]](#).

### Implementation Steps

The following steps provide an example on how to use the method `get_entity_id` in your query implementation class.

1. Call the method `get_entity_id` of the interface `IF_RAP_QUERY_REQUEST`, which returns the requested CDS entity name.
2. Use the returned value to compare to the custom entity the query implementation is aimed at, or to define query implementation for different custom entities in one query implementation class.

The following codeblock illustrates the implementation within the `SELECT` method of `IF_RAP_QUERY_PROVIDER` in the query implementation class.

```
CASE io_request->get_entity_id( ).  
    WHEN `/DMO/I_TRAVEL_UQ` .  
    ****query implementation for travel entity  
        WHEN `/DMO/I_BOOKING_UQ` .  
    ****query implementation for booking entity  
ENDCASE.
```

For API information, see [Method `get\_entity\_id` \[page 636\]](#).

## 7.9.2 Requesting and Setting Data or Count in an Unmanaged Query

The interface `IF_RAP_QUERY_REQUEST` provides methods to indicate whether data or the count is requested. These methods can be used to separate the implementations for data retrieval and count or to ensure that the query implementation is only executed if the respective request is made.

The interface `IF_RAP_QUERY_RESPONSE` provides methods to return the requested data or the count as a response for the request.

## i Note

If data is requested, the method `set_data` must be called. If the total number of records is requested, the method `set_total_number_of_records` must be called. Otherwise there will be an error during runtime.

In UI scenarios with Fiori Elements the total number of records is always requested by the UI.

## Prerequisites

For general prerequisites of an unmanaged query implementation, see [Prerequisites Unmanaged Query \[page 431\]](#).

## Implementation Steps

### Requesting and Setting Data

The following steps provide an example on how to use the method `is_data_requested` in your query implementation class.

1. Call the method `is_data_requested` of the interface `IF_RAP_QUERY_REQUEST`, which returns a boolean value.
2. Create the SQL `SELECT` to retrieve the requested data into a local variable.
3. Call the method `set_data` of the interface `IF_RAP_QUERY_RESPONSE` and use the retrieved data as importing parameter. The result is then returned to the OData client, for example the SAP Fiori Elements UI.

The following codeblock illustrates the implementation for data requests within the `select` method of `IF_RAP_QUERY_PROVIDER` in the query implementation class..

```
IF io_request->is_data_requested( ).  
  DATA lt_travel_response TYPE STANDARD TABLE OF /dmo/i_travel_uq.  
    SELECT * FROM /dmo/travel  
      INTO CORRESPONDING FIELDS OF TABLE @lt_travel_response.  
    io_response->set_data( lt_travel_response ).  
ENDIF.
```

For API information, see [Method `is\_data\_requested` \[page 636\]](#) and [Method `set\_data` \[page 647\]](#).

### Requesting and Setting Count

The following steps provide an example on how to use the method `is_total numb of rec requested` in your query implementation class.

1. Call the method `is_total numb of rec requested` of the interface `IF_RAP_QUERY_REQUEST`, which returns a boolean value.
2. Create the SQL `SELECT` to retrieve the requested count into a local variable.

- Call the method `set_total_number_of_records` of the interface `IF_RAP_QUERY_RESPONSE` and use the retrieved data as importing parameter. The count is then returned to the OData client, for example the SAP Fiori Elements UI.

The following codeblock illustrates the implementation for data requests within the `select` method of `IF_RAP_QUERY_PROVIDER` in the query implementation class. .

```
IF io_request->is_total_numb_of_rec_requested( ).  
    SELECT COUNT( * ) FROM /dmo/travel  
        INTO @DATA(lv_travel_count).  
    io_response->set_total_number_of_records( lv_travel_count ).  
ENDIF.
```

For API information, see [Method `is\_total\_numb\_of\_rec\_requested` \[page 637\]](#) and [Method `set\_total\_number\_of\_records` \[page 647\]](#).

## 7.9.3 Implementing Filtering in an Unmanaged Query

To retrieve filtered data or a filtered number of records in an unmanaged query, you need to implement a filter in the query implementation class. The interface `IF_RAP_QUERY_REQUEST` provides a method to get the filter for the request with two options to retrieve the filter conditions:

- Get the filter condition as an SQL string.
- Get the filter condition in a range table.

Depending on your use case, the one or the other option is more useful. If you retrieve your data from the data source with an `SQL SELECT`, you can include the SQL filter string directly in the `WHERE` clause of the `SELECT` statement. If you want to manipulate the filter conditions before executing the filter, a range table can be the better choice.

### i Note

The method that returns the filter as a range table throws an exception if the filter is not feasible as a range table.

## Prerequisites

For general prerequisites of an unmanaged query implementation, see [Prerequisites Unmanaged Query \[page 431\]](#).

## Implementation Steps

### Using the Filter as an SQL String

The following steps provide an example on how to use the method `get_as_sql_string` in your query implementation class.

1. Call the method `get_filter` of the interface `IF_RAP_QUERY_REQUEST`, which returns an interface instance of `IF_RAP_QUERY_FILTER`. Use the method `get_as_sql_string` to use the filter directly in an SQL string.
2. Check if data is requested.
3. Use the filter condition in the `WHERE` clause of the SQL statement to retrieve the filtered data from the data source.
4. Call the method `set_data` of the interface `IF_RAP_QUERY_RESPONSE` to respond to the OData request with the filtered data. The filtered result is then returned to the OData client, for example the SAP Fiori Elements UI.
5. Check if count is requested.
6. Use the filter condition in the `WHERE` clause of the SQL statement to retrieve the count for the data records that match the request.
7. Call the method `set_total_number_of_records` of the interface `IF_RAP_QUERY_RESPONSE` to respond to the OData request with the filtered count. The filtered result is then returned to the OData client, for example the SAP Fiori Elements UI.

The following codeblock illustrates the filter implementation within the `select` method of `IF_RAP_QUERY_PROVIDER` in the query implementation class.

```

DATA(lv_sql_filter) = io_request->get_filter( )->get_as_sql_string( ).
IF io_request->is_data_requested( ).
  DATA lt_travel_response TYPE STANDARD TABLE OF /dmo/i_travel_uq.
  SELECT * FROM /dmo/travel
    WHERE (lv_sql_filter)
    ORDER BY ('primary key')
    INTO CORRESPONDING FIELDS OF TABLE @lt_travel_response.
  io_response->set_data( lt_travel_response ).
ENDIF.
IF io_request->is_total_numb_of_rec_requested( ).
  SELECT COUNT( *) FROM /dmo/travel
    WHERE (lv_sql_filter)
    INTO @DATA(lv_travel_count).
  io_response->set_total_number_of_records( lv_travel_count ).
ENDIF.

```

### i Note

It is recommended to implement a default sort order to return consistent results from the data source.

For API information, see [Method `get\_filter` \[page 637\]](#).

## Getting the Filter as Ranges Table

The following steps provide an example on how to use the method `get_as_ranges` in your query implementation class.

1. In a `TRY - CATCH` block, call the method `get_filter` of the interface `IF_RAP_QUERY_REQUEST`, which returns an interface instance of `IF_RAP_QUERY_REQUEST`. Use the method `get_as_ranges` to get the filter as a ranges table.
2. Raise the exception `CX_RAP_QUERY_FILTER_NO_RANGE` in case the filter cannot be expressed as ranges.

```

TRY.
  DATA(lt_ranges) = io_request->get_filter( )->get_as_ranges( ).
****filter manipulation
  CATCH cx_rap_query_filter_no_range.
  ""error handling

```

```
ENDTRY.
```

For API information, see [Method get\\_filter \[page 637\]](#).

## 7.9.4 Using Parameters in an Unmanaged Query

To retrieve data dependent on an entity parameter that is set in the custom entity, you need to implement a handling for the parameters in the query implementation class. The interface `IF_RAP_QUERY_REQUEST` provides a method to get the parameters. It returns a string table with the parameter names and values.

It is up to the application developer how to implement the parameter logic. One option is to implement the parameters as filter criteria. To use the parameter values as a filter in the `WHERE` clause of an SQL `SELECT` statement, you need to create a filter string from the parameter values.

The interface `IF_RAP_QUERY_RESPONSE` provides a method to set the filtered data or the filtered total number of records for the query response after retrieving data from the data source.

### Prerequisites

- The custom entity has one or more entity parameters.

#### ❖ Example

```
define custom entity /DMO/I_Travel_UQ
with parameters p_start_date : /dmo/begin_date,
      p_end_date   : /dmo/end_date
```

- For general prerequisites of an unmanaged query implementation, see [Prerequisites Unmanaged Query \[page 431\]](#).

### Implementation Steps

The following steps describe the procedure of using parameters as additional filter criteria. The parameters `p_start_date` and `p_end_date` are used as a filter on the elements `Begin_Date` and `End_Date`.

1. Call the method `get_parameters` of the interface `IF_RAP_QUERY_REQUEST`, which returns a string table of the parameters and their values.
2. Define default parameter values in case the parameters are not given in the request. The implementation example uses the system date for `Begin_Date` and the system date the following year for `End_Date`.
3. Define a variable for the filter string and fill it with the filter condition for the SQL `WHERE` clause on the element `Begin_Date` and `End_Date` and integrate the default values.

## i Note

To avoid security risks via SQL string injections, use the method `escape_quotes` of the public class `CL_ABAP_DYN_PRG`.

4. If there are other filter conditions (from filter requests or parameters), concatenate the filter strings with AND.
5. Check if data is requested.
6. Use the filter condition in the WHERE clause of the SQL statement to retrieve the filtered data from the data source.
7. Call the method `set_data` of the interface `IF_RAP_QUERY_RESPONSE` to respond to the OData request with the filtered data. The filtered result is then returned to the OData client, for example the SAP Fiori Elements UI.
8. Check if count is requested.
9. Use the filter condition in the WHERE clause of the SQL statement to retrieve the count for the data records that match the request.
10. Call the method `set_total_number_of_records` of the interface `IF_RAP_QUERY_RESPONSE` to respond to the OData request with the filtered count. The filtered result is then returned to the OData client, for example the SAP Fiori Elements UI.

The following codeblock illustrates an implementation for parameters within the `select` method of `IF_RAP_QUERY_PROVIDER` in the query implementation class.

```
DATA(lt_parameters) = io_request->get_parameters( ).  
DATA(lv_next_year) = CONV  
syst_datum( cl_abap_context_info->get_system_date( ) + 365 ) .  
DATA(lv_par_filter) = |( BEGIN_DATE >=  
'{ cl_abap_dyn_prg=>escape_quotes( VALUE #( lt_parameters[ parameter_name =  
'P_START_DATE' ]-value  
  
DEFAULT cl_abap_context_info->get_system_date( ) ) }'| &&  
| AND | &&  
| END_DATE <= '{ cl_abap_dyn_prg=>escape_quotes( VALUE  
#( lt_parameters[ parameter_name = 'P_END_DATE' ]-value  
  
DEFAULT lv_next_year ) ) }'| .  
IF lv_sql_filter IS INITIAL.  
lv_sql_filter = lv_par_filter.  
ELSE.  
lv_sql_filter = |( { lv_sql_filter } AND { lv_par_filter } )| .  
ENDIF.  
IF io_request->is_data_requested( ).  
DATA lt_travel_response TYPE STANDARD TABLE OF /dmo/i_travel_uq.  
SELECT * FROM /dmo/travel  
WHERE (lv_sql_filter)  
ORDER BY ('primary key')  
INTO CORRESPONDING FIELDS OF TABLE @lt_travel_response  
io_response->set_data( lt_travel_response ).  
ENDIF.  
IF io_request->is_total numb_of_rec_requested( ).  
SELECT COUNT( * ) FROM /dmo/travel  
WHERE (lv_sql_filter)  
INTO @DATA(lv_travel_count).  
io_response->set_total_number_of_records( lv_travel_count ).  
ENDIF.
```

#### i Note

It is recommended to implement a default sort order to return consistent results from the data source.

For API information, see [Method `get\_parameters` \[page 639\]](#).

## 7.9.5 Implementing Search in an Unmanaged Query

To retrieve data according to the search term in the OData request, you need to implement a search logic in your query implementation class. The interface `IF_RAP_QUERY_REQUEST` provides a method to get the search expression from the request.

It is up to the application developer how the search logic is implemented. One option is to use the search expression as (additional) filter criteria for one or more elements. To use the search expression as a filter in the `WHERE` clause of an SQL `SELECT` statement, you need to create a filter string from the search expression and combine it with other possible filter strings.

The interface `IF_RAP_QUERY_RESPONSE` provides a method to set the filtered data for the query response after retrieving data from the data source.

### Prerequisites

- For general prerequisites of an unmanaged query implementation, see [Prerequisites Unmanaged Query \[page 431\]](#).
- To send query requests with search conditions from a Fiori Elements UI, you need to annotate the custom entity with `@Search searchable: true`.

#### i Note

The annotation `@Search searchable: true` requires using the annotation `@Search.defaultSearchElement: true` on at least one element in the custom entity. This element annotation does not have any influence on the search, as it is up to the application developer on which element(s) the search logic is implemented.

### Implementation Steps

The following steps provide an example on how to implement the search as a filter for the element `Description`. If a filter is also requested, you need to ensure that the SQL filter string has the right syntax for the SQL `SELECT` statement.

1. Check if data is requested.
2. Call the method `get_search_expression` of the interface `IF_RAP_QUERY_REQUEST`, which returns a string of the requested search expression.

3. Create the filter string for the WHERE clause of SQL SELECT statement with the filter for the element Description.

**i Note**

To avoid security risks via SQL string injections use the method `escape_quotes` of the public class `CL_ABAP_DYN_PRG`.

4. If there are other filter conditions (from filter requests or parameters), concatenate the filter strings with AND.
5. Check if data is requested.
6. Use the filter condition in the WHERE clause of the SQL statement to retrieve the filtered data from the data source.
7. Call the method `set_data` of the interface `IF_RAP_QUERY_RESPONSE` to respond to the OData request with the filtered data. The filtered result is then returned to the OData client, for example the SAP Fiori Elements UI.
8. Check if count is requested.
9. Use the filter condition in the WHERE clause of the SQL statement to retrieve the count for the data records that match the request.
10. Call the method `set_total_number_of_records` of the interface `IF_RAP_QUERY_RESPONSE` to respond to the OData request with the filtered count. The filtered result is then returned to the OData client, for example the SAP Fiori Elements UI.

The following codeblock illustrates the search implementation within the `select` method of `IF_RAP_QUERY_PROVIDER` in the query implementation class.

```

DATA(lv_search_string) = io_request->get_search_expression( ).
DATA(lv_search_sql) = '|DESCRIPTION LIKE %'.
{ cl_abap_dyn_prg=>escape_quotes( lv_search_string ) }%'|.
  IF lv_sql_filter IS INITIAL.
    lv_sql_filter = lv_search_sql.
  ELSE.
    lv_sql_filter = |( { lv_sql_filter } AND { lv_search_sql } )|.
  ENDIF.
IF io_request->is_data_requested( ).
  DATA lt_travel_response TYPE STANDARD TABLE OF /dmo/i_travel_uq.
  SELECT * FROM /dmo/travel
    WHERE (lv_sql_filter)
    ORDER BY ('primary key')
    INTO CORRESPONDING FIELDS OF TABLE @lt_travel_response
  io_response->set_data( lt_travel_response ).
ENDIF.
IF io_request->is_total_numb_of_rec_requested( ).
  SELECT COUNT( * ) FROM /dmo/travel
    WHERE (lv_sql_filter)
    INTO @DATA(lv_travel_count).
  io_response->set_total_number_of_records( lv_travel_count ).
ENDIF.

```

**i Note**

It is recommended to implement a default sort order to return consistent results from the data source.

For API information, see [Method `get\_search\_expression` \[page 640\]](#).

## 7.9.6 Implementing Paging in an Unmanaged Query

To retrieve data in packages, you need to implement paging in the query implementation class. The interface `IF_RAP_QUERY_REQUEST` provides a method to get the paging information. It returns an interface instance of `IF_RAP_QUERY_PAGING` with two methods for the beginning and the number of records to be retrieved.

The method `get_offset` defines the number of records that are dropped.

### i Note

In accordance to the OData query option `$skip`, the method `get_offset` does not return the position of the first data record to retrieve, but the number of records that are not taken into account before the retrieval starts. That means, the first line of the data source that is retrieved is the returning value of `get_offset` plus 1.

### i Note

For retrieving all available data records, the method `get_page_size` returns the constant `page_size_unlimited` of the interface `IF_RAP_QUERY_PRAGING`. This has to be converted when using the paging information in an SQL string.

The method `get_page_size` defines the number of records that are retrieved.

The paging information can then be used in the `OFFSET` and the `UP TO n ROWS` clause of the SQL `SELECT` statement.

The interface `IF_RAP_QUERY_RESPONSE` provides a method to set the reduced data records for the query response after retrieving data from the data source.

## Prerequisites

For general prerequisites of an unmanaged query implementation, see [Prerequisites Unmanaged Query \[page 431\]](#)

## Implementation Steps

The following steps provide an example on how to implement paging.

1. Call the method `get_paging` of the interface `IF_RAP_QUERY_REQUEST`, which returns an interface instance of `IF_RAP_QUERY_PAGING`. Use the method `get_offset` to get the number of records to drop into a local variable.
2. Call the method `get_paging` of the interface `IF_RAP_QUERY_REQUEST`, which returns an interface instance of `IF_RAP_QUERY_PAGING`. Use the method `get_page_size` to get the number of records to retrieve.
3. Convert the number for infinite numbers of records to be compatible with the definition of the SQL `SELECT` statement to retrieve an infinite number.

### i Note

The SQL SELECT addition UP TO 0 ROWS retrieves all available data sets.

4. Use the additions OFFSET and UP TO n ROWS in the SQL SELECT to retrieve the data records in packages.
5. Call the method `set_data` of the interface `IF_RAP_QUERY_RESPONSE` to respond to the OData request with the reduced data records. The filtered result is then returned to the OData client, for example the SAP Fiori Elements UI.

The following codeblock illustrates the paging implementation within the `select` method of `IF_RAP_QUERY_PROVIDER` in the query implementation class.

```
IF io_request->is_data_requested( ).  
    DATA(lv_offset) = io_request->get_paging( )->get_offset( ).  
    DATA(lv_page_size) = io_request->get_paging( )->get_page_size( ).  
    DATA(lv_max_rows) = COND #( WHEN lv_page_size =  
        if_rap_query_paging->page_size_unlimited THEN 0  
            ELSE lv_page_size )..  
    DATA lt_travel_response TYPE STANDARD TABLE OF /dmo/i_travel_uq.  
    SELECT * FROM /dmo/travel  
        ORDER BY ('primary key')  
        INTO CORRESPONDING FIELDS OF TABLE @lt_travel_response  
        OFFSET @lv_offset UP TO @lv_max_rows ROWS.  
    io_response->set_data( lt_travel_response ).  
ENDIF.
```

### i Note

It is required to implement a default sort order to return consistent results from the data source. Sorted results are essential in combination with paging. If you do not provide a default order, the data records for a certain page might not be consistent.

For API information, see [Method `get\_paging` \[page 638\]](#).

## 7.9.7 Implementing Sorting in an Unmanaged Query

To retrieve sorted data in an unmanaged query, you need to add sorting criteria to the SQL SELECT statement. The interface `IF_RAP_QUERY_REQUEST` provides a method to get the sort element and the sort order for the request.

The method returns an ordered list of elements with their sort order. If there is more than one sort element, the sorting priority is in order of appearance. To use the sorting criteria in an SQL SELECT clause, the sorting criteria has to be transformed into a string that has comma-separated pairs of sort element and sort order.

Whereas `abap.bool` indicates the sort order for the element `descending` in the sorted table that you get from the query request, the sort order must be indicated with the string `ascending` or `descending` in the `ORDER BY` clause of the SQL statement.

### • Example

The string for the SQL select statement must look like `element1 ascending , element2 descending, ...`.

The interface `IF_RAP_QUERY_RESPONSE` provides a method to set the sorted data for the query response after retrieving the data records from the data source.

## Prerequisites

For general prerequisites of an unmanaged query implementation, see [Prerequisites Unmanaged Query \[page 431\]](#).

## Implementation Steps

The following steps provide an example on how to implement sorting criteria.

1. Call the method `get_sort_elements` of the interface `IF_RAP_QUERY_REQUEST`, which returns an ordered list of sort elements with the respective sort direction.
2. Write the elements of the returning value into a string table and map `abap.bool` to '`ascending`' or '`descending`' respectively.
3. Concatenate the lines of the string table with comma separation into a string variable.
4. To achieve a consistent result if there is a query request with initial sort order, provide a default sort order, for example '`primary key`'.
5. Use the sort condition in the `ORDER BY` clause of the SQL select.
6. Call the method `set_data` of the interface `IF_RAP_QUERY_RESPONSE` to respond to the OData request with the sorted data. The sorted result is then returned to the OData client, for example the SAP Fiori Elements UI.

The following codeblock illustrates the sort implementation within the `select` method of `IF_RAP_QUERY_PROVIDER` in the query implementation class.

```
IF io_request->is_data_requested( ).  
  DATA(sort_elements) = io_request->get_sort_elements( ).  
  DATA(lt_sort_criteria) = VALUE string_table( FOR sort_element IN  
sort_elements  
   ( sort_element-element_name &&  
COND #( WHEN sort_element-descending = abap_true  
      THEN ` descending`  
      ELSE ` ascending` ) ) ).  
  DATA(lv_sort_string) = COND #( WHEN lt_sort_criteria IS INITIAL THEN  
`primary key`  
                           ELSE  
concat_lines_of( table = lt_sort_criteria sep = `, ` ) ).  
  DATA lt_travel_response TYPE STANDARD TABLE OF /dmo/i_travel_uq.  
  SELECT * FROM /dmo/travel  
    ORDER BY (lv_sort_string)  
    INTO CORRESPONDING FIELDS OF TABLE @lt_travel_response.  
  io_response->set_data( lt_travel_response ).  
ENDIF.
```

For API information, see [Method `get\_sort\_elements` \[page 638\]](#).

## 7.9.8 Considering Requested Elements in an Unmanaged Query

You can optimize the performance for your unmanaged query you can add an implementation to retrieve only the elements that are requested in the OData request. If you do not specify requested element, the query retrieves the value for every element in the custom entity.

To retrieve only the elements that are requested in the OData request, you need to implement an element restriction in the SQL `SELECT` statement. The interface `IF_RAP_QUERY_PROVIDER` provides a method to get the requested elements for the request.

To select only the requested element in the SQL `SELECT` clause, you must transform the requested elements into a string with comma separations.

The interface `IF_RAP_QUERY_RESPONSE` provides a method to set the data for the query response after retrieving the relevant data from the data source.

### Prerequisites

For general prerequisites of an unmanaged query implementation, see [Prerequisites Unmanaged Query \[page 431\]](#).

### Implementation Steps

The following steps provide an example on how to select only the requested elements from a data source.

1. Check if data is requested.
2. Call the method `get_requested_elements` of the interface `IF_RAP_QUERY_REQUEST`, which returns a table with the requested elements.
3. Concatenate the lines of the table with comma separation into a string variable.
4. Include the string variable in the SQL `SELECT` clause to retrieve only the requested elements from the data source.
5. Call the method `set_data` of the interface `IF_RAP_QUERY_RESPONSE` to respond to the OData request with the requested elements. The result is then returned to the OData client, for example the SAP Fiori Elements UI.

The following codeblock illustrates the implementation to retrieve only the requested elements within the `select` method of `IF_RAP_QUERY_PROVIDER` in the query implementation class.

```
IF io_request->is_data_requested( ).  
  DATA(lt_req_elements) = io_request->get_requested_elements( ).  
  DATA(lv_req_elements)  = concat_lines_of( table = lt_req_elements sep = `,  
  ` ).  
  DATA lt_travel_response TYPE STANDARD TABLE OF /dmo/i_travel_uq.  
  SELECT (lv_req_elements) FROM /dmo/travel  
    ORDER BY ('primary key')  
    INTO CORRESPONDING FIELDS OF TABLE  
  @lt_travel_response.
```

```
    io_response->set_data( lt_travel_response ).  
ENDIF.
```

### i Note

It is recommended to implement a default sort order to return consistent results from the data source.

For API information, see [Method `get\_requested\_elements` \[page 641\]](#).

## 7.9.9 Implementing Aggregations in an Unmanaged Query

To retrieve aggregate data, you need to implement a logic to retrieve and group data according to the requested aggregations in the OData request. The interface `IF_RAP_QUERY_REQUEST` provides a method to get the aggregation information. It returns an interface instance of `IF_RAP_QUERY_AGGREGATION` with two methods to get the elements to be aggregated or grouped.

To select the requested elements according to the requested aggregation, you need to transform the requested aggregation elements into an aggregation string for the SQL `SELECT`. The aggregation string must look as follows:

```
<AGGR_METHOD> ( <aggr_element> ) as <result_element>
```

For more information about aggregate functions in SQL expressions, see [ABAP SQL -Aggregate Expressions `agg\_exp` \(ABAP Keyword Documentation\)](#).

To avoid double selecting the result element, you need to delete it from the list of elements that are requested as the aggregation string is used in the SQL `SELECT` together with the other requested elements.

To group the response data by the requested grouped elements, you need to create an SQL string for the SQL `GROUP BY` clause.

The interface `IF_RAP_QUERY_RESPONSE` provides a method to set the aggregated and grouped data for the query response after retrieving data from the data source.

## Prerequisites

- For general prerequisites of an unmanaged query implementation, see [Prerequisites Unmanaged Query \[page 431\]](#).
- To use aggregation in a Fiori Elements UI and send requests for aggregate values, you need to annotate the related elements with `@Aggregation.default: <aggr_method>`.

## Implementation Steps

This procedure combines the implementation of requested elements and aggregation, as both are used in the select list of the SQL SELECT. The steps also provide an example on how to use the grouped elements in the SQL SELECT.

1. Check if data is requested.
2. Call the method `get_requested_elements` of the interface `IF_RAP_QUERY_REQUEST`, which returns a table with the requested elements.
3. Call the method `get_aggregation` of the interface `IF_RAP_QUERY_REQUEST`, which returns an interface instance of `IF_RAP_QUERY_AGGREGATION`. Use the method `get_aggregated_elements`, which returns a list of the elements to be aggregated, their respective aggregation method and the result element for the aggregated value.
4. Delete the result element from the requested elements.
5. Create the aggregation string for the SQL SELECT with the aggregation method, the element to be aggregated and the result element.
6. Append the aggregation string to the string of requested elements.
7. Call the method `get_aggregation` of the interface `IF_RAP_QUERY_REQUEST`, which returns an interface instance of `IF_RAP_QUERY_AGGREGATION`. Use the method `get_grouped_elements`, which returns a list of the elements that are requested as group reference.
8. Concatenate the lines of the string table with comma separation into a string variable.
9. Use the requested elements in the select list of the SQL SELECT.
10. Use the string with the grouped elements in the `GROUP BY` clause of the SELECT statement.

The following codeblock illustrates the implementation for aggregation and grouping `select` method of `IF_RAP_QUERY_PROVIDER` in the query implementation class.

```
IF io_request->is_data_requested( ).  
    DATA(lt_req_elements) = io_request->get_requested_elements( ).  
    DATA(lt_aggr_element) = io_request->get_aggregation( )-  
>get_aggregated_elements( ).  
    IF lt_aggr_element IS NOT INITIAL.  
        LOOP AT lt_aggr_element ASSIGNING FIELD-SYMBOL(<fs_aggr_element>).  
            DELETE lt_req_elements WHERE table_line = <fs_aggr_element>-  
result_element.  
            DATA(lv_aggregation) = |{ <fs_aggr_element>-aggregation_method }  
( { <fs_aggr_element>-input_element } ) as { <fs_aggr_element>-result_element } |.  
            APPEND lv_aggregation TO lt_req_elements.  
        ENDLOOP.  
    ENDIF.  
    DATA(lv_req_elements) = concat_lines_of( table = lt_req_elements sep =  
'`' ).  
    DATA(lt_grouped_element) = io_request->get_aggregation( )-  
>get_grouped_elements( ).  
    DATA(lv_grouping) = concat_lines_of( table = lt_grouped_element sep =  
'`' ).  
    DATA lt_travel_response TYPE STANDARD TABLE OF /dmo/i_travel_uq.  
    SELECT (lv_req_elements) FROM /dmo/travel  
        GROUP BY (lv_grouping)  
        ORDER BY ('primary key')  
        INTO CORRESPONDING FIELDS OF TABLE  
    @lt_travel_response.  
        io_response->set_data( lt_travel_response ).  
    ENDIF.
```

**i Note**

It is recommended to implement a default sort order to return consistent results from the data source.

**i Note**

For API information, see [Method get\\_aggregation \[page 640\]](#).

# 8 Reference

## 8.1 CDS Annotations

The following list summarizes all SAP annotations of the Data Definition Language (DDL) of ABAP CDS that are released for **ABAP Cloud Platform**.

SAP CDS annotations are evaluated by SAP frameworks and can be either ABAP annotations or framework-specific annotations.

### ABAP CDS - ABAP Annotations

CDS annotations that are evaluated by **ABAP runtime**:

- AbapCatalog Annotations
- AccessControl Annotations
- ClientHandling Annotations
- EndUserText Annotations
- Environment Annotations
- MappingRole Annotations
- Metadata Annotations
- Semantics Annotations

See also: [ABAP CDS - View Annotations \(ABAP Keyword Documentation\)](#)

→ Tip

To access help for an ABAP annotation, position the cursor on the relevant annotation in the DDL editor and choose **F1**.

### Framework-Specific Annotations

Framework-specific CDS annotations (as a rule) are exposed for OData and evaluated during runtime.

If annotations are also or only interpreted by specific frameworks, such as **Analytics** or **Enterprise Search**, it is indicated explicitly in the annotation description.

- [AccessControl Annotations \[page 450\]](#)
- [Consumption Annotations \[page 475\]](#)
- [ObjectModel Annotations \[page 478\]](#)
- [OData Annotations \[page 480\]](#)

- [Search Annotations \[page 507\]](#)
- [Semantics Annotations \[page 511\]](#)
- [UI Annotations \[page 514\]](#)

## Related Information

[CDS Annotation Syntax](#)

### 8.1.1 AccessControl Annotations

Enable application developers to define how the authorization check for a CDS entity is executed

#### Scope and Definition

```
@Scope: [#VIEW, #TABLE_FUNCTION]
AccessControl.authorizationCheck : String(20) enum { NOT_REQUIRED; NOT_ALLOWED;
CHECK; PRIVILEGED_ONLY; } default #CHECK;
```

#### Usage

Annotation	Meaning
AccessControl.authorizationCheck	This element defines the behavior of the authorization check. <b>Scope:</b> [#VIEW]  <b>Engine Behavior:</b> The runtime and design-time engines handle the authorization check based on the value of the element.  <b>Values:</b>
<hr/>	
Value	Description
#NOT_REQUIRED	During the authorization runtime, an authorization check is executed if a DCL role exists for the entity. If no role exists there is no check and no protection. This behavior is the same behavior at runtime as for value #CHECK. However in this case it is intended by the developer that no role exists.  During development, no warning occurs when activating the entity.

Annotation	Meaning
#NOT_ALLOWED	During the authorization runtime, no authorization check is executed.
	During development, a warning occurs if a developer activates a role for an entity, which has this annotation value.
#CHECK	During the authorization runtime, an authorization check is executed if a DCL role exists for the entity. If no role exists there is no check and no protection.
	During development, a warning occurs if a developer activates the entity and no DCL role exists for the entity. This value is the default value.

#### NOTE

The value #NOT\_REQUIRED is recommended for entities for which no authorization checks are planned yet, but might be needed by the developer or customer later. To prohibit roles for the entity, use the value #NOT\_ALLOWED.

#### Example

When the developer activates the following DDL document, since an authorization check is not required, ABAP development tools do not produce a warning. It does not matter whether a role exists for the entity or not.

At runtime, if there is a role for the entity, then ABAP performs an authorization check with the role. If there is no role, there is no check and no protection for the entity.

##### Sample Code

```
@AbapCatalog.sqlViewName: 'DEMO_CDS_PRJCTN'
@AccessControl.authorizationCheck: #NOT_REQUIRED
define view demo_cds_spfli
  as select from spfli
    { key spfli.carrid,
      key spfli.connid,
      spfli.cityfrom,
      spfli.cityto }
```

## 8.1.2 Aggregation Annotations

Specifies aggregation behavior at element level

### Scope and Definition

```
@Scope:[#ELEMENT]
annotation Aggregation
{
    default: String(30) enum
    {
        NONE;
        SUM;
        MIN;
        MAX;
        AVG;
        COUNT_DISTINCT;
        NOP;
        FORMULA;
    };
    exception : String( 30) enum
    {
        SUM;
        MIN;
        MAX;
        AVG;
        COUNT;
        COUNT_DISTINCT;
        FIRST;
        LAST;
        STANDARD_DEVIATION;
        VARIANCE;
        MEDIAN;
        NHA;
    };
    referenceElement : array of ElementRef;
};
```

### Usage

With this annotation, you can specify the aggregation behaviour of elements in generic usage like analytic manager or ODATA. Elements without default aggregation or with `Aggregation.default: #NONE` will not be aggregated and will be used in `GROUP BY` for aggregating access. Elements that can be aggregated are known as *measures*.

Annotation	Meaning										
Aggregation.default	<p><b>Scope:</b> [ELEMENT]</p> <p><b>Evaluation Runtime (Engine):</b> This annotation will be interpreted by the <b>analytic manager</b>. Use all values for this annotation only for fields of numeric type. Exception is NONE: It has to be used for all string-like elements.</p> <p><b>Values:</b></p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td>SUM</td><td>The total (sum) of all values in this column is shown in the result line.</td></tr> <tr> <td>MAX</td><td>The highest value of all calculated values in this column is shown in the result line.</td></tr> <tr> <td>MIN</td><td>The lowest value of all calculated values in this column is shown in the result line.</td></tr> <tr> <td>AVG</td><td>The average of all values is calculated.</td></tr> </tbody> </table> <div style="background-color: #f0f0f0; padding: 10px;"> <p><b>i Note</b></p> <p>The analytic manager allows AVG only together with Aggregation.referenceElement and exactly one element in this list. Aggregation:  <code>{ default: #AVG , referenceElement: &lt;element&gt; }</code> behaves like Aggregation:  <code>{ default: #SUM, exception: #AVG , referenceElement: &lt;element&gt; }.</code></p> </div>	Value	Description	SUM	The total (sum) of all values in this column is shown in the result line.	MAX	The highest value of all calculated values in this column is shown in the result line.	MIN	The lowest value of all calculated values in this column is shown in the result line.	AVG	The average of all values is calculated.
Value	Description										
SUM	The total (sum) of all values in this column is shown in the result line.										
MAX	The highest value of all calculated values in this column is shown in the result line.										
MIN	The lowest value of all calculated values in this column is shown in the result line.										
AVG	The average of all values is calculated.										
COUNT	<p>The number of rows is calculated.</p> <div style="background-color: #f0f0f0; padding: 10px;"> <p><b>i Note</b></p> <p>The analytic manager allows COUNT only together with Aggregation.referenceElement and exactly one element in this list. Aggregation:  <code>{ default: #COUNT , referenceElement: &lt;element&gt; }</code> behaves like Aggregation:  <code>{ default: #SUM, exception: #COUNT_DISTINCT , referenceElement: &lt;element&gt; }.</code></p> </div>										

Annotation	Meaning
COUNT_DISTINCT	<p>The number of distinct values is calculated.</p> <p><b>i Note</b></p> <p>The analytic manager allows COUNT_DISTINCT only together with Aggregation.referenceElement and exactly one element in this list. Aggregation:  { default: #COUNT_DISTINCT ,  referenceElement: &lt;element&gt; } behaves like  Aggregation: { default: #SUM,  exception: #COUNT_DISTINCT ,  referenceElement: &lt;element&gt; }.</p>
FORMULA	<p>The value FORMULA indicates that the element is a formula. This has to be calculated after the operands have been determined by aggregation or calculation. It should never be aggregated.</p> <p><b>i Note</b></p> <p>This can only be used in views with Analytics.query: true.</p> <p><b>• Example</b></p> <p>Margin := Revenue / Cost. If Margin should be shown per OrgUnit in a report, the aggregates of Revenue and Cost have to be determined per OrgUnit first, and then the Margin has to be calculated per OrgUnit.</p>
NONE	<p>This value indicates that the element is not a measure. Usually these elements are used in filters and GROUP_BY statements.</p>
NOP	<p>The result of the aggregation is the value of the record if exactly one record goes into the aggregation. Otherwise, the result is the special value NOP.</p>

Annotation	Meaning										
Aggregation.exception	<p>Exception aggregation is always performed in addition to default aggregation, which must not be equal to #NONE. It is not an alternative to default aggregation. This means that data is first aggregated through the default aggregation grouped by the reference elements, and then aggregated with the exception aggregation.</p> <div style="background-color: #f0f8ff; padding: 10px;"> <p><b>i Note</b></p> <p>If you want to use Aggregation.exception, you have to define Aggregation.default (not equal to NONE) and Aggregation.referenceElement in order to define the granularity with which the aggregation rule is applied.</p> </div> <p><b>Scope:</b> [ELEMENT]</p> <p><b>Evaluation Runtime (Engine):</b> This annotation will be interpreted by the <b>analytic manager</b>. Be aware that you cannot use this annotation in analytic queries (Analytics.query: true). You can use the more powerful annotation AnalyticsDetails.exceptionAggregationSteps there instead.</p> <p><b>Values:</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Value</th> <th style="text-align: left;">Description</th> </tr> </thead> <tbody> <tr> <td>SUM, MAX, MIN, AVG, COUNT, COUNT_DISTINCT</td> <td>All these values determine the aggregation of the measure in the same way as SUM, MAX, MIN, AVG, COUNT, COUNT_DISTINCT in Aggregation.default.</td> </tr> <tr> <td>FIRST, LAST</td> <td>These values indicates that the first or last value in relation to the reference characteristic is shown in the result line.</td> </tr> <tr> <td>STANDARD_DEVIATION</td> <td>This value indicates that, after aggregating with the reference characteristic, the standard deviation of the calculated values is shown in the results row.</td> </tr> <tr> <td>VARIANCE</td> <td>This value indicates that, after aggregating with the reference characteristic, the variance of the calculated values is shown in the results row.</td> </tr> </tbody> </table>	Value	Description	SUM, MAX, MIN, AVG, COUNT, COUNT_DISTINCT	All these values determine the aggregation of the measure in the same way as SUM, MAX, MIN, AVG, COUNT, COUNT_DISTINCT in Aggregation.default.	FIRST, LAST	These values indicates that the first or last value in relation to the reference characteristic is shown in the result line.	STANDARD_DEVIATION	This value indicates that, after aggregating with the reference characteristic, the standard deviation of the calculated values is shown in the results row.	VARIANCE	This value indicates that, after aggregating with the reference characteristic, the variance of the calculated values is shown in the results row.
Value	Description										
SUM, MAX, MIN, AVG, COUNT, COUNT_DISTINCT	All these values determine the aggregation of the measure in the same way as SUM, MAX, MIN, AVG, COUNT, COUNT_DISTINCT in Aggregation.default.										
FIRST, LAST	These values indicates that the first or last value in relation to the reference characteristic is shown in the result line.										
STANDARD_DEVIATION	This value indicates that, after aggregating with the reference characteristic, the standard deviation of the calculated values is shown in the results row.										
VARIANCE	This value indicates that, after aggregating with the reference characteristic, the variance of the calculated values is shown in the results row.										

Annotation	Meaning
	MEDIAN
	This value indicates that the middle value (central value) of a set sorted in ascending order is calculated: <ul style="list-style-type: none"> <li>For a set with an uneven number of elements, the result is the middle value.</li> </ul>
	<p><b>Example</b></p> <p>For a set of five elements, the result is the value of the third element. Suppose you have the following values: 1, 12, 2, 4, 24. When the values are sorted in ascending order (1, 2, 4, 12, 24), the median is the third middle value, which is 4.</p>
	<ul style="list-style-type: none"> <li>For a set with an even number of elements, the result is the average of the two middle values.</li> </ul>
	<p><b>Example</b></p> <p>For a set of six elements, the result is the average of the third and fourth elements. Suppose you have the following values: 1, 12, 2, 4, 24, 6. When the values are sorted in ascending order (1, 2, 4, 6, 12, 24), the median is the average of the values 4 and 6, which is 5.</p>
NHA	No aggregation along the hierarchy. This value ensures that nodes with a postable value part and which only aggregate the values of their children, are calculated as NULL. This means they have no value if they are not postable nodes.
Aggregation.referenceElement	In views of dataCategory: #CUBE or #DIMENSION you can use exactly one element.  Scope: [ELEMENT]  Evaluation Runtime (Engine): This annotation will be interpreted by the <b>analytic manager</b> .
Value	Description
array of ElementRef	You can specify a reference characteristic.

## Examples

### Example 1: Default aggregation

#### Sample Code

```
@Semantics.currencyCode:true
GlobalCurrency,
@Aggregation.default: #SUM
@Semantics: { amount : {currencyCode: 'GlobalCurrency'} }
FixedAmountInGlobalCrcy,
```

When selecting FixedAmountInGlobalCrcy, the SUM of this element is calculated.

### Example 2: Exception aggregation

#### ↳ Sample Code

```
calendarDay,  
@Semantics.unitOfMeasure: true  
unit,  
@Aggregation.default: #SUM  
@Aggregation.exception: #LAST  
@Aggregation.referenceElement: 'calenderDay'  
@Semantics.quantity : 'unit'  
Quantity
```

This view describes the quantity of certain goods in a stock per calendar day. The measure quantity can be aggregated with SUM for all dimensions except the calendar day.

Non-aggregated data

calendarDay	Plant	Material	Quantity
01/01/2018	Plant1	Material1	10 PC
02/01/2018	Plant1	Material1	20 PC
01/01/2018	Plant2	Material1	30 PC
02/01/2018	Plant2	Material1	10 PC
01/01/2018	Plant1	Material2	50 PC
02/01/2018	Plant1	Material2	40 PC
01/01/2018	Plant2	Material2	40 PC
02/01/2018	Plant2	Material2	70PC

Aggregate Quantity and group by Material and CzalendarDay

Material	calendarDay	Quantity
Material1	01/01/2018	40 PC
Material1	02/01/2018	30 PC
Material1	Result	30 PC
Material2	01/01/2018	90 PC
Material2	02/01/2018	110 PC
Material2	Result	110 PC
Result	Result	140PC

## Related Information

[AnalyticsDetails Annotations \[page 464\]](#)

## 8.1.3 Analytics Annotations

Enable the Analytic Manager for multidimensional data consumption, performing data aggregation, and slicing and dicing data. BI front ends like Design Studio and Analysis Office can consume the data via the Analytic Manager.

### Scope and Definition

```
@Scope:[#VIEW]
Annotation Analytics
{
    dataCategory : String enum { DIMENSION; FACT; CUBE; AGGREGATIONLEVEL; };

    hidden : Boolean default true;
    internalName : String(30) enum { DEFAULT; LOCAL; GLOBAL; };

    query : Boolean default true;
    settings.maxProcessingEffort : { LOW; MEDIUM; HIGH; UNLIMITED; } default
#HIGH;
    settings.zeroValues.handling: String(20) enum { SHOW; HIDE; HIDE_IF_ALL; }
default #SHOW;
    settings.zeroValues.hideOnAxis: String(20) enum { ROWS; COLUMNS;
ROWS_COLUMNS; } default #ROWS_COLUMNS;

};

@Scope:[#ELEMENT]
Annotation Analytics
{
    internalName : String(30) enum { DEFAULT; LOCAL; GLOBAL; };
};
```

### Usage

The Analytic Manager needs a star schema (multidimensional) and a query to consume the data. Most annotations to define the star schema in different CDS views are specified in `ObjectModel` annotations. The `Analytics` annotations also specify the facts (center of the star schema), extraction capabilities for replicating data into further systems, and analytic query properties. A semantic distinction can be made in the `Analytics` annotations between annotations that are relevant for the InfoProvider (CUBE) level and annotations that are only relevant for analytic queries.

Annotation	Meaning
Analytics.dataCategory	<p>Analytic queries can be defined on top of CDS views using the <code>Analytics.dataCategory</code> annotation.</p> <p><b>Scope:</b> #VIEW</p> <p><b>Evaluation Runtime (Engine):</b> By specifying the data category, the developer can provide directives and hints, telling the <b>analytic manager</b> how to interpret individual entities for example.</p>
Value	Description
#DIMENSION	This value indicates that the entity represents master data. Such a view can be used for replication and for queries.
#FACT	This value indicates that the entity represents transactional data (center of star schema). Usually it contains the measures. Typically, these views are necessary for replication, therefore, they should not be joined with master data views.
#CUBE	The #CUBE value (like #FACT) also represents factual data, but #CUBE does not have to be without redundancy. This means joins with master data are possible. Queries are usually built on top of #CUBE, where data is replicated from facts.
#AGGREGATIONLEVEL	This value cannot be used in SAP Cloud Platform ABAP Environment.
Analytics.hidden	<p>You can use this flag to decide whether the entity should be visible to analytic clients.</p> <p><b>Scope:</b> #VIEW</p> <p><b>Evaluation Runtime (Engine):</b> Views with <code>Analytics.query</code> are not exposed in value help. Views with <code>Analytics.dataCategory</code> are not exposed in value help for the CDS query designer.</p> <p><b>Values:</b></p>
Value	Description
true	The view <b>cannot</b> be consumed by analytic clients. The default is true, if this annotation is used.
false	The view can be consumed by analytic clients.

Annotation	Meaning
Analytics.internalName	With this annotation the identifier which is used between BI-Tools and the analytic manager can be influenced such that adding @ObjectModel.foreignKey.association or @ObjectModel.text.association will not change the identifier.  <b>Scope:</b> #ELEMENT, #VIEW  <b>Evaluation Runtime (Engine):</b> It will be interpreted by the analytic manager.
	<p><b>i Note</b></p> <p>The CDS model is transformed to an InfoProvider or InfoObject model. The analytic protocols like INA or BICS are based on InfoProvider and InfoObject names. The elements of an analytic CDS view (CUBE, FACT, DIMENSION) are mapped to InfoObject names. If there exists an @ObjectModel.foreignKey.association or @ObjectModel.text.association and the target of the association is only used once, then by default the InfoObject name is derived from the SQL-view name of the target view. These names are called <b>global</b>. The InfoObject name for the representative key element of a dimension is always derived from the SQL-view name of the dimension view. In all other cases, the InfoObject name is derived from the SQL-view name of the view and the element name. These names are called <b>local</b>.</p> <p>If multiple elements are used in the ON-condition of the foreign key association of an element and the InfoObject name should be global, then all other elements of the ON-condition need to be global InfoObject names. This default behavior can be overruled with this annotation.</p>
Value	Description
local	<ul style="list-style-type: none"> <li>On <b>Element</b> level: The element is assigned to a local InfoObject name. If not possible, an error is raised. It is useful, if the annotation @ObjectModel.foreignKey.association should be added to an element of an existing view. With this the InfoObject name will not change.</li> <li>On <b>View</b> level: All elements for which it is possible, will be assigned to a local InfoObject name. If it is used, then @ObjectModel.foreignKey.association / @ObjectModel.text.association can be added, changed or removed without changing the InfoObject names.</li> </ul>

Annotation	Meaning						
	<p>global</p> <ul style="list-style-type: none"> <li>On <b>Element</b> level: The element is assigned to an InfoObject with global name. If not possible, an error is raised. It can be used, if there exist multiple elements referencing to the same dimension (same target of the foreign-key association). In this case one element can be specified which gets the global name, all others get local names. If not specified, the first element gets the global name. It is especially useful for an existing element, if a new element should be added which should reference to the same dimension.</li> <li>On <b>View</b> level: The default is <code>global</code>. All elements for which it is possible, will be assigned to a global InfoObject name.</li> </ul>						
<code>Analytics.query</code>	<p>Query view classification.</p> <p><b>Scope:</b> #VIEW</p> <p><b>Evaluation Runtime (Engine):</b> By tagging the CDS view, the developer can specify which views will be exposed to the <b>analytic manager</b>. This type of view will be interpreted as an analytic query by the analytic manager.</p> <p><b>i Note</b> This view must not be annotated with <code>Analytics.dataCategory = #NONE</code>.</p>						
	<table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>true</code></td><td> <p>The query view will be exposed to the analytic manager. The default is <code>true</code>, if this annotation is used.</p> <p><b>i Note</b> Data will be selected from the view specified in the <code>from</code> clause. The view of the <code>from</code> clause has to be annotated with the <code>Analytics.dataCategory</code> as <code>#DIMENSION</code>, <code>#CUBE</code> or <code>#AGGREGATIONLEVEL</code>, and the DCL has to be assigned to the view of the <code>from</code> clause.</p> </td></tr> <tr> <td><code>false</code></td><td>The query view will <b>not</b> be exposed to the analytic manager.</td></tr> </tbody> </table>	Value	Description	<code>true</code>	<p>The query view will be exposed to the analytic manager. The default is <code>true</code>, if this annotation is used.</p> <p><b>i Note</b> Data will be selected from the view specified in the <code>from</code> clause. The view of the <code>from</code> clause has to be annotated with the <code>Analytics.dataCategory</code> as <code>#DIMENSION</code>, <code>#CUBE</code> or <code>#AGGREGATIONLEVEL</code>, and the DCL has to be assigned to the view of the <code>from</code> clause.</p>	<code>false</code>	The query view will <b>not</b> be exposed to the analytic manager.
Value	Description						
<code>true</code>	<p>The query view will be exposed to the analytic manager. The default is <code>true</code>, if this annotation is used.</p> <p><b>i Note</b> Data will be selected from the view specified in the <code>from</code> clause. The view of the <code>from</code> clause has to be annotated with the <code>Analytics.dataCategory</code> as <code>#DIMENSION</code>, <code>#CUBE</code> or <code>#AGGREGATIONLEVEL</code>, and the DCL has to be assigned to the view of the <code>from</code> clause.</p>						
<code>false</code>	The query view will <b>not</b> be exposed to the analytic manager.						
<code>Analytics.settings.maxProcessingEffort</code>	<p>If InfoProviders store large amounts of data, certain queries can retrieve large result sets. The <code>maxProcessingEffort</code> is the maximum effort expected by analytic manager for processing the data it retrieves.</p> <p><b>Scope:</b> #VIEW</p> <p><b>Evaluation Runtime (Engine):</b> This annotation will be interpreted by the analytic manager for query views (<code>Analytics.query: true</code>).</p>						

Annotation	Meaning	
	Value	Description
	low	
	medium	
	high	The default is high.
	unlimited	
Analytics.settings.zeroValues.handling		You can specify whether cells that contain zeros as values are to be displayed. <b>Scope:</b> #VIEW  <b>Evaluation Runtime (Engine):</b> This annotation will be interpreted by the analytic manager for query views (Analytics.query: true).
	Value	Description
	show	You can specify that zeros are to be displayed (No zero suppression takes place). The default is show.
	hide	If you want to suppress zeros, there are two options available: hide and hide_if_all. For queries that have characteristics in the rows and key figures in the columns (or the other way around, with key figures in the rows and characteristics in the columns), the effect of the settings is identical. The two settings only differ in how they affect queries that have characteristics in the rows and columns (cross-classified table). If you use zero suppression with the hide value, the system checks whether there are zero values in the results area. If there are zero values in the results area, the corresponding row or column is hidden.
	hide_if_all	For queries that have characteristics in the rows and key figures in the columns (or the other way around, with key figures in the rows and characteristics in the columns), the effect of the value is identical to hide. But if your query has got characteristics in the rows and columns (cross-classified table) and you use zero suppression with the hide_if_all value, the system hides all rows or columns that contain zero values.
<b>i Note</b>		If a detail row is not equal to zero (for example, in a hierarchy), all superordinate rows are displayed, even if they contain zeros. As a result, the system ensures that the business context of the query is retained for the end user, even when the value hide_if_all is set.
Analytics.settings.zeroValues.hideOnAxis		You can specify whether rows or columns that contain zeros as values are to be hidden. <b>Scope:</b> #VIEW  <b>Evaluation Runtime (Engine):</b> This annotation will be interpreted by the analytic manager for query views (Analytics.query: true).

Annotation	Meaning
Value	Description
rows	Only rows that contain zeros as values are to be hidden.
columns	Only columns that contain zeros as values are to be hidden.
rows_columns	The default is rows_columns. Rows and columns that contain zeros as values are to be hidden.

## Examples

### Example 1

Example for replication-enabled master data.

#### ↳ Sample Code

```
@EndUserText.label: 'EPM Demo: Employee'
@Analytics:{ dataCategory: #DIMENSION , dataExtraction.enabled: true }
//@VDM.viewType: #BASIC
@AccessControl.authorizationCheck: #CHECK
@ObjectModel.representativeKey: 'EmployeeUUID'
@AbapCatalog.sqlViewName: 'SEPM_IEMPLOYEE'
define view SEPM_I_Employee as
  select from snwd_employees
  association [0..1] to SEPM_I_Company           as _Company
  on $projection.CompanyUUID      = _Company.CompanyUUID
  ...
{
  key snwd_employees.node_key      as EmployeeUUID,
  @ObjectModel.foreignKey.association: '_Company'
  snwd_employees.parent_key       as CompanyUUID,
  ...
}
```

### Example 2

Example for transactional data (fact).

#### ↳ Sample Code

```
@EndUserText.label: 'EPM Demo: Sales Order Item with Addtl. Data (private
view)'
@Analytics.dataCategory: #CUBE
@AccessControl.authorizationCheck: #CHECK
@AbapCatalog.sqlViewName: 'SEPM_PSOIC'
define view SEPM_P_SalesOrderItemCube
  with parameters
    P_DisplayCurrency : snwd_curr_code      //for currency conversion, TODO:
  data element with better description
    as select from SEPM_I_SalesOrderItem
    association [0..1] to SEPM_I_SalesOrder_E      as _SalesOrder_E
    on $projection.salesorder      = _SalesOrder_E.SalesOrder
  ...
{
  @ObjectModel.foreignKey.association: '_SalesOrder_E'
```

```
key _SalesOrder.SalesOrder,
      _SalesOrder_E,
...
}
```

## Related Information

[ObjectModel Annotations \[page 478\]](#)

[Semantics Annotations \[page 511\]](#)

## 8.1.4 AnalyticsDetails Annotations

Enable application developers to specify the default multidimensional layout of the query, the sequence of variables in UI consumption, and the specific aggregation and planning behavior of the data. All these annotations can only be used in views with `@Analytics.query : true`.

## Scope and Definition

```
@Scope:[#ELEMENT]
Annotation AnalyticsDetails
{
    query
    {
        formula : String;
        axis : String enum { FREE; ROWS; COLUMNS; };
        totals: String enum { HIDE; SHOW; };
        scaling : Integer;
        decimals : Integer;
        displayHierarchy : String enum { OFF; ON; FILTER; };
        hierarchyBinding : array of
        {
            type : String enum { ELEMENT; PARAMETER; CONSTANT; USER_INPUT; };
            value : String;
            variableSequence : Integer;
        };
        hierarchyInitialLevel : Integer;
        hierarchySettings: {
            hidePostedNodesValues: Boolean default true
        };
        elementHierarchy: {
            parent: RefToElement;
            initiallyCollapsed: Boolean default true
        };
    };
    exceptionAggregationSteps : array of
    {
        exceptionAggregationBehavior : String enum { SUM; MIN; MAX; NHA; COUNT;
COUNT_DISTINCT; AVG; STD; FIRST; LAST};
        exceptionAggregationElements : array of elementRef;
    };
    planning
    {
```

```
        enabled : Boolean default true;
        disaggregation : String enum { NONE; TOTAL; DIFFERENCE; };
        distribution : String enum { EQUAL; PROPORTIONAL; PROPORTIONAL_REF; };
        distributionReference : elementRef;
    };
    resultValueSource : String enum { CUBE; DIMENSION; };
};

@Scope:[#PARAMETER, #ELEMENT]
Annotation AnalyticsDetails
{
    query
    {
        display { KEY; TEXT; TEXT_KEY; KEY_TEXT; }
        hidden
        sortDirection
        variableSequence : Integer;
    };
}
```

## Usage

Annotation	Meaning
<code>AnalyticsDetails.exceptionAggregationSteps.exceptionAggregationBehavior</code>	<p>Usually, the default aggregation determines how measures are aggregated in analytics.</p> <div style="border-left: 2px solid orange; padding-left: 10px;"><p><b>⚠ Caution</b></p><p>The default aggregation behavior cannot be defined in the query. It needs to be defined on the cube layer.</p></div> <p>In some cases different aggregation behavior is needed for a special element of the entity (dimension of a cube).</p> <div style="border-left: 2px solid blue; padding-left: 10px;"><p><b>i Note</b></p><p>Example: A measure "Inventory" can be summed up for the different plants and other dimensions, but not for time – according to time the last or average value might be relevant.</p></div> <p>Exception aggregation is optional and is used to define different (to the default aggregation) aggregation behavior for specified elements. In general there can be multiple elements in which a measure has to be aggregated differently. Therefore a list of <code>ExceptionAggregationSteps</code> can be assigned. <code>ExceptionAggregationBehavior</code> defines the aggregation behavior.</p> <div style="border-left: 2px solid blue; padding-left: 10px;"><p><b>i Note</b></p><p>Example: In the query there is a measure, which should show the number of customers with positive sales - where sales is a measure of the underlying CUBE view with default aggregation SUM. When the sales measure is now used in a query with <code>exceptionAggregationBehavior: COUNT</code> and <code>exceptionAggregationElements : Customer</code>, the sales must first be aggregated (SUM) at customer level, and then COUNT has to be performed. If the sales for a customer is positive, this means that the sales is replaced by 1 (otherwise it is set to 0). This number can be summed up again.</p></div> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> The (logical) order in which the <b>Analytic manager</b> performs the aggregation is as follows: Firstly the DefaultAggregation is performed. This intermediate result is still grouped by all elements in the list of <code>ExceptionAggregationSteps</code>. The result is then aggregated by the exception aggregation in the order of StepNumber.</p> <p>The first remark holds even if the DefaultAggregation is FORMULA. This means that the calculation is performed when the result is still grouped by the exception aggregation elements. After the formula has been calculated, the result is aggregated according to the list of <code>ExceptionAggregationSteps</code>. This means that the aggregation level to be used for calculation can be defined precisely.</p>
Value	Description

Annotation	Meaning
SUM	sum
MIN	minimum
MAX	maximum
NHA	NHA
COUNT	counter
COUNT_DISTINCT	counter_distinct
AVG	average
STD	standard deviation
FIRST	FIRST
LAST	LAST
AnalyticsDetails.exceptionAggregationSteps.exceptionAggregationElements : [ '' ]	<p>The elements which should be aggregated in this step. These elements must represent characteristics.</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> <b>Analytic manager:</b> For more information see AnalyticsDetails.exceptionAggregationSteps.exceptionAggregationBehavior.</p>
Value	Description
array of elementRef	list of elements representing characteristics
AnalyticsDetails.planning.disaggregation.on	<p>This annotations allows you to define the disaggregation behavior. This annotation is only available for elements with AnalyticsDetails.planning.enabled.</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> If a measure is specified with this annotation, it is input-ready in the analytic query. It enables the user to make manual entries for aggregated values. These values must be disaggregated on all the data records that contribute to the aggregated value of the cell.</p>
Value	Description
NONE	No Disaggregation (default)
TOTAL	Disaggregates the value entered.
DIFFERENCE	Disaggregates the difference to value entered.
AnalyticsDetails.planning.distribution	If disaggregation is chosen, you can choose how the value is distributed during disaggregation with this annotation.
	<b>Scope:</b> #ELEMENT
	<b>Evaluation Runtime (Engine):</b> This annotation will be ignored if CDS view or the corresponding element is not enabled for planning.

Annotation	Meaning								
	<table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td>EQUAL</td><td>Equal distribution (default)</td></tr> <tr> <td>PROPORTIONAL</td><td>Proportional to the current value</td></tr> <tr> <td>PROPORTIONAL_REF</td><td>Proportional to the current value of a sibling member in the selection list, which needs to be specified via the <code>AnalyticsDetails.planning.distributionReference</code> annotation.</td></tr> </tbody> </table>	Value	Description	EQUAL	Equal distribution (default)	PROPORTIONAL	Proportional to the current value	PROPORTIONAL_REF	Proportional to the current value of a sibling member in the selection list, which needs to be specified via the <code>AnalyticsDetails.planning.distributionReference</code> annotation.
Value	Description								
EQUAL	Equal distribution (default)								
PROPORTIONAL	Proportional to the current value								
PROPORTIONAL_REF	Proportional to the current value of a sibling member in the selection list, which needs to be specified via the <code>AnalyticsDetails.planning.distributionReference</code> annotation.								
<code>AnalyticsDetails.planning.distributionReference</code>	<p>If disaggregation is chosen and <code>AnalyticsDetails.planning.distribution : #PROPORTIONAL_REF</code>, you can specify a sibling member in the selection list for reference with this annotation.</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> This annotation will be ignored if CDS view or the corresponding element is not enabled for planning.</p>								
	<table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>elementRef</td> <td>Name of sibling member for reference</td> </tr> </tbody> </table>	Value	Description	elementRef	Name of sibling member for reference				
Value	Description								
elementRef	Name of sibling member for reference								
<code>AnalyticsDetails.planning.enabled</code>	<p>Individual members in the selection list (no calculated elements) need to be annotated for enabling planning. The list can only be used in input-enabled analytic queries. This means that the views have to be annotated with <code>Analytics.query: true</code> and <code>Analytics.planning.enabled: true</code>.</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> If a measure is specified with this annotation, it is input-ready in the analytic query.</p>								
	<table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>true</td> <td>The member in the selection list is enabled for planning. This is the default setting.</td> </tr> <tr> <td>false</td> <td>The member in the selection list is <b>not</b> enabled for planning.</td> </tr> </tbody> </table>	Value	Description	true	The member in the selection list is enabled for planning. This is the default setting.	false	The member in the selection list is <b>not</b> enabled for planning.		
Value	Description								
true	The member in the selection list is enabled for planning. This is the default setting.								
false	The member in the selection list is <b>not</b> enabled for planning.								
<code>AnalyticsDetails.query.axis</code>	<p>The elements of the view can be positioned on multiple axes. The elements can be directly annotated with their axis. Measures (elements which can be aggregated (defaultAggregation)) all need to be on the same axis. The annotation of the first measure will therefore be used for all measures of the query. If no <code>AnalyticsDetails.query.axis</code> is found, the system positions the measures on the columns.</p> <p>The default value for elements which are not measures is the free axis. Note that elements in the projection list, which belong to the same field in the query, will be grouped together.</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> If the BI client does not specify which elements are on which axis, the layout is derived by this annotation.</p>								
	<table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> </table>	Value	Description						
Value	Description								

Annotation	Meaning
	<p>FREE Default value for elements other than measures.</p>
	<p>ROWS</p>
	<p>COLUMNS Default value for measures.</p>
AnalyticsDetails.query.decimals	<p>For measures, restricted measures and calculated elements, you can set the number of decimals to be used.</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine): Analytic manager:</b> This annotation is only relevant for measures. For other elements it will be ignored.</p>
Value	Description
Integer number from 0 to 9.	Numbers will displayed with n decimals.
AnalyticsDetails.query.display	<p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine): Analytic manager</b></p>
Value	Description
KEY	The key will be displayed.
TEXT	The text will be displayed.
TEXT_KEY	Text and key will be displayed.
KEY_TEXT	Key and text will be displayed.
AnalyticsDetails.query.displayHierarchy	<p>This annotation allows you to specify the display hierarchy attribute for the element. It is not possible for measures.</p>
Y	<p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine): Analytic manager</b> The query result is shown in a hierarchy for the specified element.</p>
Value	Description
OFF	No display hierarchy
ON	With display hierarchy. The hierarchy used can be specified by AnalyticsDetails.query.hierarchyBinding
FILTER	The display hierarchy is the same one defined on the filter for this element. In this case, a hierarchy filter needs to be defined on the same element. The hierarchy binding is taken from the filter.
AnalyticsDetails.query.elementHierarchy.initiallyCollapse	If true, the hierarchy node represented by the annotated entry will be initially collapsed (only applicable if the annotated entry has children, i.e. is parent of another entry).
d	<p><b>Scope:</b>#ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b></p>

Annotation	Meaning				
	<table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td>Boolean</td><td>true is the default setting.</td></tr> </tbody> </table>	Value	Description	Boolean	true is the default setting.
Value	Description				
Boolean	true is the default setting.				
AnalyticsDetails.query.elementHierarchy.parent	<p>Measures, restricted measures and calculated elements will be shown as a flat list in the keyfigure structure of the Analytic Query. To achieve a hierarchical display, select list entries can be annotated with @AnalyticsDetails.query.elementHierarchy.parent and will appear hierarchically below the specified parent entry.</p> <p><b>Scope:</b>#ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b></p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td>elementRef</td><td>Alias of the select list entry serving as parent for the annotated entry.</td></tr> </tbody> </table>	Value	Description	elementRef	Alias of the select list entry serving as parent for the annotated entry.
Value	Description				
elementRef	Alias of the select list entry serving as parent for the annotated entry.				
AnalyticsDetails.query.formula	<p>This annotation allows you to specify the formula expression, which cannot be expressed as an SQL formula (operands required from the element list of the view). Only numerical values (measures) can be used as operands.</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine): Analytic manager:</b> This annotation will be interpreted as a formula.</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td>String</td><td> <p>This expression can contain the following:</p> <ul style="list-style-type: none"> <li>• cube measures</li> <li>• arithmetic expressions</li> <li>• functions NDIVO and NODIM</li> <li>• CASE expressions with a maximum of one THEN clause (will be translated into BW IF operator) <ul style="list-style-type: none"> <li>◦ WHEN clause can contain conditional or Boolean expressions of measures</li> <li>◦ ELSE clause is optional (default to ELSE 0 )</li> </ul> </li> </ul> </td></tr> </tbody> </table>	Value	Description	String	<p>This expression can contain the following:</p> <ul style="list-style-type: none"> <li>• cube measures</li> <li>• arithmetic expressions</li> <li>• functions NDIVO and NODIM</li> <li>• CASE expressions with a maximum of one THEN clause (will be translated into BW IF operator) <ul style="list-style-type: none"> <li>◦ WHEN clause can contain conditional or Boolean expressions of measures</li> <li>◦ ELSE clause is optional (default to ELSE 0 )</li> </ul> </li> </ul>
Value	Description				
String	<p>This expression can contain the following:</p> <ul style="list-style-type: none"> <li>• cube measures</li> <li>• arithmetic expressions</li> <li>• functions NDIVO and NODIM</li> <li>• CASE expressions with a maximum of one THEN clause (will be translated into BW IF operator) <ul style="list-style-type: none"> <li>◦ WHEN clause can contain conditional or Boolean expressions of measures</li> <li>◦ ELSE clause is optional (default to ELSE 0 )</li> </ul> </li> </ul>				
AnalyticsDetails.query.hidden	<p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine): Analytic manager:</b></p>				

Annotation	Meaning
AnalyticsDetails.query.hierarchyBinding.type	<p>The AnalyticsDetails.query.hierarchyBinding annotations allow you to specify a special hierarchy for an element with a display hierarchy. One tuple has to be specified for each key field of the hierarchy directory view. The first entry is supplied to the first key field of the hierarchy directory, the second entry to the second key field, and so on. If only one hierarchy exists, the hierarchy binding can be omitted.</p> <p>AnalyticsDetails.query.hierarchyBinding.type determines how the key element is filled (by a constant, a parameter, a filtered element or by a user input field).</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> Analytic manager</p>
Value	Description
#ELEMENT	Name of an element, which has a unique filter. At runtime the filter value is used for this hierarchy component.
#PARAMETER	Parameter name
#CONSTANT	Constant
#USER_INPUT	USER_INPUT is optional. It will be requested at runtime of the analytic query. It can contain a name. USER_INPUT with the same name will be provided with the same user input at runtime. The variable is placed in the list of all values in accordance with AnalyticsDetails.query.variableSequence.
AnalyticsDetails.query.hierarchyBinding.value	This annotation contains, depending on the type, a literal value, the parameter name (without : or \$parameter), the element name and an identifier for the user input field, respectively.
	<b>Scope:</b> #ELEMENT
	<b>Evaluation Runtime (Engine):</b> Analytic manager
Value	Description
String (512)	

Annotation	Meaning				
AnalyticsDetails.query.hierarchyBindin g.variableSequence	<p>This annotation allows you to specify the order of parameters and variables on the variable input UIs.</p> <p><b>i Note</b></p> <p>You can also use the annotation <code>Consumption.filter.hierarchyBinding.variableSequence</code>.</p>				
	<p>In case filters or parameters are <b>not</b> annotated they are displayed after the annotated ones in the order they appear in the CDS document.</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> Analytic manager</p>				
	<table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td>Integer</td><td>This number defines the position of the variable generated for the user input field.</td></tr> </tbody> </table>	Value	Description	Integer	This number defines the position of the variable generated for the user input field.
Value	Description				
Integer	This number defines the position of the variable generated for the user input field.				
AnalyticsDetails.qu ery.hierarchyInitia lLevel	<p>This annotation defines which hierarchy level will be displayed initially.</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> Analytic manager</p>				
	<table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td>Integer: Integer number</td><td>Hierarchy level with that number will be displayed initially..</td></tr> </tbody> </table>	Value	Description	Integer: Integer number	Hierarchy level with that number will be displayed initially..
Value	Description				
Integer: Integer number	Hierarchy level with that number will be displayed initially..				
AnalyticsDetails.qu ery.hierarchySettin gs.hidePostedNodesV alues	<p>For some hierarchies (typical example: CostCenter hierarchy), the hierarchy nodes can have posted values on their own (and not just represent the aggregation over all its child nodes) which are displayed as separate rows in the report. Using this annotation the display of the posted values can be suppressed.</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b></p>				
	<table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td>Boolean</td><td>true is the default setting.</td></tr> </tbody> </table>	Value	Description	Boolean	true is the default setting.
Value	Description				
Boolean	true is the default setting.				
AnalyticsDetails.qu ery.scaling	<p>For measures, restricted measures and calculated elements, you can set the scaling factor to be used.</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> This annotation is only relevant for measures. For other elements it will be ignored.</p>				
	<table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td>Integer: Integer number from 0 to 9.</td><td>Numbers will be scaled by a factor of <math>10^{**n}</math>.</td></tr> </tbody> </table>	Value	Description	Integer: Integer number from 0 to 9.	Numbers will be scaled by a factor of $10^{**n}$ .
Value	Description				
Integer: Integer number from 0 to 9.	Numbers will be scaled by a factor of $10^{**n}$ .				

Annotation	Meaning
AnalyticsDetails.query.sortDirection	<p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> Analytic manager:</p>
AnalyticsDetails.query.totals	<p>For attributes you can set the behavior for totals.</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> These annotations will be ignored for measures.</p>
Value	Description
HIDE	Totals or subtotals are not added to the result set for this element.
SHOW	In addition to the details, the subtotals are added to the result set for this element.
AnalyticsDetails.query.variableSequence	<p>If user input is necessary for the parameter, the sequence of all fields for user input at runtime can be specified with this annotation.</p> <p><b>Scope:</b> #PARAMETER, #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> UIs will create user prompts for parameters which require a user input or elements with filters (consumption.filter). This annotation can be used to specify the sequence of user prompts at runtime. If filters or parameters are not annotated, they are displayed after the annotated ones - in the order they appear in the CDS document.</p>
Value	Description
Integer	Order of parameters and variables. The integer values may contain gaps.
AnalyticsDetails.resultValueSource	<p>This annotation influences the list of values, which should be taken into account for a specific characteristic.</p> <p><b>Scope:</b> #ELEMENT</p> <p><b>Evaluation Runtime (Engine):</b> When the query is executed, a row of data is only displayed for the characteristic if there are posted values for this characteristic.</p>
Value	Description
CUBE	All values available in the view of the <code>from</code> clause.
DIMENSION	All values available in dimension.

## Examples

### Example 1

#### Calculated Elements

↳ Sample Code

```

@Analytics.query : true
define view financial as select from sales
{
    @AnalyticsDetails.query.axis : #ROWS
    product,
    @AnalyticsDetails.query.axis : #COLUMNS
    @AnalyticsDetails.query.formula : 'revenue - cost'
    1 as absolute_margin,
    @AnalyticsDetails.query.formula : 'NDIV0($projection.absolute_margin /
revenue) * 100'
    1 as relative_margin,
    @AnalyticsDetails.query.formula : 'CASE WHEN $projection.relative_margin >
20 THEN revenue ELSE 0 END'
    1 as revenue_for_margin_gt_20
}

```

### Example 2

Display hierarchy selection: Specify the hierarchy directly.

#### ↳ Sample Code

```

@Analytics.query : true
define view costcenter_reporting
with parameters
    cost_center_hier_param : String
as select from costcenters
{
    ...
    @AnalyticsDetails.query : {
        displayHierarchy: #ON,
        hierarchyInitialLevel: 3, // three levels of the hierarchy will be
        opened at start
        hierarchySettings{hidePostedNodesValues: true }, // don't show posted
        node values
        hierarchyBinding :
            [ { type : #CONSTANT, value : 'CONTR_AREA_10' },
              { type : #PARAMETER, value : 'cost_center_hier_param' }
            ]
    }
    costcenter, // hierarchy node filter
    costs,
    ...
}

```

### Example 3

**Use of \$session variables, especially \$session.system\_date.**

The system supports variables like \$session.system\_date for different use cases:

- in cube parameters

#### ↳ Sample Code

```

@Analytics.query : true
define view ...
as select from zCostCenter_Flt( P_KeyDate: $session.system_date )

```

- in queries on time-dependent master data in `where` clauses

 **Sample Code**

```
} where
  DateTo    >= $session.system_date and
  DateFrom <= $session.system_date
```

- in paths to time-dependent attributes or texts

 **Sample Code**

```
CostCenter[1: DateTo >= $session.system_date and DateFrom <=
$session.system_date]._Text[1: Language = $parameters.P_Language].Text as
CostCenterText,
```

- in restricted key figures

 **Sample Code**

```
case when PostingDate = $session.system_date
```

## Related Information

[Aggregation Annotations \[page 452\]](#)

## 8.1.5 Consumption Annotations

Define a specific behavior that relates to the consumption of CDS content through domain-specific frameworks.

## Usage

Via these annotations, the specific behavior is defined which is related to the consumption of CDS content. This metadata makes no assumptions about the concrete consumption technology/infrastructure, but it is applicable across multiple consumption technologies (e.g. Analytics or OData).

Annotation	Definition
Annotations belonging to <i>Consumption.valueHelpDefinition</i> directly establish a relationship to an entity that acts as a value help provider.	
The value help can be consumed without an association to the target value help provider.	
<b>Scope:</b> [ELEMENT, PARAMETER]	
<b>Evaluation Runtime (Engine):</b> Interpreted by <b>ABAP</b> Runtime Environment	
<code>Consumption.valueHelpDefinition.addition alBinding[]</code>	Defines an additional binding condition for the value help on the same target value help provider entity for filtering the value help result list and/or returning values from the selected value help record.
<code>element</code>	Specifies the element in the target value help provider entity that is linked to the local element or parameter for the additional binding.
<code>localElement</code>	Specifies the local element that is linked to the element or parameter in the target value help provider entity for the additional binding.
<code>localParameter</code>	Specifies the local parameter that is linked to the element or parameter in the target value help provider entity for the additional binding.
<code>parameter</code>	Specifies the parameter in the target value help provider entity that is linked to the local element or parameter for the additional binding.
<code>usage</code>	The binding may either specify an additional filter-criterion on the value help list ( <b>#FILTER</b> ), or an additional result mapping for the selected value help record ( <b>#RESULT</b> ) or a combination thereof ( <b>#FILTER_AND_RESULT</b> ). If not specified explicitly the usage is <b>#FILTER_AND_RESULT</b> . If <i>distinctValues</i> is set to true, additional bindings must specify the usage as <b>#FILTER</b> .
<code>Consumption.valueHelpDefinition.distinctValues</code>	Specifies whether the value help result list shall only contain distinct values for the annotated field or parameter. If set to true all mappings will be used for filtering, but only the value for the field/parameter which the value help was requested for will be returned by the value help.
<code>Consumption.valueHelpDefinition.entity[]</code>	Defines the binding for the value help to the value help providing entity. It requires specification of the entity and the element providing the value help for the annotated element.
Value:	Description
<code>element</code>	

Annotation	Definition	
	elementRef	Specifies the element in the entity referenced in name that provides the value help for the annotated element.
	Value:	Description
name	entityRef	Specifies the entity which contains the element that provides the value help.
Consumption.valueHelpDefinition.label	This annotation contains a language-dependent text that is used to label the value list.  If not specified the label of the value help defining entity is used.	
Consumption.valueHelpDefinition.presentationVariantQualifier	The Presentation Variant indicates how the value help result should be displayed.	
Consumption.valueHelpDefinition.qualifier	Uniquely identifies alternative values for an annotation.  Omission means the OData term is applied without explicit qualifier.  If more than one value help is defined for one element, a qualifier must be used.	

### Example 1

The annotation `Consumption.valueHelpDefinition` is used to define a value help for the annotated element. The value help provider can be a different CDS entity without association. To consume the value help, the value help provider entity must be added to the respective OData service.

You can filter the available value help options by defining an additional binding. In the following example case, only the business partners are displayed that use the same currency code.

#### Sample Code

```
DEFINE VIEW BuPaView AS SELECT FROM db_bp
{
  key bp.bp_id
    as BusinessPartnerID,
  ...
  bp.currency_code
    as CurrencyCode,
  bp.company_name
    as CompanyName,
}
DEFINE VIEW SOview AS SELECT FROM db_so as so
{
  so.sales_order_id as SalesOrderID,
  ...
  so.CurrencyCode as CurrCode,
  @Consumption.valueHelpDefinition: [{ entity : { name      :
'I_AIVS_BusinessPartner',
          element     :
'BusinessPartnerID'},
          additionalBinding :
[ { localElement   : 'CurrCode',
            element       :
'CurrencyCode' } ] } ] }
```

```
        } ]
    _BusinessPartner.BusinessPartnerID
```

## Example 2

### ↳ Sample Code

```
define view sales_order_vh as select from SalesOrder as so
{
    ...
    @Consumption.valueHelpDefinition: [{ qualifier: 'ValueHelp2',
   entity : { name      :
   'I_BusinessPartner',
   element   :
   'BusinessPartnerID'
   },
   label    : 'Business Partner Value Help'
   },
   { entity : { name      :
   'I_BuPa',
   element   :
   'BusinessPartnerID'
   },
   label    : 'Business Partner VH'
   }]
    _BusinessPartner.BusinessPartnerID
```

## 8.1.6 ObjectModel Annotations

Provide definitions of text-related aspects of the CDS-based data model

### Scope and Definition

```
@Scope:[#ELEMENT]
@API.state: [ #RELEASED_FOR_SAP_CLOUD_PLATFORM ]
text
{
    element : array of ElementRef;
    association : AssociationRef;
    control : String(60) enum { NONE; ASSOCIATED_TEXT_UI_HIDDEN; };
    reference
    {
        association : AssociationRef;
    };
}
@Scope:[#VIEW, #CUSTOM_ENTITY]
query
{
    implementedBy : String(255);
};
```

## Usage

Annotation	Meaning
ObjectModel. text.elemen t[ ]	Establishes the conjunction of a field with its descriptive language-independent texts. <b>Scope:</b> [ELEMENT]  <b>Evaluation Runtime (Engine): SADL</b> - First text field listed in the annotation array will be handled as descriptive text of the annotated field in OData exposure scenarios.
ObjectModel. text.associa tion	Defines the associated view, which provides textual descriptions for the annotated field. <b>Scope:</b> [ELEMENT]  <b>Evaluation Runtime (Engine):</b> <ul style="list-style-type: none"><li>• <b>SADL</b> - Enriches the OData entity type of the view with the textual description of the target view applying an automated language filtering. The name of the auto-generated text property will be composed out of the annotated field name and the constant suffix <code>_Text</code>. This OData property is mapped onto the first text field of the associated target CDS view annotated with <code>@Semantics.text:true</code>.</li><li>• <b>Analytic Manager</b> - Uses the associated view as TEXT view for annotated field.</li></ul>
ObjectModel. text.control	To Do!
ObjectModel. text.referen ce.associati on	To Do!
ObjectModel. query.implm entedBy:	References the query implementation class for the unmanaged query. <b>Scope:</b> [VIEW, CUSTOM_ENTIY]  This annotation is evaluated when the unmanaged query is executed whereby the query implementation class is called to perform the query.  To reference the query implementation class, ABAP : must be added to the string reference.

### Example

```
@ObjectModel.query.implementedBy: 'ABAP:<query_impl_class>'.
```

### Note

As of SAP Cloud Platform ABAP Environment 1908, this annotation substitutes the deprecated annotation `@QueryImplementedBy: ''`.

## Examples

### Example 1

This example demonstrates how you can define language-dependent texts with a text association.

#### ↳ Sample Code

```
define view I_Material
  association [0..*] to I_MaterialText as _Text ... {
    @ObjectModel.text.association: '_Text'
    key Material,
      -Text, ...
}
define view I_MaterialText ... {
  key Material,
  @Semantics.language: true
  key Language,
  @Semantics.text: true
  MaterialName,
  @Semantics.text: true
  MaterialDescription, ...
}
```

### Example 2

This example demonstrates how you can define language-independent texts within the same view.

#### ↳ Sample Code

```
define view I_Plant ... {
  @ObjectModel.text.element: ['PlantName']
  key Plant,
  @Semantics.text: true
  PlantName, ...
}
```

## 8.1.7 OData Annotations

Capture OData-related aspects to expose data gained from a CDS entity in an OData service.

### Scope and Definition

```
Annotation OData
{
  @Scope:[#ELEMENT]
  etag : Boolean default true;

  @Scope:[#ENTITY]
  entitySet
```

```
{  
    name : String(30);  
};  
entityType  
{  
    name : String(128);  
};  
action: array of {  
    name : String(128);  
    localName : String(30);  
};  
property  
{  
    name : String(128);  
};  
@Scope:[#SERVICE]  
schema  
{  
    name : String(128);  
};
```

## Usage

OData annotations define OData specific properties of backend development objects.

### Runtime:

- Exposed for OData

D  
Ae  
ns  
nc  
or  
ti  
ap  
tā  
ili  
oo  
na  
-  
as  
rc  
Dc  
a  
ap  
ty  
o  
[  
a  
M  
C  
t  
E  
:  
M  
Q  
N  
q  
I  
y  
D  
V  
e  
a  
n  
o  
u  
t  
e  
e  
s  
s  
t  
h  
l  
e  
o  
e  
c  
x  
a  
t  
l  
e  
N  
r  
a  
n  
m  
a  
e  
l  
N  
n  
a  
a  
m  
m  
e  
e  
o  
-

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re  
—

f  
a  
n  
a  
c  
t  
i  
o  
n  
f  
o  
r  
a  
n  
a  
r  
b  
i  
t  
r  
a  
r  
y  
O  
D  
a  
t  
a  
s  
e  
r  
v  
i  
c  
e

.

T  
h  
—

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re  
—

e  
a  
n  
n  
o  
t  
a  
t  
i  
o  
n  
m  
a  
p  
s  
t  
h  
e  
l  
o  
c  
a  
l  
N  
a  
m  
e  
t  
o  
t  
h  
e  
e  
x  
t  
e  
r  
—

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re  
—

n  
a  
l  
O  
D  
a  
t  
a  
n  
a  
m  
e

—

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re  
-  
B  
de  
d  
d  
t  
h  
e  
ss  
at  
n  
d  
e  
a  
c  
t  
i  
o  
n  
n  
a  
m  
e  
f  
o  
r  
m  
a  
p  
p  
i  
n  
g  
t  
o  
t  
h  
e  
O  
D  
a  
t  
a  
a  
c  
t  
i  
-

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re  
-  
o  
n  
n  
a  
m  
e  
(  
n  
a  
m  
e  
)  
. -  
B  
d  
n  
d  
g  
e  
s  
s  
t  
o  
e  
a  
c  
t  
i  
o  
n  
n  
a  
m  
e  
f  
o  
r  
O  
D  
a  
t  
a  
. -

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re

-  
S  
B  
ar  
o  
ti  
p  
an  
e  
g  
(  
3  
r  
E  
t  
N  
i  
T  
Y  
S  
eY  
t]

.D  
n  
e  
a  
n  
m  
e  
o  
t  
e  
s  
t  
h  
e  
e  
x  
t  
e  
r  
n  
a  
l  
n  
a  
m  
e  
o

-

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re  
—


f  
t  
h  
e  
e  
n  
t  
i  
t  
y  
s  
e  
t  
f  
o  
r  
a  
n  
a  
r  
b  
i  
t  
r  
a  
r  
y  
O  
D  
a  
t  
a  
s  
e  
r  
v  
i  
c  
—

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
ili  
co  
na

-

e

.



•

E  
x  
a  
m  
p  
l  
e  
T  
h  
i  
s  
e  
x  
a  
m  
p  
l  
e  
d  
e  
m  
o  
n  
s  
t  
r  
a  
t  
e  
s  
h  
o  
w  
O  
D  
a

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
ili  
co  
me

---

t  
a  
a  
n  
n  
o  
t  
a  
t  
i  
o  
n  
s  
c  
a  
n  
b  
e  
u  
s  
e  
d  
t  
o  
c  
h  
a  
n  
g  
e  
t  
h  
e  
n  
a  
m  
e  
o  
f  
t  
h  
e  
e

---

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
ili  
co  
na

---

n  
t  
i  
t  
y  
t  
y  
p  
e  
e  
n  
t  
h  
e  
m  
e  
t  
a  
d  
a  
t  
a  
o  
f  
t  
h  
e  
O  
D  
a  
t  
a  
s  
e  
r  
v  
i  
c  
e

---

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
ili  
co  
na

---

```
:  
:  
@O  
Data·entitySet·name:  
'Travel'  
@O  
Data·entityType
```

---

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
ili  
co  
na

---

e . n a m e : ' TravelT Ype' d e f i n e r o o t e n t i t Y / D M O / I T R A V

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
ili  
co  
na

---

```
- E
  L {
    k
    e
    y
    T
    r
    a
    v
    e
    l
    I
    D
    :
    a
    b
    a
    p
    .
    n
    u
    m
    c (
    8
    )
    ;
    ...
  }
```

---

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re  
-  
S  
D  
ar  
o  
ti  
p  
an  
e  
g  
(  
el  
r  
E  
t  
N  
i  
t  
T  
Y  
T  
Y  
p  
e  
D  
.e  
n  
a  
m  
o  
t  
e  
s  
t  
h  
e  
e  
x  
t  
e  
r  
n  
a  
l  
n  
a  
m  
e  
o  
-

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
ili  
co  
ne  
—  
f  
t  
h  
e  
e  
n  
t  
i  
t  
y  
t  
y  
p  
e  
f  
o  
r  
a  
n  
a  
r  
b  
i  
t  
r  
a  
r  
y  
O  
D  
a  
t  
a  
s  
e  
r  
v  
i  
—

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re  
—  
c  
e  
—

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re  
-  
B  
D  
ab  
t<sup>2</sup>  
æ  
u  
a  
s  
n  
e  
d  
a  
f  
a  
a  
D  
t  
e  
t  
r  
a  
u  
t  
e  
-  
o  
n  
.D  
e  
c  
l  
a  
r  
e  
E  
T  
a  
g  
s  
i  
n  
b  
e  
h  
a  
v  
i  
o  
-

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re  
—  
r  
d  
e  
fi  
n  
i  
t  
i  
o  
n  
s  
—

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
oo  
na  
-  
S  
B  
ar  
o  
ti  
p  
an  
e  
g  
(  
p  
1  
2  
E  
p  
e  
rM  
tE  
yN  
.T  
n]  
a  
D  
m  
e  
e  
n  
o  
t  
e  
s  
t  
h  
e  
e  
x  
t  
e  
r  
n  
a  
l  
n  
a  
m  
e  
-

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re  
—

o  
f  
C  
D  
S  
e  
l  
e  
m  
e  
n  
t  
s  
,

p  
a  
r  
a  
m  
e  
t  
e  
r  
s  
o  
r  
a  
s  
s  
o  
c  
i  
a  
t  
i  
o  
n  
s  
—

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re  
—

f  
o  
r  
t  
h  
e  
p  
r  
o  
p  
e  
r  
t  
i  
e  
s  
o  
f  
a  
n  
a  
r  
b  
i  
t  
r  
a  
r  
y  
O  
D  
a  
t  
a  
s  
e  
r  
v  
—

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
ne  
—  
i  
c  
e  
—

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
ili  
co  
na  
-  
S  
D  
ar  
o  
ti  
p  
an  
e  
g  
(  
sl  
z  
h  
F  
e  
R  
m  
a  
V  
.I  
nC  
aE  
m  
e  
D  
e  
n  
o  
t  
e  
s  
t  
h  
e  
e  
x  
t  
e  
r  
n  
a  
l  
n  
a  
m  
e

D  
Ae  
ns  
nc  
or  
ti  
ap  
ta  
il  
co  
re  
—

o  
f  
t  
h  
e  
s  
e  
r  
v  
i  
c  
e  
i  
n  
a  
n  
O  
D  
a  
t  
a  
r  
e  
p  
r  
e  
s  
e  
n  
t  
a  
t  
i  
o  
n  
.

—

## 8.1.8 Search Annotations

This annotation marks a view as searchable. You define the fuzziness threshold as well as the specifics of term mappings at element level.

### Scope and Definition

```
@Scope:[#ENTITY]
Annotation Search
{
    searchable : Boolean default true;
};

@Scope:[#ELEMENT]
Annotation Search
{
    defaultSearchElement : Boolean default true;
    ranking : String(6) enum { HIGH = 'high'; MEDIUM = 'medium'; LOW = 'low'; }
    default #MEDIUM;
    fuzzinessThreshold : Decimal(3,2);
    termMappingDictionary : String(128);
    termMappingListId : array of String(32);
};
```

### Usage

Annotation	Meaning				
Search.searchable	<p>Defines if a CDS entity is generally relevant for search scenarios. This annotation must be set in case other search-related annotations are being defined for elements of the respective CDS entity. The annotation offers a general switch and a means to quickly detect whether a view is relevant or not.</p> <p><b>Scope:</b> #Entity</p> <p><b>Evaluation Runtime (Engine):</b> Interpreted by Enterprise Search and SADL</p> <p><b>Values:</b></p> <table><thead><tr><th>Value</th><th>Description</th></tr></thead><tbody><tr><td><i>Boolean (true, false)</i></td><td>Defines whether a view is relevant for search or not. Default: true</td></tr></tbody></table>	Value	Description	<i>Boolean (true, false)</i>	Defines whether a view is relevant for search or not. Default: true
Value	Description				
<i>Boolean (true, false)</i>	Defines whether a view is relevant for search or not. Default: true				

Annotation	Meaning								
Search.defaultSearchElement	<p>Specifies that the element is to be considered in a freestyle search (for example a SELECT...) where no columns are specified.</p> <p>Usually, such a search must not operate on all elements – for performance reasons, and because not all elements (e.g. internal keys) do qualify for this kind of access.</p> <p><b>Scope:</b> #Element</p> <p><b>Evaluation Runtime (Engine):</b> Interpreted by Enterprise Search and SADL</p> <p><b>Values:</b></p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><i>Boolean (true, false)</i></td><td>Defines whether the element is to be considered in a freestyle search. Default: true</td></tr> </tbody> </table>	Value	Description	<i>Boolean (true, false)</i>	Defines whether the element is to be considered in a freestyle search. Default: true				
Value	Description								
<i>Boolean (true, false)</i>	Defines whether the element is to be considered in a freestyle search. Default: true								
Search.ranking	<p>Specifies how relevant the values of an element are for ranking, if the freestyle search terms match the element value.</p> <p><b>Scope:</b> #Element</p> <p><b>Evaluation Runtime (Engine) :</b> Interpreted by Enterprise Search</p> <p><b>Values:</b></p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td>HIGH</td><td>The element is of high relevancy; this holds usually for ID and their descriptions.</td></tr> <tr> <td>MEDIUM</td><td>The element is of medium relevancy; this holds usually for other, important element. This is the default.</td></tr> <tr> <td>LOW</td><td>Although the element is relevant for freestyle search, a hit in this element has no real significance for a result item's ranking.</td></tr> </tbody> </table>	Value	Description	HIGH	The element is of high relevancy; this holds usually for ID and their descriptions.	MEDIUM	The element is of medium relevancy; this holds usually for other, important element. This is the default.	LOW	Although the element is relevant for freestyle search, a hit in this element has no real significance for a result item's ranking.
Value	Description								
HIGH	The element is of high relevancy; this holds usually for ID and their descriptions.								
MEDIUM	The element is of medium relevancy; this holds usually for other, important element. This is the default.								
LOW	Although the element is relevant for freestyle search, a hit in this element has no real significance for a result item's ranking.								

Annotation	Meaning				
Search.fuzzinessThreshold	<p>Specifies the least level of fuzziness (with regard to some comparison criteria passed at runtime) the element has to have to be considered in a fuzzy search at all.</p> <p><b>i Note</b></p> <p>A fuzzy search enables a certain degree of error tolerance and returns records even if the search term contains additional or missing characters or other types of spelling errors.</p>				
	<p><b>i Note</b></p> <p>To perform a fuzzy search you have to set the <i>search mode</i> to <i>fuzzy</i> in the customizing settings of your ABAP system. Find the customizing node under ► <i>SAP NetWeaver Implementation Guide</i> ► <i>Search and Operational Analytics</i> ► <i>Enterprise Search</i> ► <i>Search Configuration</i> ► <i>Set Parameters for Federated Search</i> ▶.</p> <p>If in the customizing a value for <i>Fuzzy Similarity</i> is present, the value of the parameter <code>Search.fuzzinessThreshold</code> will become void.</p>				
	<p><b>Scope:</b> #Element</p> <p><b>Evaluation Runtime (Engine):</b> Interpreted by SADL</p> <p><b>Values:</b></p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><i>Decimal (3,2)</i></td><td> <p>The least level of fuzziness the element has to have to be considered in a fuzzy search at all, e.g. 0 . 7.</p> <p>The value can be between 0 and 1.</p> <p>We recommend using the default value 0 . 7 to start with. Later on, you can fine-tune the search settings based on your experiences with the search. You can also fine-tune the search using feedback collected from your users. A value between 0 . 7 and 0 . 99 would be most useful. Use 1 for exact matches.</p> </td></tr> </tbody> </table>	Value	Description	<i>Decimal (3,2)</i>	<p>The least level of fuzziness the element has to have to be considered in a fuzzy search at all, e.g. 0 . 7.</p> <p>The value can be between 0 and 1.</p> <p>We recommend using the default value 0 . 7 to start with. Later on, you can fine-tune the search settings based on your experiences with the search. You can also fine-tune the search using feedback collected from your users. A value between 0 . 7 and 0 . 99 would be most useful. Use 1 for exact matches.</p>
Value	Description				
<i>Decimal (3,2)</i>	<p>The least level of fuzziness the element has to have to be considered in a fuzzy search at all, e.g. 0 . 7.</p> <p>The value can be between 0 and 1.</p> <p>We recommend using the default value 0 . 7 to start with. Later on, you can fine-tune the search settings based on your experiences with the search. You can also fine-tune the search using feedback collected from your users. A value between 0 . 7 and 0 . 99 would be most useful. Use 1 for exact matches.</p>				
Search.termMappingDictionary	<p>Specifies the table that holds the term mappings (synonyms) to be considered in the context of a search on this view.</p> <p><b>Scope:</b> #Element</p> <p><b>Evaluation Runtime (Engine):</b> No engine usage right now. Reserved for future usage.</p> <p><b>Values:</b></p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><i>String(128)</i></td><td>Defines the term mapping dictionary, e.g. a table or entity.</td></tr> </tbody> </table>	Value	Description	<i>String(128)</i>	Defines the term mapping dictionary, e.g. a table or entity.
Value	Description				
<i>String(128)</i>	Defines the term mapping dictionary, e.g. a table or entity.				

Annotation	Meaning
Search.termMappingListID	<p>Specifies one or multiple list IDs within the term mapping dictionary mentioned before.</p> <p>The list is implemented as a column of the term mapping table, with the list ID as content of this column. This concept has the aim to enable overarching term mapping dictionaries while being able to separate domain-specific content at the same time.</p> <p><b>Scope:</b> #Element</p> <p><b>Evaluation Runtime (Engine):</b> No engine usage right now. Reserved for future usage.</p> <p><b>Values:</b></p>
Value	Description
<i>Array of String(32)</i>	Defines one or more columns of the term mapping dictionary.

## Example

The following example demonstrates how the search annotations are used in a CDS view.

### Sample Code

```
@Search.searchable: true
define view demo_search
  as select from db_flight
{
  @Search.defaultSearchElement: true
  @Search.fuzzinessThreshold: 0.7
  key carrid,
  key connid,
  @Search.defaultSearchElement: true
  @Search.fuzzinessThreshold: 0.7
  fldate,
  price,
  currencycode
}
```

The search is executed primarily on the elements `carrid` and `fldate` with a fuzziness threshold of 0.7.

## 8.1.9 Semantics Annotations

Used by the core engines for data processing and data consumption

### Scope and Definition

```
@Scope: [#ELEMENT, #PARAMETER]
Annotation Semantics
    text           : Boolean default true;
    language       : Boolean default true;

@Scope: [#ELEMENT]
Annotation Semantics
    amount
    {
        currencyCode   : ElementRef;
    };
    quantity
    {
        unitOfMeasure : ElementRef;
    };
    currencyCode   : Boolean default true;
    unitOfMeasure  : Boolean default true;
    systemDateTime
    {
        createdAt     : Boolean default true;
        lastChangedAt : Boolean default true;
    };
    user
    {
        createdBy     : Boolean default true;
        lastChangedBy : Boolean default true;
    };
}
```

### Usage

Semantic annotations complement the concept of semantic data types, while semantic data types always introduce specific behavior in the provider/core infrastructure (through dedicated operations or conversion functions).

Semantic annotations allow the standardizing of semantics that only have an impact on the consumption side (such as currency code representation together with the amount).

Annotation	Meaning		
Semantics.amount.currencyCode	<p>This annotation tags an element that contains a currency amount.</p> <p><b>Scope:</b> [ELEMENT]</p> <p><b>Evaluation Runtime (Engine):</b> Interpreted by the orchestration framework (SADL). Translates CDS annotations into the corresponding OData annotations.</p> <p><b>Values:</b></p> <table> <tr> <td>elementRef</td><td>The annotated field contains a monetary amount, and the corresponding currency code is contained in the referenced field.</td></tr> </table>	elementRef	The annotated field contains a monetary amount, and the corresponding currency code is contained in the referenced field.
elementRef	The annotated field contains a monetary amount, and the corresponding currency code is contained in the referenced field.		
Semantics.currencyCode	<p>This annotation tags a field containing a currency code</p> <p>This can be either an <a href="#">ISO code</a> or an SAP currency code (data type CUKY).</p> <p><b>Scope:</b> [ELEMENT]</p> <p><b>Evaluation Runtime (Engine):</b> Interpreted by the orchestration framework (SADL). Translates CDS annotations into the corresponding OData annotations.</p> <p><b>Values:</b> Boolean default true</p>		
Semantics.language	<p>This annotation identifies a language.</p> <p><b>Scope:</b> [ELEMENT, PARAMETER]</p> <p><b>Evaluation Runtime (Engine):</b> Interpreted by the orchestration framework (SADL). Translates CDS annotations into the corresponding OData annotations.</p> <p><b>Values:</b> Boolean default true</p>		
Semantics.quantity.unitOfMeasure	<p>This annotation tags an element that contains a measured quantity.</p> <p><b>Scope:</b> [ELEMENT, PARAMETER]</p> <p><b>Evaluation Runtime (Engine):</b> Interpreted by the orchestration framework (SADL). Translates CDS annotations into the corresponding OData annotations.</p> <p><b>Values:</b></p> <table> <tr> <td>elementRef</td><td>The value of the annotated field references a unit of measure related to a measured quantity.</td></tr> </table>	elementRef	The value of the annotated field references a unit of measure related to a measured quantity.
elementRef	The value of the annotated field references a unit of measure related to a measured quantity.		
Annotations belonging to Semantics.systemDate tag elements that specify the date/time that is recorded by the technical infrastructure/database.			
<p><b>Scope:</b> [ELEMENT, PARAMETER]</p> <p><b>Evaluation Runtime (Engine):</b> Interpreted by the orchestration framework (SADL). Translates CDS annotations into the corresponding OData annotations.</p>			

Annotation	Meaning
Semantics.systemDateTime e.createdAt	The annotated element contains a timestamp indicating when the database record was created.  <b>Values:</b> Boolean default true
Semantics.systemDateTime e.lastChangedAt	The annotated element contains a timestamp indicating when the database record was last changed.  <b>Values:</b> Boolean default true
Semantics.text	This annotation identifies a human-readable text that is not necessarily language-dependent.  <b>Scope:</b> [ELEMENT, PARAMETER]  <b>Evaluation Runtime (Engine):</b> Interpreted by the orchestration framework (SADL). Translates CDS annotations into the corresponding OData annotations.  <b>Values:</b> Boolean default true
Semantics.unitOfMeasure	This annotation tags a field as containing a unit of measure.  <b>Scope:</b> [ELEMENT, PARAMETER]  <b>Evaluation Runtime (Engine):</b> Interpreted by the orchestration framework (SADL). Translates CDS annotations into the corresponding OData annotations.  <b>Values:</b> Boolean default true
Annotations belonging to Semantics.user tag elements that define the ID of the user related to the data record.	
<b>Scope:</b> [ELEMENT, PARAMETER]	
<b>Evaluation Runtime (Engine):</b> Interpreted by the orchestration framework (SADL). Translates CDS annotations into the corresponding OData annotations.	
Semantics.user.createdBy Y	The value of the annotated field specifies the user who created a data record.  <b>Values:</b> Boolean default true
Semantics.user.lastChangedBy	The value of the annotated field specifies the user who changed a data record at last.  <b>Values:</b> Boolean default true

## Examples

### Example 1

The following CDS view fetches sales order items. Here, the annotations assign the units and currencies to the corresponding fields.

### ↳ Sample Code

```
DEFINE VIEW SalesOrderItem as select from ...
{
    ...
    @Semantics.currencyCode
    currency_code as CurrencyCode,
    @Semantics.amount.currencyCode: 'CurrencyCode'
    gross_amount as GrossAmount,
    @Semantics.unitOfMeasure
    unit_of_measure as UnitOfMeasure,
    @Semantics.quantity.unitOfMeasure: 'UnitOfMeasure'
    quantity as Quantity,
    ...
}
```

### Example 2

The following CDS view fetches language-dependant data annotating the corresponding language fields and text fields:

### ↳ Sample Code

```
DEFINE VIEW chartOfAccountsTexts AS SELECT FROM ...
{
    key ktopl AS chartOfAccounts,
    @Semantics.language: true
    key spras AS language,
    @Semantics.text: true
    ktplt AS chartOfAccountsName
}
```

## 8.1.10 UI Annotations

Represent semantic views on business data through the use of specific patterns that are completely independent of UI technologies.

### Scope and Definition

```
@Scope:[#VIEW, #TABLE_FUNCTION, #ENTITY, #ANNOTATE_VIEW]
MetadataExtension.usageAllowed : true
define annotation UI
{
    @Scope:[#VIEW, #TABLE_FUNCTION]
    headerInfo
    {
        @LanguageDependency.maxLength : 40
        typeName : String(60);
```

```

@LanguageDependency.maxLength : 40
typeNamePlural : String(60);
typeImageUrl : String(1024);
imageUrl : ElementRef;
title
{
    type : String(40) enum
    {
        STANDARD;
        WITH_INTENT_BASED_NAVIGATION;
        WITH_NAVIGATION_PATH;
        WITH_URL;
    } default #STANDARD;
@LanguageDependency.maxLength : 40
label : String(60);
iconUrl : String(1024);
criticality : ElementRef;
criticalityRepresentation : String(12) enum
{
    WITHOUT_ICON;
    WITH_ICON;
} default #WITHOUT_ICON;
value : ElementRef;
targetElement : ElementRef;
url : ElementRef;
};
description
{
    type : String(40) enum
    {
        STANDARD;
        WITH_INTENT_BASED_NAVIGATION;
        WITH_NAVIGATION_PATH;
        WITH_URL;
    } default #STANDARD;
@LanguageDependency.maxLength : 40
label : String(60);
iconUrl : String(1024);
criticality : ElementRef;
criticalityRepresentation : String(12) enum
{
    WITHOUT_ICON;
    WITH_ICON;
} default #WITHOUT_ICON;
value : ElementRef;
targetElement : ElementRef;
url : ElementRef;
};
}@Scope:[#VIEW, #TABLE_FUNCTION]
badge
{
    headLine
    {
        type : String(40) enum
        {
            STANDARD;
            WITH_INTENT_BASED_NAVIGATION;
            WITH_NAVIGATION_PATH;
            WITH_URL;
        } default #STANDARD;
@LanguageDependency.maxLength : 40
label : String(60);
iconUrl : String(1024);
criticality : ElementRef;
criticalityRepresentation : String(12) enum
{
    WITHOUT_ICON;
}

```

```

        WITH_ICON;
    } default #WITHOUT_ICON;
value : ElementRef;
targetElement : ElementRef;
url : ElementRef;
};
title
{
    type : String(40) enum
    {
        STANDARD;
        WITH_INTENT_BASED_NAVIGATION;
        WITH_NAVIGATION_PATH;
        WITH_URL;
    } default #STANDARD;
@LanguageDependency.maxLength : 40
label : String(60);
iconUrl : String(1024);
criticality : ElementRef;
criticalityRepresentation : String(12) enum
{
    WITHOUT_ICON;
    WITH_ICON;
} default #WITHOUT_ICON;
value : ElementRef;
targetElement : ElementRef;
url : ElementRef;
};
typeImageUrl : String(1024);
imageUrl : ElementRef;
mainInfo
{
    type : String(40) enum
    {
        STANDARD;
        WITH_INTENT_BASED_NAVIGATION;
        WITH_NAVIGATION_PATH;
        WITH_URL;
    } default #STANDARD;
@LanguageDependency.maxLength : 40
label : String(60);
iconUrl : String(1024);
criticality : ElementRef;
criticalityRepresentation : String(12) enum
{
    WITHOUT_ICON;
    WITH_ICON;
} default #WITHOUT_ICON;
value : ElementRef;
targetElement : ElementRef;
url : ElementRef;
};
secondaryInfo
{
    type : String(40) enum
    {
        STANDARD;
        WITH_INTENT_BASED_NAVIGATION;
        WITH_NAVIGATION_PATH;
        WITH_URL;
    } default #STANDARD;
@LanguageDependency.maxLength : 40
label : String(60);
iconUrl : String(1024);
criticality : ElementRef;
criticalityRepresentation : String(12) enum
{
    WITHOUT_ICON;
}

```

```

        WITH_ICON;
    } default #WITHOUT_ICON;
value : ElementRef;
targetElement : ElementRef;
url : ElementRef;
};

};

@Scope:[#VIEW, #TABLE_FUNCTION]
chart : array of
{
    qualifier : String(120);
    @LanguageDependency.maxLength : 40
    title : String(60);
    @LanguageDependency.maxLength : 80
    description : String(120);
    chartType : String(40) enum
    {
        COLUMN;
        COLUMN_STACKED;
        COLUMN_STACKED_100;
        COLUMN_DUAL;
        COLUMN_STACKED_DUAL;
        COLUMN_STACKED_DUAL_100;
        BAR;
        BAR_STACKED;
        BAR_STACKED_100;
        BAR_DUAL;
        BAR_STACKED_DUAL;
        BAR_STACKED_DUAL_100;
        AREA;
        AREA_STACKED;
        AREA_STACKED_100;
        HORIZONTAL_AREA;
        HORIZONTAL_AREA_STACKED;
        HORIZONTAL_AREA_STACKED_100;
        LINE;
        LINE_DUAL;
        COMBINATION;
        COMBINATION_STACKED;
        COMBINATION_STACKED_DUAL;
        HORIZONTAL_COMBINATION_STACKED;
        HORIZONTAL_COMBINATION_STACKED_DUAL;
        PIE;
        DONUT;
        SCATTER;
        BUBBLE;
        RADAR;
        HEAT_MAP;
        TREE_MAP;
        WATERFALL;
        BULLET;
        VERTICAL_BULLET;
    };
    dimensions : array of ElementRef;
    measures : array of ElementRef;
    dimensionAttributes : array of
    {
        dimension : ElementRef;
        role : String(10) enum
        {
            CATEGORY;
            SERIES;
        };
    };
    measureAttributes : array of
    {
        measure : ElementRef;
        role : String(10) enum
    }
}

```

```

        {
            AXIS_1;
            AXIS_2;
            AXIS_3;
        };
        asDataPoint : Boolean default true;
    };
    actions : array of
    {
        type : String(40) enum
        {
            FOR_ACTION;
            FOR_INTENT_BASED_NAVIGATION;
        };
        @LanguageDependency.maxLength : 40
        label : String(60);
        dataAction : String(120);
        invocationGrouping : String(12) enum
        {
            ISOLATED;
            CHANGE_SET;
        } default #ISOLATED;
        semanticObjectAction : String(120);
    };
};
@Scope:[#VIEW, #TABLE_FUNCTION]
selectionPresentationVariant : array of
{
    qualifier : String(120);
    id : String(120);
    @LanguageDependency.maxLength : 40
    text : String(60);
    selectionVariantQualifier : String(120);
    presentationVariantQualifier : String(120);
};
@Scope:[#VIEW, #TABLE_FUNCTION]
selectionVariant : array of
{
    qualifier : String(120);
    id : String(120);
    @LanguageDependency.maxLength : 40
    text : String(60);
    parameters : array of
    {
        name : ParameterRef;
        value : String(1024);
    };
    filter : String(1024);
};
@Scope:[#VIEW, #TABLE_FUNCTION]
presentationVariant : array of
{
    qualifier : String(120);
    id : String(120);
    @LanguageDependency.maxLength : 40
    text : String(60);
    maxItems : Integer;
    sortOrder : array of
    {
        by : ElementRef;
        direction : String(4) enum
        {
            ASC;
            DESC;
        };
    };
    groupBy : array of ElementRef;
    totalBy : array of ElementRef;
}

```

```

total : array of ElementRef;
includeGrandTotal : Boolean default true;
initialExpansionLevel : Integer;
requestAtLeast : array of ElementRef;
visualizations : array of
{
    type : String(40) enum
    {
        AS_LINEITEM;
        AS_CHART;
        AS_DATAPOINT;
    };
    qualifier : String(120);
    element : ElementRef;
};
selectionFieldsQualifier : String(120);
};

@Scope:[#ELEMENT]
hidden : Boolean default true;
@Scope:[#ELEMENT]
masked : Boolean default true;
@Scope:[#ELEMENT]
multiLineText : Boolean default true;
@Scope:[#ELEMENT]
lineItem : array of
{
    qualifier : String(120);
    position : DecimalFloat;
    exclude : Boolean default true;
    importance : String(6) enum { HIGH; MEDIUM; LOW; };
    type : String(40) enum
    {
        FOR_ACTION;
        AS_ADDRESS;
        AS_DATAPOINT;
        AS_CONTACT;
        AS_CHART;
        FOR_INTENT_BASED_NAVIGATION;
        STANDARD;
        WITH_INTENT_BASED_NAVIGATION;
        WITH_NAVIGATION_PATH;
        WITH_URL;
    } default #STANDARD;
    @LanguageDependency.maxLength : 40
    label : String(60);
    iconUrl : String(1024);
    criticality : ElementRef;
    criticalityRepresentation : String(12) enum
    {
        WITHOUT_ICON;
        WITH_ICON;
    } default #WITHOUT_ICON;
    dataAction : String(120);
    invocationGrouping : String(12) enum { ISOLATED; CHANGE_SET; } default
#ISOLATED;
    semanticObjectAction : String(120);
    value : ElementRef;
    valueQualifier : String(120);
    targetElement : ElementRef;
    url : ElementRef;
};
@Scope:[#ELEMENT]
identification : array of
{
    position : DecimalFloat;
    exclude : Boolean default true;
    importance : String(6) enum { HIGH; MEDIUM; LOW; };
    type : String(40) enum
}

```

```

{
    FOR_ACTION;
    AS_ADDRESS;
    AS_DATAPOINT;
    AS_CONTACT;
    AS_CHART;
    FOR_INTENT_BASED_NAVIGATION;
    STANDARD;
    WITH_INTENT_BASED_NAVIGATION;
    WITH_NAVIGATION_PATH;
    WITH_URL;
} default #STANDARD;
@LanguageDependency.maxLength : 40
label : String(60);
iconUrl : String(1024);
criticality : ElementRef;
criticalityRepresentation : String(12) enum
{
    WITHOUT_ICON;
    WITH_ICON;
} default #WITHOUT_ICON;
dataAction : String(120);
invocationGrouping : String(12) enum { ISOLATED; CHANGE_SET; } default
#ISOLATED;
semanticObjectAction : String(120);
value : ElementRef;
valueQualifier : String(120);
targetElement : ElementRef;
url : ElementRef;
};
@Scope:[#ELEMENT]
statusInfo : array of
{
    position : DecimalFloat;
    exclude : Boolean default true;
    importance : String(6) enum { HIGH; MEDIUM; LOW; };
    type : String(40) enum
    {
        FOR_ACTION;
        AS_ADDRESS;
        AS_DATAPOINT;
        AS_CONTACT;
        AS_CHART;
        FOR_INTENT_BASED_NAVIGATION;
        STANDARD;
        WITH_INTENT_BASED_NAVIGATION;
        WITH_NAVIGATION_PATH;
        WITH_URL;
    } default #STANDARD;
    @LanguageDependency.maxLength : 40
    label : String(60);
    iconUrl : String(1024);
    criticality : ElementRef;
    criticalityRepresentation : String(12) enum
    {
        WITHOUT_ICON;
        WITH_ICON;
    } default #WITHOUT_ICON;
    dataAction : String(120);
    invocationGrouping : String(12) enum { ISOLATED; CHANGE_SET; } default
    #ISOLATED;
    semanticObjectAction : String(120);
    value : ElementRef;
    valueQualifier : String(120);
    targetElement : ElementRef;
    url : ElementRef;
};
@Scope:[#ELEMENT]

```

```

fieldGroup : array of
{
    qualifier : String(120);
    @LanguageDependency.maxLength : 40
    groupLabel : String(60);
    position : DecimalFloat;
    exclude : Boolean default true;
    importance : String(6) enum { HIGH; MEDIUM; LOW; };
    type : String(40) enum
    {
        FOR_ACTION;
        AS_ADDRESS;
        AS_DATAPOINT;
        AS_CONTACT;
        AS_CHART;
        FOR_INTENT_BASED_NAVIGATION;
        STANDARD;
        WITH_INTENT_BASED_NAVIGATION;
        WITH_NAVIGATION_PATH;
        WITH_URL;
    } default #STANDARD;
    @LanguageDependency.maxLength : 40
    label : String(60);
    iconUrl : String(1024);
    criticality : ElementRef;
    criticalityRepresentation : String(12) enum
    {
        WITHOUT_ICON;
        WITH_ICON;
    } default #WITHOUT_ICON;
    dataAction : String(120);
    invocationGrouping : String(12) enum { ISOLATED; CHANGE_SET; } default
#ISOLATED;
    semanticObjectAction : String(120);
    value : ElementRef;
    valueQualifier : String(120);
    targetElement : ElementRef;
    url : ElementRef;
};
@Scope:[#ELEMENT]
dataPoint
{
    @LanguageDependency.maxLength : 40
    title : String(60);
    @LanguageDependency.maxLength : 80
    description : String(120);
    @LanguageDependency.maxLength : 193
    longDescription : String(250);
    targetValue : DecimalFloat;
    targetValueElement : ElementRef;
    forecastValue : ElementRef;
    minValue : DecimalFloat;
    maxValue : DecimalFloat;
    visualization : String(12) enum
    {
        NUMBER;
        BULLET_CHART;
        DONUT;
        PROGRESS;
        RATING;
    };
    valueFormat
    {
        scaleFactor : DecimalFloat;
        numberOfFractionalDigits : Integer;
    };
    referencePeriod
    {
}

```

```

        @LanguageDependency.maxLength : 80
        description : String(120);
        start : ElementRef;
        end : ElementRef;
    };
    criticality : ElementRef;
    criticalityRepresentation : String(12) enum
    {
        WITHOUT_ICON;
        WITH_ICON;
    } default #WITHOUT_ICON;
    criticalityCalculation
    {
        improvementDirection : String(8) enum
        {
            MINIMIZE;
            TARGET;
            MAXIMIZE;
        };
        acceptanceRangeLowValue : DecimalFloat;
        acceptanceRangeHighValue : DecimalFloat;
        toleranceRangeLowValue : DecimalFloat;
        toleranceRangeLowValueElement : ElementRef;
        toleranceRangeHighValue : DecimalFloat;
        toleranceRangeHighValueElement : ElementRef;
        deviationRangeLowValue : DecimalFloat;
        deviationRangeLowValueElement : ElementRef;
        deviationRangeHighValue : DecimalFloat;
        deviationRangeHighValueElement : ElementRef;
        constantThresholds: array of
        {
            aggregationLevel: array of ElementRef;
            acceptanceRangeLowValue: DecimalFloat;
            acceptanceRangeHighValue: DecimalFloat;
            toleranceRangeLowValue: DecimalFloat;
            toleranceRangeHighValue: DecimalFloat;
            deviationRangeLowValue: DecimalFloat;
            deviationRangeHighValue: DecimalFloat;
        };
    };
    trend : ElementRef;
    trendCalculation
    {
        referenceValue : ElementRef;
        isRelativeDifference : Boolean default true;
        upDifference : DecimalFloat;
        upDifferenceElement : ElementRef;
        strongUpDifference : DecimalFloat;
        strongUpDifferenceElement : ElementRef;
        downDifference : DecimalFloat;
        downDifferenceElement : ElementRef;
        strongDownDifference : DecimalFloat;
        strongDownDifferenceElement : ElementRef;
    };
    responsible : ElementRef;
    responsibleName : String(120);
};
@Scope:[#ELEMENT]
selectionField : array of
{
    qualifier : String(120);
    position : DecimalFloat;
    exclude : Boolean default true;
    element : ElementRef;
};
@Scope:[#ELEMENT]
facet : array of

```

```

{
    qualifier : String(120);
    id : String(120);
    purpose : String(40) enum
    {
        STANDARD;
        HEADER;
        QUICK_VIEW;
        QUICK_CREATE;
        FILTER;
    } default #STANDARD;
    parentId : String(120);
    position : DecimalFloat;
    exclude : Boolean default true;
    isPartOfPreview : Boolean default true;
    isSummary : Boolean default true;
    isMap : Boolean default true;
    importance : String(6) enum
    {
        HIGH;
        MEDIUM;
        LOW;
    };
    @LanguageDependency.maxLength : 40
    label : String(60);
    type : String(40) enum
    {
        COLLECTION;
        ADDRESS_REFERENCE;
        BADGE_REFERENCE;
        CHART_REFERENCE;
        CONTACT_REFERENCE;
        DATAPOINT_REFERENCE;
        FIELDGROUP_REFERENCE;
        HEADERINFO_REFERENCE;
        IDENTIFICATION_REFERENCE;
        LINEITEM_REFERENCE;
        STATUSINFO_REFERENCE;
        URL_REFERENCE;
    };
    targetElement : ElementRef;
    targetQualifier : String(120);
    url : ElementRef;
};

@Scope:[#VIEW, #ELEMENT]
textArrangement : String(13) enum
{
    TEXT_FIRST;
    TEXT_LAST;
    TEXT_ONLY;
    TEXT_SEPARATE;
};

//=====
// Version 7.69
//=====

@Scope: [#ELEMENT]
kpi : array of
{
    qualifier : String(120);
    id : String(120);
    selectionVariantQualifier : String(120);
    detail
    {
        defaultPresentationVariantQualifier : String(120);
        alternativePresentationVariantQualifiers : array of String(120);
    };
    dataPoint
    {

```

```

@LanguageDependency.maxLength : 40
title : String(60);
@LanguageDependency.maxLength : 80
description : String(120);
@LanguageDependency.maxLength : 193
longDescription : String(250);
targetValue : DecimalFloat;
forecastValue : DecimalFloat;
minimumValue : DecimalFloat;
maximumValue : DecimalFloat;
valueFormat
{
    scaleFactor : DecimalFloat;
    numberOfFractionalDigits : Integer;
};
visualization : String(12) enum
{
    NUMBER;
    BULLET_CHART;
    DONUT;
    PROGRESS;
    RATING;
};
referencePeriod {
    @LanguageDependency.maxLength: 80
    description : String(120);
    start : ElementRef;
    end : ElementRef;
};
criticality : ElementRef;
criticalityRepresentation : String(12) enum
{
    WITHOUT_ICON;
    WITH_ICON;
} default #WITHOUT_ICON;
criticalityCalculation
{
    improvementDirection : String(8) enum
    {
        MINIMIZE;
        TARGET;
        MAXIMIZE;
    };
    acceptanceRangeLowValue : DecimalFloat;
    acceptanceRangeHighValue : DecimalFloat;
    toleranceRangeLowValue : DecimalFloat;
    toleranceRangeHighValue : DecimalFloat;
    deviationRangeLowValue : DecimalFloat;
    deviationRangeHighValue : DecimalFloat;
    constantThresholds : array of
    {
        aggregationLevel : array of ElementRef;
        acceptanceRangeLowValue : DecimalFloat;
        acceptanceRangeHighValue : DecimalFloat;
        toleranceRangeLowValue : DecimalFloat;
        toleranceRangeHighValue : DecimalFloat;
        deviationRangeLowValue : DecimalFloat;
        deviationRangeHighValue : DecimalFloat;
    };
};
trend : ElementRef;
trendCalculation
{
    referenceValue : ElementRef;
    isRelativeDifference : Boolean ;
    upDifference : DecimalFloat;
    strongUpDifference : DecimalFloat;
    downDifference : DecimalFloat;
}

```

```

        strongDownDifference : DecimalFloat;
    };
    responsible      : ElementRef;
    responsibleName: String(120);
};

};

```

## Usage

The focus of OData UI vocabulary developed by SAP is on usage patterns of data in UIs, not on UI patterns. The vocabulary is completely independent of the UI technologies or devices that consume the data. The usage patterns of data used by the OData UI vocabulary represent certain semantic views on business data. Some of them are very generic, others are based on the concept of an entity, something tangible to end-users. Examples for entities are semantic object instances or business object instances. Looking at different UI patterns, these data usage patterns reoccur again and again. To generate OData annotations from CDS views, CDS annotations are reused from different domains, for example Consumption, Communication, Semantics, EndUserText. The CDS annotations that are additionally required in a UI domain are listed in the following table.

Annotation	Meaning
Annotations belonging to <a href="#">UI.badge</a> represent a business card view.	
<b>Scope:</b> [VIEW, TABLE_FUNCTION, ENTITY, ANNOTATE_VIEW]	
<b>Evaluation Runtime (Engine): SSDL:</b> Translates CDS annotations into the corresponding OData annotations	
<b>Values:</b>	
<a href="#">UI.badge.headLine</a>	<p>Annotations belonging to <a href="#">UI.badge.headLine</a> represent a property of type <a href="#">UI.DataFieldAbstract</a> restricted to the types <a href="#">STANDARD</a>, <a href="#">WITH_NAVIGATION_PATH</a>, and <a href="#">WITH_URL</a>.</p> <p>The OData annotations <a href="#">DataFieldAbstract</a> are the basis for all <a href="#">DataField</a> types and represent values with optional labels that can trigger navigation to related data, or execute actions on data.</p>
<a href="#">UI.badge.headLine.criticality</a>	<p><code>elementRef</code></p> <p>This annotation can be specified if the badge headline type is <a href="#">STANDARD</a>. This annotation references to another element that has the values 0, 1, 2, or 3. The criticality value <a href="#">Neutral</a> is reflected by the value 0, the criticality value <a href="#">Negative</a> is reflected by the value 1, the criticality value <a href="#">Critical</a> is reflected by the value 2, and the criticality value <a href="#">Positive</a> is reflected by the value 3.</p> <p>For more information, see <a href="#">Criticality [page 397]</a>.</p>

Annotation	Meaning
<code>UI.badge.headLine.iconURL</code>	String This annotation contains the URL to an icon image. This annotation is <b>optional</b> .
<code>UI.badge.headLine.label</code>	String (60) This annotation contains a language-dependent text. If omitted, the label of the annotated element, or the label of the element referenced via the value is used. The element is optional.
<code>UI.badge.headLine.targetElement</code>	elementRef This annotation represents the path to an element of an associated CDS view. The path is converted to an OData <i>NavigationPropertyPath</i> . Using This annotation, you can link from the header part of an object view floorplan to a target element. You need to specify <code>UI.badge.headLine.targetElement</code> when you use the annotation <code>UI.badge.headLine.type</code> of type <code>WITH_NAVIGATION_PATH</code> . You might, for example, provide background information to an item that is opened on the object view floorplan.
<code>UI.badge.headLine.type</code>	This enumeration annotation exactly specifies what type of the type hierarchy is used. The value of the enumeration type determines which CDS elements are required or available. <b>Values:</b> String The following enumerations are provided:
Value	Description

Annotation	Meaning
<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <i>DataField</i>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <i>DataField</i> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> <li>• <i>criticality</i></li> </ul>
<code>WITH_NAVIGATION_PATH</code>	<p>Maps to <i>DataFieldWithNavigationPath</i>.</p> <p><i>DataFieldWithNavigationPath</i> is based on <i>DataField</i>, and defines a label-value pair that refers to a property of the OData service used. The definition consists of a link to navigate to a new target, based on a navigation property provided by the OData service, or defined in the annotation file.</p> <p>For more information, see <a href="#">With Navigation Path [page 407]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>targetElement</i></li> </ul>

Annotation	Meaning
<code>WITH_URL</code>	<p>Maps to <code>DataFieldWithURL</code>.</p> <p><code>DataFieldWithURL</code> is based on <code>DataField</code>, and defines a label–value pair that refers a property of the OData service used. The definition consists a URL to navigate to a new target, that is a URL.</p> <p>For more information, see <a href="#">With URL [page 409]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>url</code></li> </ul>
<code>UI.badge.headLine.url</code>	<p><code>elementRef</code></p> <p>This annotation represents the path to a structural element that contains a navigation URL. You need to specify <code>UI.badge.headLine.url</code> when you use the annotation <code>UI.badge.headLine.type</code> of type <code>WITH_URL</code>.</p>
<code>UI.badge.headLine.value</code>	<p><code>elementRef</code></p> <p>This annotation refers to a value. If you refer to a value that is in the same view, specify the element name. If you use an association to refer to a value, specify the path to the element.</p>
<code>UI.badge.imageUrl</code>	<p><code>elementRef</code></p> <p>This annotation represents a path to an element containing the URL of an image representing the entity instance. The path is optional.</p>
<div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"> <p> <b>Example</b></p> <p>When users open a badge, they can see an image related to that badge.</p> </div>	

Annotation	Meaning
<code>UI.badge.mainInfo</code>	<p>The content of <code>UI.badge.mainInfo</code> annotations is highlighted on the badge. These annotations represent a property of type <code>UI.DataFieldAbstract</code> restricted to the types <code>STANDARD</code>, <code>WITH_NAVIGATION_PATH</code>, and <code>WITH_URL</code>.</p> <p>The OData annotations <code>DataFieldAbstract</code> are the basis for all <code>DataField</code> types and represent values with optional labels that can trigger navigation to related data, or execute actions on data.</p>
<code>UI.badge.mainInfo.criticality</code>	<p><code>elementRef</code></p> <p>This annotation can be specified if the type of the badge main info is <code>STANDARD</code>. This annotation references to another element that has the values 0, 1, 2, or 3. The criticality value <code>Neutral</code> is reflected by the value 0, the criticality value <code>Negative</code> is reflected by the value 1, the criticality value <code>Critical</code> is reflected by the value 2, and the criticality value <code>Positive</code> is reflected by the value 3.</p> <p>For more information, see <a href="#">Criticality [page 397]</a>.</p>
<code>UI.badge.mainInfo.iconURL</code>	<p><code>String</code></p> <p>This annotation contains the URL to an icon image. This annotation is <b>optional</b>.</p>
<code>UI.badge.mainInfo.label</code>	<p><code>String (60)</code></p> <p>This annotation contains a language-dependent text that can be used for main information on badges.</p> <p>If omitted, the label of the annotated element, or the label of the element referenced via the value is used. The element is optional.</p>

Annotation	Meaning				
<code>UI.badge.mainInfo.targetElement</code>	<p><code>elementRef</code></p> <p>This annotation represents the path to an element of an associated CDS view. The path is converted to an OData <a href="#">NavigationPropertyPath</a>. Using This annotation, you can link from the header part of an object view floorplan to a target element. You need to specify <code>UI.badge.mainInfo.targetElement</code> when you use the annotation <code>UI.badge.mainInfo.type</code> of type <code>WITH_NAVIGATION_PATH</code>. You might, for example, provide background information to an item that is opened on the object view floorplan.</p>				
<code>UI.badge.mainInfo.type</code>	<p>This enumeration annotation exactly specifies what type of the type hierarchy is used. The value of the enumeration type determines which CDS elements are required or available.</p> <p><b>Values:</b></p> <p><code>String</code></p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>STANDARD</code></td><td> <p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul> </td></tr> </tbody> </table>	Value	Description	<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul>
Value	Description				
<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul>				

Annotation	Meaning
<code>WITH_NAVIGATION_PATH</code>	<p>Maps to <i>DataFieldWithNavigationPath</i>.</p> <p><i>DataFieldWithNavigationPath</i> is based on <i>DataField</i>, and defines a label-value pair that refers to a property of the OData service used. The definition consists of a link to navigate to a new target, based on a navigation property provided by the OData service, or defined in the annotation file.</p> <p>For more information, see <a href="#">With Navigation Path [page 407]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>targetElement</i></li> </ul>
<code>WITH_URL</code>	<p>Maps to <i>DataFieldWithURL</i>.</p> <p><i>DataFieldWithURL</i> is based on <i>DataField</i>, and defines a label-value pair that refers a property of the OData service used. The definition consists a URL to navigate to a new target, that is a URL.</p> <p>For more information, see <a href="#">With URL [page 409]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>url</i></li> </ul>

Annotation	Meaning
<code>UI.badge.mainInfo.url</code>	<code>elementRef</code>
	This annotation represents the path to a structural element that contains a navigation URL. You need to specify <code>UI.badge.mainInfo.url</code> when you use the annotation <code>UI.badge.mainInfo.type</code> of type <code>WITH_URL</code> .
<code>UI.badge.mainInfo.value</code>	<code>elementRef</code>
	This annotation refers to a value. If you refer to a value that is in the same view, specify the element name. If you use an association to refer to a value, specify the path to the element.
<code>UI.badge.secondaryInfo</code>	The content of <code>UI.badge.secondaryInfo</code> annotations is subordinate to the content of the <code>UI.badge.mainInfo</code> annotations. This annotation represents a property of type <code>UI.DataFieldAbstract</code> restricted to the types <code>STANDARD</code> , <code>WITH_NAVIGATION_PATH</code> , and <code>WITH_URL</code> .  The OData annotations <code>DataFieldAbstract</code> are the basis for all <code>DataField</code> types and represent values with optional labels that can trigger navigation to related data, or execute actions on data.
<code>UI.badge.secondaryInfo.criticality</code>	<code>elementRef</code>
	This annotation can be specified if the type of the badge secondary info is <code>STANDARD</code> . This annotation references to another element that has the values 0, 1, 2, or 3. The criticality value <code>Neutral</code> is reflected by the value 0, the criticality value <code>Negative</code> is reflected by the value 1, the criticality value <code>Critical</code> is reflected by the value 2, and the criticality value <code>Positive</code> is reflected by the value 3.  For more information, see <a href="#">Criticality [page 397]</a> .
<code>UI.badge.secondaryInfo.iconURL</code>	<code>String</code>
	This annotation contains the URL to an icon image. This annotation is <code>optional</code> .
<code>UI.badge.secondaryInfo.label</code>	<code>String (60)</code>
	This annotation contains a language-dependent text that can be used for secondary information on badges.  If omitted, the label of the annotated element, or the label of the element referenced via the value is used. The element is optional.

Annotation	Meaning				
<code>UI.badge.secondaryInfo.targetElement</code>	<p><code>elementRef</code></p> <p>This annotation represents the path to an element of an associated CDS view. The path is converted to an OData <a href="#">NavigationPropertyPath</a>. Using This annotation, you can link from the header part of an object view floorplan to a target element. You need to specify <code>UI.badge.secondaryInfo.targetElement</code> when you use the annotation <code>UI.badge.secondaryInfo.type</code> of type <code>WITH_NAVIGATION_PATH</code>. You might, for example, provide background information to an item that is opened on the object view floorplan.</p>				
<code>UI.badge.secondaryInfo.type</code>	<p>This enumeration annotation exactly specifies what type of the type hierarchy is used. The value of the enumeration type determines which CDS elements are required or available.</p> <p><b>Values:</b></p> <p><code>String</code></p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>STANDARD</code></td><td> <p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul> </td></tr> </tbody> </table>	Value	Description	<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul>
Value	Description				
<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul>				

Annotation	Meaning
<code>WITH_NAVIGATION_PATH</code>	<p>Maps to <i>DataFieldWithNavigationPath</i>.</p> <p><i>DataFieldWithNavigationPath</i> is based on <i>DataField</i>, and defines a label-value pair that refers to a property of the OData service used. The definition consists of a link to navigate to a new target, based on a navigation property provided by the OData service, or defined in the annotation file.</p> <p>For more information, see <a href="#">With Navigation Path [page 407]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>targetElement</i></li> </ul>
<code>WITH_URL</code>	<p>Maps to <i>DataFieldWithURL</i>.</p> <p><i>DataFieldWithURL</i> is based on <i>DataField</i>, and defines a label-value pair that refers a property of the OData service used. The definition consists a URL to navigate to a new target, that is a URL.</p> <p>For more information, see <a href="#">With URL [page 409]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>url</i></li> </ul>

Annotation	Meaning	
<code>UI.badge.secondaryInfo.url</code>	elementRef	This annotation represents the path to a structural element that contains a navigation URL. You need to specify <code>UI.badge.secondaryInfo.url</code> when you use the annotation <code>UI.badge.secondaryInfo.type</code> of type <code>WITH_URL</code> .
<code>UI.badge.secondaryInfo.value</code>	elementRef	This annotation refers to a value. If you refer to a value that is in the same view, specify the element name. If you use an association to refer to a value, specify the path to the element.
<code>UI.badge.title</code>		<p>Annotations belonging to <code>UI.badge.title</code> represent a property of type <code>UI.DataFieldAbstract</code> restricted to the types <code>STANDARD</code>, <code>WITH_NAVIGATION_PATH</code>, and <code>WITH_URL</code>. <code>UI.badge.title</code> annotations are <b>mandatory</b>.</p> <p>The OData annotations <code>DataFieldAbstract</code> are the basis for all <code>DataField</code> types and represent values with optional labels that can trigger navigation to related data, or execute actions on data.</p>
<code>UI.badge.title.criticality</code>	elementRef	<p>This annotation can be specified if the badge title type is <code>STANDARD</code>. This annotation references to another element that has the values 0, 1, 2, or 3. The criticality value <code>Neutral</code> is reflected by the value 0, the criticality value <code>Negative</code> is reflected by the value 1, the criticality value <code>Critical</code> is reflected by the value 2, and the criticality value <code>Positive</code> is reflected by the value 3.</p> <p>For more information, see <a href="#">Criticality [page 397]</a>.</p>
<code>UI.badge.title.iconURL</code>	String	This annotation contains the URL to an icon image. This annotation is <b>optional</b> .
<code>UI.badge.title.label</code>	String (60)	<p>This annotation contains a language-dependent text that can be used for titles on badges.</p> <p>If omitted, the label of the annotated element, or the label of the element referenced via the value is used. The element is optional.</p>

Annotation	Meaning				
<code>UI.badge.title.targetElement</code>	<p><code>elementRef</code></p> <p>This annotation represents the path to an element of an associated CDS view. The path is converted to an OData <a href="#">NavigationPropertyPath</a>. Using This annotation, you can link from the header part of an object view floorplan to a target element. You need to specify <code>UI.badge.title.targetElement</code> when you use the annotation <code>UI.badge.title.type</code> of type <code>WITH_NAVIGATION_PATH</code>. You might, for example, provide background information to an item that is opened on the object view floorplan.</p>				
<code>UI.badge.title.type</code>	<p>This enumeration annotation exactly specifies what type of the type hierarchy is used. The value of the enumeration type determines which CDS elements are required or available.</p> <p><b>Values:</b></p> <p><code>String</code></p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>STANDARD</code></td><td> <p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul> </td></tr> </tbody> </table>	Value	Description	<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul>
Value	Description				
<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul>				

Annotation	Meaning
<code>WITH_NAVIGATION_PATH</code>	<p>Maps to <i>DataFieldWithNavigationPath</i>.</p> <p><i>DataFieldWithNavigationPath</i> is based on <i>DataField</i>, and defines a label-value pair that refers to a property of the OData service used. The definition consists of a link to navigate to a new target, based on a navigation property provided by the OData service, or defined in the annotation file.</p> <p>For more information, see <a href="#">With Navigation Path [page 407]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>targetElement</i></li> </ul>
<code>WITH_URL</code>	<p>Maps to <i>DataFieldWithURL</i>.</p> <p><i>DataFieldWithURL</i> is based on <i>DataField</i>, and defines a label-value pair that refers a property of the OData service used. The definition consists a URL to navigate to a new target, that is a URL.</p> <p>For more information, see <a href="#">With URL [page 409]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>url</i></li> </ul>

Annotation	Meaning	
<code>UI.badge.title.url</code>	elementRef	This annotation represents the path to a structural element that contains a navigation URL. You need to specify <code>UI.badge.title.url</code> when you use the annotation <code>UI.badge.title.type</code> of type <code>WITH_URL</code> .
<code>UI.badge.title.value</code>	elementRef	This annotation refers to a value. If you refer to a value that is in the same view, specify the element name. If you use an association to refer to a value, specify the path to the element.
<code>UI.badge.type.imageUrl</code>	String	This annotation contains the URL of an image representing an entity. The element is optional.

### ❖ Example

When users open an overview of badges, they can see an image related to the entity type to which all badges displayed on that page belong to.

Annotations belonging to `UI.chart` are used to show a visual representation of aggregated data.

**Scope:** [VIEW, TABLE\_FUNCTION, ENTITY, ANNOTATE\_VIEW]

**Evaluation Runtime (Engine): SADL:** Translates CDS annotations into the corresponding OData annotations

**Values:** array of

<code>UI.chart.actions</code>	Annotations belonging to <code>UI.chart.actions</code> are used to add actions to charts.	
<code>UI.chart.actions.dataAction</code>	String	This annotation can be used if the chart action type is <code>FOR_ACTION</code> . The annotation references the technical name of an action of the Business Object Processing Framework (BOPF), for example. In this case, the string pattern is <code>BOPF:&lt;technical name of action in BOPF&gt;</code> .

Annotation	Meaning						
<code>UI.chart.actions.invocationGrouping</code>	<p><b>Description:</b> This annotation expresses how multiple invocations of the same action on multiple instances are grouped. This annotation is optional. This annotation needs to be specified if you use <code>UI.chart.actions.type</code> of type <code>FOR_ACTION</code>.</p> <p><b>Values:</b></p> <p>String</p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>ISOLATED</code></td><td> <p>Default</p> <p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>The action is executed on all instances except for instance on which the action cannot be executed.</li> </ul> </td></tr> <tr> <td><code>CHANGE_SET</code></td><td> <p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>If an action cannot be executed on one of the selected instances, the action is executed on none of the selected instances.</li> </ul> </td></tr> </tbody> </table> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"> <p><b>Example</b></p> <p>A user selects five items in a list and wants to copy them. One item cannot be copied. This item will not be copied, the other four items are copied.</p> </div>	Value	Description	<code>ISOLATED</code>	<p>Default</p> <p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>The action is executed on all instances except for instance on which the action cannot be executed.</li> </ul>	<code>CHANGE_SET</code>	<p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>If an action cannot be executed on one of the selected instances, the action is executed on none of the selected instances.</li> </ul>
Value	Description						
<code>ISOLATED</code>	<p>Default</p> <p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>The action is executed on all instances except for instance on which the action cannot be executed.</li> </ul>						
<code>CHANGE_SET</code>	<p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>If an action cannot be executed on one of the selected instances, the action is executed on none of the selected instances.</li> </ul>						
	<div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"> <p><b>Example</b></p> <p>A user selects five items in a list and wants to copy them. One item cannot be copied. None of the selected items are copied.</p> </div>						

Annotation	Meaning				
<code>UI.chart.actions.label</code>	<p><code>String (40)</code></p> <p>This annotation contains a language-dependent text that can be used for charts.</p> <p>If omitted, the label of the annotated element, or the label of the element referenced via the value is used. The annotation is optional.</p>				
<code>UI.chart.actions.semanticObjectAction</code>	<p><code>String</code></p> <p>This annotation can be used in the chart action type is <code>FOR_INTENT_BASED_NAVIGATION</code>. This annotation refers to the name of an action on the semantic object. The semantic object is taken from or derived via an association from the defining view.</p>				
<code>UI.chart.actions.type</code>	<p><b>Description:</b> This annotation is used to define the type of an action that is added to a chart.</p> <p><b>Values:</b></p> <p><code>String</code></p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>FOR_ACTION</code></td><td> <p>Maps to <code>DataFieldForAction</code>.</p> <p><code>DataFieldForAction</code> is based on <code>DataField</code>, and defines an app-specific action. For example, a button is rendered with the text of the datafield label.</p> <p>For more information, see <a href="#">Actions [page 413]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>invocationGrouping</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>dataAction</code></li> </ul> </td></tr> </tbody> </table>	Value	Description	<code>FOR_ACTION</code>	<p>Maps to <code>DataFieldForAction</code>.</p> <p><code>DataFieldForAction</code> is based on <code>DataField</code>, and defines an app-specific action. For example, a button is rendered with the text of the datafield label.</p> <p>For more information, see <a href="#">Actions [page 413]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>invocationGrouping</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>dataAction</code></li> </ul>
Value	Description				
<code>FOR_ACTION</code>	<p>Maps to <code>DataFieldForAction</code>.</p> <p><code>DataFieldForAction</code> is based on <code>DataField</code>, and defines an app-specific action. For example, a button is rendered with the text of the datafield label.</p> <p>For more information, see <a href="#">Actions [page 413]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>invocationGrouping</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>dataAction</code></li> </ul>				

Annotation	Meaning																
	<p><i>FOR_INTENT_BASED_NAVIGATION</i></p> <p>Maps to <i>DataFieldForIntentBasedNavigation</i>.</p> <p><i>DataFieldForIntentBasedNavigation</i> is used to execute an action on a semantic object.</p> <p>For more information, see <a href="#">Based on Intent [page 411]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>semanticObjectAction</i></li> </ul>																
<i>UI.chart.chartType</i>	<p><b>Description:</b> This enumeration annotation specifies the type of graphical representation that is most appropriate for the data in the annotated view or entity. The element is <b>mandatory</b>.</p> <p><b>Values:</b></p> <p>String</p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><i>COLUMN</i></td><td>This annotation represents one dimension on the x-axis, and one or more measures on the y-axis ("vertical bar").</td></tr> <tr> <td><i>COLUMN_STACKED</i></td><td>This annotation represents a stacked column.</td></tr> <tr> <td><i>COLUMN_STACKED_100</i></td><td>This annotation represents a 100 % stacked column.</td></tr> <tr> <td><i>BAR</i></td><td>This annotation represents one dimension on the y-axis, and one or more measures on the x-axis ("horizontal bar").</td></tr> <tr> <td><i>BAR_STACKED</i></td><td>This annotation represents a stacked bar.</td></tr> <tr> <td><i>BAR_STACKED_100</i></td><td>This annotation represents a 100 % stacked bar.</td></tr> <tr> <td><i>AREA</i></td><td>This annotation represents one dimension on the x-axis, and one or more measures on the y-axis ("vertical bar").</td></tr> </tbody> </table>	Value	Description	<i>COLUMN</i>	This annotation represents one dimension on the x-axis, and one or more measures on the y-axis ("vertical bar").	<i>COLUMN_STACKED</i>	This annotation represents a stacked column.	<i>COLUMN_STACKED_100</i>	This annotation represents a 100 % stacked column.	<i>BAR</i>	This annotation represents one dimension on the y-axis, and one or more measures on the x-axis ("horizontal bar").	<i>BAR_STACKED</i>	This annotation represents a stacked bar.	<i>BAR_STACKED_100</i>	This annotation represents a 100 % stacked bar.	<i>AREA</i>	This annotation represents one dimension on the x-axis, and one or more measures on the y-axis ("vertical bar").
Value	Description																
<i>COLUMN</i>	This annotation represents one dimension on the x-axis, and one or more measures on the y-axis ("vertical bar").																
<i>COLUMN_STACKED</i>	This annotation represents a stacked column.																
<i>COLUMN_STACKED_100</i>	This annotation represents a 100 % stacked column.																
<i>BAR</i>	This annotation represents one dimension on the y-axis, and one or more measures on the x-axis ("horizontal bar").																
<i>BAR_STACKED</i>	This annotation represents a stacked bar.																
<i>BAR_STACKED_100</i>	This annotation represents a 100 % stacked bar.																
<i>AREA</i>	This annotation represents one dimension on the x-axis, and one or more measures on the y-axis ("vertical bar").																

Annotation	Meaning
<i>AREA_STACKED</i>	This annotation represents a stacked area.
<i>AREA_100</i>	This annotation represents a 100 % stacked area.
<i>HORIZONTAL_AREA</i>	This annotation represents one dimension on the y-axis, and one or more measures on the x-axis ("horizontal bar").
<i>HORIZONTAL_AREA_STACKED</i>	This annotation represents a stacked, horizontal area.
<i>HORIZONTAL_AREA_100</i>	This annotation represents a 100 % stacked, horizontal area.
<i>LINE</i>	This annotation represents one dimension on the x-axis, and one or more measures on the y-axis ("vertical bar").
<i>PIE</i>	This annotation represents one dimension for segmentation, and one measure for the size of a segment.
<i>DONUT</i>	
<i>SCATTER</i>	This annotation represents two dimensions for the x-axis and the y-axis. A third and fourth dimension for symbol and color are optional.
<i>BUBBLE</i>	This annotation represents two dimensions for the x-axis and the y-axis, and one measure for the size of the bubble.
<i>RADAR</i>	This annotation represents three or more dimensions for the axes of the spider web.
<i>HEAT_MAP</i>	This annotation represents two dimensions for the x-axis and the y-axis, and one measure that is mapped to a color code.
<i>TREE_MAP</i>	This annotation represents one or more hierarchical dimensions, one measure for the rectangle size, and an optional second measure that is mapped to a color code.
<i>WATERFALL</i>	This annotation represents one dimension for the x-axis, and one measure for the y-axis.

Annotation	Meaning
	<p><i>BULLET</i></p>
	This annotation represents an actual value as a horizontal bar in semantic color on the top of the background bar. Numeric values, the scaling factor, along with the thresholds, and a target value are displayed vertically.
	<p><i>VERTICAL_BULLET</i></p>
	This annotation represents an actual value as a vertical bar in semantic color on the top of the background bar. Numeric values, the scaling factor, along with the thresholds, and a target value are displayed horizontally.
<i>UI.chart.description</i>	String (120)
	This annotation contains a language-dependent text. If omitted, the <i>@EndUserText.quickInfo</i> of the annotated entity or view is used. The element is optional.
<i>UI.chart.dimensions</i>	array of elementRef
	This annotation is an array of one or more element references for the discrete axes of a chart. The exact semantics depend on the chart type.
<i>UI.chart.dimensionsAttributes</i>	Annotations belonging to <i>UI.chart.dimensionsAttributes</i> are used to specify the dimension attributes of a chart.  Values: array of
<i>UI.chart.dimensionsAttributes.dimension</i>	elementRef
	This annotation defines the dimensions used in a chart. This annotation must reference an element that is contained in <i>UI.chart.dimensions</i> .
<i>UI.chart.dimensionsAttributes.role</i>	<p><b>Description:</b> This annotation defines the manner in which a dimension is used within a chart. This is configured differently for each chart type.</p> <p><b>Values:</b></p> <p>String</p> <p>The following enumerations are provided:</p>
Value	Description

Annotation	Meaning
<code>CATEGORY</code>	This annotation determines the visualization of a chart.
<code>SERIES</code>	<p><b>Example</b></p> <p>Line chart: Dimensions for which the role is set to <code>CATEGORY</code>, make up the X-axis (category axis). If no dimension is specified with this role, the first dimension is used as the X-axis.</p>
<code>UI.chart.measures</code>	This annotation is an array of zero or more element references for the numeric axes of a chart. The exact semantics depend on the chart type.
<code>UI.chart.measureAttributes</code>	<p>Annotations belonging to <code>UI.chart.measureAttributes</code> are used to specify the measure attributes of a chart.</p> <p>Values: array of</p>
<code>UI.chart.measureAttributes.asDataPoint</code>	This annotation defines whether or not measures are displayed as data points in addition to a chart. The element annotated with this UI annotation needs to have an annotation to a data point.
<code>UI.chart.measureAttributes.measure</code>	This annotation defines the measures used in a chart. This annotation must reference an element that is contained in <code>UI.chart.measures</code> and has a <code>UI.dataPoint</code> annotation.

Annotation	Meaning								
<code>UI.chart.measureAttributes.role</code>	<p><b>Description:</b> This annotation defines the manner in which a measure is used within a chart. This is configured differently for each chart type.</p> <p><b>Values:</b></p> <p>String</p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>AXIS_1</code></td><td>This annotation determines the visualization of a chart.</td></tr> <tr> <td><code>AXIS_2</code></td><td>This annotation determines the visualization of a chart.</td></tr> <tr> <td><code>AXIS_3</code></td><td>This annotation determines the visualization of a chart.</td></tr> </tbody> </table> <p><b>Example</b></p> <p>Bubble chart: The first measure for which the role is set to <code>AXIS_1</code>, or if none exists, the first measure for which the role is set to <code>AXIS_2</code>, or if none exists, the first measure for which the role is set to <code>AXIS_3</code>, is assigned to the feed UID <code>valueAxis</code>. This makes up the X-axis.</p>	Value	Description	<code>AXIS_1</code>	This annotation determines the visualization of a chart.	<code>AXIS_2</code>	This annotation determines the visualization of a chart.	<code>AXIS_3</code>	This annotation determines the visualization of a chart.
Value	Description								
<code>AXIS_1</code>	This annotation determines the visualization of a chart.								
<code>AXIS_2</code>	This annotation determines the visualization of a chart.								
<code>AXIS_3</code>	This annotation determines the visualization of a chart.								
<code>UI.chart.title</code>	String (60)								
<code>UI.chart.qualifier</code>	String (120)								

Annotation	Meaning				
<i>UI.dataPoint</i>	Annotations belonging to <i>UI.dataPoint</i> are used to visualize a single point of data that typically is a number but may also be text, for example, a status value. For more information, see <a href="#">Data Points [page 395]</a> .				
<b>Scope:</b> [ELEMENT]					
<b>Evaluation Runtime (Engine): SADL:</b>	Translates CDS annotations into the corresponding OData annotations				
<b>Values:</b>					
<i>UI.dataPoint.criticality</i>	elementRef	<p>This annotation can be specified if the data point type is <b>STANDARD</b>. This annotation references to another element that has the values 0, 1, 2, or 3. The criticality value <b>Neutral</b> is reflected by the value 0, the criticality value <b>Negative</b> is reflected by the value 1, the criticality value <b>Critical</b> is reflected by the value 2, and the criticality value <b>Positive</b> is reflected by the value 3.</p> <p>For more information, see <a href="#">Criticality [page 397]</a>.</p>			
<i>UI.dataPoint.criticalityCalculation</i>	Annotations belonging to <i>UI.dataPoint.criticalityCalculation</i> can be used as an alternative to specifying the criticality in the <i>criticality</i> element. The criticality can be calculated based on the values of the <i>criticalityCalculation</i> annotations.				
<i>UI.dataPoint.criticalityCalculation.improvementDirection</i>	<p><b>Description:</b> This annotation calculates the criticality based on a specified improvement direction. For more information, see <a href="#">Trend-Criticality Calculation [page 400]</a>.</p> <p><b>Values:</b></p> <p>String</p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td><i>MINIMIZE</i></td> <td> <ul style="list-style-type: none"> <li>Values under <i>toleranceRangeLowValue</i> are displayed in green (positive)</li> <li>Values between <i>toleranceRangeLowValue</i> and <i>deviationRangeHighValue</i> are displayed in yellow (critical)</li> <li>Values beyond <i>deviationRangeHighValue</i> are displayed in red (negative)</li> </ul> </td></tr> </tbody> </table>	Value	Description	<i>MINIMIZE</i>	<ul style="list-style-type: none"> <li>Values under <i>toleranceRangeLowValue</i> are displayed in green (positive)</li> <li>Values between <i>toleranceRangeLowValue</i> and <i>deviationRangeHighValue</i> are displayed in yellow (critical)</li> <li>Values beyond <i>deviationRangeHighValue</i> are displayed in red (negative)</li> </ul>
Value	Description				
<i>MINIMIZE</i>	<ul style="list-style-type: none"> <li>Values under <i>toleranceRangeLowValue</i> are displayed in green (positive)</li> <li>Values between <i>toleranceRangeLowValue</i> and <i>deviationRangeHighValue</i> are displayed in yellow (critical)</li> <li>Values beyond <i>deviationRangeHighValue</i> are displayed in red (negative)</li> </ul>				

Annotation	Meaning
<code>TARGET</code>	<ul style="list-style-type: none"> <li>Values under <code>deviationRangeLowValue</code> are displayed in red (negative)</li> <li>Values between <code>deviationRangeLowValue</code> and <code>toleranceRangeLowValue</code> are displayed in yellow (critical)</li> <li>Values between <code>toleranceRangeLowValue</code> and <code>toleranceRangeHighValue</code> are displayed in green (positive)</li> <li>Values between <code>toleranceRangeHighValue</code> and <code>deviationRangeHighValue</code> are displayed in yellow (critical)</li> <li>Values beyond <code>deviationRangeHighValue</code> are displayed in red (negative)</li> </ul>
<code>MAXIMIZE</code>	<ul style="list-style-type: none"> <li>Values under <code>deviationRangeLowValue</code> are displayed in red (negative)</li> <li>Values between <code>deviationRangeLowValue</code> and <code>toleranceRangeLowValue</code> are displayed in yellow (critical)</li> <li>Values beyond <code>toleranceRangeLowValue</code> are displayed in green (positive)</li> </ul>
<code>UI.dataPoint.criticalityCalculation.</code> <code>DecimalFloat</code> <code>deviationRangeHighValue</code>	<p>This annotation contains a constant value specifying the maximum deviation value before the criticality value <code>Negative</code> is reached.</p> <p><b>i Note</b></p> <p>If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.criticalityCalculation.deviationRangeHighValueElement</code>.</p>

Annotation	Meaning
<code>UI.dataPoint.criticalityCalculation.deviationRangeHighValueElement</code>	<p><code>elementRef</code></p> <p>This annotation contains a referenced value specifying the maximum deviation value before the criticality value <code>Negative</code> is reached.</p> <p><b>i Note</b></p> <p>If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.criticalityCalculation.deviationRangeHighValue</code>.</p>
<code>UI.dataPoint.criticalityCalculation.deviationRangeLowValue</code>	<p><code>DecimalFloat</code></p> <p>This annotation contains a constant value specifying the minimum deviation value before the criticality value <code>Negative</code> is reached.</p> <p><b>i Note</b></p> <p>If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.criticalityCalculation.deviationRangeLowValueElement</code>.</p>
<code>UI.dataPoint.criticalityCalculation.deviationRangeLowValueElement</code>	<p><code>elementRef</code></p> <p>This annotation contains a referenced value specifying the minimum deviation value before the criticality value <code>Negative</code> is reached.</p> <p><b>i Note</b></p> <p>If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.criticalityCalculation.deviationRangeLowValue</code>.</p>
<code>UI.dataPoint.criticalityCalculation.toleranceRangeHighValue</code>	<p><code>DecimalFloat</code></p> <p>This annotation contains a constant value specifying the maximum value of the tolerance range.</p> <p><b>i Note</b></p> <p>If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.criticalityCalculation.toleranceRangeHighValueElement</code>.</p>

Annotation	Meaning
<code>UI.dataPoint.criticalityCalculation.toleranceRangeHighValueElement</code>	<p><code>elementRef</code></p> <p>This annotation contains a referenced value specifying the maximum value of the tolerance range.</p>
<code>UI.dataPoint.criticalityCalculation.toleranceRangeLowValue</code>	<p><code>DecimalFloat</code></p> <p>This annotation contains a constant value specifying the minimum value of the tolerance range.</p>
<code>UI.dataPoint.criticalityCalculation.toleranceRangeLowValueElement</code>	<p><code>elementRef</code></p> <p>This annotation contains a referenced value specifying the minimum value of the tolerance range.</p>
<code>UI.dataPoint.description</code>	<p><code>String (120)</code></p> <p>This annotation contains a description of the data point. If omitted, the <code>@EndUserText.quickinfo</code> is used, if specified. The element is optional.</p>
<code>UI.dataPoint.forecastValue</code>	<p><code>elementRef</code></p> <p>This annotation references a value such as predicted or intended quarterly results, for example.</p>

Annotation	Meaning	
<i>UI.dataPoint.longDescription</i>	String (250)	This annotation contains a detailed description of the data point. The element is optional.
		<p><b>Example</b></p> <p>You can display a KPI using the <i>dataPoint</i> annotation. A tooltip when hovering over this KPI can be displayed using the <i>UI.dataPoint.longDescription</i> annotation.</p>
<i>UI.dataPoint.maximumValue</i>	Integer	This annotation specifies the maximum value of a threshold.
<i>UI.dataPoint.minimumValue</i>	Integer	This annotation specifies the minimum value of a threshold.
<i>UI.dataPoint.referencePeriod</i>	All <i>UI.dataPoint.referencePeriod</i> annotations are optional. You either use <i>UI.dataPoint.referencePeriod.description</i> , or <i>UI.dataPoint.referencePeriod.start</i> and <i>UI.dataPoint.referencePeriod.end</i> .	
<i>UI.dataPoint.referencePeriod.descr</i> <i>option</i>	String (120)	This annotation describes the business period of evaluation, for example "Oct 2012". Typical patterns are calendar dates or fiscal dates.
<i>UI.dataPoint.referencePeriod.end</i>	elementRef	This annotation contains a reference to the end date of the reference period.
<i>UI.dataPoint.referencePeriod.start</i>		This annotation contains a reference to the start date of the reference period.

Annotation	Meaning	
<code>UI.dataPoint.responsible</code>	<code>elementRef</code>	<p>This annotation contains an association to an entity that is annotated with <code>@Semantics.name</code>, <code>@Semantics.eMail</code>, <code>@Semantics.telephone</code>, <code>@Semantics.address</code>, or <code>@Semantics.organization</code>.</p> <p>For more information, see <a href="#">Person Responsible and Reference Period [page 403]</a>.</p> <p>For an overview of <code>@Semantics</code> annotations, see <a href="#">Semantics Annotations [page 511]</a>.</p> <p><b>i Note</b></p> <p>If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.responsibleName</code>.</p>
<code>UI.dataPoint.responsibleName</code>	String (120)	<p>This annotation can be used as an alternative to the <code>responsible</code> element. <b>Only</b> the name of the responsible person can be specified here.</p> <p><b>i Note</b></p> <p>If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.responsible</code>.</p>

Annotation	Meaning
<code>UI.dataPoint.targetValue</code>	<p>DecimalFloat</p> <p>This annotation specifies the target value of the data point as a constant element.</p> <p><b>Example</b></p> <p>You create a KPI in which you specify a certain revenue that needs to be reached at the end of a specific year. This is the <code>UI.dataPoint.targetValue</code> that is a static value.</p> <p><b>Note</b></p> <p>If you use This annotation, do <b>not</b> use the element <code>UI.dataPoint.targetValueElement</code>.</p>
<code>UI.dataPoint.targetValueElement</code>	<p>elementRef</p> <p>This annotation specifies the target value of the data point as a reference to an element.</p> <p><b>Example</b></p> <p>You create a KPI that references to different revenues for different regions that need to be reached at the end of a specific year for each region. This is the <code>UI.dataPoint.targetValueElement</code> that is a dynamic value depending on the region you want to look at.</p> <p><b>Note</b></p> <p>If you use This annotation, do <b>not</b> use the element <code>UI.dataPoint.targetValue</code>.</p>

Annotation	Meaning	
<code>UI.dataPoint.title</code>	String (60)	This annotation contains the title of the data point. The element can be omitted <b>only</b> if the <code>@EndUserText.label</code> is specified. The element is <b>mandatory</b> .
		<p> <b>Example</b></p> <p>You can display a KPI using the <code>dataPoint</code> annotation. The title of this KPI can be displayed using the <code>UI.dataPoint.title</code> annotation.</p>
<code>UI.dataPoint.trend</code>	elementRef	<p>reference to an element; valid element values are 1, 2, 3, 4, and 5.</p> <ul style="list-style-type: none"> <li>• 1 = StrongUp (arrow up)</li> <li>• 2 = Up (arrow diagonally up)</li> <li>• 3 = Sideways (horizontal arrow)</li> <li>• 4 = Down (arrow diagonally down)</li> <li>• 5 = StrongDown (arrow down)</li> </ul> <p>For more information, see <a href="#">Trends [page 398]</a>.</p>
<code>UI.dataPoint.trendCalculation</code>	Annotations belonging to <code>UI.dataPoint.trendCalculation</code> can be used as an alternative to specifying the trend in the trend element. The trend can be calculated based on the values of the <code>trendCalculation</code> annotations.	
<code>UI.dataPoint.trendCalculation.downDifference</code>	DecimalFloat	<p>This annotation contains a constant value specifying a difference that results in a down-trend.</p> <p> <b>Note</b></p> <p>If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.trendCalculation.downDifferenceElement</code>.</p>

Annotation	Meaning
<code>UI.dataPoint.trendCalculation.downDifferenceElement</code>	<p><code>elementRef</code></p> <p>This annotation contains a referenced value specifying a difference that results in a down-trend.</p> <p><b>i Note</b></p> <p>If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.trendCalculation.downDifference</code>.</p>
<code>UI.dataPoint.trendCalculation.isRelativeDifference</code>	<p><code>Boolean default false</code></p> <p>This annotation expresses if the following values are absolute differences or relative differences.</p> <p><b>• Example</b></p> <p>Your reference value is 10, and your current value is 12. The absolute difference of these two values is 2, and the relative difference of these two values is 1.2.</p>
<code>UI.dataPoint.trendCalculation.referenceValue</code>	<p><code>elementRef</code></p> <p>This annotation specifies the reference value for the trend calculation as a reference to an element.</p>
<code>UI.dataPoint.trendCalculation.strongDownDifference</code>	<p><code>DecimalFloat</code></p> <p>This annotation contains a constant value specifying a difference that results in a strong down-trend.</p> <p><b>i Note</b></p> <p>If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.trendCalculation.strongDownDifferenceElement</code>.</p>
<code>UI.dataPoint.trendCalculation.strongDownDifferenceElement</code>	<p><code>elementRef</code></p> <p>This annotation contains a referenced value specifying a difference that results in a strong down-trend.</p> <p><b>i Note</b></p> <p>If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.trendCalculation.strongDownDifference</code>.</p>

Annotation	Meaning
<code>UI.dataPoint.trendCalculation.strongUpDifference</code>	DecimalFloat
	This annotation contains a constant value specifying a difference that results in a strong up-trend.
	<b>i Note</b>
	If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.trendCalculation.strongUpDifferenceElement</code> .
<code>UI.dataPoint.trendCalculation.strongUpDifferenceElement</code>	elementRef
	This annotation contains a referenced value specifying a difference that results in a strong up-trend.
	<b>i Note</b>
	If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.trendCalculation.strongUpDifference</code> .
<code>UI.dataPoint.trendCalculation.upDifference</code>	DecimalFloat
	This annotation contains a constant value specifying a difference that results in an up-trend.
	<b>i Note</b>
	If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.trendCalculation.upDifferenceElement</code> .
<code>UI.dataPoint.trendCalculation.upDifferenceElement</code>	elementRef
	This annotation contains a referenced value specifying a difference that results in an up-trend.
	<b>i Note</b>
	If you use This annotation, you <b>cannot</b> use element <code>UI.dataPoint.trendCalculation.upDifference</code> .
<code>UI.dataPoint.valueFormat</code>	All <code>UI.dataPoint.valueFormat</code> annotations are optional. For more information about value formats, see <a href="#">Person Responsible and Reference Period [page 403]</a> .

Annotation	Meaning								
<code>UI.dataPoint.valueFormat.number OfFractionalDigits</code>	<p>Integer</p> <p>This annotation contains the number of fractional digits to be displayed.</p>								
	<p><b>Example</b></p> <p>If the element value is 1, one decimal place is rendered, for example, 34.5.</p>								
<code>UI.dataPoint.valueFormat.scaleFactor</code>	<p>DecimalFloat</p> <p>This annotation contains the scale factor for the value.</p>								
	<p><b>Example</b></p> <p>A value 1000 displayed with scaleFactor = 1000 is displayed as 1k.</p>								
<code>UI.dataPoint.visualization</code>	<p><b>Description:</b> This annotation defines the preferred visualization of a data point.</p> <p><b>Values:</b></p> <p>String enum</p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>NUMBER</code></td><td>A data point is visualized as a number.</td></tr> <tr> <td><code>BULLET_CHART</code></td><td>A data point is visualized as a bullet chart.</td></tr> <tr> <td><code>DONUT</code></td><td>A data point is visualized as a donut chart.</td></tr> </tbody> </table>	Value	Description	<code>NUMBER</code>	A data point is visualized as a number.	<code>BULLET_CHART</code>	A data point is visualized as a bullet chart.	<code>DONUT</code>	A data point is visualized as a donut chart.
Value	Description								
<code>NUMBER</code>	A data point is visualized as a number.								
<code>BULLET_CHART</code>	A data point is visualized as a bullet chart.								
<code>DONUT</code>	A data point is visualized as a donut chart.								
	<p><b>Note</b></p> <p>This visualization type requires the annotation <code>UI.dataPoint.targetValue</code>.</p>								
	<p><b>Note</b></p> <p>This visualization type requires the annotation <code>UI.dataPoint.targetValue</code>.</p>								

Annotation	Meaning
	<p><i>PROGRESS</i></p> <p>A data point is visualized as a progress indicator.</p> <p><b>i Note</b></p> <p>This visualization type requires the annotation <code>UI.dataPoint.targetValue</code>.</p>
	<p><i>RATING</i></p> <p>A data point is visualized as partly or completely filled symbols such as stars or hearts.</p> <p><b>i Note</b></p> <p>This visualization type requires the annotation <code>UI.dataPoint.targetValue</code>.</p>

Annotations belonging to `UI.Facet` allow a hierarchical semantic grouping of information. They only reference other UI annotations.

**Scope:** [ELEMENT]

**Evaluation Runtime (Engine): SSDL:** Translates CDS annotations into the corresponding OData annotations

**Values:** array of

<code>UI.CollectionFacet</code>	<code>elementRef</code>	An empty collection of facets can be used as a placeholder for content added via extension points.
<code>UI.HeaderFacets</code>	<code>elementRef</code>	Facets for additional object header information.
<code>UI.ReferenceFacet</code>	<code>elementRef</code>	Referenced information: vCard.Contact, vCard.Address, or a term that is tagged with <code>UI.ThingPerspective</code> , e.g. <code>UI.StatusInfo</code> , <code>UI.LineItem</code> , <code>UI.Identification</code> , <code>UI.FieldGroup</code> , <code>UI.Badge</code> .

Annotations belonging to `UI.fieldGroup` is an ordered collection of data fields with a label for the group. `UI.fieldGroup` annotations are used to represent parts of a single data instance in a form.

**Scope:** [ELEMENT]

**Evaluation Runtime (Engine): SSDL:** Translates CDS annotations into the corresponding OData annotations

**Values:** array of

Annotation	Meaning
<code>UI.fieldGroup.criticality</code>	<code>elementRef</code>
	This annotation can be specified if the field group type is <code>STANDARD</code> . This annotation references to another element that has the values 0, 1, 2, or 3. The criticality value <code>Neutral</code> is reflected by the value 0, the criticality value <code>Negative</code> is reflected by the value 1, the criticality value <code>Critical</code> is reflected by the value 2, and the criticality value <code>Positive</code> is reflected by the value 3.
	For more information, see <a href="#">Criticality [page 397]</a> .
<code>UI.fieldGroup.dataAction</code>	<code>String</code>
	This annotation can be used if the field group type is <code>FOR_ACTION</code> . The element references the technical name of an action of the Business Object Processing Framework (BOPF). The string pattern is <code>BOPF:&lt;technical name of action in BOPF&gt;</code> .
<code>UI.fieldGroup.exclude</code>	<code>Boolean default true</code>
	This annotation allows excluding the element from the OData annotation on the derived view by setting it to <code>true</code> . The element is optional.
	For more information, see <a href="#">Inheritance of Annotations [page 420]</a>
<code>UI.fieldGroup.groupLabel</code>	<code>String (60)</code>
	This annotation contains language-dependent text that is used as label for the field group. The first occurrence for a given qualifier wins. Other occurrences for the same qualifier are redundant. The element is optional.
<code>UI.fieldGroup.iconURL</code>	<code>String</code>
	This annotation contains the URL to an icon image. This annotation is <b>optional</b> .

Annotation	Meaning								
<a href="#">UI.fieldGroup.importance</a>	<p>This annotation expresses the importance of dataFields or other annotations. The element can be used, for example, in dynamic rendering approaches with responsive design patterns.</p> <div style="border-left: 3px solid #0070C0; padding-left: 10px;"> <b>Example</b> <p>You defined several field groups for an item's object view floorplan. The field groups that need to be displayed always, get importance <b>HIGH</b>. This ensures that these field groups are displayed on the page even when the page is rendered on a small display.</p> </div> <p>If no importance is defined, the field group item is treated like having importance <b>LOW</b>.</p> <p><b>Values:</b></p> <p>String</p> <p>The following enumerations are provided:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Value</th><th style="text-align: left;">Description</th></tr> </thead> <tbody> <tr> <td><a href="#">HIGH</a></td><td>-</td></tr> <tr> <td><a href="#">MEDIUM</a></td><td>-</td></tr> <tr> <td><a href="#">LOW</a></td><td>-</td></tr> </tbody> </table>	Value	Description	<a href="#">HIGH</a>	-	<a href="#">MEDIUM</a>	-	<a href="#">LOW</a>	-
Value	Description								
<a href="#">HIGH</a>	-								
<a href="#">MEDIUM</a>	-								
<a href="#">LOW</a>	-								
<a href="#">UI.fieldGroup.invocationGrouping</a>	<p>This annotation expresses how multiple invocations of the same action on multiple instances are grouped. This annotation is optional. This annotation needs to be specified if you use <a href="#">UI.fieldGroup.type</a> of type <b>FOR_ACTION</b>.</p> <p><b>Values:</b></p> <p>String enum</p> <p>The following enumerations are provided:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Value</th><th style="text-align: left;">Description</th></tr> </thead> </table>	Value	Description						
Value	Description								

Annotation	Meaning
<i>ISOLATED</i>	<p>Default</p> <p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>The action is executed on all instances except for instance on which the action cannot be executed.</li> </ul>
	<p><b>Example</b></p> <p>A user selects five items in a list and wants to copy them. One item cannot be copied. This item will not be copied, the other four items are copied.</p>
<i>CHANGE_SET</i>	<p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>If an action cannot be executed on one of the selected instances, the action is executed on none of the selected instances.</li> </ul>
	<p><b>Example</b></p> <p>A user selects five items in a list and wants to copy them. One item cannot be copied. None of the selected items are copied.</p>
<i>UI.fieldGroup.label</i>	<p>String (60)</p> <p>This annotation contains a language-dependent text that can be used for labeling a group of fields.</p> <p>If omitted, the label of the annotated element, or the label of the element referenced via the value is used. The element is optional.</p>

Annotation	Meaning	
<code>UI.fieldGroup.position</code>	DecimalFloat	With This annotation you specify the order of field groups. This annotation is mandatory.
		<p><b>Example</b></p> <p>You can specify the sequence in which field groups are displayed on an item's object view floorplan.</p>
<code>UI.fieldGroup.qualifier</code>	String (120)	This annotation is used to group and uniquely identify annotations. You need to specify a qualifier as name of a field group to ensure that the correct field group can be referenced by the UI.
<code>UI.fieldGroup.semanticObjectAction</code>	String	This annotation can be used in the field group type is <code>FOR_INTENT_BASED_NAVIGATION</code> or <code>WITH_INTENT_BASED_NAVIGATION</code> . This annotation refers to the name of an action on the semantic object. The semantic object is taken from or derived via an association from the defining view.
<code>UI.fieldGroup.targetElement</code>	elementRef	This annotation represents the path to an element of an associated CDS view. The path is converted to an OData <code>NavigationPropertyPath</code> . Using This annotation, you can link from the header part of an object view floorplan to a target element. You need to specify <code>UI.fieldGroup.targetElement</code> when you use the annotation <code>UI.fieldGroup.type</code> of type <code>WITH_NAVIGATION_PATH</code> . You might, for example, provide background information to an item that is opened on the object view floorplan.

Annotation	Meaning						
<code>UI.fieldGroup.type</code>	<p>This enumeration annotation exactly specifies what type of the type hierarchy is used. The value of the enumeration type determines which CDS elements are required or available.</p> <p><b>Values:</b></p> <p><code>String</code></p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>FOR_ACTION</code></td><td> <p>Maps to <code>DataFieldForAction</code>.</p> <p><code>DataFieldForAction</code> is based on <code>DataField</code>, and defines an app-specific action. For example, a button is rendered with the text of the datafield label.</p> <p>For more information, see <a href="#">Actions [page 413]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>invocationGrouping</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>dataAction</code></li> </ul> </td></tr> <tr> <td><code>AS_ADDRESS</code></td><td> <p>Maps to <code>DataFieldForAnnotation</code>.</p> <p><code>DataFieldForAnnotation</code> is used to refer to other annotations using the <code>Edm.AnnotationPath</code> abstract type. The annotation path <b>must</b> end in <code>vCard.Address</code> or <code>UI.DataPoint</code>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul> </td></tr> </tbody> </table>	Value	Description	<code>FOR_ACTION</code>	<p>Maps to <code>DataFieldForAction</code>.</p> <p><code>DataFieldForAction</code> is based on <code>DataField</code>, and defines an app-specific action. For example, a button is rendered with the text of the datafield label.</p> <p>For more information, see <a href="#">Actions [page 413]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>invocationGrouping</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>dataAction</code></li> </ul>	<code>AS_ADDRESS</code>	<p>Maps to <code>DataFieldForAnnotation</code>.</p> <p><code>DataFieldForAnnotation</code> is used to refer to other annotations using the <code>Edm.AnnotationPath</code> abstract type. The annotation path <b>must</b> end in <code>vCard.Address</code> or <code>UI.DataPoint</code>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul>
Value	Description						
<code>FOR_ACTION</code>	<p>Maps to <code>DataFieldForAction</code>.</p> <p><code>DataFieldForAction</code> is based on <code>DataField</code>, and defines an app-specific action. For example, a button is rendered with the text of the datafield label.</p> <p>For more information, see <a href="#">Actions [page 413]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>invocationGrouping</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>dataAction</code></li> </ul>						
<code>AS_ADDRESS</code>	<p>Maps to <code>DataFieldForAnnotation</code>.</p> <p><code>DataFieldForAnnotation</code> is used to refer to other annotations using the <code>Edm.AnnotationPath</code> abstract type. The annotation path <b>must</b> end in <code>vCard.Address</code> or <code>UI.DataPoint</code>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul>						

Annotation	Meaning
<code>AS_DATAPOINT</code>	<p>Maps to <i>DataFieldForAnnotation</i>.</p> <p>For more information, see <a href="#">Data-Field Type: #AS_DATAPOINT [page 405]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul>
<code>FOR_INTENT_BASED_NAVIGATION</code>	<p>Maps to <i>DataFieldForIntentBasedNavigation</i>.</p> <p><i>DataFieldForIntentBasedNavigation</i> is used to execute an action on a semantic object.</p> <p>For more information, see <a href="#">Based on Intent [page 411]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>semanticObjectAction</i></li> </ul>
<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <i>DataField</i>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <i>DataField</i> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> <li>• <i>criticality</i></li> </ul>

Annotation	Meaning
<code>WITH_NAVIGATION_PATH</code>	<p>Maps to <i>DataFieldWithNavigationPath</i>.</p> <p><i>DataFieldWithNavigationPath</i> is based on <i>DataField</i>, and defines a label-value pair that refers to a property of the OData service used. The definition consists of a link to navigate to a new target, based on a navigation property provided by the OData service, or defined in the annotation file.</p> <p>For more information, see <a href="#">With Navigation Path [page 407]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>targetElement</i></li> </ul>
<code>WITH_URL</code>	<p>Maps to <i>DataFieldWithURL</i>.</p> <p><i>DataFieldWithURL</i> is based on <i>DataField</i>, and defines a label-value pair that refers a property of the OData service used. The definition consists a URL to navigate to a new target, that is a URL.</p> <p>For more information, see <a href="#">With URL [page 409]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>url</i></li> </ul>

Annotation	Meaning
<code>WITH_INTENT_BASED_NAVIGATION</code>	<p>Maps to <code>DataFieldWithIntentBasedNavigation</code>.</p> <p><code>DataFieldWithIntentBasedNavigation</code> is tied to a data value that should be rendered as a hyperlink.</p> <p>This annotation is displayed like the type <code>WITH_URL</code>, but its behavior is similar to type <code>FOR_INTENT_BASED_NAVIGATION</code>. For more information, see <a href="#">With URL [page 409]</a> and <a href="#">Based on Intent [page 411]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>semanticObjectAction</code></li> </ul>
<code>UI.fieldGroup.url</code>	<p><code>elementRef</code></p> <p>This annotation represents the path to a structural element that contains a navigation URL. You need to specify <code>UI.fieldGroup.url</code> when you use the annotation <code>UI.fieldGroup.type</code> of type <code>WITH_URL</code>.</p>

Annotation	Meaning
<code>UI.fieldGroup.value</code>	<p><code>elementRef</code></p> <p>This annotation refers to a value.</p> <p>Type AS _ ADDRESS:</p> <ul style="list-style-type: none"> <li>Value element <b>must not</b> be used when a structural element is annotated. Use instead <code>@com.sap.vocabularies.Communication.v1.Address</code> (or a shorter alias-qualified name) as value.</li> <li>Value element <b>must</b> be used when an element of an associated CDS view is annotated. A value of ' .' refers to <code>@Semantics.address</code> on the view that is directly associated. If you want to reference <code>@Semantics.address</code> on a view that is indirectly associated, use a path starting with a dot as value.</li> </ul> <p>All other types:</p> <ul style="list-style-type: none"> <li>Value element <b>must not</b> be used when an element is annotated, in this case the annotated element is the value.</li> <li>Value element <b>must</b> be used when an association is annotated. The value is a path to an element of the associated view.</li> </ul>

Annotations belonging to `UI.headerInfo` describe an entity, its title, and an optional short description, the name of its entity in singular and plural form, and optional image URLs for the individual entity.

**Scope:** [VIEW, TABLE\_FUNCTION, ENTITY, ANNOTATE\_VIEW]

**Evaluation Runtime (Engine): SADL:** Translates CDS annotations into the corresponding OData annotations

**Values:**

Annotation	Meaning
<code>UI.headerInfo.description</code>	<p>Annotations belonging to <code>UI.headerInfo.description</code> represent a property of type <code>UI.DataFieldAbstract</code> restricted to the types <code>STANDARD</code>, <code>WITH_NAVIGATION_PATH</code>, and <code>WITH_URL</code>. <code>UI.headerInfo.description</code> annotations are optional.</p> <p>The OData annotations <code>DataFieldAbstract</code> are the basis for all <code>DataField</code> types and represent values with optional labels that can trigger navigation to related data, or execute actions on data.</p>
<code>UI.headerInfo.description.criticality</code>	<p><code>elementRef</code></p> <p>This annotation can be specified if the type of the header info description is <code>STANDARD</code>. This annotation references to another element that has the values 0, 1, 2, or 3. The criticality value <code>Neutral</code> is reflected by the value 0, the criticality value <code>Negative</code> is reflected by the value 1, the criticality value <code>Critical</code> is reflected by the value 2, and the criticality value <code>Positive</code> is reflected by the value 3.</p> <p>For more information, see <a href="#">Criticality [page 397]</a>.</p>
<code>UI.headerInfo.description.iconURL</code>	<p><code>String</code></p> <p>This annotation contains the URL to an icon image. This annotation is <b>optional</b>.</p>
<code>UI.headerInfo.description.label</code>	<p><code>String (60)</code></p> <p>This annotation contains a language-dependent text that can be used for descriptions in page headers of object-page floorplans. Object-page floorplans are SAP Fiori floorplan to view, edit and create objects.</p> <p>If omitted, the label of the annotated element, or the label of the element referenced via the value is used. The element is optional.</p>

Annotation	Meaning				
<code>UI.headerInfo.description.targetElement</code>	<p><code>elementRef</code></p> <p>This annotation represents the path to an element of an associated CDS view. The path is converted to an OData <a href="#">NavigationPropertyPath</a>. Using This annotation, you can link from the header part of an object view floorplan to a target element. You need to specify <code>UI.headerInfo.description.targetElement</code> when you use the annotation <code>UI.headerInfo.description.type</code> of type <code>WITH_NAVIGATION_PATH</code>. You might, for example, provide background information to an item that is opened on the object view floorplan.</p>				
<code>UI.headerInfo.description.type</code>	<p>This enumeration annotation exactly specifies what type of the type hierarchy is used. The value of the enumeration type determines which CDS elements are required or available.</p> <p><b>Values:</b></p> <p><code>String</code></p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>STANDARD</code></td><td> <p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul> </td></tr> </tbody> </table>	Value	Description	<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul>
Value	Description				
<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul>				

Annotation	Meaning
<code>WITH_NAVIGATION_PATH</code>	<p>Maps to <i>DataFieldWithNavigationPath</i>.</p> <p><i>DataFieldWithNavigationPath</i> is based on <i>DataField</i>, and defines a label-value pair that refers to a property of the OData service used. The definition consists of a link to navigate to a new target, based on a navigation property provided by the OData service, or defined in the annotation file.</p> <p>For more information, see <a href="#">With Navigation Path [page 407]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>targetElement</i></li> </ul>
<code>WITH_URL</code>	<p>Maps to <i>DataFieldWithURL</i>.</p> <p><i>DataFieldWithURL</i> is based on <i>DataField</i>, and defines a label-value pair that refers a property of the OData service used. The definition consists a URL to navigate to a new target, that is a URL.</p> <p>For more information, see <a href="#">With URL [page 409]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>url</i></li> </ul>

Annotation	Meaning
<code>WITH_INTENT_BASED_NAVIGATION</code>	<p>Maps to <code>DataFieldWithIntentBasedNavigation</code>.</p> <p><code>DataFieldWithIntentBasedNavigation</code> is tied to a data value that should be rendered as a hyperlink.</p> <p>This annotation is displayed like the type <code>WITH_URL</code>, but its behavior is similar to type <code>FOR_INTENT_BASED_NAVIGATION</code>. For more information, see <a href="#">With URL [page 409]</a> and <a href="#">Based on Intent [page 411]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>semanticObjectAction</code></li> <li>• <code>value</code></li> </ul>
<code>UI.headerInfo.description.url</code>	<p>elementRef</p> <p>This annotation represents the path to a structural element that contains a navigation URL. You need to specify <code>UI.headerInfo.description.url</code> when you use the annotation <code>UI.headerInfo.description.type</code> of type <code>WITH_URL</code>.</p>
<code>UI.headerInfo.description.value</code>	<p>This annotation refers to a value. If you refer to a value that is in the same view, specify the element name. If you use an association to refer to a value, specify the path to the element.</p>
<code>UI.headerInfo.imageUrl</code>	<p>elementRef</p> <p>This annotation represents a path to an element containing the URL of an image representing the entity instance. The path is optional.</p>
<div style="border: 1px solid #ccc; padding: 10px; background-color: #f9f9f9;"> <p> <b>Example</b></p> <p>When users open an item from an initial page, they can see an image related to that item as part of the item's object view floorplan.</p> </div>	

Annotation	Meaning
<code>UI.headerInfo.title</code>	<p>Annotations belonging to <code>UI.headerInfo.title</code> represent a property of type <code>UI.DataFieldAbstract</code> restricted to the types <code>STANDARD</code>, <code>WITH_NAVIGATION_PATH</code>, <code>WITH_URL</code>, and <code>WITH_INTENT_BASED_NAVIGATION</code>. <code>@UI.headerInfo.title</code> annotations are <b>mandatory</b> and are usually used to represent the title of an item on the header of an item's object page..</p> <p>The OData annotations <code>DataFieldAbstract</code> are the basis for all <code>DataField</code> types and represent values with optional labels that can trigger navigation to related data, or execute actions on data.</p>
<code>UI.headerInfo.title.criticality</code>	<p><code>elementRef</code></p> <p>This annotation can be specified if the type of the header info title is <code>STANDARD</code>. This annotation is usually used for the header of an object view floorplan. This annotation references to another element that has the values 0, 1, 2, or 3. The criticality value <code>Neutral</code> is reflected by the value 0, the criticality value <code>Negative</code> is reflected by the value 1, the criticality value <code>Critical</code> is reflected by the value 2, and the criticality value <code>Positive</code> is reflected by the value 3.</p> <p>For more information, see <a href="#">Criticality [page 397]</a>.</p>
<code>UI.headerInfo.title.iconURL</code>	<p><code>String</code></p> <p>This annotation contains the URL to an icon image. This annotation is <b>optional</b>.</p>
<code>UI.headerInfo.title.label</code>	<p><code>String (60)</code></p> <p>This annotation contains a language-dependent text that can be used for titles in page headers of object-page floorplans. Object-page floorplans are SAP Fiori floorplan to view, edit and create objects.</p> <p>If omitted, the label of the annotated element, or the label of the element referenced via the value is used. The element is optional.</p>

Annotation	Meaning				
<code>UI.headerInfo.title.targetElement</code>	<p><code>elementRef</code></p> <p>This annotation represents the path to an element of an associated CDS view. The path is converted to an OData <a href="#">NavigationPropertyPath</a>. Using This annotation, you can link from the header part of an object view floorplan to a target element. You need to specify <code>UI.headerInfo.title.targetElement</code> when you use the annotation <code>UI.headerInfo.title.type</code> of type <code>WITH_NAVIGATION_PATH</code>. You might, for example, provide background information to an item that is opened on the object view floorplan.</p>				
<code>UI.headerInfo.title.type</code>	<p>This enumeration annotation exactly specifies what type of the type hierarchy is used. The value of the enumeration type determines which CDS elements are required or available.</p> <p><b>Values:</b></p> <p><code>String</code></p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>STANDARD</code></td><td> <p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul> </td></tr> </tbody> </table>	Value	Description	<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul>
Value	Description				
<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <a href="#">DataField</a>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <a href="#">DataField</a> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul>				

Annotation	Meaning
<code>WITH_NAVIGATION_PATH</code>	<p>Maps to <i>DataFieldWithNavigationPath</i>.</p> <p><i>DataFieldWithNavigationPath</i> is based on <i>DataField</i>, and defines a label-value pair that refers to a property of the OData service used. The definition consists of a link to navigate to a new target, based on a navigation property provided by the OData service, or defined in the annotation file.</p> <p>For more information, see <a href="#">With Navigation Path [page 407]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>targetElement</i></li> </ul>
<code>WITH_URL</code>	<p>Maps to <i>DataFieldWithURL</i>.</p> <p><i>DataFieldWithURL</i> is based on <i>DataField</i>, and defines a label-value pair that refers a property of the OData service used. The definition consists a URL to navigate to a new target, that is a URL.</p> <p>For more information, see <a href="#">With URL [page 409]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>url</i></li> </ul>

Annotation	Meaning
<code>WITH_INTENT_BASED_NAVIGATION</code>	<p>Maps to <code>DataFieldWithIntentBasedNavigation</code>.</p> <p><code>DataFieldWithIntentBasedNavigation</code> is tied to a data value that should be rendered as a hyperlink.</p> <p>This annotation is displayed like the type <code>WITH_URL</code>, but its behavior is similar to type <code>FOR_INTENT_BASED_NAVIGATION</code>. For more information, see <a href="#">With URL [page 409]</a> and <a href="#">Based on Intent [page 411]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>semanticObjectAction</code></li> <li>• <code>value</code></li> </ul>
<code>UI.headerInfo.title.url</code>	<p>elementRef</p> <p>This annotation represents the path to a structural element that contains a navigation URL. You need to specify <code>UI.headerInfo.title.url</code> when you use the annotation <code>UI.headerInfo.title.type</code> of type <code>WITH_URL</code>.</p>
<code>UI.headerInfo.title.value</code>	<p>This annotation refers to a value. If you refer to a value that is in the same view, specify the element name. If you use an association to refer to a value, specify the path to the element.</p>
<code>UI.headerInfo.typeImageUrl</code>	<p>String</p> <p>This annotation contains the URL of an image representing an entity. The element is optional.</p>
<div style="border: 1px solid #ccc; padding: 10px;"> <p><b>Example</b></p> <p>When users open a SAP Fiori application, they can see an image related to the entity type to which all items displayed on that page belong to.</p> </div>	

Annotation	Meaning
<code>UI.headerInfo.typeName</code>	String (60)
<code>UI.headerInfo.typeNamePlural</code>	This annotation represents the title of an object page, for example. The element is required and can be omitted <b>only</b> when the <code>@EndUserText.label</code> is specified on view level.
<code>UI.hidden</code>	<p>This annotation allows to show or hide data fields based on the state of the data instance. For more information, see <a href="#">Field Hiding [page 417]</a>.</p> <p><b>Scope:</b> [ELEMENT]</p> <p><b>Evaluation Runtime (Engine): SSDL:</b> Translates CDS annotations into the corresponding OData annotations</p> <p><b>Value:</b> Boolean default true</p>

Annotation belonging to `UI.identification` represent an ordered collection of specific data fields that together with `headerInfo` identifies an entity to an end user.

### • Example

This annotation is displayed in the *General Information* section in the body of the object view floorplan of an item, for example.

**Scope:** [ELEMENT]

**Evaluation Runtime (Engine): SSDL:** Translates CDS annotations into the corresponding OData annotations

**Values:** array of

<code>UI.identification.criticality</code>	elementRef	<p>This annotation can be specified if the identification type is <code>STANDARD</code>. This annotation references to another element that has the values 0, 1, 2, or 3. The criticality value <code>Neutral</code> is reflected by the value 0, the criticality value <code>Negative</code> is reflected by the value 1, the criticality value <code>Critical</code> is reflected by the value 2, and the criticality value <code>Positive</code> is reflected by the value 3.</p> <p>For more information, see <a href="#">Criticality [page 397]</a>.</p>
--------------------------------------------	------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Annotation	Meaning									
<code>UI.identification.dataAction</code>	String	This annotation can be used if the identification type is <code>FOR_ACTION</code> . The element references the technical name of an action of the Business Object Processing Framework (BOPF). The string pattern is <code>BOPF:&lt;technical name of action in BOPF&gt;</code> .								
<code>UI.identification.exclude</code>	Boolean default true	This annotation allows excluding the element from the OData annotation on the derived view by setting it to <code>true</code> . The element is optional.  For more information, see <a href="#">Inheritance of Annotations [page 420]</a>								
<code>UI.identification.iconURL</code>	String	This annotation contains the URL to an icon image. This annotation is <b>optional</b> . This could be a telephone icon or email icon, for example.								
<code>UI.identification.importance</code>		This annotation expresses the importance of dataFields or other annotations. The element can be used, for example, in dynamic rendering approaches with responsive design patterns.								
<p><b>Example</b></p> <p>You defined several entries for the <i>General Information</i> section for an item's object view floorplan. The entries that need to be displayed always, get importance <code>HIGH</code>. This ensures that these entries are displayed in the section when this section is rendered on a small display.</p>										
<p>If no importance is defined, the identification item is treated like having importance <code>LOW</code>.</p> <p><b>Values:</b></p> <p>String</p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>HIGH</code></td><td>-</td></tr> <tr> <td><code>MEDIUM</code></td><td>-</td></tr> <tr> <td><code>LOW</code></td><td>-</td></tr> </tbody> </table>			Value	Description	<code>HIGH</code>	-	<code>MEDIUM</code>	-	<code>LOW</code>	-
Value	Description									
<code>HIGH</code>	-									
<code>MEDIUM</code>	-									
<code>LOW</code>	-									

Annotation	Meaning						
<code>UI.identification.invocationGrouping</code>	<p>This annotation expresses how multiple invocations of the same action on multiple instances are grouped. This annotation is optional. This annotation needs to be specified if you use <code>UI.identification.type</code> of type <code>FOR_ACTION</code>.</p> <p><b>Values:</b></p> <p>String enum</p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>ISOLATED</code></td><td> <p>Default</p> <p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>The action is executed on all instances except for instance on which the action cannot be executed.</li> </ul> </td></tr> <tr> <td><code>CHANGE_SET</code></td><td> <p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>If an action cannot be executed on one of the selected instances, the action is executed on none of the selected instances.</li> </ul> </td></tr> </tbody> </table>	Value	Description	<code>ISOLATED</code>	<p>Default</p> <p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>The action is executed on all instances except for instance on which the action cannot be executed.</li> </ul>	<code>CHANGE_SET</code>	<p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>If an action cannot be executed on one of the selected instances, the action is executed on none of the selected instances.</li> </ul>
Value	Description						
<code>ISOLATED</code>	<p>Default</p> <p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>The action is executed on all instances except for instance on which the action cannot be executed.</li> </ul>						
<code>CHANGE_SET</code>	<p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>If an action cannot be executed on one of the selected instances, the action is executed on none of the selected instances.</li> </ul>						
	<p><b>Example</b></p> <p>A user selects five items in a list and wants to copy them. One item cannot be copied. This item will not be copied, the other four items are copied.</p>						
	<p><b>Example</b></p> <p>A user selects five items in a list and wants to copy them. One item cannot be copied. None of the selected items are copied.</p>						

Annotation	Meaning	
<code>UI.identification.label</code>	String (60)	This annotation contains a language-dependent text that can be used in the body section of an item's object view floorplan.  If omitted, the label of the annotated element, or the label of the element referenced via the value is used. The element is optional.
<code>UI.identification.position</code>	DecimalFloat	With this annotation you specify the order of entries on the object view floorplan. This annotation is mandatory.
		<p><b>Example</b></p> <p>When users open the object view floorplan of an item, they can see a <a href="#">General Information</a> section. You can specify in which sequence general information about this item are displayed in the section.</p>
<code>UI.identification.semanticObjectAction</code>	String	This annotation can be used in the identification type is <a href="#">FOR_INTENT_BASED_NAVIGATION</a> or <a href="#">WITH_INTENT_BASED_NAVIGATION</a> . This annotation refers to the name of an action on the semantic object. The semantic object is taken from or derived via an association from the defining view.
<code>UI.identification.targetElement</code>	elementRef	This annotation represents the path to an element of an associated CDS view. The path is converted to an OData <a href="#">NavigationPropertyPath</a> . Using this annotation, you can link from the header part of an object view floorplan to a target element. You need to specify <code>UI.identification.targetElement</code> when you use the annotation <code>UI.identification.type</code> of type <a href="#">WITH_NAVIGATION_PATH</a> . You might, for example, provide background information to an item that is opened on the object view floorplan.

Annotation	Meaning						
<code>UI.identification.type</code>	<p>This enumeration annotation exactly specifies what type of the type hierarchy is used. The value of the enumeration type determines which CDS elements are required or available.</p> <p><b>Values:</b></p> <p>String</p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>FOR_ACTION</code></td><td> <p>Maps to <code>DataFieldForAction</code>.</p> <p><code>DataFieldForAction</code> is based on <code>DataField</code>, and defines an app-specific action. For example, a button is rendered with the text of the datafield label.</p> <p>For more information, see <a href="#">Actions [page 413]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>invocationGrouping</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>dataAction</code></li> </ul> </td></tr> <tr> <td><code>AS_ADDRESS</code></td><td> <p>Maps to <code>DataFieldForAnnotation</code>.</p> <p><code>DataFieldForAnnotation</code> is used to refer to other annotations using the <code>Edm.AnnotationPath</code> abstract type. The annotation path <b>must</b> end in <code>vCard.Address</code> or <code>UI.DataPoint</code>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul> </td></tr> </tbody> </table>	Value	Description	<code>FOR_ACTION</code>	<p>Maps to <code>DataFieldForAction</code>.</p> <p><code>DataFieldForAction</code> is based on <code>DataField</code>, and defines an app-specific action. For example, a button is rendered with the text of the datafield label.</p> <p>For more information, see <a href="#">Actions [page 413]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>invocationGrouping</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>dataAction</code></li> </ul>	<code>AS_ADDRESS</code>	<p>Maps to <code>DataFieldForAnnotation</code>.</p> <p><code>DataFieldForAnnotation</code> is used to refer to other annotations using the <code>Edm.AnnotationPath</code> abstract type. The annotation path <b>must</b> end in <code>vCard.Address</code> or <code>UI.DataPoint</code>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul>
Value	Description						
<code>FOR_ACTION</code>	<p>Maps to <code>DataFieldForAction</code>.</p> <p><code>DataFieldForAction</code> is based on <code>DataField</code>, and defines an app-specific action. For example, a button is rendered with the text of the datafield label.</p> <p>For more information, see <a href="#">Actions [page 413]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>invocationGrouping</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>dataAction</code></li> </ul>						
<code>AS_ADDRESS</code>	<p>Maps to <code>DataFieldForAnnotation</code>.</p> <p><code>DataFieldForAnnotation</code> is used to refer to other annotations using the <code>Edm.AnnotationPath</code> abstract type. The annotation path <b>must</b> end in <code>vCard.Address</code> or <code>UI.DataPoint</code>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul>						

Annotation	Meaning
<code>AS_DATAPOINT</code>	<p>Maps to <i>DataFieldForAnnotation</i>.</p> <p>For more information, see <a href="#">Data-Field Type: #AS_DATAPOINT [page 405]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul>
<code>FOR_INTENT_BASED_NAVIGATION</code>	<p>Maps to <i>DataFieldForIntentBasedNavigation</i>.</p> <p><i>DataFieldForIntentBasedNavigation</i> is used to execute an action on a semantic object.</p> <p>For more information, see <a href="#">Based on Intent [page 411]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>semanticObjectAction</i></li> </ul>
<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <i>DataField</i>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <i>DataField</i> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> <li>• <i>criticality</i></li> </ul>

Annotation	Meaning
<code>WITH_NAVIGATION_PATH</code>	<p>Maps to <i>DataFieldWithNavigationPath</i>.</p> <p><i>DataFieldWithNavigationPath</i> is based on <i>DataField</i>, and defines a label-value pair that refers to a property of the OData service used. The definition consists of a link to navigate to a new target, based on a navigation property provided by the OData service, or defined in the annotation file.</p> <p>For more information, see <a href="#">With Navigation Path [page 407]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>targetElement</i></li> </ul>
<code>WITH_URL</code>	<p>Maps to <i>DataFieldWithURL</i>.</p> <p><i>DataFieldWithURL</i> is based on <i>DataField</i>, and defines a label-value pair that refers a property of the OData service used. The definition consists a URL to navigate to a new target, that is a URL.</p> <p>For more information, see <a href="#">With URL [page 409]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>url</i></li> </ul>

Annotation	Meaning
<code>WITH_INTENT_BASED_NAVIGATION</code>	<p>Maps to <code>DataFieldWithIntentBasedNavigation</code>.</p> <p><code>DataFieldWithIntentBasedNavigation</code> is tied to a data value that should be rendered as a hyperlink.</p> <p>This annotation is displayed like the type <code>WITH_URL</code>, but its behavior is similar to type <code>FOR_INTENT_BASED_NAVIGATION</code>. For more information, see <a href="#">With URL [page 409]</a> and <a href="#">Based on Intent [page 411]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>semanticObjectAction</code></li> </ul>
<code>UI.identification.url</code>	<p><code>elementRef</code></p> <p>This annotation represents the path to a structural element that contains a navigation URL. You need to specify <code>UI.identification.url</code> when you use the annotation <code>UI.identification.type</code> of type <code>WITH_URL</code>.</p>

Annotation	Meaning	
<code>UI.identification.value</code>	<code>elementRef</code>	<p>This annotation refers to a value.</p> <p>Type AS _ ADDRESS:</p> <ul style="list-style-type: none"> <li>Value element <b>must not</b> be used when a structural element is annotated. Use instead <code>@com.sap.vocabularies.Communication.v1.Address</code> (or a shorter alias-qualified name) as value.</li> <li>Value element <b>must</b> be used when an element of an associated CDS view is annotated. A value of ' .' refers to <code>@Semantics.address</code> on the view that is directly associated. If you want to reference <code>@Semantics.address</code> on a view that is indirectly associated, use a path starting with a dot as value.</li> </ul> <p>All other types:</p> <ul style="list-style-type: none"> <li>Value element <b>must not</b> be used when an element is annotated, in this case the annotated element is the value.</li> <li>Value element <b>must</b> be used when an association is annotated. The value is a path to an element of the associated view.</li> </ul>

Annotations belonging to `UI.KPI` represent a single point of data, specialized for a specific data selection and extended with information about KPI details, especially the first level of drilldown, for a progressive disclosure.

**Scope:** [ELEMENT]

**Evaluation Runtime (Engine): SADL:** Translates CDS annotations into the corresponding OData annotations

**Values:** array of

<code>UI.KPIType</code>	<code>elementRef</code>	A Key Performance Indicator (KPI) bundles a SelectionVariant and a DataPoint, and provides details for progressive disclosure
-------------------------	-------------------------	-------------------------------------------------------------------------------------------------------------------------------

Annotation	Meaning	
<code>UI.KPIDetailType</code>	<code>elementRef</code>	Contains information about KPI details, especially drill-down presentations
Annotations belonging to <code>UI.lineItem</code> represent an ordered collection of data fields that is used to represent data from multiple data instances in a table or a list. For more information, see <a href="#">Columns [page 381]</a> .		
<b>Scope:</b> [ELEMENT]		
<b>Evaluation Runtime (Engine): SADL:</b>		Translates CDS annotations into the corresponding OData annotations
<b>Values:</b> array of		
<code>UI.lineItem.criticality</code>	<code>elementRef</code>	<p>This annotation can be specified if the line item type is <a href="#">STANDARD</a>. This annotation references to another element that has the values 0, 1, 2, or 3. The criticality value <code>Neutral</code> is reflected by the value 0, the criticality value <code>Negative</code> is reflected by the value 1, the criticality value <code>Critical</code> is reflected by the value 2, and the criticality value <code>Positive</code> is reflected by the value 3.</p> <p>For more information, see <a href="#">Criticality [page 397]</a>.</p>
<code>UI.lineItem.dataAction</code>	<code>String</code>	<p>This annotation can be used if the line item type is <a href="#">FOR_ACTION</a>. The element references the technical name of an action of the Business Object Processing Framework (BOPF), for example. In this case, the string pattern is <code>BOPF:&lt;technical name of action in BOPF&gt;</code>.</p>
<code>UI.lineItem.exclude</code>	<code>Boolean default true</code>	<p>This annotation allows excluding the element from the OData annotation on the derived view by setting it to <code>true</code>. The element is optional.</p> <p>For more information, see <a href="#">Inheritance of Annotations [page 420]</a></p>
<code>UI.lineItem.iconURL</code>	<code>String</code>	This annotation contains the URL to an icon image. This annotation is <b>optional</b> .

Annotation	Meaning								
<a href="#"><i>UI.lineItem.importance</i></a>	<p>This annotation expresses the importance of dataFields or other annotations. The element can be used, for example, in dynamic rendering approaches with responsive design patterns.</p> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"> <p><b>Example</b></p> <p>You defined a table with several columns. The columns that need to be displayed always, get importance <b>HIGH</b>. This ensures that these columns are displayed in a table when this table is rendered on a small display.</p> </div> <p>If no importance is defined, the line item is treated like having importance <b>LOW</b>.</p> <p><b>Values:</b></p> <p>String</p> <p>The following enumerations are provided:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Value</th><th style="text-align: left;">Description</th></tr> </thead> <tbody> <tr> <td><i>HIGH</i></td><td>-</td></tr> <tr> <td><i>MEDIUM</i></td><td>-</td></tr> <tr> <td><i>LOW</i></td><td>-</td></tr> </tbody> </table>	Value	Description	<i>HIGH</i>	-	<i>MEDIUM</i>	-	<i>LOW</i>	-
Value	Description								
<i>HIGH</i>	-								
<i>MEDIUM</i>	-								
<i>LOW</i>	-								
<a href="#"><i>UI.lineItem.invocationGrouping</i></a>	<p>This annotation expresses how multiple invocations of the same action on multiple instances are grouped. This annotation is optional. This annotation needs to be specified if you use <a href="#"><i>UI.lineItem.type</i></a> of type <b>FOR_ACTION</b>.</p> <p><b>Values:</b></p> <p>String enum</p> <p>The following enumerations are provided:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Value</th><th style="text-align: left;">Description</th></tr> </thead> </table>	Value	Description						
Value	Description								

Annotation	Meaning
<i>ISOLATED</i>	<p>Default</p> <p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>The action is executed on all instances except for instance on which the action cannot be executed.</li> </ul>
	<p><b>Example</b></p> <p>A user selects five items in a list and wants to copy them. One item cannot be copied. This item will not be copied, the other four items are copied.</p>
<i>CHANGE_SET</i>	<p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>If an action cannot be executed on one of the selected instances, the action is executed on none of the selected instances.</li> </ul>
	<p><b>Example</b></p> <p>A user selects five items in a list and wants to copy them. One item cannot be copied. None of the selected items are copied.</p>
<i>UI.lineItem.label</i>	<p>String (60)</p> <p>This annotation contains a language-dependent text that can be used for column titles in tables headers.</p> <p>If omitted, the label of the annotated element, or the label of the element referenced via the value is used. The element is optional.</p>
<i>UI.lineItem.position</i>	<p>DecimalFloat</p> <p>With This annotation you specify the order of the columns of a list. This annotation is mandatory.</p>

Annotation	Meaning
<code>UI.lineItem.qualifier</code>	String (120)  This annotation is used to group and uniquely identify annotations.  If you want to use more than one table, you need a qualifier to distinguish them on the UI.
<code>UI.lineItem.semanticObjectAction</code>	String  This annotation refers to the name of an action on the semantic object. The semantic object is taken from or derived via an association from the defining view.
<code>UI.lineItem.targetElement</code>	elementRef  This annotation represents the path to an element of an associated CDS view. The path is converted to an OData <a href="#">NavigationPropertyPath</a> . Using This annotation, you can link from the header part of an object view floorplan to a target element. You need to specify <code>UI.lineItem.targetElement</code> when you use the annotation <code>UI.lineItem.type</code> of type <code>WITH_NAVIGATION_PATH</code> . You might, for example, provide background information to an item that is opened on the object view floorplan.
<code>UI.lineItem.type</code>	This enumeration annotation exactly specifies what type of the type hierarchy is used. The value of the enumeration type determines which CDS elements are required or available.  <b>Values:</b> String  The following enumerations are provided:
Value	Description

Annotation	Meaning
<code>FOR_ACTION</code>	<p>Maps to <code>DataFieldForAction</code>.</p> <p><code>DataFieldForAction</code> is based on <code>DataField</code>, and defines an app-specific action. For example, a button is rendered with the text of the datafield label.</p> <p>For more information, see <a href="#">Actions [page 413]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>invocationGrouping</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>dataAction</code></li> </ul>
<code>AS_ADDRESS</code>	<p>Maps to <code>DataFieldForAnnotation</code>.</p> <p><code>DataFieldForAnnotation</code> is used to refer to other annotations using the <code>Edm.AnnotationPath</code> abstract type. The annotation path <b>must</b> end in <code>vCard.Address</code> or <code>UI.DataPoint</code>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul>
<code>AS_DATAPOINT</code>	<p>Maps to <code>DataFieldForAnnotation</code>.</p> <p>For more information, see <a href="#">Data-Field Type: #AS_DATAPOINT [page 405]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul>

Annotation	Meaning
<code>FOR_INTENT_BASED_NAVIGATION</code>	<p>Maps to <code>DataFieldForIntentBasedNavigation</code>.</p> <p><code>DataFieldForIntentBasedNavigation</code> is used to execute an action on a semantic object.</p> <p>For more information, see <a href="#">Based on Intent [page 411]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>semanticObjectAction</code></li> </ul>
<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <code>DataField</code>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <code>DataField</code> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> <li>• <code>criticality</code></li> </ul>

Annotation	Meaning
<code>WITH_NAVIGATION_PATH</code>	<p>Maps to <i>DataFieldWithNavigationPath</i>.</p> <p><i>DataFieldWithNavigationPath</i> is based on <i>DataField</i>, and defines a label-value pair that refers to a property of the OData service used. The definition consists of a link to navigate to a new target, based on a navigation property provided by the OData service, or defined in the annotation file.</p> <p>For more information, see <a href="#">With Navigation Path [page 407]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>targetElement</i></li> </ul>
<code>WITH_URL</code>	<p>Maps to <i>DataFieldWithURL</i>.</p> <p><i>DataFieldWithURL</i> is based on <i>DataField</i>, and defines a label-value pair that refers a property of the OData service used. The definition consists a URL to navigate to a new target, that is a URL.</p> <p>For more information, see <a href="#">With URL [page 409]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>url</i></li> </ul>

Annotation	Meaning
<code>WITH_INTENT_BASED_NAVIGATION</code>	<p>Maps to <code>DataFieldWithIntentBasedNavigation</code>.</p> <p><code>DataFieldWithIntentBasedNavigation</code> is tied to a data value that should be rendered as a hyperlink.</p> <p>This annotation is displayed like the type <code>WITH_URL</code>, but its behavior is similar to type <code>FOR_INTENT_BASED_NAVIGATION</code>. For more information, see <a href="#">With URL [page 409]</a> and <a href="#">Based on Intent [page 411]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>semanticObjectAction</code></li> </ul>
<code>UI.lineItem.url</code>	<p><code>elementRef</code></p> <p>This annotation represents the path to a structural element that contains a navigation URL. You need to specify <code>UI.lineItem.url</code> when you use the annotation <code>UI.lineItem.type</code> of type <code>WITH_URL</code>.</p>

Annotation	Meaning
<code>UI.lineItem.value</code>	<p><code>elementRef</code></p> <p>This annotation refers to a value.</p> <p>Type <code>AS_ADDRESS</code>:</p> <ul style="list-style-type: none"> <li>Value element <b>must not</b> be used when a structural element is annotated. Use instead <code>@com.sap.vocabularies.Communication.v1.Address</code> (or a shorter alias-qualified name) as value.</li> <li>Value element <b>must</b> be used when an element of an associated CDS view is annotated. A value of '<code>.</code>' refers to <code>@Semantics.address</code> on the view that is directly associated. If you want to reference <code>@Semantics.address</code> on a view that is indirectly associated, use a path starting with a dot as value.</li> </ul> <p>All other types:</p> <ul style="list-style-type: none"> <li>Value element <b>must not</b> be used when an element is annotated, in this case the annotated element is the value.</li> <li>Value element <b>must</b> be used when an association is annotated. The value is a path to an element of the associated view.</li> </ul>
<code>UI.masked</code>	<p>This annotation refers to, for example, passwords or pass phrases. The user interface may offer to show the value in clear text upon explicit user interaction. For more information, see <a href="#">Field Masking [page 416]</a>.</p> <p><b>Scope:</b> [ELEMENT]</p> <p><b>Evaluation Runtime (Engine): SADL:</b> Translates CDS annotations into the corresponding OData annotations</p> <p><b>Value:</b> Boolean default true</p>

Annotation	Meaning				
<i>UI.multiLineText</i>	<p>This annotation contains text that is rendered as multiple lines. For more information, see <a href="#">Multi-Line Text [page 415]</a>.</p> <p><b>Scope:</b> [ELEMENT]</p> <p><b>Evaluation Runtime (Engine): SADL:</b> Translates CDS annotations into the corresponding OData annotations</p> <p><b>Value:</b> Boolean default true</p>				
<i>UI.presentationVariant</i>	<p>Annotations belonging to <i>UI.presentationVariant</i> are used to define how the result of a queried collection of entities is shaped and how this result is displayed.</p> <p><b>Scope:</b> [VIEW, TABLE_FUNCTION, ENTITY, ANNOTATE_VIEW]</p> <p><b>Evaluation Runtime (Engine): SADL:</b> Translates CDS annotations into the corresponding OData annotations</p> <p><b>Values:</b> array of</p>				
<i>UI.presentationVariant.qualifier</i>	<p>String (120)</p> <p>This annotation is used to group and uniquely identify annotations. You need to specify a qualifier as name of a presentation variant to ensure that the correct presentation variant can be referenced by the UI.</p>				
<i>UI.presentationVariant.id</i>	<p>This annotation contains an identifier to reference this instance from an external context.</p>				
<i>UI.presentationVariant.text</i>	<p>String (60)</p> <p>This annotation contains the language-dependent name of the presentation variant.</p>				
<i>UI.presentationVariant.maxItems</i>	<p>Integer</p> <p>This annotation defines the maximum number of items that should be included in the result.</p>				
<i>UI.presentationVariant.sortOrder</i>	<p>Annotations belonging to <i>UI.presentationVariant.sortOrder</i> represent a collection of sorting parameters that can be provided inline or by a reference to a <i>Common.SortOrder</i> annotation (syntax is identical to <i>AnnotationPath</i>).</p>				
<i>UI.presentationVariant.sortOrder.b</i> y	<p>elementRef</p> <p>This annotation defines by what property queried collections can be sorted.</p>				
<i>UI.presentationVariant.sortOrder.di</i> rection	<p><b>Description:</b> This annotation defines the sorting direction of queried collections.</p> <p><b>Values:</b></p> <p>String (4) enum</p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><i>ASC = 'ASC'</i></td><td>Ascending sorting direction</td></tr> </tbody> </table>	Value	Description	<i>ASC = 'ASC'</i>	Ascending sorting direction
Value	Description				
<i>ASC = 'ASC'</i>	Ascending sorting direction				

Annotation	Meaning
<i>DESC = 'DESC'</i>	Descending sorting direction
<i>UI.presentationVariant.groupBy</i>	<p>array of elementRef</p> <p>This annotation defines a sequence of groupable properties (p1, p2, pn) that define how the result of a queried collection is composed of instances that represent groups, one group for each combination of value properties in the queried collection.</p>
<i>UI.presentationVariant.totalBy</i>	<p>The sequence specifies a certain level of aggregation for the queried collection, and every group instance provides aggregated values for properties that are aggregatable. Moreover, the series of subsequences, for example (p1), (p1, p2), ..., forms a leveled hierarchy that can be used in combination with the annotation <i>UI.presentationVariant.initialExpansionLevel</i>.</p>
<i>UI.presentationVariant.total</i>	<p>This annotation defines the subsequence q1, q2, qn of the properties p1, p2, pn specified in the annotation <i>UI.presentationVariant.groupBy</i>. With this, additional levels of aggregation are requested in addition to the most granular level defined by the annotation <i>UI.presentationVariant.groupBy</i>. Every element in the series of subsequences, for example (q1), (q1, q2), ..., introduces an additional aggregation level included in the result of the queried collection.</p>
<i>UI.presentationVariant.includeGrandTotal</i>	<p>Boolean default true</p> <p>This annotation contains aggregatable properties for which aggregated values are to be provided for the additional aggregation levels specified in the annotation <i>UI.presentationVariant.totalBy</i>.</p>
	<p>This annotation specifies that the result of the queried collection includes a grand total for the properties specified in the annotation <i>UI.presentationVariant.total</i>.</p>

Annotation	Meaning								
<code>UI.presentationVariant.initialExpansionLevel</code>	Integer								
	This annotation contains the initial number of expansion levels of a hierarchy defined for the queried collection. The hierarchy can be implicitly imposed by the sequence of the annotation <code>UI.presentationVariant.groupBy</code> , or by an explicit hierarchy annotation.								
<code>UI.presentationVariant.requestAtLevel</code>	array of elementRef								
	This annotation defines the properties that should always be included in the result of the queried collection.								
<code>UI.presentationVariant.visualizations</code>	Annotations belonging to <code>UI.presentationVariant.visualizations</code> represent a collection of available visualization types. The following types are supported:								
	<ul style="list-style-type: none"> <li>• <code>UI.lineItem</code></li> <li>• <code>UI.chart</code></li> <li>• <code>UI.dataPoint</code></li> </ul>								
<code>UI.presentationVariant.visualizations.type</code>	<p><b>Description:</b> This annotation defines the representation type. For each type, only one single annotation is meaningful. Multiple instances of the same visualization type shall be modeled with different presentation variants. A reference to the annotation <code>UI.lineItem</code> should always be part of the collection (least common denominator for renderers). <b>The first entry of the collection is the default visualization.</b></p> <p><b>Values:</b></p> <p>String enum</p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> <tbody> <tr> <td><code>AS_LINEITEM</code></td><td>The queried collection is visualized as line item.</td></tr> <tr> <td><code>AS_CHART</code></td><td>The queried collection is visualized as chart.</td></tr> <tr> <td><code>AS_DATAPOINT</code></td><td>The queried collection is visualized as data point.</td></tr> </tbody> </table>	Value	Description	<code>AS_LINEITEM</code>	The queried collection is visualized as line item.	<code>AS_CHART</code>	The queried collection is visualized as chart.	<code>AS_DATAPOINT</code>	The queried collection is visualized as data point.
Value	Description								
<code>AS_LINEITEM</code>	The queried collection is visualized as line item.								
<code>AS_CHART</code>	The queried collection is visualized as chart.								
<code>AS_DATAPOINT</code>	The queried collection is visualized as data point.								
<code>UI.presentationVariant.visualizations.qualifier</code>	String (120)								
	This annotation is used to group and uniquely identify annotations. You need to specify a qualifier as name of a visualization to ensure that the correct visualization can be referenced by the UI.								
<code>UI.presentationVariant.visualizations.element</code>	elementRef								
	This annotation references the annotation <code>UI.lineItem</code> .								

Annotation	Meaning
Annotations belonging to <code>UI.selectionField</code> allow filtering a list of data. <code>UI.selectionField</code> annotations are usually used in an initial page floorplan as filter bar.	<p><b>Scope:</b> [ELEMENT]</p> <p><b>Evaluation Runtime (Engine): SSDL:</b> Translates CDS annotations into the corresponding OData annotations</p> <p><b>Values:</b> array of</p>
<code>UI.selectionField.element</code>	<p><code>elementRef</code></p> <p>Optional element reference</p> <ul style="list-style-type: none"> <li>• <b>Must</b> be used when an association is annotated, the value is a path to an element of the associated view. You use this option if you want to filter a table for a column that is not defined in your CDS view but in another CDS view.</li> </ul> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"> <p><b>Example</b></p> <p>You define a sales order view in which you want to filter business partners for their country of origin. However, these country information are not maintained in the sales order view but in the business partner view.</p> </div> <ul style="list-style-type: none"> <li>• <b>Must not</b> be used when a structured element is annotated, in this case the annotated element is the value.</li> </ul>
<code>UI.selectionField.exclude</code>	<p><code>Boolean default true</code></p> <p>This annotation allows excluding the element from the OData annotation on the derived view by setting it to <code>true</code>. The element is optional.</p> <p>For more information, see <a href="#">Inheritance of Annotations [page 420]</a></p>

Annotation	Meaning	
<code>UI.selectionField.position</code>	DecimalFloat	With This annotation you specify the order of selection fields that are used for filtering. This annotation is mandatory.
		<p> <b>Example</b></p> <p>When users open a SAP Fiori application and see an overview of items, they might want to filter for a specific item type or creation date, for example. They can see selection fields for filtering above a list. You specify what selection field is displayed first, seconds, and so on.</p>
<code>UI.selectionField.qualifier</code>	String (120)	This annotation is used to group and uniquely identify annotations. You need to specify a qualifier as name of a selection field to ensure that the correct selection field can be referenced by the UI.
Annotations belonging to <code>UI.selectionPresentationVariant</code> are used to bundle annotations of <code>UI.presentationVariant</code> and <code>UI.selectionVariant</code> .		
<b>Scope:</b> [VIEW, TABLE_FUNCTION, ENTITY, ANNOTATE_VIEW]		
<b>Evaluation Runtime (Engine): SADL:</b> Translates CDS annotations into the corresponding OData annotations		
<b>Values:</b> array of		
<code>UI.selectionPresentationVariant.qu</code>	String (120)	This annotation is used to group and uniquely identify annotations. You need to specify a qualifier as name of a selection presentation variant to ensure that the correct selection presentation variant can be referenced by the UI.
<code>UI.selectionPresentationVariant.id</code>		This annotation contains an identifier to reference this instance from an external context.
<code>UI.selectionPresentationVariant.te</code>	String (60)	This annotation contains the language-dependent name of the selection presentation variant.

Annotation	Meaning
<code>UI.selectionPresentationVariant.selectionVariantQualifier</code>	This annotation is used to group and uniquely identify annotations. You need to specify a qualifier as name of a selection variant to ensure that the correct selection variant can be referenced by the selection presentation variant.
<code>UI.selectionPresentationVariant.presentationVariantQualifier</code>	This annotation is used to group and uniquely identify annotations. You need to specify a qualifier as name of a presentation variant to ensure that the correct presentation variant can be referenced by the selection presentation variant.
Annotations belonging to <code>UI.selectionVariant</code> are used to denote a combination of parameters and filters used to query the annotated entity set.	
<b>Scope:</b> [VIEW, TABLE_FUNCTION, ENTITY, ANNOTATE_VIEW]	
<b>Evaluation Runtime (Engine): SADL:</b> Translates CDS annotations into the corresponding OData annotations	
<b>Values:</b> array of	
<code>UI.selectionVariant.qualifier</code>	This annotation is used to group and uniquely identify annotations. You need to specify a qualifier as name of a selection variant to ensure that the correct selection variant can be referenced by the UI.
<code>UI.selectionVariant.id</code>	This annotation can contain an identifier to reference this instance from an external context.
<code>UI.selectionVariant.text</code>	This annotation contains the language-dependent name of the selection variant.
<code>UI.selectionVariant.parameters</code>	Annotations belonging to <code>UI.selectionVariant.parameters</code> represent a collection of parameters used to query the annotated entity set.
<code>UI.selectionVariant.parameters.name</code>	This annotation references to a parameter name.
<code>UI.selectionVariant.parameters.value</code>	This annotation contains a parameter value.
<code>UI.selectionVariant.filter</code>	This annotation contains a filter used to query the annotated entity set.

Annotation	Meaning	
<i>UI.statusInfo</i>	Annotations belonging to <i>UI.statusInfo</i> represent a list of abstract data fields that convey the status of an entity. <i>UI.statusInfo</i> annotations are usually used in the header section of an item's object view floorplan.	
<b>Scope:</b> [ELEMENT]		
<b>Evaluation Runtime (Engine): SADL:</b>	Translates CDS annotations into the corresponding OData annotations	
<b>Values:</b> array of		
<i>UI.statusInfo.criticality</i>	elementRef	This annotation can be specified if the status info type is <b>STANDARD</b> . This annotation references to another element that has the values 0, 1, 2, or 3. The criticality value <b>Neutral</b> is reflected by the value 0, the criticality value <b>Negative</b> is reflected by the value 1, the criticality value <b>Critical</b> is reflected by the value 2, and the criticality value <b>Positive</b> is reflected by the value 3.  For more information, see <a href="#">Criticality [page 397]</a> .
<i>UI.statusInfo.dataAction</i>	String	This annotation can be used if the status info type is <b>FOR_ACTION</b> . The element references the technical name of an action of the Business Object Processing Framework (BOPF). The string pattern is <b>BOPF:&lt;technical name of action in BOPF&gt;</b> .
<i>UI.statusInfo.exclude</i>	Boolean default true	This annotation allows excluding the element from the OData annotation on the derived view by setting it to <b>true</b> . The element is optional.  For more information, see <a href="#">Inheritance of Annotations [page 420]</a>
<i>UI.statusInfo.iconURL</i>	String	This annotation contains the URL to an icon image. This annotation is <b>optional</b> .

Annotation	Meaning								
<code>UI.statusInfo.importance</code>	<p>This annotation expresses the importance of dataFields or other annotations. The element can be used, for example, in dynamic rendering approaches with responsive design patterns.</p> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"> <p><b>Example</b></p> <p>You defined several statuses. The statuses that need to be displayed always, get importance <b>HIGH</b>. This ensures that these statuses are displayed in a table, for example, when this table is rendered on a small display.</p> </div> <p>If no importance is defined, the status info is treated like having importance <b>LOW</b>.</p> <p><b>Values:</b></p> <p>String</p> <p>The following enumerations are provided:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Value</th><th style="text-align: left;">Description</th></tr> </thead> <tbody> <tr> <td><code>HIGH</code></td><td>-</td></tr> <tr> <td><code>MEDIUM</code></td><td>-</td></tr> <tr> <td><code>LOW</code></td><td>-</td></tr> </tbody> </table>	Value	Description	<code>HIGH</code>	-	<code>MEDIUM</code>	-	<code>LOW</code>	-
Value	Description								
<code>HIGH</code>	-								
<code>MEDIUM</code>	-								
<code>LOW</code>	-								
<code>UI.statusInfo.invocationGrouping</code>	<p>This annotation expresses how multiple invocations of the same action on multiple instances are grouped. This annotation is optional. This annotation needs to be specified if you use <code>UI.statusInfo.type</code> of type <b>FOR_ACTION</b>.</p> <p><b>Values:</b></p> <p>String enum</p> <p>The following enumerations are provided:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Value</th><th style="text-align: left;">Description</th></tr> </thead> </table>	Value	Description						
Value	Description								

Annotation	Meaning
<i>ISOLATED</i>	<p>Default</p> <p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>The action is executed on all instances except for instance on which the action cannot be executed.</li> </ul> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"> <span style="color: #ccc;">✖</span> <b>Example</b> <p>A user selects five items in a list and wants to copy them. One item cannot be copied. This item will not be copied, the other four items are copied.</p> </div>
<i>CHANGE_SET</i>	<p>Describes the error handling when an action cannot be executed on all selected instances:</p> <ul style="list-style-type: none"> <li>If an action cannot be executed on one of the selected instances, the action is executed on none of the selected instances.</li> </ul> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"> <span style="color: #ccc;">✖</span> <b>Example</b> <p>A user selects five items in a list and wants to copy them. One item cannot be copied. None of the selected items are copied.</p> </div>
<i>UI.statusInfo.position</i>	<p>DecimalFloat</p> <p>With This annotation you specify the order in which status information are displayed. This annotation is mandatory.</p>

Annotation	Meaning		
<code>UI.statusInfo.semanticObjectAction</code>	<p><code>String</code></p> <p>This annotation can be used in the status info type is <code>FOR_INTENT_BASED_NAVIGATION</code> or <code>WITH_INTENT_BASED_NAVIGATION</code>. This annotation refers to the name of an action on the semantic object. The semantic object is taken from or derived via an association from the defining view.</p>		
<code>UI.statusInfo.targetElement</code>	<p><code>elementRef</code></p> <p>This annotation represents the path to an element of an associated CDS view. The path is converted to an OData <code>NavigationPropertyPath</code>. Using this annotation, you can link from the header part of an object view floorplan to a target element. You need to specify <code>UI.statusInfo.targetElement</code> when you use the annotation <code>UI.statusInfo.type</code> of type <code>WITH_NAVIGATION_PATH</code>. You might, for example, provide background information to an item that is opened on the object view floorplan.</p>		
<code>UI.statusInfo.type</code>	<p>This enumeration annotation exactly specifies what type of the type hierarchy is used. The value of the enumeration type determines which CDS elements are required or available.</p> <p><b>Values:</b></p> <p><code>String</code></p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th> <th>Description</th> </tr> </thead> </table>	Value	Description
Value	Description		

Annotation	Meaning
<code>FOR_ACTION</code>	<p>Maps to <code>DataFieldForAction</code>.</p> <p><code>DataFieldForAction</code> is based on <code>DataField</code>, and defines an app-specific action. For example, a button is rendered with the text of the datafield label.</p> <p>For more information, see <a href="#">Actions [page 413]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>invocationGrouping</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>dataAction</code></li> </ul>
<code>AS_ADDRESS</code>	<p>Maps to <code>DataFieldForAnnotation</code>.</p> <p><code>DataFieldForAnnotation</code> is used to refer to other annotations using the <code>Edm.AnnotationPath</code> abstract type. The annotation path <b>must</b> end in <code>vCard.Address</code> or <code>UI.DataPoint</code>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul>
<code>AS_CONTACT</code>	<p>Maps to <code>DataFieldForAnnotation</code>.</p> <p><code>DataFieldForAnnotation</code> is used to refer to other annotations using the <code>Edm.AnnotationPath</code> abstract type. The annotation path <b>must</b> end in <code>vCard.Address</code> or <code>UI.DataPoint</code>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul>

Annotation	Meaning
<code>AS_DATAPOINT</code>	<p>Maps to <i>DataFieldForAnnotation</i>.</p> <p>For more information, see <a href="#">Data-Field Type: #AS_DATAPOINT [page 405]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul>
<code>FOR_INTENT_BASED_NAVIGATION</code>	<p>Maps to <i>DataFieldForIntentBasedNavigation</i>.</p> <p><i>DataFieldForIntentBasedNavigation</i> is used to execute an action on a semantic object. The navigation intent is <b>not</b> tied to a data value.</p> <p>For more information, see <a href="#">Based on Intent [page 411]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>semanticObjectAction</i></li> </ul>
<code>STANDARD</code>	<p>Default</p> <p>Maps to standard <i>DataField</i>. You use this type if you want a field to be displayed without any additional functionality.</p> <p>A standard <i>DataField</i> refers to a property of the OData service used.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> <li>• <i>criticality</i></li> </ul>

Annotation	Meaning
<code>WITH_NAVIGATION_PATH</code>	<p>Maps to <i>DataFieldWithNavigationPath</i>.</p> <p><i>DataFieldWithNavigationPath</i> is based on <i>DataField</i>, and defines a label-value pair that refers to a property of the OData service used. The definition consists of a link to navigate to a new target, based on a navigation property provided by the OData service, or defined in the annotation file.</p> <p>For more information, see <a href="#">With Navigation Path [page 407]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>targetElement</i></li> </ul>
<code>WITH_URL</code>	<p>Maps to <i>DataFieldWithURL</i>.</p> <p><i>DataFieldWithURL</i> is based on <i>DataField</i>, and defines a label-value pair that refers a property of the OData service used. The definition consists a URL to navigate to a new target, that is a URL.</p> <p>For more information, see <a href="#">With URL [page 409]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>label</i></li> <li>• <i>value</i></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <i>url</i></li> </ul>

Annotation	Meaning
<code>WITH_INTENT_BASED_NAVIGATION</code>	<p>Maps to <code>DataFieldWithIntentBasedNavigation</code>.</p> <p><code>DataFieldWithIntentBasedNavigation</code> is tied to a data value that should be rendered as a hyperlink.</p> <p>This annotation is displayed like the type <code>WITH_URL</code>, but its behavior is similar to type <code>FOR_INTENT_BASED_NAVIGATION</code>. For more information, see <a href="#">With URL [page 409]</a> and <a href="#">Based on Intent [page 411]</a>.</p> <p>When you use this type, you can use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>label</code></li> <li>• <code>value</code></li> </ul> <p>When you use this type, you must use the following elements:</p> <ul style="list-style-type: none"> <li>• <code>semanticObjectAction</code></li> </ul>
<code>UI.statusInfo.url</code>	<p><code>elementRef</code></p> <p>This annotation represents the path to a structural element that contains a navigation URL. You need to specify <code>UI.statusInfo.url</code> when you use the annotation <code>UI.statusInfo.type</code> of type <code>WITH_URL</code>.</p>

Annotation	Meaning		
<code>UI.statusInfo.value</code>	<p><code>elementRef</code></p> <p>This annotation refers to a value.</p> <p>Type AS _ ADDRESS:</p> <ul style="list-style-type: none"> <li>Value element <b>must not</b> be used when a structural element is annotated. Use instead <code>@com.sap.vocabularies.Communication.v1.Address</code> (or a shorter alias-qualified name) as value.</li> <li>Value element <b>must</b> be used when an element of an associated CDS view is annotated. A value of ' .' refers to <code>@Semantics.address</code> on the view that is directly associated. If you want to reference <code>@Semantics.address</code> on a view that is indirectly associated, use a path starting with a dot as value.</li> </ul> <p>All other types:</p> <ul style="list-style-type: none"> <li>Value element <b>must not</b> be used when an element is annotated, in this case the annotated element is the value.</li> <li>Value element <b>must</b> be used when an association is annotated. The value is a path to an element of the associated view.</li> </ul>		
<code>UI.textArrangement</code>	<p><b>Description:</b> This annotation specifies the arrangement of code-text pairs.</p> <p><b>Scope:</b> [VIEW, ANNOTATE_VIEW, ELEMENT]</p> <p><b>Evaluation Runtime (Engine): SADL:</b> Translates CDS annotations into the corresponding OData annotations</p> <p><b>Values:</b></p> <p>String</p> <p>The following enumerations are provided:</p> <table border="1"> <thead> <tr> <th>Value</th><th>Description</th></tr> </thead> </table>	Value	Description
Value	Description		

Annotation	Meaning
<code>TEXT_FIRST</code>	The text is displayed in front of the code.
<code>TEXT_LAST</code>	The code is displayed in front of the text.
<code>TEXT_ONLY</code>	The text is displayed without the code.
<code>TEXT_SEPARATE</code>	The text and the code are displayed separately.

## Examples

### Example 1: @UI.headerInfo

In this example, the element `@UI.headerInfo.typeNamePlural` is used to define, what can be shown in the title of a table or list.

#### ↳ Sample Code

```
...
@UI.headerInfo: { typeNamePlural: 'Sales Orders' }
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
...
}
```

### Example 2: @UI.lineItem

The annotation `@UI.lineItem` is used to define what elements are shown in the table-columns.

Since the desired columns of a table depend on the use-case (an overview may require more fields than a value-help) several list-layouts can be defined, distinguished by a qualifier. If the CDS view contains analytical annotations, for example `@DefaultAggregation`, they are considered automatically. No additional UI annotations are required.

#### ↳ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    @UI.lineItem: [ { position: 10 }, { qualifier: 'ValueList', position:
10 } ]
    key so.sales_order_id as SalesOrder,
    @UI.lineItem: [ { position: 20 }, { qualifier: 'ValueList', position:
20 } ]
    so.customer.company_name as CompanyName,
    @UI.lineItem: [ { position: 30 } ]
    so.currency_code as CurrencyCode,
    @DefaultAggregation: #SUM
    @UI.lineItem: [ { position: 40 } ]
    so.gross_amount as GrossAmount
}
```

#### Example 3: `@UI.selectionField`

The annotation `@UI.selectionField` is used to enable specific elements for selection, for example using a filter bar.

If the CDS view is annotated as `@Search.searchable` or if a value help is available for the element, this is considered. No additional UI annotations are required to expose the search field or value help.

#### ↳ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    key so.sales_order_id as SalesOrder,
    @UI.selectionField: [ { position: 10 } ]
    so.customer.company_name as CompanyName,
...
}
```

#### Example 4: `@UI.identification`

The annotation `@UI.Identification` is used to define which elements are shown on a detail page.

#### ↳ Sample Code

```
...
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    @UI.identification: [ { position: 10 } ]
    key so.sales_order_id as SalesOrder,
    @UI.identification: [ { position: 20 } ]
    so.customer.company_name as CompanyName,
    @UI.identification: [ { position: 30 } ]
    so.currency_code as CurrencyCode,
    @UI.identification: [ { position: 40 } ]
    so.gross_amount as GrossAmount
}
```

#### Example 5: `@UI.fieldGroup`

The annotation `@UI.fieldGroup` is used to group several fields, for example, for sections of forms. Similar to the annotation `@UI.lineItem`, the different field groups have unique qualifiers.

#### « Sample Code

```
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {  
    @UI.identification: [ { qualifier: 'GeneralInformation', position: 10 } ]  
    key so.sales_order_id as SalesOrder,  
    @UI.identification: [ { qualifier: 'GeneralInformation', position: 20 } ]  
    so.customer.company_name as CompanyName,  
    @UI.identification: [ { qualifier: 'SalesData', position: 30 } ]  
    so.currency_code as CurrencyCode,  
    @UI.identification: [ { qualifier: 'SalesData', position: 40 } ]  
    so.gross_amount as GrossAmount  
}
```

#### Example 6:@UI.badge

The annotation `@UI.badge` represents the view of a business card. A badge can be considered as the combination of the annotations `@UI.headerInfo` and `@UI.identification`. The properties `ImageUrl`, `TypeImageURL`, and `Title` correspond to the properties from the annotation `@UI.HeaderInfo`. In addition to the `Title` property, the properties `HeadLine`, `MainInfo` and `SecondaryInfo` of the same format can be specified.

#### « Sample Code

```
@UI.badge: {  
    title: {  
        label: 'Sales Order',  
        value: 'SalesOrderID' -- Reference to element in projection-list  
    },  
    headLine: {  
        label: 'Customer',  
        value: 'CompanyName' -- Reference to element in projection-list  
    },  
    mainInfo: {  
        label: 'Gross Amount',  
        value: 'GrossAmount' -- Reference to element in projection-list  
    },  
    secondaryInfo: {  
        label: 'Billing Status',  
        value: 'BillingStatus' -- Reference to element in projection-list  
    }  
}  
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {  
    key so.sales_order_id as SalesOrder,  
    so.customer.company_name as CompanyName,  
    so.gross_amount as GrossAmount,  
    so.billing_status as BillingStatus,  
    ...  
}
```

#### Example 7: @UI.chart

The annotation `@UI.chart` is used to define the properties of a chart. The annotation is defined at view level and refers to the elements that are supposed to be used in the chart. Additionally, a title and description can be provided.

#### « Sample Code

```
...  
@UI.chart: {
```

```

        title: 'Gross Amount by Customer',
        description: 'Line-chart displaying the gross amount by customer',
        chartType: #LINE,
        dimensions: [ 'CompanyName' ], -- Reference to one element
        measures: [ 'GrossAmount' ] -- Reference to one or more elements
    }
define view ZExample_SalesOrder as select from sepm_cds_sales_order as so {
    key so.sales_order_id as SalesOrder,
    so.customer.company_name as CompanyName,
    so.currency_code as CurrencyCode,
    @Semantics.amount.currencyCode: 'CurrencyCode'
    so.gross_amount as GrossAmount,
    ...
}

```

#### Example 8: `@UI.hidden`

The annotation `@UI.hidden` prevents fields from being displayed, leaving them available for client.

This is sensible if the CDS has technical keys, for example Guids, that have to be exposed to the OData service to work, but are usually not supposed to be displayed on the UI. Another use case are fields that are required in other calculations.

In the following example, a data point with precalculated criticality and trend is exposed. These fields are required in the client to calculate the corresponding values, but are not supposed to be displayed directly.

#### ↳ Sample Code

```

...
define view ZExample_SalesOrdersByCustomer as select from ... as so {
    @UI.hidden
    key so.buyer_guid as BuyerGuid,
    ...
    @UI.dataPoint: {
        criticality: 'AmountCriticality', -- Reference to element
        trend: 'AmountTrend', -- Reference to element
    }
    so.actual_amount as ActualAmount,
    @UI.hidden
    so.criticality as AmountCriticality,
    @UI.hidden
    so.trend as AmountTrend
}

```

#### Example 9: `@UI.masked`

The annotation `@UI.masked` marks a field that may contain sensitive data and should therefore not be displayed in clear text by the client.

This annotation does not influence how data is transferred. If a field is marked as `@UI.masked`, data of this field is still transferred to the client like any other property.

#### ↳ Sample Code

```

...
define view Destination as select from ... {
    @UI.identification: [ { position: 10 } ]
    key DestinationID,
    ...
    @UI.identification: [ { position: 20 } ]
    AuthType, -- None, Basic, SSO, ...
    @UI.identification: [ { position: 30 } ]
}

```

```
BasicAuthUserName,  
@UI.identification: [ { position: 40 } ]  
@UI.masked  
BasicAuthPassword,  
...  
}
```

#### Example 10:@UI.multiLineText

The annotation `@UI.multiLineText` marks a field, for example a description, that is supposed to be displayed by controls that support multiline-input, for example a text area.

#### ↳ Sample Code

```
...  
define view Product as select from ... {  
    @UI.identification: [ { position: 10 } ]  
    key ProductID,  
    @UI.identification: [ { position: 20 } ]  
    ProductName,  
    @UI.identification: [ { position: 30 } ]  
    @UI.multiLineText: true  
    Description,  
...  
}
```

#### Example 11: @UI.dataPoint

The annotation `@UI.dataPoint` defines a single point of data, typically a number, that can be enriched with business-relevant data, for example if a high or low value is desired, or if the value is increasing to decreasing.

The simplest variant of a data point consists of a value and a tile. In this case, only the value itself is exposed, without additional information.

#### ↳ Sample Code

```
...  
define view ZExample_SalesOrdersByCustomer as select from ... as so {  
    key so.buyer_guid as BuyerGuid,  
    @Semantics.currencyCode: true  
    so.currency_code as CurrencyCode,  
    @UI.dataPoint: { title: 'Gross Amount' }  
    @Semantics.amount.currencyCode: 'CurrencyCode'  
    so.actual_amount as ActualAmount  
}
```

## 8.2 API Documentation

The ABAP RESTful Programming Model provides components and interfaces to implement the REST contract. This allows the developer to implement specific use cases that are not executed automatically. These contracts provide a standardized but flexible way for your application implementation.

[Unmanaged Query API \[page 633\]](#)

## 8.2.1 Unmanaged BO Contract

For the implementation type **unmanaged**, the application developer must implement essential components of the REST contract itself. For this, all desired operations (create, update, delete, or any application-specific actions) must be specified in the corresponding behavior definition artifact by using the *Behavior Definition Language (BDL)* [\[page 689\]](#) before they are implemented with ABAP.

This implementation is carried out in a special type of class pool, the behavior pool, which refers to the behavior definition. The concrete implementation of the BO provider is based on the ABAP language (which has been extended compared to the standard using a special syntax) and the Business Object Behavior API.

The implementation tasks are roughly divided into an **interaction phase** and a **save sequence**. The interaction phase is represented by the local handler class `LCL_HANDLER` and the save sequence by the local saver class `LCL_SAVER`.


### → Remember

There are some specific rules for assigning names to local classes in a behavior pool. Both handler classes and saver classes are recognized by derivation from the system base class. The names `LCL_HANDLER` and `LCL_SAVER` are suggested by the ADT tool when you create the class pool, but can be changed. We recommend applying naming conventions for behavior pools and local handler and saver classes corresponding to [Naming Conventions for Development Objects \[page 673\]](#)

At the top of the class hierarchy for this API is the class `CL_ABAP_BEHV`. This class is the foundation class for the handler and the saver class. It defines some fundamental data types to be used in the behavior processing (such as for content IDs (`CID` and `PID`) or the flag) and also provides the implementation of message creation methods.

The classes that derive from this base class are:

- `CL_ABAP_BEHAVIOR_HANDLER` – This class is the base class for the handler.
- `CL_ABAP_BEHAVIOR_SAVER` – This class is the base class for the saver. It specifies the signature of all methods used to implement the save sequence of a business object provider.



Hierarchy Tree of the BO Behavior API

## Detailed Information

- Implementing Handler Classes [page 614]
- Implementing Saver Classes [page 622]
- Using Implicit Returning Parameters [page 629]
- Declaration of Derived Data Types [page 626]

### 8.2.1.1 Handler Classes

To implement the behavior specified in the behavior definition artifact, a special global ABAP class, the behavior pool is used. This global class is implicitly defined as `ABSTRACT` and `FINAL`. So, there is no use for

instantiating or inheriting this global behavior pool. What is more, banning them prevents potential abuse. A behavior pool can have static methods, CLASS-DATA, CONSTANTS and TYPES. The application may place common or even public aspects of its implementation here.

The real substance of a behavior pool is located in [Local Types](#). Here you can define two types of special local classes: handler classes for the operations within the interaction phase and saver classes for the operations within the save sequence. These classes can be instantiated or invoked only by the ABAP VM. (All local class source code within one global class is stored within one include, the CCIMP include.)

Within the global behavior pool one or multiple local handler classes are defined. Each such local class is also defined as ABSTRACT and FINAL and inherits from the base class CL\_ABAP\_BEHAVIOR\_HANDLER. The signature of the handler methods FOR MODIFY, FOR LOCK, and FOR READ are typed based on the entity that is defined by the keyword FOR <OPERATION>. To identify the entity, the alias, which is specified in the behavior definition, can be used for better code readability.

## Syntax: Definition of the Local Handler Class

```
CLASS lcl_handler DEFINITION INHERITING FROM cl_abap_behavior_handler ABSTRACT
FINAL.
  PRIVATE SECTION.
    METHODS <method_name> FOR MODIFY
      IMPORTING
        create_import_parameter   FOR CREATE entity
        update_import_parameter   FOR UPDATE entity
        delete_import_parameter   FOR DELETE entity
        action_import_parameter   FOR ACTION entity~action_name
                                   [RESULT action_export_parameter].
      METHODS <method_name> FOR LOCK IMPORTING lock_import_parameter FOR LOCK
entity.
      METHODS <method_name> FOR READ IMPORTING read_import_parameter
                           FOR READ entity [RESULT read_export_parameter].
  ENDCLASS.
```

## Method Summary

Method	Description
<method> FOR MODIFY	Handles all changing operations (create, update, delete, and specific actions as they are specified in the behavior definition) of an entity
<method> FOR LOCK	Implements the locking of entities corresponding to the lock properties in the behavior definition
<method> FOR READ	Handles the processing of reading requests

## Method Details

- <method> FOR MODIFY [page 616]
- <method> FOR LOCK [page 619]
- <method> FOR READ [page 620]

### 8.2.1.1.1

<method> FOR MODIFY

Handles all changing operations of an entity

The FOR MODIFY method implements the standard operations create, update, delete, and application-specific actions, as they are specified in the behavior definition.

#### → Tip

The FOR MODIFY method can handle multiple entities (root, item, sub item) and multiple operations during one processing step. In some cases, it might be useful to split the handler implementation into separate methods. Then, multiple behavior handlers, that is, multiple local behavior classes within one global behavior pool or even in multiple global behavior pools, can be defined.

### Declaration of <method> FOR MODIFY

The declaration of the <method> FOR MODIFY expresses what changing operations this method is responsible for. In extreme cases, this is the total amount of all changing operations that are possible according to behavior definition.

Each individual specification within the declaration of <method> FOR MODIFY consists of a combination of an operation with an entity or an entity part, such as an action. To refer to the entities, the alias given in behavior definition should be used - if there is any.

The operation is connected to a freely selected import parameter name <operation>\_import\_parameter for the passed instance data and, if necessary, one or more other parameter names (export parameters) if the operation is connected to an output (for example: an action with result action\_export\_parameter).

```
METHODS method_name FOR MODIFY [IMPORTING]
    create_import_parameter      FOR CREATE entity " specification for create
    update_import_parameter      FOR UPDATE entity " specification for ...
    delete_import_parameter      FOR DELETE entity
    action_import_parameter      FOR ACTION entity~action_name
                                [RESULT action_export_parameter].
```

For the sake of better readability, the keyword IMPORTING can be specified before the first import parameter.

The parameters can also be explicitly declared as REFERENCE (...); However, the declaration as VALUE (...) is not allowed and therefore the importing parameters cannot be changed in the method.

## i Note

The data types with which the parameters are implicitly provided by the ABAP compiler are **derived types** resulting from the behavior definition. They usually contain at least the instance key according to the CDS definition, or even the full row type, as well as other components that result from the model (action parameter) or play a role in the programming model.

The `FOR MODIFY` method must not have other parameter declarations that do not define an operation or an action.

But it still has three **implicit output parameters** `failed`, `mapped`, and `reported`. These parameters may also be explicitly declared (developers may find this helpful), like this:

```
METHODS method_name FOR MODIFY
  [IMPORTING]
    create_import_parameter      FOR CREATE entity
    ...
    ...
    CHANGING failed      TYPE DATA
    mapped          TYPE DATA
    reported        TYPE DATA.
```

Since the derived types also come here into play, you cannot explicitly write them down. The ABAP compiler accepts the generic type `DATA` and replaces it with the respective derived types resulting from the behavior definition.

In all three cases, this is a structure type with one component per entity from the behavior definition (that is, per entity in a business object). The names of the components are the aliases defined in the behavior definition or else the original entity names.

All parameters and components of these structures are tables to allow mass processing. Together with the bundling of multiple operations in a method, it is possible to implement large modification requests in a single `FOR MODIFY` method call.

## Implementation of <method> FOR MODIFY

### When is the FOR MODIFY Method Called?


The `FOR MODIFY` method is called when the BO framework processes a change request that contains at least one of its operations.

The `FOR MODIFY` method can determine which operations are specifically given, for example, in this way:

```
... parameter IS [NOT] INITIAL.
```

### Sequence of Processing of Individual Operations

The BO framework does not specify an order for the processing of individual operations within a `FOR MODIFY` call. It is therefore assumed that the application layer processes all the individual operations that are passed in a meaningful order for them. For example, it is usually useful to process create operations before update operations.



Sequence of Operations Processing within a FOR MODIFY Method call – An Example

### Retrieving Results from Operation Processing

To get the output of an action call with a defined RESULT, the named export parameter `action_export_parameter` must be filled.

All other operations do not necessarily return visible results. If so, then you have to write in the three returning structures `failed`, `reported`, and `mapped`. Their construction results in a fairly readable pattern, for example, to report failed instances or to store messages for instances:

```

APPEND ... TO failed-Item.
APPEND ... TO reported-Root.

```

All derived types also contain components that do not originate from the line type of the entity and begin with the character % to avoid naming conflicts with original components. For example, the row type of a `failed` table contains a component `%fail` to store the symptom for a failed instance; Also, an include structure `%key` that summarizes the primary key fields of the entity. `%key` is part of almost all derived types, including operation parameters.

Thus, the above pattern can be concretized as follows:

```
APPEND #VALUE( %KEY = <item>-%KEY %FAIL = ... %CID = ...) TO failed-Item.
```

In the case above `<item>` could refer to the line type `it_u_item`.

Another inserted component is `%CID`, a string that can be assigned as a **content ID** in the OData request to bind the result of an operation to a name. This particularly applies to create operation where the assigned instance keys (except in the rare case of external key assignment) are not contained in the input.

It is therefore required to include the `%CID` in the returning data such as above in the `failed` entry.

## Related Information

[Implicit Returning Parameters \[page 629\]](#)

### 8.2.1.1.2 <method> FOR LOCK

Implements the handler for locking entities in accordance with the lock properties in the behavior definition

In the context of Cloud APIs, the `LOCK` method is automatically called by framework before a changing (`MODIFY`) operation such as `update` is called.

## Declaration of LOCK

In the behavior definition, you can determine which entities support direct locking. Entities like these are defined as `lock master` in the behavior definition.

### i Note

The definition of `lock master` is currently only supported for root nodes of business objects.

In addition, the behavior definition provides an additional locking status, `lock dependent`. This status can be assigned to entities that depend on the locking status of a parent or root entity. For requests on non-self-lockable entities like these, the runtime automatically determines the locking (ancestor) instances by means of the foreign key relationship (`lock dependent`) stored in the behavior definition and calls the `LOCK` method for the dependent entities.

The declaration of the predefined `LOCK` method is quite simple:

```
METHODS lock FOR BEHAVIOR [IMPORTING] lock_import_parameter FOR LOCK  
entity.
```

Again, for the sake of better readability, the keyword `IMPORTING` can be specified before the import parameter.

The name of the import parameter `lock_import_parameter` can be freely selected, for example `it_lock_travel`, or `it_lock_travel_id`.

`entity` refers to the name of the entity (such as a CDS view) or to the alias defined in the behavior definition.

## Import Parameters

The row type of the import table provides the following data:

- ID fields  
All elements that are specified as a key in the related CDS view.

### i Note

The compiler-generated fields `%CID`, `%CID_REF` and `%PID` are not required in the context of locking since it only affects persisted (non-transient) instances.

## Export Parameters

The `LOCK` method also provides the **implicit CHANGING parameters** `failed` and `mapped`.

- `FAILED`
- `REPORTED`

Developers have the option of explicitly declaring these parameters in the `LOCK` method as follows:

```
METHODS lock FOR BEHAVIOR IMPORTING lock_import_parameter FOR LOCK entity
          CHANGING failed      TYPE DATA
                           reported TYPE DATA.
```

## Related Information

[Implicit Returning Parameters \[page 629\]](#)

### 8.2.1.1.3

`<method> FOR READ`

Implements a handler for processing reading requests

The `<method> FOR READ` is used to return the data from the application buffer. If the buffer is empty, the data must be read from the database (which typically populates the application buffer).

## Declaration of <method> FOR READ

Similar to <method> FOR MODIFY, the handler <method> FOR READ is also implemented to handle mass requests. It is also designed to bundle multiple operations.

```
METHODS method_name FOR READ [IMPORTING]
    read_import_parameter FOR READ entity [RESULT read_export_parameter].
```

Again, for the sake of better readability, the keyword IMPORTING can be specified before the import parameter.

The name of the import parameter `read_import_parameter` can be freely selected, for example `it_read_travel` or `it_read_travel_id`.

`entity` refers to the name of the entity (such as a CDS view) or to the alias defined in the behavior definition.

### Import Parameters

The row type of the import table `read_import_parameter` provides the following data:

- %PID  
The preliminary ID
- ID fields  
All elements that are specified as a key in the related CDS view.
- %CONTROL  
The control structure reflects which elements are requested by the consumer.

### Export Parameters

In addition to the explicitly declared export parameter, the READ method also provides the implicit CHANGING parameters `failed` and `reported`.

- `read_export_parameter`: Returns the successfully read data.  
The row type of this export table provides the following data:
  - %PID
  - All elements that are specified in the element list in the CDS view
- FAILED
- REPORTED

In addition to the explicitly declared import parameter, the FOR READ method also provides the **implicit IMPORTING parameter image**. This parameter can be explicitly declared as an optional parameter as shown in the syntax below.

For the `image` parameter, the default value `transactional` is defined. This means that the state of the data of an entity results from the transactional buffer. On the other hand, the alternative value `before` requires that the persistent data, the before-image, is retrieved from the database.

The extended syntax of the <method> FOR READ is as follows:

```
METHODS method_name FOR READ
    [IMPORTING]
        read_import_parameter FOR READ entity [RESULT read_export_parameter]
        image TYPE if_abap_behv=>t_image
    CHANGING failed TYPE DATA
        reported TYPE DATA.
```

## Related Information


[Implicit Returning Parameters \[page 629\]](#)

### 8.2.1.2 Saver Classes

#### Save Sequence

The save sequence is called for each business object after at least one successful modification was performed using the BO behavior APIs in the current LUW.

As depicted in the figure below, the save sequence starts with `finalize()` performing the final calculations before data can be persisted. If the subsequent `check_before_save()` call is positive for all transactional changes, the **point-of-no-return** is reached. From now on, a successful `save()` is guaranteed by all involved BOs. After the point-of-no-return, the `adjust_numbers()` call can occur to take care of late numbering. The `save()` call persists all BO instance data from the transactional buffer in the database.



All transactional methods are implemented in the local saver class that is a part of a global behavior pool. Each local saver class of this type is also defined as `ABSTRACT` and `FINAL` and inherits from the base class `CL_ABAP_BEHAVIOR_SAVER`. The superclass provides the transactional methods that need to be redefined in the local saver class.

## Syntax: Definition of the Transactional Methods

```
CLASS lcl_saver DEFINITION INHERITING FROM cl_abap_behavior_saver
  ABSTRACT FINAL.
  PROTECTED SECTION.
    METHODS finalize      REDEFINITION.
    METHODS check_before_save REDEFINITION.
```

```

METHODS adjust_numbers      REDEFINITION.
METHODS save                REDEFINITION.
ENDCLASS.
```

## Method Summary

Method	Description
FINALIZE	Finalizes data changes before they can be persisted on the database.
CHECK_BEFORE_SAVE	Checks the application buffer for consistency .
ADJUST_NUMBERS	Implements late numbering.
SAVE	Saves the data from the transactional buffer to the database.

## Method Details

- Method FINALIZE [page 624]
- Method CHECK\_BEFORE\_SAVE [page 625]
- Method ADJUST\_NUMBERS [page 625]
- Method SAVE [page 626]

### 8.2.1.2.1 Method FINALIZE

Finalizes data changes before they can be persisted on the database.

The implementation of `finalize( )` is optional.

You can use this method to perform final calculations before data can be persisted on the database with the `save( )` call.

#### Example

Let us assume that a `SalesOrder` triggers the calculation of the `Pricing`, which is quite complex and time consuming to be called for each modification during the consumer-BO interaction (to be precise, pricing is called by default for each `modify( )`, but the customer can configure it to be executed only in `finalize( )` to optimize the performance).

#### Export Parameters

- FAILED

- REPORTED

More on this: [Implicit Returning Parameters \[page 629\]](#)

#### Error and Message Handling

- Returns failed keys and messages.

### 8.2.1.2.2 Method CHECK\_BEFORE\_SAVE

Checks the application buffer for consistency.

The implementation of `check_before_save()` is optional.

To enable a successful `save()`, the BO runtime must provide feedback in `check_before_save()` based on all transactional changes.

If `check_before_save()` call returns positive feedback, the **point-of-no-return** is reached. From now on, a successful `save()` is guaranteed for all involved BOs and the data is persisted.

If, on the other hand, errors are reported in the export parameter `FAILED`, the save chain is canceled.

#### Export Parameters

- FAILED
- REPORTED

More on this: [Implicit Returning Parameters \[page 629\]](#)

#### Error and Message Handling

- Returns failed keys and messages.

### 8.2.1.2.3 Method ADJUST\_NUMBERS

Implements late numbering.

The implementation of `adjust_numbers()` is only required if late numbering is modeled in the behavior definition.

Late numbering is a common concept for drawing gap-free numbers. In some cases, it can be business critical that these numbers are gap-free. This third phase of the save sequence is implemented in `adjust_numbers()`. The output is a link table which maps %PIDs and the related drawn numbers. These final IDs are provided by means of the `MAPPED` exporting parameter so that temporary numbers can be exchanged. The implementation of this method assigns the final keys for the remaining content IDs.

#### Export Parameter

- MAPPED

More on this: [Implicit Returning Parameters \[page 629\]](#)

### Error and Message Handling

- The method does not return any failed keys or messages since the exchange of temporary IDs takes place after the point-of-no-return.

## 8.2.1.2.4 Method SAVE

Saves the data from the transactional buffer to the database.

The implementation of `save()` is mandatory.

The actual `save()` implementation gets access to the link table of the content IDs (`%CID`) and their numbers. Often these numbers are used as foreign keys, so that they need to be replaced before the data is persisted.

After the data is persisted, it is expected that the transactional buffer is cleared, since the same ABAP session might be used for more than one [LUW \[page 698\]](#) and any remaining changes in the transactional buffer could lead to inconsistencies. Of course, the persisted transactional changes can be transferred to a read cache, once they are successfully saved.

### Error and Message Handling

- The method does not return any failed keys or messages since no issues are expected after the point-of-no-return.

## 8.2.1.3 Declaration of Derived Data Types

### What is a Derived Data Type?

The ABAP compiler allows the creation of **derived types** for the type-safe parameterization of the BO provider code. Data types like this are referred to as derived types because they are implicitly derived by the compiler from CDS entity types and their behavior definition. Derived types usually contain at least the instance key according to the CDS definition, or even the full row type, as well as other components that result from the model (such as action parameters).

When implementing a BO provider, you may want to use specific derived types in method signatures in the context of the behavior implementation. This means you have the option of creating both local and global derived data types by using a new syntax for declaring import or export parameters.

### Type Declaration for Import Parameters

Each individual type declaration consists of a combination of an operation with an entity or an entity part, such as an action. To refer to the entities, the alias given in the behavior definition should be used (if one exists).

Note that the syntax of an action import parameter definition differs a little from the type definition of the CUD operation-related parameters.

```
TYPES type_for_import_parameter TYPE TABLE FOR {OPERATION} entity_name.  
TYPES type_for_action_import_parameter TYPE TABLE FOR ACTION IMPORT  
entity_name~action_name.
```

{OPERATION} is one of the following:

- CREATE
- UPDATE
- DELETE
- LOCK
- READ IMPORT

The name of the import parameter type `type_for_import_parameter` can be freely selected, for example `it_create_travel` or `it_read_travel_id`.

`entity_name` refers to the name of the entity (such as a CDS view) as it is defined in the behavior definition.

## Examples

```
TYPES:  
  it_travel_create          TYPE TABLE FOR CREATE travel_root,  
  it_booking_delete         TYPE TABLE FOR DELETE booking_item,  
  it_booking_lock           TYPE TABLE FOR LOCK booking_item,  
  it_booking_read_in        TYPE TABLE FOR READ IMPORT booking_item,  
  it_travel_set_booked_in   TYPE TABLE FOR ACTION IMPORT travel_root~set_booked.
```

## Type Declaration for Export Parameters

Similarly, local and global types can be defined for export parameters:

```
TYPES type_for_export_parameter TYPE TABLE FOR {RESULT_PARAMETER} entity_name.  
TYPES type_for_action_result_parameter TYPE TABLE FOR ACTION RESULT  
entity_name~action_name.
```

{RESULT\_PARAMETER} is one of the following:

- MAPPED [LATE] - The mapped result parameters provide the consumer with ID mapping information. By default, the mapping information is already available in the interaction phase (early mapped). The `CID` is then mapped to the real key or to the `PID`. Using the addition `LATE`, you specify that the mapping information is only available in the save sequence. This plays a role when providing the late numbering (see also: [Method ADJUST\\_NUMBERS \[page 625\]](#)) where the `PID` is mapped to the real key.
- FAILED [LATE] - The failed parameters are used to return messages in case of failure. (Early) `REPORTED` is provided during the interaction phase and contains the `CID` or the `KEY` to indicate instances for which an operation failed. `REPORTED` with the additional specification `LATE` is only provided during the save sequence and contains the `PID` or the `KEY`, but not the `CID`.
- REPORTED [LATE] - The reported parameters include information for identifying the data set where an error occurred. (Early) `FAILED` is provided during the interaction phase and contains the `CID` or the `KEY` to

indicate instances for which an operation failed. FAILED with the additional specification LATE is only provided during the save sequence and contains the PID or the KEY, but not the CID.

- READ RESULT

The name of the export parameter type `type_for_export_parameter` or `type_for_action_result_parameter` can be freely selected, for example `et_create_travel` or `et_read_travel_id_out`.

`entity_name` refers to the name of the entity (such as a CDS view) or to the alias as it is defined in the behavior definition.

## Examples

```
TYPES:  
  et_travel_mapped          TYPE TABLE FOR MAPPED travel_root,  
  et_travel_mapped_late    TYPE TABLE FOR MAPPED LATE travel_root,  
  et_booking_failed        TYPE TABLE FOR FAILED booking_item,  
  et_booking_reported_late TYPE TABLE FOR REPORTED LATE booking_item,  
  et_booking_read_out      TYPE TABLE FOR READ RESULT booking_item,  
  et_travel_set_booked_out TYPE TABLE FOR ACTION RESULT travel_root~set_booked.
```

## Derived Types for Key and the Data Structures

In addition to derived parameter types, you can also define specific derived data types for the [IDs \[page 632\]](#) and [data \[page 633\]](#) fields:

```
TYPES type_for_update TYPE TABLE FOR UPDATE entity_name.  
TYPES type_for_id      TYPE LINE OF type_for_update-%key.  
TYPES type_for_data    TYPE LINE OF type_for_update-%data.
```

## Examples

```
TYPES:  
  it_booking_update       TYPE TABLE FOR UPDATE booking_item,  
  ltype_for_update        TYPE LINE OF it_booking_update,  
  ltype_for_key           TYPE ltyp_for_update-%key,  
  ltype_for_data          TYPE ltyp_for_update-%data.
```

## Explicit Usage of Derived Types

For modularization, it may be necessary to declare variables with derived types, even outside the reserved handler methods. For this purpose, there is an explicit syntax that is supported in the statements TYPES, DATA, and CREATE DATA. The syntax always has the form ... TYPE TABLE FOR....

```
TYPES dtype TYPE TABLE FOR {OPERATION | RESULT_PARAMETER | ACTION ...}  
entity_name.  
DATA dtype TYPE TABLE FOR {OPERATION | RESULT_PARAMETER | ACTION ...}  
entity_name.  
CREATE DATA dref TYPE TABLE FOR {OPERATION | RESULT_PARAMETER | ACTION ...}  
entity_name.
```

In this case, only the `entity_name`, but not an alias, can be used to refer to the entity. This is because, unlike in the handler methods, no reference to a particular behavior definition is given.

## Examples

```
TYPES      it_item_c      TYPE TABLE FOR CREATE SalesOrderItem.  
DATA       it_root_u      TYPE TABLE FOR UPDATE SalesOrder.  
CREATE DATA rt_item_ri   TYPE TABLE FOR READ IMPORT  
SalesOrderItem.  
DATA       et_item_rr     TYPE TABLE FOR READ RESULT SalesOrderItem  
TYPES      et_root_f     TYPE TABLE FOR FAILED SalesOrder.  
TYPES      it_root_l     TYPE TABLE FOR LOCK SalesOrder.  
TYPES      it_item_a_in   TYPE TABLE FOR ACTION IMPORT  
SalesOrderItem~add_supplement.  
DATA       et_root_a_out  TYPE TABLE FOR ACTION RESULT  
SalesOrder~set_final_status.
```

### 8.2.1.4 Implicit Returning Parameters

When implementing a BO contract, you make use of implicit returning parameters. These parameters do not have fixed data types and instead are assigned by the compiler with the types derived from behavior definition.


The implicit parameters can be declared explicitly as CHANGING parameters in the method signature of the handler classes by using the generic type DATA:

```
METHODS method_name FOR MODIFY | READ | LOCK  
  [IMPORTING]  
    <operation>_import_parameter  FOR <OPERATION> entity  
    ...  
  CHANGING failed  TYPE DATA  
    [mapped  TYPE DATA] "Relevant for CREATE only  
    reported TYPE DATA.
```

ABAP compiler replaces the type DATA with the respective **derived types** resulting from the concrete behavior definition.

## Implicit Parameters

Parameter	Description
FAILED	<p>This exporting parameter is defined as a nested table which contains one table for each entity defined in the behavior definition.</p> <p>The <b>failed</b> tables include information for identifying the data set where an error occurred:</p> <ul style="list-style-type: none"><li>• %CID and</li><li>• ID of the relevant BO instance.</li></ul> <p>The reason for the failure is specified by the predefined component:</p> <ul style="list-style-type: none"><li>• %FAIL, which stores the symptom of the failure.</li></ul>



Accessing Element Information for Failed Parameter Type (F2)

Parameter	Description
REPORTED	<p>This exporting parameter is used to return messages. It is defined as a nested table which contains one table for each entity defined in the behavior definition.</p> <p>The <b>reported</b> tables include data for instance-specific messages.</p> <p>The data set for which the message is relevant is identified by the following components:</p> <ul style="list-style-type: none"> <li>• %CID</li> <li>• ID of the relevant instance</li> <li>• %MSG with an instance of the message interface <code>IF_ABAP_BEHV_MESSAGE</code></li> <li>• %ELEMENT which refers to all elements of an entity.</li> </ul> <p>Accessing Element Information for a Reported Parameter Type (F2)</p>

### i Note

Messages that are not related to a specific (entity) instance can be returned using the %OTHERS component.

MAPPED	<p>This mapped parameter is defined as a nested table which contains one table for each entity defined in the behavior definition.</p> <p>The <b>mapped</b> parameters provide the consumer with ID mapping information. They include the information about which key values were created by the application for given content IDs. The BO runtime passes the created key values in any subsequent calls in the same request and in the response.</p> <p>The relevant data set is identified by the following components:</p> <ul style="list-style-type: none"> <li>• %CID</li> <li>• %KEY</li> </ul>
--------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Components of Derived Data Types

All derived data types in the context of the ABAP RESTful programming model also contain components that do not originate from the row type of the entity and begin with the character % to avoid naming conflicts with original components. For example, the row type of a failed table contains a component %fail to store the

symptom for a failed instance and also an include structure %key that contains all primary key fields of the entity.

EXAMPLE: Usage of %... components in a failed parameter

```
APPEND #VALUE(%KEY = ... %FAIL = ...) TO failed-entity.
```

The following list provides you with a description of the most common %... components:

Component	Description
%CID	<p>The content ID %CID is a temporary primary key for an instance, as long as no primary key was created by the BO runtime.</p> <p>The content ID is always provided by the framework. It is only needed in case of internal numbering and/or late numbering. The content ID provides the reference between the related entity instances. A good example is a <i>DEEP INSERT</i> for multiple parent/child instances with internal numbering and/or late numbering. In this case, the references between the child and parent instances are established using the content ID %CID.</p>
%CID_REF	A reference to the content ID %CID.
%KEY	<p>Contains all key elements of an entity (CDS view).</p> <p>%key is part of almost all derived types, including trigger parameters in the <code>for modify( )</code> method.</p>
%PID	<p>Defines the preliminary ID.</p> <p>It is only used if the application does not provide a temporary primary key. It is designed for use in draft data use cases (which are not yet supported in the context of the ABAP RESTful programming model).</p>

**i Note**


The preliminary ID is only available when `LATE NUMBERING` is defined in the behavior definition without the addition `IN PLACE`.

Component	Description
%CONTROL	<p>Reflects which elements are requested by the consumer.</p> <p>The fields of the %CONTROL structure provide information, depending on the operation, about which elements of the entity are supplied in the request (for CREATE and UPDATE operations) or which elements are requested in the read request (for READ operations).</p> <p>For each entity element, this control structure contains a flag which indicates whether the corresponding field was provided/requested by the consumer or not.</p> <p>The element names of the entity have the uniform type ABP_BEHV_FLAG.</p> <p><b>i Note</b></p> <p>The possible constants are defined in the basis handler class <code>if_abap_behv=&gt;mk-&lt;...&gt;</code>. For example, the elements that have the value <code>if_abap_behv=&gt;mk-on</code> in the %CONTROL structure are used to handle delta updates within the UPDATE operation.</p>
%DATA	Contains all data elements of an entity (CDS view).
%FAIL	Stores the symptom for a failed data set (BO instance).
%MSG	<p>Provides an instance of the message interface IF_ABAP_BEHV_MESSAGE.</p> <p><b>→ Tip</b></p> <p>The component %MSG of type REF TO IF_ABAP_BEHV_MESSAGE includes IF_T100_DYN_MSG. If you do not need your own implementation of this interface, then you can benefit from the provided standard implementation by using the inherited methods <code>new_message()</code> or <code>new_message_with_text()</code>.</p>
%ELEMENT	Refers to all elements of an entity.
%PARAM	Holds the import/result type of actions.

## 8.2.2 Unmanaged Query API

In contrast to managed queries, in which a framework assumes the implementation tasks to select the requested data from the data source, the implementation of the unmanaged query must be done by the application developer. For this, all desired query capabilities (paging, filtering, sorting, ...) must be implemented in a query implementation class, which is referenced in a CDS custom entity.

The following diagram illustrates the runtime of an unmanaged query:



The query request is delegated to the query implementation class which must implement the `select` method of the interface `IF_RAP_QUERY_PROVIDER`. This API is described in following.

## Interfaces

These interfaces define methods for the unmanaged query API.

- [Interface IF\\_RAP\\_QUERY\\_PROVIDER \[page 635\]](#)
  - [Interface IF\\_RAP\\_QUERY\\_REQUEST \[page 636\]](#)
    - [Interface IF\\_RAP\\_QUERY\\_FILTER \[page 641\]](#)
    - [Interface IF\\_RAP\\_QUERY\\_PAGING \[page 644\]](#)
    - [Interface IF\\_RAP\\_QUERY\\_AGGREGATION \[page 645\]](#)
  - [Interface IF\\_RAP\\_QUERY\\_RESPONSE \[page 647\]](#)

For more conceptual information about the unmanaged query, see [Query Runtime Implementation \[page 62\]](#).

For an example on how to implement an unmanaged query, see [Implementing an Unmanaged Query \[page 429\]](#).

For an example on how to implement the unmanaged query contract in a development scenario, see [Implementing the Query for Service Consumption \[page 303\]](#).

### i Note

Before SAP Cloud Platform ABAP Environment Release 1908, `IF_A4C_RAP_QUERY_PROVIDER` and the related interfaces was the API to implement an unmanaged query. This API is deprecated as of 1908, but still available in ABAP Environment. However, it is recommended to use only the new interface `IF_RAP_QUERY_PROVIDER`.

The interfaces differ in some aspects, for example the handling of filter requests. The new interface offers some more methods to reflect the query requests in more detail, for example `get_aggregation` or `get_parameters`, which facilitates the implementation.

### 8.2.2.1 Interface `IF_RAP_QUERY_PROVIDER`

This interface defines a method that is used for requesting and responding to OData query requests in an unmanaged query.

#### Method `select`

The method `select` must be implemented in custom entity scenarios. It replaces the SQL-SELECT of a CDS view to retrieve and return data. The `select` method must be called by the query implementation class, which is referenced in the custom entity annotation `@ObjectModel.query.implementedBy`.

#### i Note

Before SAP Cloud Platform ABAP Environment 1908 the annotation `@QueryImplementedBy` was in use, which is deprecated as of 1908.

The `select` imports an interface instance for the request data and one for the response data:

#### Signature

```
METHODS select IMPORTING io_request TYPE REF TO if_rap_query_request [page  
636]  
647]  
RAISING cx_rap_query_provider.
```

[Interface IF\\_RAP\\_QUERY\\_REQUEST \[page 636\]](#)

[Interface IF\\_RAP\\_QUERY\\_RESPONSE \[page 647\]](#)

#### Parameter

<code>IO_REQUEST</code>	Interface instance for gathering request information that are used as input for the <code>select</code> implementation. The request interface provides methods for implementing query options, like filtering or sorting.
-------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

---

<code>IO_RESPONSE</code>	Interface instance for the result output of the <code>select</code> implementation.
--------------------------	-------------------------------------------------------------------------------------

#### Exception

<code>CX_RAP_QUERY_PROVIDER</code>	Exception that can be raised if there is an error during the query execution.
------------------------------------	-------------------------------------------------------------------------------

• Example

See [Implementing an Unmanaged Query \[page 429\]](#)

### 8.2.2.1.1 Interface `IF_RAP_QUERY_REQUEST`

The interface defines methods to parametrize a query request in an unmanaged query. It is used to handle OData query options for data retrieval.

#### Method `get_entity_id`

This method returns the CDS entity name of the requested entity set of an OData request in an unmanaged query.

With this method, you can ensure that the query implementation is only executed if the correct entity for this query implementation set is called.

#### Signature

```
METHODS get_entity_id RETURNING VALUE(rv_entity_id) TYPE string.
```

`rv_entity_id` CDS entity name of the requested entity set.

• Example

See [Returning Requested Entity in an Unmanaged Query \[page 434\]](#).

#### Method `is_data_requested`

This method returns a boolean value to indicate if data is requested.

i Note

If this method indicates the request for data, the method [set\\_data \[page 647\]](#) must be called.

#### Signature

```
METHODS is_data_requested RETURNING VALUE(rv_is_requested) TYPE abap_bool.
```

## Parameter

`rv_is_requested`

If data needs to be returned, the value is `abap_true`. If no data needs to be returned, the value is `abap_false`.

### • Example

See [Requesting and Setting Data or Count in an Unmanaged Query \[page 434\]](#).

## Method `is_total_numb_of_rec_requested`

This method returns a boolean value to indicate if the total number of records is requested. The total number of records is requested by the query option `$inlinecount` or a `$count` request.

### i Note

If this method indicates the request for the total number of records, the total count needs to be returned by the method [set\\_total\\_number\\_of\\_records \[page 647\]](#).

## Signature

```
METHODS is_total_numb_of_rec_requested RETURNING VALUE(rv_is_requested) TYPE abap_bool.
```

## Parameter

`rv_is_requested`

If the total number of records needs to be returned the value is `abap_true`. If the total number of records is not requested the value is `abap_false`.

### • Example

See [Requesting and Setting Data or Count in an Unmanaged Query \[page 434\]](#).

## Method `get_filter`

This method returns a filter object. This filter object is an interface instance of `IF_RAP_QUERY_FILTER`. If a filter is requested, its methods return the filter information. Only records that match this filter condition must be returned or counted.

## Signature

```
METHODS get_filter RETURNING VALUE(ro_filter) TYPE REF TO if\_rap\_query\_filter \[page 641\].
```

[Interface IF\\_RAP\\_QUERY\\_FILTER \[page 641\]](#)

## Parameter

RO_FILTER	Contains the filter condition.
-----------	--------------------------------

### • Example

See [Implementing Filtering in an Unmanaged Query \[page 436\]](#).

## Method get\_paging

This method returns an object with paging information. The paging object is an interface instance of `IF_RAP_QUERY_PAGING`. It limits the number of records to be returned as response data with offset and page size.

### Signature

```
METHODS get_paging RETURNING VALUE(ro.paging) TYPE REF TO if\_rap\_query\_paging [page 644].
```

Interface [IF\\_RAP\\_QUERY\\_PAGING](#) [page 644]

## Parameter

RO_PAGING	Contains the paging information.
-----------	----------------------------------

### • Example

See [Implementing Paging in an Unmanaged Query \[page 442\]](#).

## Method get\_sort\_elements

This method returns the sort order for the sort elements.

### Signature

```
METHODS get_sort_elements RETURNING VALUE(rt_sort_elements) TYPE tt\_sort\_elements.
```

## Parameter

*rt\_sort\_elements*

Contains the elements to be sorted with their sort direction. It is an ordered list to define the ranking order, the first element being the primary sort criteria. The table indicates the names of the sort element and the sort order with a boolean value in the column `descending`. The following table illustrates how the returning value looks like.

*tt\_sort\_elements*

ELEMENT_NAME	DESCENDING
<i>string</i>	<i>abap_bool</i>

### • Example

For a filter request like

```
<service_root_url>/<entity_set>?$orderby=Customer_ID desc
```

the method `get_sort_elements` returns the following entries in the returning table:

*rt\_sort\_elements*

ELEMENT_NAME	DESCENDING
CUSTOMER_ID	X

### • Example

See [Implementing Sorting in an Unmanaged Query \[page 443\]](#).

## Method `get_parameters`

This method returns a list of the entity parameters and their values.

### Signature

```
METHODS get_parameters RETURNING VALUE(rt_parameters) TYPE tt_parameters.
```

## Parameter

*rt\_parameters*

Contains a list of parameters and their given values.

*tt\_parameters*

PARAMETER_NAME	VALUE
<i>string</i>	<i>string</i>

### • Example

For a filter request like

```
<service_root_url>/  
<entity_set>(p_start_date=datetime'2016-07-08T12:34',p_end_date=datetime'2019-  
07-08T12:34')/Set
```

the method `get_parameters` returns the following table:

`rt_parameters`

PARAMETER_NAME	VALUE
P_START_DATE	20160708
P_END_DATE	20190708

### • Example

See [Using Parameters in an Unmanaged Query \[page 438\]](#).

## Method `get_aggregation`

This method returns an aggregation object. This object is an interface instance of `IF_RAP_QUERY_AGGREGATION` which contains methods to indicate which elements need to be aggregated or grouped.

### Signature

```
METHODS get_aggregation RETURNING VALUE(ro_aggregation) TYPE REF TO  
if_rap_query_aggregation [page 645].
```

Interface [IF\\_RAP\\_QUERY\\_AGGREGATION \[page 645\]](#)

### Parameter

<code>ro_aggregation</code>	Interface instance for information about aggregation and grouping.
-----------------------------	--------------------------------------------------------------------

### • Example

See [Implementing Aggregations in an Unmanaged Query \[page 446\]](#).

## Method `get_search_expression`

This method returns the requested search string.

## Signature

```
METHODS get_search_expression RETURNING VALUE(rv_search_expression) TYPE  
string.
```

## Parameter

rv_search_expression	Contains a free search expression with unspecified format.
----------------------	------------------------------------------------------------

### • Example

See [Implementing Search in an Unmanaged Query \[page 440\]](#).

## Method `get_requested_elements`

This method returns the requested elements, which need to be given to the response.

## Signature

```
METHODS get_requested_elements RETURNING VALUE(rt_requested_elements) TYPE  
tt_requested_elements.
```

rt_requested_elements	Contains a list of the requested elements.
-----------------------	--------------------------------------------

### • Example

See [Considering Requested Elements in an Unmanaged Query \[page 445\]](#).

## 8.2.2.1.1.1 Interface `IF_RAP_QUERY_FILTER`

This interface is a filter criteria provider for the unmanaged query. The methods provide different representations for the filter criteria.

## Method `get_as_ranges`

This method returns the filter as a list of simultaneously applicable range tables. The table is initial if no filter is supplied.

## Signature

```
METHODS get_as_ranges RETURNING VALUE(rt_ranges) TYPE tt_name_range_pairs  
RAISING cx_rap_query_filter_no_range.
```

## Parameter

`rt_ranges`

Contains a list of filter conditions in name-range-table pairs. That means, every requested filter element is related to a ranges table that indicates the filter conditions. The returning value is in a ranges-table-compatible format. The following table illustrates the list of name and ranges table.

The columns of the ranges tables have the semantics of selection table criteria. They are defined as follows:

- **SIGN**: Contains the values `I` for inclusive or `E` for exclusive consideration of the defined range
- **OPTION**: Contains the operator values. Valid operators are `EQ`, `NE`, `GE`, `GT`, `LE`, `LT`, `CP`, and `NP`, if the column high is initial, and `BT`, `NB`, if column high is not initial.
- **LOW**: Contains the comparison value or the lower interval limitation.
- **HIGH**: Contains the upper interval limitation.

`tt_name_range_pairs`

NAME	RANGE		
<code>string</code>	<code>tt_range_option</code>		
SIGN	OPTION	LOW	HIGH
<code>c(1)</code>	<code>c(2)</code>	<code>string</code>	<code>string</code>

### Example

For a filter request like

```
<service_root_url>/<entity_set>?$filter= Agency_ID eq '070031'  
                                and (Begin_Date ge datetime 2019-01-01T00  
                                and Begin_Date le datetime 2019-12-31T00)
```

the method `get_as_ranges` returns the following entries in the range table:

`tt_name_range_pairs`

NAME	RANGE		
<code>AGENCY_ID</code>	<code>tt_range_option</code>		
SIGN	OPTION	LOW	HIGH
<code>I</code>	<code>EQ</code>	<code>070031</code>	

NAME	RANGE			
	SIGN	OPTION	LOW	HIGH
Begin_Date	tt_range_option	I	BT	20190101 20191231

## Exception

`cx_rap_query_filter_no_ran ge` This exception is thrown if the filter cannot be converted into a ranges table. In this case the developer can try to use the method `get_as_sql_string` as a fall back.

### • Example

See [Getting the Filter as Ranges Table \[page 437\]](#).

## Method `get_as_sql_string`

This method returns the filter as an SQL string. The string is initial if no filter is supplied.

### Signature

```
METHODS get_as_sql_string RETURNING VALUE(rv_string) TYPE string.
```

### Parameter

`rv_string` Contains the filter conditions as an SQL string. The variable can be used directly in the WHERE clause of an SQL statement to select data.

### • Example

For a filter request like

```
<service_root_url>/<entity_set>?$filter= Agency_ID eq '070031'
   and (Begin_Date ge datetime 2019-01-01T00
   and Begin_Date le datetime 2019-12-31T00)
```

the method `get_as_sql_string` returns `BEGIN_DATE BETWEEN '20190101' AND '20191231' AND AGENCY_ID = '070031'`. This string has the correct syntax to be used in an SQL statement.

See [Implementing Filtering in an Unmanaged Query \[page 436\]](#).

## 8.2.2.1.1.2 Interface `IF_RAP_QUERY_PAGING`

This interface provides the information for paging requests. The methods provide the offset and the page size for one OData request.

### Method `get_offset`

This method indicates the number of records to drop from the list of data records in the data source. In an OData query request, the offset is requested by the query option `$skip`.

#### Signature

```
METHODS get_offset RETURNING VALUE(rv_offset) TYPE int8.
```

#### Parameter

`rv_offset` Contains the number of records that are dropped from the result list.

##### ❖ Example

If `rv_offset` is 2, the first record in the result list is the data record on position 3.

##### ❖ Example

See [Implementing Paging in an Unmanaged Query \[page 442\]](#).

### Method `get_page_size`

This method indicates the maximum number of records that are to be returned. In an OData query request, the page size is requested by the query option `$top`.

#### Signature

```
METHODS get_page_size RETURNING VALUE(rv_page_size) TYPE int8.
```

#### Parameter

`rv_page_size` Contains the number of records that are returned.

##### i Note

`rv_page_size if_rap_query_pagin=>page_size_unlimited`  
if no limit is requested.

### • Example

See [Implementing Paging in an Unmanaged Query \[page 442\]](#).

## 8.2.2.1.1.3 Interface `IF_RAP_QUERY_AGGREGATION`

This interface provides methods to receive information about the requested aggregation and grouping requests.

### Method `get_aggregated_elements`

This method returns the requested aggregated elements with their aggregation method and the output elements in a string table. These values can then be extracted and used in the query implementation.

#### Signature

```
METHODS get_aggregated_elements RETURNING VALUE(rt_aggregated_elements) TYPE  
tt_aggregation_elements.
```

## Parameter

rt\_aggregated\_elements

Contains the aggregation method, the input element, and the output element.

The constants for the available predefined aggregation methods are:

- **COUNT**: for returning the number of values of the input element in the output element.  
The constant `co_count_all_identifier` as value for `input_element` denotes the counting of all rows.
- **COUNT\_DISTINCT**: for returning the number of unique values of the input element in the output element.
- **SUM**: for returning the sum of the input element in the output element.
- **MIN**: for returning the minimum of the input element in the output element.
- **MAX**: for returning the maximum of the input element in the output element.
- **AVG**: for returning the average of the input element in the output element.

The input element is the element whose values are aggregated and the output element is the element, which contains the aggregated value. The output element can be the same as the input element.

### ❖ Example

rt\_aggregated\_elements

aggregation_method	input_element	result_element
SUM	BOOKING_FEE	TOTAL_BOOKING_FEE

## Signature

### ❖ Example

See [Implementing Aggregations in an Unmanaged Query \[page 446\]](#).

## Method get\_grouped\_elements

This method returns the requested elements by which the result is to be grouped.

## Signature

```
METHODS get_grouped_elements RETURNING VALUE(rt_grouped_elements) TYPE  
tt_grouped_elements.
```

## Parameter

rt\_grouped\_elements

Returns an ordered list of the elements by which the result is to be grouped. The elements are listed in the order of grouping priority.

### • Example

See [Implementing Aggregations in an Unmanaged Query \[page 446\]](#).

## 8.2.2.1.2 Interface IF\_RAP\_QUERY\_RESPONSE

This interface provides methods to return data and the count for the query response. The results of the methods of interface `IF_RAP_QUERY_REQUEST` are integrated in the response.

### Method `set_data`

This method provides the response for the method `if_rap_query_request~is_data_requested`. If this method is called, the table of result data must be provided (empty if there is no result data).

#### Signature

```
METHODS set_data IMPORTING it_data TYPE STANDARD TABLE  
                    RAISING   cx_rap_query_response_set_twic.
```

#### Parameter

`it_data`

Contains a table of the data records for the query response.

Use the type of your custom entity for the response to be compatible with the request.

#### Exception

`cx_rap_query_response_set_twic`    Exception is raised when the result table is set more than once.

### • Example

See [Requesting and Setting Data or Count in an Unmanaged Query \[page 434\]](#).

### Method `set_total_number_of_records`

This method provides the response for the method `if_rap_query_request~is_total_numb_of_rec_requested`. If this method is called, the count needs to be set for the response.

## Signature

```
METHODS set_total_number_of_records IMPORTING iv_total_number_of_records TYPE  
int8  
RAISING cx_rap_query_response_set_twic.
```

## Parameter

iv\_total\_number\_of\_records Contains the total number of records. If no records match the given request criteria, the value zero must be passed.

## Exception

cx\_rap\_query\_response\_set\_twic Exception is raised when the number of records is set more than once.

### • Example

See [#unique\\_252/unique\\_252\\_Connect\\_42\\_section\\_count \[page 435\]](#).

## 8.3 Tool Reference

The following chapter provides information about specific tools and features that are enabled for the ABAP RESTful programming model in ABAP Development Tools (ADT):

- [Exploring Business Objects \[page 649\]](#)
- [Working with Behavior Definitions \[page 650\]](#)
- [Working with Business Services \[page 656\]](#)
- [Creating Projection Views \[page 667\]](#)

In accordance with the relevant ABAP development scenario, you can find further information about ABAP development using ADT features in the following development user guides:

- 
- 
-

## 8.3.1 Exploring Business Objects

### Context

You have a business object containing several nodes that are represented as CDS entities and stored in DDL sources. The corresponding behavior is distributed among the behavior definition and several behavior implementation classes.


Now, you want to understand the entire structure of this business object at a glance and explore the operations of each business object node.

To get an overview of the business object, proceed as follows.

### Procedure

1. In the Editor, open the *root entity* or any other object that is related to the business object such as *behavior definition* or *behavior implementation class*.
2. From the context menu, select **Show in > Relation Explorer**. Alternatively, use **Alt + Shift + W**.

The Relation Explorer displays a composition tree of the business object in the *Business Object* context. In the details section, you can view the operations of the selected entity. On each entity in the object's composition tree and on each operation in the details section, you can trigger the context menu.




Business Object in the Relation Explorer

### Changing the Context

You can select other contexts using from the toolbar.


Select the *Core Data Services* context to display CDS-specific related objects such as access controls.



Changing the Context in the Relation Explorer

### New Relation Explorer

If you want to see both contexts at once, instead of switching between them, . For example, if you have the object opened in the *Business Object* context, you can create a new instance of the *Relation Explorer* to display the CDS-specific related objects for the same business object in the *Core Data Services* context.



Contexts of the Business Object

## 8.3.2 Working with Behavior Definitions

Based on the existing CDS data model, you can create and edit behavior definitions to define the behavior of business objects in the ABAP RESTful programming model. To implement the behavior, create a behavior implementation class.

## Related Information

[Creating Behavior Definitions \[page 651\]](#)  
[Editor Features in Overview \[page 653\]](#)  
[Creating Behavior Implementations \[page 654\]](#)  
[Business Object \[page 46\]](#)

### 8.3.2.1 Creating Behavior Definitions


To define the behavior of business objects in the ABAP RESTful programming model, create a behavior definition as the corresponding ABAP repository object. You can do it as follows:

1. In the *Project Explorer*, select the relevant node for the data definition that contains the CDS root entity, for which you want to create a behavior definition.
2. Open the context menu and select *New Behavior Definition* to launch the creation wizard.
3. The *Project* and *Package* are automatically inserted. You can change them if needed.

#### i Info

The *Name* of the behavior definition is the same as of its root entity. It is automatically inserted and cannot be modified.

4. Enter the *Description* for the behavior definition.
5. The *Root Entity* that you selected in Project Explorer is automatically inserted. You can change it if needed. This automatically changes the name of the behavior definition.



Creation wizard

6. Select *Next*.
7. Assign a transport request.
8. Select *Finish*.

## Result

The created behavior definition object represents the root node of a new business object in ABAP RESTful programming model.

In the Project Explorer, the new behavior definition is added to the Core Data Services folder.

The following content is generated:

```

implementation unmanaged;
define behavior for TEST_SALES_ORDER
{
}

```

You can now start editing the behavior definition, using predefined [language elements](#).

## Related Information

[Editor Features in Overview \[page 653\]](#)

[Creating Behavior Implementations \[page 654\]](#)

[Business Object \[page 46\]](#)

### 8.3.2.2 Editor Features in Overview

You can define and edit the behavior of the business object in the created behavior definition.

The following table gives you an overview of the supported features.

Availability of features

Feature Types	Features	Key Shortcuts	Availability
Standard	Activation	[Ctrl] + [F3]	✓
	Deleting		✓
	Duplicating		✗
Search	Editing		✓
	Where-Used Search	[Ctrl] + [Shift] + [G]	✓
Convenience	Source Search	[Ctrl] + [H]	✓
	Formatting	[Shift] + [F1]	✓
	Navigation	[F3]	✓
	Outline		✓
	Quick Outline	[Ctrl] + [O]	✓
	Quick Assists	[Ctrl] + [1]	✗

Feature Types	Features	Key Shortcuts	Availability
	Code Completion	<code>Ctrl</code> + <code>Space</code>	✓
	Syntax Highlighting		✓
	Automatic Syntax Check		✓
	Element Information	<code>F2</code>	✓
Others	Comparing Source Code		✓
	Version History		✗
	Share Link		✓

## Related Information

[Working with Behavior Definitions \[page 650\]](#)  
[Creating Behavior Definitions \[page 651\]](#)  
[Creating Behavior Implementations \[page 654\]](#)

### 8.3.2.3 Creating Behavior Implementations

#### Prerequisites

You created a behavior definition object. The object is activated.

#### Context

To implement the behavior of business objects defined in the behavior definition, create a behavior implementation class.


## Procedure

1. In the *Project Explorer*, select the relevant behavior definition for which you want to create a behavior implementation class.
2. Open the context menu and select *New Behavior Implementation* to launch the creation wizard.

The *Project* and *Package* are automatically inserted. If needed you can change them.

3. Enter a *Name* and *Description* for the behavior implementation class.

The name of the *Behavior Definition* is automatically inserted. If needed you can change it.



Creation wizard for a behavior implementation class

4. Select *Next*.
5. Assign a transport request.
6. Select *Finish*.

## Results

The behavior implementation class is created. In *Project Explorer*, the new behavior implementation is added to the corresponding folder.

The *Local Types* tab is automatically opened. In the tab, local *Icl\_handler* and *Icl\_saver* classes are created. These local classes are used to implement the interaction phase and the save sequence in an unmanaged transactional scenario.

You can now start implementing the behavior using predefined *language elements*.

## Related Information

[Working with Behavior Definitions \[page 650\]](#)

[Creating Behavior Definitions \[page 651\]](#)

[Editor Features in Overview \[page 653\]](#)

[Business Object \[page 46\]](#)

### 8.3.3 Working with Business Services

#### 8.3.3.1 Creating Service Definitions

A service definition provides the CDS entities that are part of the data model to be exposed as a business service.

#### Prerequisites

You need the standard developer authorization profile to create ABAP development objects.

#### Context

You want to define the data to be exposed as a business service by one or more service bindings.


#### Procedure

1. In your ABAP project, select the relevant package node in the *Project Explorer*.
2. Open the context menu and choose to launch the creation wizard.
3. In addition to the *Project* and *Package*, enter the *Name* and the *Description* for the service definition to be created.

##### Note

The maximum length for names of data definition is 30 characters.

4. Choose *Next*.



Wizard page when creating a service definition

5. Assign a transport request.
6. Choose *Next*.
7. Choose a template which you want to base your service definition.
8. Choose *Finish*.

## Results

In the selected package, the ABAP back-end system creates an inactive version of a service definition and stores it in the ABAP Repository.

In the *Project Explorer*, the new service definition is added to the *Business Services* folder of the corresponding package node. As a result of this creation procedure, the source editor will be opened. Here, you can start enter the CDS entities to be exposed as a business service.

## 8.3.3.2 Creating Service Binding

Using a service binding you can enable a service definition to create a business service with a protocol of your choice.

### Prerequisites

- You need the standard developer authorization profile to create ABAP development objects.
- You have created the relevant [Service Definition \[page 656\]](#).

### Context

You can use an existing service definition to create a business service with an OData V2 protocol for example.

### Procedure

1. In your ABAP project, select the relevant package node in the *Project Explorer*.
2. Open the context menu and choose to launch the creation wizard.
3. In addition to the *Project* and *Package*, enter the *Name* and the *Description* for the service binding to be created.

#### i Note


The maximum length for names of a service binding is 26 characters.

4. Select the *Binding Type*.

#### i Note

The protocol is OData V2 and the available categories are UI and Web API. An UI based OData V2 service can be consumed by any SAP UI5 application. An Web API based OData V2 service can be used for providing APIs and not UI based applications.

5. If not yet specified, search for the *Service Definition* that you want to use as a base for your service binding.
6. Choose *Next*.




Wizard page when creating a service binding

7. Choose *Next*.
8. Assign a transport request.
9. Choose *Finish*.

## Results

In the selected package, the ABAP back end system creates a service binding and an OData V2 service.

In the *Project Explorer*, the new service binding is added to the *Business Services* folder of the corresponding package node. As a result of this creation procedure, the form editor will be opened. Here, you can activate your OData V2 service.



Service Binding Editor after activating the OData V2 - UI business service

## Related Information

[Business Service \[page 66\]](#)

[Service Binding \[page 71\]](#)

### 8.3.3.2.1 Using Service Binding Editor

Use the Service Binding editor to preview the business service.

After you create a service binding, the editor is displayed. The following actions can be done here:

Type	Action
OData V2 (UI)	<ul style="list-style-type: none"> <li>The <a href="#">Service Versions</a> section shows the service version and the associated service definition.</li> <li>You can add a new service version for an active service definition by clicking <a href="#">Add...</a>. Similarly, choose <a href="#">Remove</a> to remove a service version.</li> <li>The <a href="#">Service Information</a> section shows the local service endpoint and lists the entity sets. You can click <a href="#">Service URL</a> to view the service document. Select an entity set and click <a href="#">Preview</a> to open a preview of the Fiori elements app in an external browser. Alternately, you can do this by right clicking an entity set and selecting <a href="#">Open Fiori Elements App Preview</a>. For each entity set, the navigation shown represents the association with another entity set.</li> <li>Use the <a href="#">Activate</a> button to see the service details for each service version. After you've activated the service, you can choose <a href="#">Deactivate</a> to revert to the inactive state. The service information do not appear for a service that is deactivated.</li> <li>For each service version, an authorization value is generated. Choose <a href="#">Default Authorization Values</a> to open the Authorization Default Values editor. For maintaining default authorization values, see <a href="#">SAP Cloud Platform - ABAP Development User Guide</a>.</li> </ul>

Type	Action
OData V2 (Web API)	<ul style="list-style-type: none"> <li>The <a href="#">Service Versions</a> section shows the service version, API state and the associated service definition.</li> <li>You can add a new service version for an active service definition by clicking <a href="#">Add....</a>. Similarly, choose <a href="#">Remove</a> to remove a service version.</li> </ul> <p><b>i Note</b></p> <p>You can only remove a service version that was created last, provided it is in the state <a href="#">Not Released</a>.</p> <ul style="list-style-type: none"> <li>You can change the API state for a service version using the context menu under API State and selecting <a href="#">API State</a>. For more information, see <a href="#">Released APIs</a>.</li> <li>The <a href="#">Service Information</a> section shows the service information and lists the entity sets. For each entity set, the navigation shown represents the association with another entity set.</li> <li>Use the <a href="#">Activate</a> button to see the service details for each service version. After you've activated the service, you can choose <a href="#">Deactivate</a> to revert to the inactive state. The service details do not appear for a service that is deactivated.</li> <li>For each service version, an authorization value is generated. Choose <a href="#">Default Authorization Values</a> to open the Authorization Default Values editor. For maintaining default authorization values, see <a href="#">SAP Cloud Platform - ABAP Development User Guide</a>.</li> </ul>
Test Class Generation	<p>You can generate automated tests for the OData service you've created using service binding. The test provides guidance on how to access the OData service using ABAP Units and provides the test code for performing CRUD operations on an entity set. Perform the following steps to generate a test class for a selected entity set:</p> <ol style="list-style-type: none"> <li>Choose <a href="#">Activate</a> next to the local service endpoint.</li> <li>Select an entity set, right click and then, choose <a href="#">New ABAP Test Class</a>.</li> <li>Provide a name and description for the test class.</li> <li>Choose <a href="#">Next</a> and then, <a href="#">Finish</a>.</li> </ol> <p>A test class is generated in which local test classes for each CRUD operation in the selected entity set can be viewed. You can either create a separate test class for each entity set or copy and paste the generated code, then change the name of the entity set accordingly for writing ABAP Units for other entity sets.</p> <p><b>i Note</b></p> <p>The OData service tests and the OData service run in the same session. Thus, these tests can use various test double mechanisms available in ABAP Unit for isolating database dependencies.</p>

### 8.3.3.3 Creating Service Consumption Model

Create a service consumption model using an Entity Data Model XML (EDMX) file.

#### Prerequisites

- You need the standard developer authorization profile to create ABAP development objects.
- You have the metadata for the remote OData service stored in an EDMX or XML file on your local system.

#### Context

You can create a service consumption model with an EDMX or XML file that contains the service metadata.

#### Procedure

1. In your ABAP project, open the context menu and choose to launch the creation wizard..
2. Enter a name and description. In addition to the *Project* and *Package*, enter the *Generated Service Definition*.

##### Note


A generated service definition is created with the same name as the service consumption model name and acts as a container for all the artifacts that get generated.

3. Search for the *Service Metadata File* in your local system.

##### Note

You can only upload files that have the extension .edmx and .xml.

4. Choose *Next*.



Wizard page when creating a service consumption model

5. From the list of entity sets from the edmx file, select the entity sets you want to generate and choose *Next*.

**i Note**

- For update scenario, Etag support should be available. If Etag support is marked in your edmx file, the Etag support checkbox is selected by default. You cannot change this selection in the wizard if it is selected through the edmx file.
- You can edit the ABAP artifact name for the entity set that you've selected for generation.
- Entity sets that have issues cannot be selected for generation. You need to fix the issue in the edmx file.

 New Service Consumption Model

### Define Entity Set

Select entity sets for generation, edit the ABAP artifact name and select ETag support.  
Entity sets with issues are not generated.

	Service Entity Set	ABAP Artifact Name	ETag...	Issue
<input checked="" type="checkbox"/>	A_SalesOrderWith...	ZA_SALESORDERWITHO...	<input checked="" type="checkbox"/>	
<input checked="" type="checkbox"/>	A_SalesOrderWith...	ZA_SALESORDERWITHO...	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	A_SlsOrdWthoutC...	ZA_SLSORDWTHOUTCH...	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	A_SlsOrdWthoutC...	ZA_SLSORDWTHOUTCH...	<input type="checkbox"/>	
<input checked="" type="checkbox"/>	A_SlsOrdWthoutC...	ZA_SLSORDWTHOUTCH...	<input type="checkbox"/>	

[Select All](#) [Deselect All](#)

[?](#) [< Back](#) [Next >](#) [Finish](#) [Cancel](#)

- The [ABAP Artifact Generation List](#) segregated by service definition, data definition and behaviour definition is displayed. Choose [Next](#).

**ABAP Artifact Generation List**

List of ABAP artifacts that are going to be generated

ABAP Artifact Name	Type	ETag S...
ZRN_SRVC_TEST_3	Service Definition	
ZA_SALESORDERWITHOUT	Data Definition	<input checked="" type="checkbox"/>
ZA_SALESORDERWITHOUT	Data Definition	<input type="checkbox"/>
ZA_SLSORDWTHOUTCHRG!	Data Definition	<input type="checkbox"/>
ZA_SLSORDWTHOUTCHRG!	Data Definition	<input type="checkbox"/>
ZA_SLSORDWTHOUTCHRG!	Data Definition	<input type="checkbox"/>

type filter text

?

< Back

Next >

Finish

Cancel

7. Assign a transport request.

8. Choose *Finish*.

## Results

In the selected package, the ABAP back end system creates a service consumption model.

In the *Project Explorer*, the new service consumption model is added to the *Business Services* folder of the corresponding package node. As a result of this creation procedure, the form editor will be opened. Here, you can view the list of generated artifacts.

The screenshot shows the SAP Cloud Platform - ABAP RESTful Programming Model Reference. The main window title is "Service Consumption Model". The "General Information" tab is selected, displaying the message "View information on the Service Consumption Model". Below it, the "Service Definition" tab is visible.

**Object List**  
View information on the generated objects

**Code Sample for Entity Set Consumption**  
View information on the CRUD code sample for the selected entity set.

**Operation:** Read **Copy to Clipboard**

```

DATA: ls_entity_key      TYPE ZA_ADDRESSEMAILADDR4BAF5E739D,
      ls_business_data  TYPE ZA_ADDRESSEMAILADDR4BAF5E739D,
      lo_http_client     TYPE REF TO if_web_http_client,
      lo_client_proxy    TYPE REF TO /iwbep/if_cp_client_proxy,
      lo_resource        TYPE REF TO /iwbep/if_cp_resource_entity,
      lo_request         TYPE REF TO /iwbep/if_cp_request_read,
      lo_response        TYPE REF TO /iwbep/if_cp_response_read.

TRY.
  " Create http client
  " Details depend on your connection settings
  "lo_http_client = cl_web_http_client_manager->create_by_http_destination(
  "cl_http_destination_provider->create_by_cloud_destination(
  "          i_name           = '<Name of Cloud
Destination>'
  "          i_service_instance_name = '<Service Instance
Name>' ).

  lo_client_proxy = cl_web_odata_client_factory->create_v2_remote_proxy(
    EXPORTING
      iv_service_definition_name = ' <Service Name> '
    IMPORTING
      iv_http_client            = lo_http_client
      iv_relative_service_root   = '<service_root>' ).

  " Set entity key
  "ls_entity_key = value #((
  "          addressid = 'Addressid'
  "          person = 'Person'
  "          ordinalnumber = '1'
  "          ).

  " Navigate to the resource
  lo_resource = lo_client_proxy->create_resource_for_entity_set(
    'A_ADDRESSEMAILADDR' )->navigate_with_key( ls_entity_key ).

  " Execute the request and retrieve the business data
  lo_response = lo_resource->create_request_for_read( )->execute( ).
  lo_response->get_business_data( IMPORTING es_business_data = ls_business_data ).

CATCH /iwbep/cx_cp_remote INTO DATA(lx_remote).
  " Handle remote Exception
  " It contains details about the problems of your http(s) connection

```

**Overview | Service Metadata**

## Service Consumption Model Editor

### Related Information

[Business Service \[page 66\]](#)

### 8.3.3.3.1 Using Service Consumption Model Editor

Use the service consumption model editor to view the service metadata.

After you create a service consumption model, the editor is displayed. The following actions can be done here:

- View the service definition and the corresponding ABAP artifacts that have been generated.
- View the service metadata you provided using the EDMX file by selecting the [Service Metadata](#) tab.
- For EDMX files that contain service metadata for an OData service that supports transactional behavior (CRUD operations), see the behavior definition listed as a [Type](#). For more information, see [Defining and Implementing Behavior of the Business Object \[page 123\]](#).
- View the code sample for performing CRUD operations on an entity set belonging to the remote OData service created through service consumption model. Each operation is displayed as code snippets which you can copy by choosing [Copy to Clipboard](#).

## 8.3.4 Creating Projection Views

A projection view enables you to expose a subset of data from an underlying data model, for example in an OData service.

### Prerequisites

You need the standard developer authorization profile to create development objects.

### Context

In a transactional scenario, you want to create and define, for example, a consumption-specific OData service that only exposes relevant data of an underlying data model using a service definition and service binding.

#### i Note

A projection view can be used in one or more service definitions.

### Procedure

1. In your ABAP cloud project, select a package node in the *Project Explorer*.
2. To launch the creation wizard, open the context menu and choose ► *New* ► *Other...* ► *Core Data Services* ► *Data Definition* ▾.
3. In addition to the *Project* and *Package*, enter a *Name* and *Description* for the data definition you want to create.

#### i Note

The maximum length for names of data definitions is 30 characters.

4. Choose *Next*.
5. Assign a transport request.
6. Choose *Next*.
7. Select the *Define Projection View* template.

#### i Note

By default, ABAP Development Tools uses the last selected template for creation.

8. Choose *Finish*.

## Results

In the selected package, the ABAP cloud system creates an inactive version of a data definition, and stores it in the ABAP repository.


In the *Project Explorer*, the new data definition is added to the *Core Data Services* folder of the corresponding package node. As a result of this creation procedure, the source editor is opened, where you can start completing the template.

You can now define the elements from a datasource from which you want to expose data, for example, in an OData service.

## 8.4 ABAP Flight Reference Scenario

The ABAP Flight Reference Scenario was developed to exemplify contents related to the RESTful ABAP Programming Model.

The reference scenario is based on multiple database tables which you can use to build your application. These tables are also used in the development guides in the [Develop \[page 81\]](#) section.



- [#unique\\_17/unique\\_17\\_Connect\\_42\\_subsection-im1 \[page 669\]](#)
- [#unique\\_17/unique\\_17\\_Connect\\_42\\_subsection-im2 \[page 669\]](#)
- [#unique\\_17/unique\\_17\\_Connect\\_42\\_subsection-im3 \[page 670\]](#)
- [#unique\\_17/unique\\_17\\_Connect\\_42\\_subsection-im4 \[page 670\]](#)
- [#unique\\_17/unique\\_17\\_Connect\\_42\\_subsection-im5 \[page 671\]](#)
- [#unique\\_17/unique\\_17\\_Connect\\_42\\_subsection-im6 \[page 671\]](#)
- [#unique\\_17/unique\\_17\\_Connect\\_42\\_subsection-im7 \[page 671\]](#)
- [#unique\\_17/unique\\_17\\_Connect\\_42\\_subsection-im8 \[page 672\]](#)
- [#unique\\_17/unique\\_17\\_Connect\\_42\\_subsection-im9 \[page 672\]](#)
- [#unique\\_17/unique\\_17\\_Connect\\_42\\_subsection-im10 \[page 672\]](#)
- [#unique\\_17/unique\\_17\\_Connect\\_42\\_subsection-im11 \[page 672\]](#)

Hover over each element for a description of the related database table. Click the element to view the database table fields.

## */DMO/AGENCY*

The database table */DMO/AGENCY* stores general data about the travel agency that operates travels for customers.

The database table has the following fields:

- `agency_id` (key)
- `name`
- `street`
- `postal_code`
- `city`
- `country_code`
- `phone_number`
- `email_address`
- `web_address`

The `key` field is the unique ID for the travel.

## */DMO/TRAVEL*

The database table */DMO/TRAVEL* stores general travel data. In addition, it includes administrative data about the creation and changing of instances.

The database table has the following fields:

- `travel_id` (key)
- `agency_id`
- `customer_id`
- `begin_date`
- `end_date`
- `booking_fee`
- `total_price`
- `currency_code`

- description
- status
- createdby
- createdat
- lastchangedby
- lastchangedat

The key field is the unique ID for the travel.

### */DMO/CUSTOMER*

The database table */DMO/CUSTOMER* stores general data about customers. In addition, it stores administrative data about the creation and changing of instances.

The database table has the following fields:

- customer\_id
- first\_name
- last\_name
- title
- street
- postal\_code
- city
- country\_code
- phone\_number
- email\_address
- createdat
- createdby
- lastchangedby
- lastchangedat

The key field is the unique ID for the customer.

### */DMO/BOOKING*

The database table */DMO/BOOKING* stores data about a booked flight for a certain travel instance. Apart from general flight and booking data, it includes the customer ID for whom the flight is booked as well as the travel ID to which the booking belongs.

The database table has the following fields:

- travel\_id (key)
- booking\_id (key)
- booking\_date
- customer\_id
- carrier\_id
- connection\_id
- flight\_date
- flight\_price
- currency\_code

The key fields are the travel ID for the travel it belongs to and the booking ID, which are unique in combination.

## /DMO/FLIGHT

The database table [/DMO/FLIGHT](#) stores general data about flights.

The database table has the following fields:

- `carrier_id` (key)
- `connection_id` (key)
- `flight_date` (key)
- `price`
- `currency_code`
- `plane_type_id`
- `seats_max`
- `seats_occupied`

The key fields are the IDs for carrier and connection as well as the flight date, which makes the flight unique.

## /DMO/BOOK\_SUPPL

The database table [/DMO/BOOK\\_SUPPL](#) stores data of booking supplements that can be booked for flights, for example meals or insurances.

The database table has the following fields:

- `travel_id` (key)
- `booking_id` (key)
- `booking_supplement_id` (key)
- `supplement_id`
- `price`
- `currency_code`

The key fields are the travel ID, the booking ID and the booking supplement ID, which are unique in combination.

## /DMO/CONNECTION

The database table [/DMO/CONNECTION](#) stores general data about flight connections.

The database table has the following fields:

- `carrier_id` (key)
- `connection_id` (key)
- `airport_from_id`
- `airport_to_id`
- `departure_time`
- `arrival_time`
- `distance`
- `distance_unit`

The key fields are the IDs of carrier and connection, which are unique in combination.

## /DMO/CARRIER

The database table `/DMO/CARRIER` stores data about flight carriers.

The database table has the following fields:

- `carrier_id` (key)
- `name`
- `currency_code`

The key field is the unique ID of a carrier.

## /DMO/AIRPORT

The database table `/DMO/AIRPORT` stores data about airports.

The database table has the following fields:

- `airport_id` (key)
- `name`
- `city`
- `country`

The key field is the unique airport ID.

## /DMO/SUPPLEMENT

The database table `/DMO/SUPPLEMENT` stores general data about the supplement, which can be booked for flights.

The database table has the following fields:

- `supplement_id` (key)
- `price`
- `currency_code`

The key field is the unique ID for the supplement.

## /DMO/SUPPL\_TEXT

The database table `/DMO/SUPPL_TEXT` stores the readable texts for the supplements in different languages.

The database table has the following fields:

- `supplement_id` (key)
- `language_code` (key)
- `description`

The key fields are the IDs of the supplement and the language, which are unique in combination.

## Downloading the ABAP Flight Reference Scenario from GitHub

You can download the complete ABAP Flight Reference Scenario for the ABAP RESTful Programming Model from GitHub <https://github.com/SAP/abap-platform-refscen-flight/tree/Cloud-Platform>. The steps to include the development objects in your ADT are described in the `README.md` file.

### → Remember

The namespace /DMO/ is reserved for the demo content. Apart from the downloaded ABAP Flight Scenario, do not use the namespace /DMO/ and do not create any development objects in the downloaded packages. You can access the development objects in /DMO/ from your own namespace.

## 8.5 Naming Conventions for Development Objects

Naming conventions facilitate the development. An addition to the name of development objects conveys standardized meaning and generates consistency in your development.

### General Rules

#### → Remember

The general guideline for development objects is the following: [/<namespace>/]  
[<prefix>]\_<object\_name>\_[<suffix>].

- Use your own namespace that is reserved for your organization.

#### i Note

Consider that the namespace /DMO/ is reserved for demo purposes. Do not use this namespace in your productive development.

- A prefix is used for cases when there are generically different types of one development object. Then, this prefix states the semantic difference that cannot be conveyed through the object type.  
For example, a service binding can expose an OData service for UI purposes and as a [Web API \[page 703\]](#). That is why, for service bindings we introduce the prefixes `UI_` and `API_` to differentiate the semantics of service bindings.
- A suffix is used for additional differentiation between different types of development objects. It helps to recognize more subtle or secondary differences in development objects.  
For example, a UI service can be bound against the [OData protocol \[page 698\]](#) `OData, version 2` and `OData, version 4`. This difference can also be manifested by suffixing the name with `_O2` or `_O4`.

#### i Note

In the ABAP Flight Reference Scenario we use another suffixed character (`_R`, `_U`, `_M`, `_C`). This character identifies the development object to belong to one specific development guide (`read-only`, `unmanaged`, `managed`, `service consumption`).

The following list provides an overview of the prefixing and suffixing guidelines on naming specific development objects.

## ABAP Dictionary Objects

### SQL View (Database View of CDS view)

The SQL view of a CDS view must be defined in the [data definition \[page 694\]](#) of a CDS view. It cannot have the same name as the CDS view itself. Use the prefix

- `I` (without underscore) for SQL views of CDS interface views.

Example: [/DMO/ITRAVEL\\_U](#)

## CDS Objects

### CDS Entity

Use the prefix

- `I_` for an interface view.
- `C_` for a projection view. The character `C` represents the consumption layer. If there are multiple projections of one CDS entity, the object name should semantically represent the projection role.

Example: [/DMO/I\\_Travel\\_U](#), [/DMO/C\\_Travel\\_Processor\\_M](#)

### Behavior Definition

A behavior definition has always the same name as the root entity of the business object.

Example: [/DMO/I\\_Travel\\_U](#), [/DMO/C\\_Travel\\_M](#)

## Business Services

### Service Definition

Since a [service definition \[page 691\]](#) - as a part of a business service - does not have different types or different specifications, there is (in general) no need for a prefix or suffix to differentiate meaning.

Example: [/DMO/TRAVEL\\_U](#)

However, in use cases where no reuse of the same service definition is planned for UI and API services, the prefix may follow the rules of the service binding.

Example: [/DMO/UI\\_TRAVEL\\_U](#)

### Service Binding

Use the prefix

- `UI_` if the service is exposed as a UI service.
- `API_` if the service is exposed as [Web API \[page 703\]](#).

Use the suffix

- `_O2` if the service is bound to OData protocol version 2.
- `_O4` if the service is bound to OData protocol version 4.

Example: `/DMO/UI_TRAVEL_U_O2`

## Source Code Objects

### Behavior Pool

Use the prefix

- `BP_` for an ABAP class that implements the behavior of a business object.

Example: `/DMO/BP_TRAVEL_U`

### Handler and Saver Classes

Use the prefix

- `LHC_` for a local handler class.
- `LSC_` for a local saver class.

Depending on the modularization of your behavior implementation, you can provide the semantics of the coding in the name of the classes.

Example: `LHC_TRAVEL_CREATE`

Example: `LHC_BOOKING_CUD`

# 9 What's New

Here are descriptions of some of the changes of interest (delta information) to developers made to ABAP RESTful programming model:

## **What's new in the programming model of the application server for SAP Cloud Platform, ABAP environment in...**

- Version 1908 [page 676]
- Version 1905 [page 680]
- Version 1902 [page 683]
- Version 1811 [page 686]

## 9.1 Version 1908

### **Developing New Managed Transactional Apps**


The ABAP RESTful Programming Model now supports the managed implementation type for developing new transactional apps. This scenario aims at use cases to develop new transactional apps from scratch. All required standard operations must only be specified in the behavior definition to obtain a ready-to-run business object. The business logic is implemented using actions, validations and determinations.

**i** For more information, see [Developing New Managed Transactional Apps \[page 184\]](#).

### **Business Object Projection**

You can now use the ABAP-native approach to project and to alias a subset of the business object for a specific business service. The projection enables flexible service consumption as well as role-based service designs.

With projections, it is possible to project one business object for different role-based UIs. An example is given in [Developing a Projection Layer for Flexible Service Consumption \[page 254\]](#). The travel business object is exposed for a processor Fiori UI and for an approver Fiori UI.



**i** For conceptual information about projections, see [Business Object Projection \[page 52\]](#).

## Implementing an Unmanaged Query

A new API is available to implement an unmanaged query in a query implementation class. In an unmanaged query, the request is delegated to the query implementation class, which must implement the `select` method of the interface `IF_RAP_QUERY_PROVIDER`. The new interface provides methods to implement query capabilities, such as paging, filtering, sorting, or counting. It replaces the interface `IF_A4C_RAP_QUERY_PROVIDER`, which is deprecated as of 1908.

**i** For more information about the new API, see [Unmanaged Query API \[page 633\]](#).

The implementation of an unmanaged query with the interface `IF_RAP_QUERY_PROVIDER` is described in a new topic in the common task section.

**i** For more information, see [Implementing an Unmanaged Query \[page 429\]](#).

## Authorizations Checks for Modifying Operations in Managed Business Objects

To protect data from unauthorized read access, the ABAP CDS provides its own authorization concept based on a data control language (DCL). The authorization checks for read operations allow you to limit the results returned by an entity to those results you authorize a user to see.

For business objects that are implemented for managed contract, also modifying operations in such as standard operations create, update, delete, create by associations, and actions must be checked against unauthorized access. With the current release, the instance-based authorization control is supported.

You can define the authorization control in the behavior definition for an entity of a business object and then implement it in the local handler class of the behavior pool.

Definition in behavior definition:

```
managed;
define behavior for root ...
authorization master(instance)
{
...
}
define behavior for child_entity ...
authorization dependent( key_of_ = travel_id )
{
...
}
```

Implementation in the behavior pool:

```
CLASS lhc_handler DEFINITION INHERITING FROM cl_abap_behavior_handler.
PRIVATE SECTION.
METHODS check_authority FOR AUTHORIZATION
    IMPORTING keys REQUEST is_request FOR travel RESULT result.
    RESULT result.
ENDCLASS.
```

## Adding Dynamic Feature Control

Apart from static feature control, you can now also use dynamic feature control. In this case, it depends on a state of the node instance if certain elements or actions are available.

Dynamic feature control is defined in the behavior definition:

```
...
define behavior for /DMO/I_TRAVEL_M
    field (features : instance ) travel_id;
    action ( features: instance ) acceptedTravel result [1] $self;
...

```

The implementation for the control must then be implemented in the respective methods in the behavior pool. For example, for this behavior definition, you can implement that the field `travel_id` is mandatory on create, but read-only on the update operation. The action can be implemented as disabled if the travel entity is already set to accepted, but enabled if it is not yet accepted.

**i** For more information, see [Adding Static and Dynamic Feature Control \[page 225\]](#).


## Exploring Business Objects

A business object consists of hierarchical connected entities. The behavior for each entity is defined in the behavior definition object and implemented in the behavior classes. In the [Relation Explorer](#), you can see

structure and behavior of a certain business object independent of the technical location. You can navigate to all the entities and the corresponding behavior (definition and implementation).

Sometimes you might be interested in more CDS-specific aspects and want to see access control lists or test classes. You can achieve this by switching the context from **Business Object** to **Core Data Services** context, as you can see in the following animation.

Switching the context in the Relation Explorer



*Relation Explorer* provides much more features such as further contexts, for example, to display used or using objects for a certain class.

**i** For further information, see [Exploring Business Objects \[page 649\]](#).

## Service Consumption Model Wizard

In the service consumption model creation wizard:

1. ETag support can now be selected for any entity set. If ETag support is marked in your edmx file, the Etag support checkbox is selected by default.
2. An entity set can now be selected for the generation. You can only edit the ABAP artifact name for the entity set that you've selected for generation.
3. Issues in an entity set are displayed and these entity sets cannot be selected for generation.

**New Service Consumption Model**

### Define Entity Set

Select entity sets for generation, edit the ABAP artifact name and select ETag support. Entity sets with issues are not generated.

type filter text

	Service Entity Set	ABAP Artifact Name	ETag S...	Issue
<b>2</b>	<input checked="" type="checkbox"/> A_BusinessPartner	ZA_BUSINESSPARTNER739111184C	<input checked="" type="checkbox"/>	<b>1</b>
	<input checked="" type="checkbox"/> A_BusinessPartnerAddress	ZA_BUSINESSPARTNERADDRESS	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_BusinessPartnerBank	ZA_BUSINESSPARTNERBA10EF53F5...	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_BusinessPartnerRole	ZA_BUSINESSPARTNERRO84E9222...	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_BusinessPartnerTaxNu...	ZA_BUSINESSPARTNERTAB0E4B215...	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_CustSalesPartnerFunc	ZA_CUSTSALESPARTNERF159B283...	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_Customer	ZA_CUSTOMERD6C7ECF4B8	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_CustomerCompany	ZA_CUSTOMERCOMPANY3D79525...	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_CustomerDunning	ZA_CUSTOMERDUNNING55ECBD...	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_CustomerSalesArea	ZA_CUSTOMERSALESAREA96C421...	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_CustomerSalesAreaTax	ZA_CUSTOMERSALESAREA7A7938...	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_CustomerWithHolding...	ZA_CUSTOMERWITHHOLDI5302D...	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_Supplier	ZA_SUPPLIER617002ED75	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_SupplierCompany	ZA_SUPPLIERCOMPANY1BBDA39...	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_SupplierDunning	ZA_SUPPLIERDUNNING8194E0C2D6	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_SupplierPartnerFunc	ZA_SUPPLIERPARTNERFUB236BA0...	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_SupplierPurchasingOrg	ZA_SUPPLIERPURCHASEIN8CD8D1...	<input type="checkbox"/>	
	<input checked="" type="checkbox"/> A_SupplierWithHoldingTax	ZA_SUPPLIERWITHHOLDIACA225...	<input type="checkbox"/>	
	<input type="checkbox"/> A_BPContactToAddress	ZA_BPCONTACTTOADDRESS	<input type="checkbox"/>	Type Edm.DateTime of element ValidityEnd...
	<input type="checkbox"/> A_BPContactToFuncAnd...	ZA_BPCONTACTTOFUNCANDDEPT	<input type="checkbox"/>	Type Edm.DateTime of element ValidityEnd...
	<input type="checkbox"/> A_BusinessPartnerContact	ZA_BUSINESSPARTNERCONTACT	<input type="checkbox"/>	Type Edm.DateTime of element ValidityEnd...
	<input type="checkbox"/> A_AddressHomePageURL	ZA_ADDRESSHOMEPAGEURL	<input type="checkbox"/>	Type Edm.DateTime of element ValidityStart...

Select All   Deselect All

?

< Back   Next >   Finish   Cancel

For further information, see [Creating Service Consumption Model \[page 662\]](#).

## 9.2 Version 1905

### Understanding Concepts


As an application developer, you may not only be interested on how you can implement different scenarios and use cases for your business applications by following the stateless programming paradigm of the ABAP RESTful programming model. It may also be important for you to understand the main concepts behind it.

The concepts section provides you with background information of ABAP RESTful programming model and helps you to understand main concepts from both, the design time, and runtime perspective.

**i** For further information, see [Concepts \[page 42\]](#).

## Test Class Generation for Service Binding

You can now generate automated tests for an OData service that you've created using service binding. The test class provides guidance on how to access the OData service using ABAP Units and provides the test code for performing CRUD operations on an entity set.



**i** For more information, see [Using Service Binding Editor \[page 660\]](#).

## Remote OData Access for Service Consumption Model

You can now view the code sample for performing the CRUD operations on an entity set belonging to a remote OData service.

The screenshot shows the SAP Service Consumption Model Editor interface. On the left, there's a table titled 'Object List' showing various ABAP artifacts (Service Entity Set, ABAP Artifact Name, Type) such as A\_AddressFaxNumber, ZA\_ADDRESSFAXNUMBER293CA760FA, Data Definition. On the right, a large code editor window displays a code sample for entity set consumption. An orange arrow points from the top right towards the code editor.

```

Code Sample for Entity Set Consumption
View information on the CRUD code sample for the selected entity set.

DATA: ls_entity_key      TYPE ZA_ADDRESSFAXNUMBER293CA760FA,
      ls_business_data  TYPE ZA_ADDRESSFAXNUMBER293CA760FA,
      lo_http_client     TYPE REF TO if_web_http_client,
      lo_client_proxy    TYPE REF TO /iwbep/if_cp_client_proxy,
      lo_resource        TYPE REF TO /iwbep/if_cp_resource_entity,
      lo_request         TYPE REF TO /iwbep/if_cp_request_read,
      lo_response        TYPE REF TO /iwbep/if_cp_response_read.

TRY.
  " Create http client
  " Details depend on your connection settings
  " lo_http_client = cl_web_http_client_manager->create_by_http_destination(
  "   cl_http_destination_provider->create_by_cloud_destination(
  "     i_name           = 'Name of Cloud
Destination'
  "   )
  "   i_service_instance_name = '<Service Instance Name>
) ).

  lo_client_proxy = cl_web_odata_client_factory->create_v2_remote_proxy(
  EXPORTING
    iv_service_definition_name = ' '
    io_http_client            = lo_http_client
    iv_relative_service_root  = '<service_root> ').

  " Set entity key
  " ls_entity_key = value #((
  "   addressid = 'Addressid'
  "   person     = 'Person'
  "   ordinalnumber = '1'
  "   ).

  " Navigate to the resource
  lo_resource = lo_client_proxy->create_resource_for_entity_set( 'A_ADDRESSFAXNUMBER'
) ->navigate_with_key( ls_entity_key ).
```

For more information, see [Using Service Consumption Model Editor \[page 666\]](#)

## Defining Names for OData Entity Sets and Entity Types

You can now define external names for OData entity sets and entity types that are then used in the OData service metadata. The annotations `@OData.entitySet.name` and `@OData.entityType.name` can now be used in any CDS entity.

The screenshot compares two code snippets. On the left is CDS Entity code with annotations `@OData.entitySet.name: 'New_EntitySet_Name'` and `@OData.entityType.name: 'New_EntityType_Name'`. On the right is OData Metadata XML showing the generated entity type and entity container definitions with the same names. A red arrow points from the CDS code to the OData XML.

```

CDS Entity
@OData.entitySet.name: 'New_EntitySet_Name'
@OData.entityType.name: 'New_EntityType_Name'
define view /DMO/_Customer_OData
as select from /dmo/customer
{
  key customer_id,
  first_name,
  last_name
}

OData Metadata
<EntityType Name="New_EntityType_Name" sap:label="Test for Renaming" sap:content-version="1">
  <Key>
    <PropertyRef Name="customer_id"/>
  </Key>
  <Property Name="customer_id" Type="Edm.String" Nullable="false" MaxLength="6" sap:display-format="NonNegative" sap:label="Customer ID" sap:quickinfo="Flight Reference Scenario: Customer ID"/>
  <Property Name="first_name" Type="Edm.String" MaxLength="40" sap:label="First Name" sap:quickinfo="Flight Reference Scenario: First Name"/>
  <Property Name="last_name" Type="Edm.String" MaxLength="40" sap:label="Last Name" sap:quickinfo="Flight Reference Scenario: Last Name"/>
</EntityType>
<EntityContainer Name="cds_xdmoxcustomer_odata_Entities" m:isDefaultEntityContainer="true" sap:message-scope-supported="true" sap:supported-formats="atom json xslx">
  <EntitySet Name="New_EntitySet_Name" EntityType="cds_xdmoxcustomer_odata_New_EntityType_Name" sap:createable="raise" sap:updatable="false" sap:deletable="false" sap:content-version="1" />
</EntityContainer>
```

For more information, see [OData Annotations \[page 480\]](#).

## 9.3 Version 1902

### Downloading the ABAP Flight Reference Scenario

You can now download the relevant development objects that are used in the course of the development guides via GitHub. This enables you to import a complete OData service into your system, which you can use and reuse for learning purposes.

**Limitation:** The import of a service binding artifact is not possible. To complete the OData service, you need to create service binding in your own package.

For further information, see [Downloading the ABAP Flight Reference Scenario \[page 11\]](#).

### Entity Manipulation Language (EML)

Entity Manipulation Language (in short: EML) is a part of the ABAP language that is used to implement the business object's behavior in the context of ABAP RESTful programming model. It provides a type-safe read and modifying access to data in transactional development scenarios.

For further information, see [Entity Manipulation Language \(EML\) \[page 76\]](#).

### Extension of Transactional Development Guide

The development guide [Developing Unmanaged Transactional Apps Based on Existing Application Logic \[page 104\]](#) was extended with a 3-tier entity hierarchy. Booking Supplements are now part of the business object.

For further information, see [Adding Another Layer to the Transactional Data Model \[page 177\]](#).

In addition, the travel business object can now be consumed using EML syntax.

For further information, see [Consuming Business Objects with EML \[page 421\]](#).

### Service Binding UI

The service binding tools come with a new UI design:

1. The binding type does not have a value populated by default.
2. The *Publish* and *Unpublish* buttons have been renamed to *Activate* and *Deactivate*.
3. Entity Set and Association was displayed with the service URL as the root node. Now, the fields are separate and it is displayed only if the local service endpoint has been activated.

- The Preview button is now available on the interface for previewing the SAP Fiori Elements App. This is applicable for OData V2 UI service only.
- The local service endpoint information now displays the service URL when it is in the activated state.

The screenshots demonstrate the updated Service Binding interface. The first screenshot shows the initial setup of a new binding, highlighting the selection of the OData V2 binding type. The second screenshot shows the detailed configuration of an existing binding, including the preview functionality, active local service endpoint, and entity sets associated with the service.

For further information, see [Service Binding \[page 71\]](#).

## Consuming Services

The service consumption model replaces the OData client proxy to generate service artifacts for an OData service. It comes with a new wizard and an editor to work on the generated artifacts. The service consumption model artifact provides an overview of all abstract entities and generated behavior and service definitions that belong to the imported service.

For further information, see [Creating Service Consumption Model \[page 662\]](#).

## Transactional Behavior for the Service Consumption Scenario

The guide on how to consume a remote service has been extended with transactional capabilities for additional data. The use case of maintaining discount data in a local database is exemplified in this scenario.

For further information, see [Adding Transactional Behavior to the Business Object \[page 318\]](#).

## Using Aggregate Data in SAP Fiori Apps

Aggregate functions, such as sum, maximum, minimum and average, as well as a counting option are now available in the ABAP environment to be implemented in CDS and displayed in your SAP Fiori App. Annotations are used to mark the elements as measures, whose values can be aggregated.

For further information, see [Using Aggregate Data in SAP Fiori Apps \[page 371\]](#).

## Adding Static Feature Control in SAP Fiori Apps

In a typical transactional scenario, you have to specify which operations should be provided by the whole entity or you must specify which fields of an entity have specific access restrictions (read-only or mandatory fields).

For further information, see [Adding Feature Control \[page 359\]](#).

## Freely Selectable Name for Handler Methods in Behavior Pools

The method name in handler classes is now freely selectable. What kind of method it is, is expressed by the FOR clause.

The old syntax METHODS modify FOR BEHAVIOR ... becomes now: METHODS FreeMethodName FOR MODIFY ....

The old syntax METHODS read FOR BEHAVIOR ... becomes now: METHODS FreeMethodName FOR READ ....

The old syntax METHODS lock FOR BEHAVIOR ... becomes now: METHODS FreeMethodName FOR LOCK ....

**Note** that the old syntax remains valid but is no longer recommended!

For further information, see [Handler Classes \[page 614\]](#).

## 9.4 Version 1811

### Defining Service Versions

The service binding tools come with a new UI design and some additional functions for versioning of (business) services.

For further information, look at [Service Binding \[page 71\]](#).

### Support for Compositions

The current version of the ABAP RESTful programming model supports compositions: A business object consists of a tree of nodes where the nodes are linked by means of a special kind of associations, the compositions. A composition is specialized association that defines a whole-part relationship. A composite part only exists together with its parent entity (whole).

For further information, look at [Providing CDS Data Model with Business Object Structure \[page 110\]](#).

### Developing an A2X Service

It is possible to publish an OData service as an application-to-cross application (A2X) service. That means the service is published without information relevant for a UI service (for example Value Helps or annotation to define a UI). An A2X service facilitates the exchange of business information between an application and any client, including from a different system or server.

For more information, look at [Developing a Web API \[page 281\]](#).

### Developing a UI Service with Remote Access to an A2X Service

With the help of the service consumption model it is now possible to consume a remote A2X service and build a new SAP Fiori application by consuming the remote service. This development guide includes the definition of a custom entity and implementing an custom query.

For more information, look at [Developing a UI Service with Access to a Remote Service \[page 286\]](#)

# 10 Glossary

## **ABAP Compiler**

ABAP compiler creates a byte code as interim code when generating a program from the ABAP source code. This interim code is stored in the database as a load program and is loaded to Program Execution Area (memory for managing the fixed data of an ABAP program while it is being executed) when required.

## **ABAP Development Tools (ADT)**

An ABAP-integrated development environment built on top of the Eclipse platform. Its main objective is to support developers by offering state-of-the-art ABAP development tools. These tools include strong and proven ABAP life-cycle management on the open Eclipse platform with powerful UI capabilities.

## **ABAP Dictionary**

Persistent storage for data types that are visible in all repository objects. In addition, the database tables of the central database, views, and lock objects are managed in the ABAP Dictionary - among other things.

## **ABAP Flight Reference Scenario (in short: Flight Scenario)**

SAP's reference scenario based on an updated flight data model. It is intended to be used for demonstration and learning purposes in the context of the ABAP RESTful programming model.

## **ABAP RESTful Programming Model**

An ABAP programming model for browser-based applications that are optimized for SAP HANA.

## **ABAP Runtime Environment (Virtual Machine)**

Processes of the ABAP runtime environment control the execution of an ABAP program by calling the processing blocks of the program. The ABAP runtime environment is provided by the Application Server ABAP.

## **ABAP SQL**

A subset of SQL realized using ABAP statements. ABAP SQL is used to read (`SELECT`) and modify (`INSERT`, `UPDATE`, `MODIFY`, or `DELETE`) data in database tables defined in ABAP Dictionary. Database tables, views, and all non-abstract CDS entities can be accessed directly.

## **Action**

A [modify operation \[page 698\]](#) that is a part of the behavior of a business object. Actions can be related to the [instances of a business object \[page 690\]](#) (default) or are static. Actions can have input parameters and a result with a cardinality.

## **Association**

A relationship between two entities of a business object's [data model \[page 694\]](#).

An association is a directed connection between two nodes (source and target) of BO structures.

## **Association Path**

An association path is a sequence of [associations \[page 688\]](#) connecting entities with each other.

## **Before Image**

The before image denotes a data set (data image) without transactional changes in the current LUW.

## Behavior Definition Language (in short: BDL)

Declarative language for behavior modeling of business objects in the context of ABAP RESTful programming model. The language is syntactically oriented to CDS. Technically however, BDL artifacts are not managed by the [ABAP Dictionary \[page 687\]](#), but by the [ABAP compiler \[page 687\]](#).

The corresponding source code artifact in ABAP repository is the [\(business object\) behavior definition \[page 690\]](#).

## Behavior Characteristic

A part of the business object's behavior that specifies general properties of an entity such as late numbering, ETag, draft handling, or lock and feature control.

## Behavior Pool

A special global ABAP class that implements the [business object's behavior \[page 690\]](#) specified in the [behavior definition \[page 690\]](#).

The real substance of a behavior pool is located in Local Types. Here, the ABAP developer can define two types of special local classes, namely handler classes for the operations within the interaction phase and saver classes for the operations within the save sequence. These classes can be instantiated or invoked only by the kernel.

## Business Object (in short: BO)

In the ABAP RESTful programming model, a business object provides the following:

- A [data model \[page 694\]](#) which explicitly defines the structure of the data (the relationships within the data, the semantics of the data and the data constraints)
- The [behavior \[page 690\]](#) which defines the
  - capabilities of the data (create, update, or delete)
  - An association is a directed connection between two nodes (source and target) of BO operations which can be performed on the data (actions, determinations, or validations)
  - transactional properties of the data model (such as draft enabled, or the implementation type).
- The runtime Implementation

The ABAP RESTful programming model uses ABAP CDS to define the data model for business objects. Each BO contains one distinguished root node which is the leading entity within the BO. Furthermore, nodes within a BO are connected by [compositions \[page 691\]](#) compositions. All entities which can be reached by the transitive tree of compositions starting at the root entities belong to the BO structure.

The data model's [behavior \[page 690\]](#) is defined and implemented in a [behavior definition \[page 690\]](#) and [behavior implementation \[page 690\]](#) respectively.

## **(Business Object) Behavior**

A behavior characterizes a business object in the ABAP RESTful programming model

It includes a [behavior characteristic \[page 689\]](#) and a set of [operations \[page 699\]](#) for each [entity \[page 690\]](#) of the BO. To specify the business object's behavior, the [behavior definition \[page 690\]](#) as the corresponding development object is used.

## **(Business Object) Behavior Definition**

The behavior definition is an ABAP repository object that is used to specify the [business object's behavior \[page 690\]](#).

## **(Business Object) Behavior Implementation**

The behavior implementation is an ABAP class that implements the [business object's behavior \[page 690\]](#).

## **(Business Object) Entity**

A node in a [business object's \[page 689\]](#) structure. In the ABAP RESTful programming model, an entity is used as the [composition \[page 691\]](#) unit of a business object structure.

An entity can be a root, parent, child, or a leaf entity.

## **(Business Object) Instance**

A concrete occurrence of an [entity \[page 690\]](#).

## **(Business Object) Metadata**

Meta information about an [entity of a business object \[page 690\]](#).

For example: what actions belong to a certain entity (BO)?

## **Business Object Projection**

Context-specific projection of a business object that is specified for general purpose. One of the most prominent examples is the `Business Partner`, which can be projected as `Customer`, `Supplier`, or `Vendor`.

## **Business Service**

A business service is a RESTful service which can be called by a client. It consists of a [service definition \[page 691\]](#) and a [service binding \[page 691\]](#).

## **(Business) Service Binding**

A service binding is an ABAP repository object used to bind a [service definition \[page 691\]](#) to a client server communication protocol such as OData (HTTP).

## **(Business) Service Definition**

A service definition is an ABAP repository object defining the [CDS entities \[page 693\]](#) that are exposed for an OData service, including their [behavior \[page 690\]](#).

## **Child Entity**

In ABAP CDS, [entities \[page 690\]](#) are connected using compositions. A child entity is a CDS entity which is the target of a [composition \[page 691\]](#).

## **Composition**

A specialized that has a whole-part relationship. A composite part only exists together with its [parent entity \[page 699\]](#) (whole). Compositions are defined in [CDS entities \[page 693\]](#) using the keyword COMPOSITION OF.

## **Composition Path**

The composition path is a sequence of [compositions \[page 691\]](#) connecting nodes with each other.

## Composition Tree

A [composition \[page 691\]](#) tree represents the hierarchy of nodes in a [business object's \[page 689\]](#) structure where the nodes are linked by the composition relationship.

Each node of a composition hierarchy has entities that are modeled in the ABAP RESTful programming model using [CDS entities \[page 693\]](#) where the [root \[page 700\]](#) is the top node in the business object's structure.

## Core Data Services (CDS)

CDS provides an infrastructure for defining and consuming semantically rich [data models \[page 694\]](#) in SAP HANA.

In particular, ABAP CDS provides a framework for defining and consuming semantic data models on the central database of the application server AS ABAP. The specified data models are based on the data definition language (DDL) and the data control language (DCL).

## CDS Abstract Entity

A [CDS entity \[page 693\]](#) defined using the keyword `DEFINE ABSTRACT ENTITY` in a [CDS data definition \[page 694\]](#).

An abstract entity defines the type attributes of a CDS entity without creating an instance of a database object.

## CDS Access Control

Concept for implicit restrictions on access to CDS entities.

CDS access control can be applied to CDS entities and is enabled by default for every CDS entity. It can be disabled for individual entities using an entity annotation.

## CDS Annotations

CDS annotations describe semantics related to business data.

An annotation enriches a definition of a [CDS \[page 692\]](#) object with metadata going beyond the syntactical features offered by SQL. It can be specified for specific scopes of a CDS object, namely specific places in a piece of CDS source code.

## CDS Custom Entity

A [CDS entity \[page 693\]](#) defined using the keyword `DEFINE CUSTOM ENTITY` in a [CDS data definition \[page 694\]](#). A CDS custom entity is non-SQL CDS entity with an [unmanaged query \[page 702\]](#) runtime implemented in ABAP.

## CDS Entities

ABAP CDS entities (also referred to as CDS entities) are [data models \[page 694\]](#) based on the DDL (Data Definition Language) specification and are managed by ABAP Dictionary.

Currently, the following types of ABAP CDS entities are supported:

- [CDS view \[page 693\]](#)
- CDS table function
- [CDS abstract entity \[page 692\]](#)
- [CDS custom entity \[page 693\]](#).

## CDS Views

An ABAP CDS view (also referred to as a CDS view) is defined for existing database tables, database views, or for other CDS views by using the ABAP CDS statement `DEFINE VIEW` within a DDL source.

A CDS view defines the structure of an SQL view and represents a projection onto one or more ABAP Dictionary tables or ABAP Dictionary views.

For each CDS view, two objects are created in the ABAP Dictionary:

- An SQL view
- The actual CDS entity.

## CDS Projection View

Result of CDS view projection. A CDS projection is defined in a data definition in which you can define the service-specific projected data model.

## Create Operation

A create operation is an [operation \[page 699\]](#) that implements the creation of persistent instances of entities (BOs).

## CSDL XML File

The Common Schema Definition Language (CSDL) defines specific representations of the entity data model (EDM) exposed by an OData service, for example in an XML format.

## Data Control Language (in short: DCL)

A subset of SQL statements for executing authorization and consistency checks in relational databases.

The Application Server ABAP maps the functions of the data control language onto constructs such as authorizations objects and locks.

## Data Definition

ABAP development object used to define an ABAP [CDS entity \[page 693\]](#) (for example, a CDS view).

After creating a *data definition*, the developer is able to use the standard functions of the ABAP Workbench - such as syntax check, activation, or connecting to the *Transport Organizer*. The developer creates a *data definition* using a wizard in *ABAP Development Tools*.

## Data Model

Set of entities that represents a specific self-contained business object and is used to define a people-centric view of respective business information.

## Delete Operation

A delete operation is an [operation \[page 699\]](#) that implements the deletion of persisted instances of entities (BOs)

## Derived (Data) Type

The ABAP compiler allows the creation of derived types for the type-safe parametrization of the BO provider code. Such data types are referred to as derived types because they are implicitly derived by the compiler from CDS entity types and their [behavior definition \[page 690\]](#).

## Determination

A determination is an implicitly executed function that is used to handle side effects of modifications by changing instances and returning messages.

## Element

An integral part of an [entity \[page 690\]](#). An element can be a [field \[page 696\]](#) or an [association \[page 688\]](#).

## EML

Entity Manipulation Language (in short: EML) is a part of the ABAP language that is used to implement the [business object's behavior \[page 690\]](#) in the context of ABAP RESTful programming model. It provides a type-safe read and modifying access to data in transactional development scenarios.

## ETag (Entity Tag)

An ETag is a [field \[page 696\]](#) that is used to determine changes to the requested resource. Usually, fields like last changed timestamp, hash values, or version counters are used as ETags.

An ETag can be used for optimistic concurrency control in the OData protocol to help prevent simultaneous updates of a resource from overwriting each other. An ETag check is used to determine whether two representations of a business [entity \[page 690\]](#), are the same. Whenever the representation of the entity changes, a new and different ETag value is assigned.

## FACTORY action

A special [static action \[page 702\]](#) used for creation of new instances.

## Feature Control

A functionality that provides property settings for [fields \[page 696\]](#), [entities \[page 690\]](#), [actions \[page 688\]](#), or [associations \[page 688\]](#) of a given [business object \[page 689\]](#)

These settings control the [behavior of a business object \[page 690\]](#) when it is in a certain state.

On the user interface, these settings control, for example, the following:

- Make fields mandatory, read only, editable, and/or invisible
- Enable/disable buttons

The feature control is either static (valid for all instances of an entity) or dynamic (depends on the state of the node instances).

## Field

An [element \[page 695\]](#) of an [entity \[page 690\]](#) (business object), which represents a data object.

Fields are either [persistent \[page 699\]](#) or [virtual \[page 703\]](#).

## Full Text Searching

Full text searching (or just text search) provides the capability to identify natural-language terms that satisfy a query and, optionally, to sort them by relevance (ranking) to the query.

## Function

A [read operation \[page 700\]](#) that is a part of a business object's behavior. Functions are defined similarly to [actions \[page 688\]](#), but they do not cause any side effects.

## Fuzzy Search

Fuzzy search is a fast and fault-tolerant search feature of SAP HANA. The concept behind the fault-tolerant search means that a database query returns records even if the search term (user input) contains additional or missing characters, or other types of spelling errors.

## Instance Action

An [action \[page 688\]](#) that operates on a specific instance of a BO entity.

## Interaction Phase

A part of the BO runtime where a consumer calls the business object's operations to modify or read business data in a transactional context.

A user triggers the interaction phase by clicking the [EDIT](#) button on UI. The interaction phase ends when the user clicks the [SAVE](#) button on UI.

## Late Numbering

Late numbering is a concept by which new entity [instances \[page 690\]](#) are given a definitive key just before they are saved on the database.

## Leaf Entity

The leaf entity is an [entity \[page 690\]](#) in a business object's structure without any [child entities \[page 691\]](#).

A leaf entity is a CDS entity which is the target of a [composition \[page 691\]](#) (a child entity) but does not connect further entities (does not contain a composition definition).

## Lock

The ability to protect data of entities from concurrent accesses by multiple users.

An [entity \[page 690\]](#) is locked using the enqueue mechanism.

## Lock Master

A lock master defines the property of entities to be self-locking. This is currently only supported for [root entities \[page 700\]](#) of [business objects \[page 689\]](#).

## Lock Dependent

A lock dependent is an [entity \[page 690\]](#) that depends on the locking status of a [parent \[page 699\]](#) or [root \[page 700\]](#) entity.

## **L UW (Logical Unit of Work)**

When data in database tables is modified by application programs, it must be ensured that the data is consistent after the changes have been made. This is particularly important when data is edited in the database. The time span in which a consistent data state is transferred to another consistent state is known as an LUW (Logical Unit of Work).

## **Managed**

The **managed** property defines an implementation type of a [business object \[page 689\]](#) or a [query \[page 700\]](#) provider in the context of the ABAP RESTful programming model. See also: [unmanaged](#)

## **Modify Operations**

Umbrella term for [operations \[page 699\]](#) causing business data changes in the context of [behavior implementation \[page 689\]](#). It includes standard operations (create, update and delete), [action \[page 688\]](#) execution and [lock \[page 697\]](#) implementation.

## **OData**

The Open Data (in short: OData) protocol is a Web protocol for querying and updating data. It applies several Web technologies, such as HTTP, Atom Publishing Protocol, and JSON to provide access to information from a variety of applications.

OData is based on industry standards and offers database-like access to business data using a REST-based (**R**epresentational **S**tate **T**ransfer) architecture.

## **OData Client Proxy**

A proxy for an OData client that acts as an intermediary to forward and transform requests from one service to another one.

## **OData Service**

A service that is implemented in accordance with [OData \[page 698\]](#) protocol. OData services are used to expose data to consumers.

## Operation

A procedure performed on an [entity \[page 690\]](#) (or a set of entities).

Example are changing operations create, update, delete that are performed within a transactional life cycle of a [business object \[page 689\]](#).

## Orchestration Framework

Runtime framework for request dispatching and runtime checks within the ABAP RESTful programming model.

The technical term for this framework is [SADL \[page 700\]](#).

## Parent Entity

The parent entity is an [entity \[page 690\]](#) in a [business object's \[page 689\]](#) structure that is directly connected to another entity when moving towards the root node.

In ABAP CDS, entities are connected using [compositions \[page 691\]](#). A parent entity is a CDS entity which contains a composition definition (keyword COMPOSITION OF).

## Persistent Field

A [field \[page 696\]](#) of a CDS entity that is persisted in a database table.

## Projected Entity

CDS entity such as CDS view specified in the PROJECTION ON clause whose elements are projected in the projection view.

## Projection

Building a subset of a BO data model or BO behavior.

## Query

In the ABAP RESTful programming model, a query provides the following:

- A CDS [data model \[page 694\]](#)
- Capabilities that are either explicitly modeled via [CDS annotations \[page 692\]](#) (search, aggregation, ...) or generally applicable (paging, sorting, filtering)
- A runtime that is either managed by the query framework or unmanaged, which means implemented by the developer

In contrast to the [BO \[page 689\]](#) transactional capabilities, query capabilities are always read-only and do not modify data on the database

## Query Implementation Class

The query implementation class is the class that is referenced by a [custom entity \[page 693\]](#) to implement its [query \[page 700\]](#).

## Read Operation

Umbrella term for [operations \[page 699\]](#) that do no change any business data in the context of [business object behavior implementation \[page 690\]](#). It included operations such as read, read by association, and functions.

## Root Entity

The root entity is the top [entity \[page 690\]](#) in a [business object's \[page 689\]](#) structure. In ABAP CDS, a root entity is defined using the keyword `ROOT` in the [data definition \[page 694\]](#).

## SADL

Service Adaptation Description Language (in short: SADL) is an ABAP technology that enables the consumption of entity relationship-like [data models \[page 694\]](#) in ABAP based on a model-driven approach.

In the context of SAP HANA, SADL enables fast read access to database data for scenarios on mobile and desktop applications using query push-down.

## SAP Cloud Platform

SAP Cloud Platform is an open platform as a service (PaaS) that provides customers and partners with in-memory capabilities, core platform services, and unique business services for building and extending personalized, collaborative, mobile-enabled cloud applications.

## SAP Cloud Platform ABAP Environment

SAP Cloud Platform ABAP Environment is part of the [SAP Cloud Platform \[page 701\]](#) and offered as Platform as a Service (PaaS). ABAP Environment provides a special variant of the ABAP platform and supports a subset of the ABAP language.

## SAP Fiori (UX)

SAP Fiori is a new user experience (UX) for SAP software that applies modern design principles. SAP solutions, such as the SAP Business Suite powered by SAP HANA, use the SAP Fiori UX to provide a personalized, responsive, and simple user experience.

## SAP Gateway

An ABAP infrastructure that exposes back-end services to consumer applications.

## SAP Web IDE

A browser-based development tool set for modeling and developing Fiori UIs.

## Save Sequence

Part of the BO runtime when data is persisted after all changes were performed. The save sequence is triggered by using the [SAVE](#) button on UIs.

## Service Consumption Model

A set of artifacts that are generated in ABAP Development Tools on the basis of an entity data model XML (CSDL) file and are used to provide a generic client for remote [OData service \[page 698\]](#)consumption.

## Service Proxy API

An ABAP API using the [service consumption model \[page 701\]](#) to consume remote [OData services \[page 698\]](#).

## Static Action

An [action \[page 688\]](#) that operates independent of a specific instance of an entity.

## To-Parent Association

A to-parent association in ABAP CDS is a specialized [association \[page 688\]](#) which can be defined to model the parent-child relationship between two [CDS entities \[page 693\]](#).

[Compositions \[page 691\]](#) and to-parent associations are used to define the structure of a [business object \[page 689\]](#) which can be used in the ABAP RESTful Programming model.

## Transactional Buffer

A part of the BO runtime used to store the state of the BO data that is used in the [interaction phase \[page 697\]](#) for modifying and read operations (in a transactional context) and which can be persisted during the [save sequence \[page 701\]](#).

## Unmanaged

The `unmanaged` property defines an implementation type of a [business object \[page 689\]](#) or a [query \[page 700\]](#) provider in the context of the ABAP RESTful programming model.

For the implementation type `unmanaged`, the application developer must implement essential components of the REST contract itself.

In this case, all required BO [operations \[page 699\]](#) (create, update, delete, or application-specific actions) must be specified in the corresponding [behavior definition \[page 690\]](#) for a BO before they are implemented in ABAP. In `managed` implementation types, on the other hand, a behavior definition is already sufficient to obtain a ready-to-run [business object \[page 689\]](#).

## Unmanaged Query

An implementation type for the runtime of a [query \[page 700\]](#). In an unmanaged query, the query contract must be implemented by the application developer and is not managed by the query framework.

## **Update Operation**

A delete operation is an [operation \[page 699\]](#) that implements the update of instance data of entities (BOs).

## **Validation**

A validation is an implicitly executed function that checks the consistency of entity instances that belong to a business object.

## **Virtual Field**

A [field \[page 696\]](#) of a CDS entity that is stored in the main memory of the system and is calculated during the user session inside a determination, or an action, for example.

A virtual field is declared with the statement `VIRTUAL` in CDS projection views..

## **Web API**

An [OData service \[page 698\]](#) that is published without any UI specific metadata. It is not exposed for a UI context. Instead it provides an API to access the service by another client, including from a different system or server.

# Important Disclaimers and Legal Information

## Hyperlinks

Some links are classified by an icon and/or a mouseover text. These links provide additional information.

About the icons:

- Links with the icon  : You are entering a Web site that is not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:
  - The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
  - SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.
- Links with the icon  : You are leaving the documentation for that particular SAP product or service and are entering a SAP-hosted Web site. By using such links, you agree that (unless expressly stated otherwise in your agreements with SAP) you may not infer any product claims against SAP based on this information.

## Beta and Other Experimental Features

Experimental features are not part of the officially delivered scope that SAP guarantees for future releases. This means that experimental features may be changed by SAP at any time for any reason without notice. Experimental features are not for productive use. You may not demonstrate, test, examine, evaluate or otherwise use the experimental features in a live operating environment or with data that has not been sufficiently backed up.

The purpose of experimental features is to get feedback early on, allowing customers and partners to influence the future product accordingly. By providing your feedback (e.g. in the SAP Community), you accept that intellectual property rights of the contributions or derivative works shall remain the exclusive property of SAP.

## Example Code

Any software coding and/or code snippets are examples. They are not for productive use. The example code is only intended to better explain and visualize the syntax and phrasing rules. SAP does not warrant the correctness and completeness of the example code. SAP shall not be liable for errors or damages caused by the use of example code unless damages have been caused by SAP's gross negligence or willful misconduct.

## Gender-Related Language

We try not to use gender-specific word forms and formulations. As appropriate for context and readability, SAP may use masculine word forms to refer to all genders.



No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see <https://www.sap.com/about/legal/trademark.html> for additional trademark information and notices.