ITHRIVE Health Status Report

.	
Subject ID	***Practitioner***
First/Last Name: Briana Moore	Address:
Weight : 241.0 Pounds	
Height: 5 Feet 8 Inch	Title:
Date of birth: 6-8-1989	
Gender: Female	
	Telephone / Fax / E-mail:
Measurement conditions	Name : Administrator
Examination performed at: 2-19-2026 11 : 38	Physician's notes:
Registration method: A1 (63,0,100,100,0) N1 (63,0,100,100,0)	
Examination performed with a ES Teck Sensors Analyzer Manufactured by L.D Technology. ISO 13485 Owner/Operator Number: 9097859. Establishment Registration Number: 3006146787. CE 0535 Class IIa. 510k number K102166 and k102442 Class 2 and EC 0535. ES Teck sensor is accredited as electrical equipment type BF according to the standards EN 60601-1-1. CEM according to the standards EN60601-1-2	
Clinical context	
Symptoms : ***Check-Up*** No symptom, no treatment	
Medications :	
Daily Activity Level: Moderate: walk 20 minutes a day / 1-2 hours sport a week Systolic / Diastolic pressure: 110 / 73	
Reason for consultation:	Signature of the practitioner :


Diseases and disorder screening modeling
Patient: Briana Moore
Age: 36 Gender: Female
Measurements : N1 (63) / 19.2.2026 11 : 38
Symptoms and treatments : No symptom, no treatment ;
Cardiovascular diseases
Disease Screening Score
Suggested supplementary examinations
Large artery stiffness
Peripheral vessel
Doppler
Blood pressure uncontrolled
Small and medium artery stiffness
Atherosclerosis
LDL Cholesterol
LV Hypertrophy
Diabetes
Disease Screening Score
Suggested supplementary examinations
Metabolic syndrome
Insulin resistance
Beta cell function decreased
Blood Glucose uncontrolled
Tissue inflammatory process
Screening Score Color Coded
Cardiovascular and diabetes screening score
Miscellaneous disease screening score
Follow Up


Diseases and disorder screening modeling
Patient: Briana Moore
Age: 36 Gender: Female
Measurements : N1 (63) / 19.2.2026 11 : 38
Symptoms and treatments : No symptom, no treatment ;
Miscellaneous Diseases
Disease Screening Score
Suggested supplementary examinations
Hypothyroidism
Hyperthyroidism
Hepatic fibrosis
The hepatic Tests are required
Chronic hepatitis
N/A
Respiratory disorders
Kidney function disorders
Digestive disorders
Helicobacter , parasites, colonoscopy
Psychology
Disease Screening Score
Suggested supplementary examinations
Major depression
ADHD children (learning)
Cerebral Dopamine decreased
Cerebral Serotonin decreased
Screening Score Color Coded
Cardiovascular and diabetes screening score
Miscellaneous disease screening score
Follow Up

Free ionized Ca+		
Phosphatemia		
Magnesemia		
Lipidemia		
Arterial Ph		
Arterial Paco2		
Arterial PaO2		
Body Tissue pH		N/A
Immune system		
Blood Glucose uncontrolled		



Patient: Briana M.
Age: 36
Visit: 19.2.2026 11 : 38, N1 = 63

Neural Network

ANS !This page cannot be printed in the status report

Indicators	Under	Normal	Over	Values	Norms	Units
Sympathetic system activity				23.74	22.00 - 46.00	%
HF High Frequency Parasympathetic system				43.90	22.00 - 34.00	%
Ratio of ANS activity (LF / HF)				0.54	0.50 - 2.00	C.U
Ratio of ANS activity (LF / HF) and Organ effects						
Bronchi						
Gall bladder : Biliary ducts						
Intestine : Peristalsis and tonus						
Intestine : Sphincter (rectum)						
Stomach : Gastric and pancreatic secretions						
Stomach : Digestion						
Stomach : Sphincter (duodenum)						
Lachrymal gland secretions						
Salivary Gland secretions						
Pupils						
Kidney filtration and renin secretion						
Adrenal medullar secretion						
Basal metabolism						
Liver : Glycolysis						
Sympathetic intracranial vessels						
Bladder : Trigone (sphincter)						
Bladder : Detrusor muscle						
Cardiovascular system : Muscle contractility						
Blood pressure						

Organ' response color coded



Patient: Briana M.
Age: 36
Visit: 19.2.2026 11 : 38, N1 = 63

Neural Network

ANS !This page cannot be printed in the status report

Indicators	Under	Normal	Over	Values	Norms	Units
Stomach : Digestion						
Stomach : Sphincter (duodenum)						
Lachrymal gland secretions						
Salivary Gland secretions						
Pupils						
Kidney filtration and renin secretion						
Adrenal medullar secretion						
Basal metabolism						
Liver : Glycolysis						
Sympathetic intracranial vessels						
Bladder : Trigone (sphincter)						
Bladder : Detrusor muscle						
Cardiovascular system : Muscle contractility						
Blood pressure						
Coronary (Beta 2)						
Coronary (Alfa)						
Coagulation						
ANS and Glycaemia						
ANS and Lipidaemia						
Vaginal lubrication						
Orgasm						
ANS and Brain Cerebral activity						

Organ' response color coded

EIS indicators

The EIS measures the human body electrical properties (electrical conductivity and dispersion).
The signals processing analysis provides data about the galvanic skin response.
Main indicators for each electrodes pairs : Hand, Foot and Forehead
SDC + : Electrical conductivity related to the pathway from anode to cathode and from the peer reviews it seems related with the tissue oxygen level
Delta SDC+-SDC -: numeric value .From the peer review, it seems related to the interstitial chloride ions (inversely proportional)
.
Alpha parameter : Electrical Dispersion. From the peer reviews, it seems related to the morphology of the fluid between the cells.



HRV

Heart Rate Variability (HRV) is the mathematical analysis of the time between each Heart beat and provides indicators of the Autonomic nervous system activity and it is the gold standard to estimate your stress level.

Main indicators:

Heart rate: The number of heart beats per minute
SI Stress Index: Indicator of the heart left ventricle work and heart oxygen consumption
MxDMn: Indicator of the stability of the heart rhythm
HF % and ms: Main indicator of the parasympathetic activity
Total Power: Indicator of the vagal activity.
LF/HF: ratio considered by some investigators to mirror sympathetic/parasympathetic balance or to reflect sympathetic modulations.

HRV Indicators

K30/15

Indicator of the orthostatic hypotension and vagal syndrome. The value under should be an indicator of vagal syndrome
Normal range > 1.30
Value: 1.38 C.U

Valsalva ratio

Ratio issue from the Valsalva maneuver : a value under should be an indicator of cardiovascular disease, especially when used in conjunction with echocardiogram.
Normal range > 1.20
Value: 1.17 C.U

SPo2 % and Photoelectrical Plethysmograph

CI (Cardiac index) is a Vasodynamic indicator that relates the cardiac output (CO) to body surface area (BSA).
SVR (Systemic Vascular Resistance) : Indicator of peripheral Resistance to flow that must be overcome to push blood through the circulatory system.
MAP (Mean Arterial Pressure): Average pressure during the aortic pulse cycles estimated from the Digital Pulse Analysis
Stiffness Index: Indicator of the large artery stiffness related to the blood pressure
Reflection Index: Indicator of small and middle size artery stiffness
DEI: Indicator proportional to the peripheral artery elasticity or to the venous return (vasoconstriction)
Estimated VO2: Oxygen uptake represents the oxygen supply for the tissue metabolism
Estimated DO2: oxygen delivery is the rate of oxygen transport in the arterial blood
SpO2%: Hemoglobin oxygen saturation in percent corresponding to the arterial oxygen pressure. It can be reduced e.g. anemia, hypothyroidism, high altitude, Co2 increased, histotoxic hypoxia (cells cannot use 02) , oxygen-hemoglobin bond increased affinity, sleep apnea or lactic acid excess.



Body composition and follow up

The estimated body composition is made according to the measurement of the body resistance in tetra polar mode and frequency of 50 KHz. The estimated values are calculated from the peer reviews. Please note that these ranges are average values taken from a treatment of the NHANES-III survey data.

What do the Results Mean?

FAT Mass: Fat is the energy storage of the body. Everybody needs fat in their bodies, but it is important not to have too much.
Fat Free Mass (FFM) : This value is, literally, what would be left after all fat was removed from the body. Many people also Refer to FFM as Lean Body Mass (LBM).
Total Body Water (TBW): Literally, the total amount of water in the body. Since fat is essentially 0% water, TBW is entirely contained within FFM.
Intra-Cellular Water (ICW) : This is the portion of Total Body Water that is located within the body's cells.
Extra-Cellular Water (ECW): This is the portion of Total Body Water that is located outside of the body's cells. Examples of where ECW is found include, but are not limited to blood plasma, spinal fluid, joint fluids, and edema.
Target Weight: This is calculated using a set of standardized formulas.
Body Mass Index (BMI): A person's BMI is equal to their weight in kilograms divided by their height in meters, squared. BMI is commonly used as an indicator of whether someone is overweight.
It is important to note, however, that somebody who is 'overweight' may not necessarily be 'over-fat'. A 5'10'', 300 pound couch potato and a 5'10'', 300 pound bodybuilder could have exactly the same BMI.
Basal Metabolic Rate (BMR): Basal Metabolic Rate is the number of calories that a person will use per day, by virtue of simply being alive (i.e., lying still and breathing).

Body Composition Indicators (lb)

Compartments	Values	Total Body Water	Fat Free Mass	Weight
Intra Cellular Water	44.1	91.8	125.4	241.0
Extra Cellular Water	47.7			
Dry Lean Mass	33.6			
Body Fat Mass	115.6			

Body Composition Analysis

General distribution	Under	Normal	Over
Fat Free Mass	52.0%		
Body Fat Mass	48.0%		
Total Body Water	38.1%		

Fluid distribution	Under	Normal	Over
Intra Cellular Water	48.0%		
Extra Cellular Water	52.0%		

Indicators of the target weight

	Under	Normal	Over
Body Mass Index	36.6		
Percent Body Fat	48.0		

Weight Control (lb)

Current Target Weight: 142.7	Fat Control: -54.9	Basal Metabolic Rate: 1860 Kcal
Weight Control: -98.3	FFM Control: 54.9	Daily Energy Expenditure (DEE): 2882 Kcal

Homeostasis Score

The homeostasis score provides a fast overview of a patient's homeostasis processes and responses with the key regulatory mechanisms, to understand the patient's potential adaptation to lifestyle, disorders, diseases or current treatment. or any factors (temperature, stress…)

- Depend first of all from Genetic
- Could be affected by lifestyle/diseases/ treatment
- Decreased with age.

The healthy subject is not identified as such simply because he does not have any disease, but because his homeostasis score is acceptable and therefore his body can adapt and remain healthy when challenged. The homeostasis score cannot be used as diagnosis.

Results meaning
Maximum Score = 30
Very Good = 27-30
Good = 24- 27
Normal = 20-24
Warning = 17-20
Low = 10-17
Poor < 10



Suggested diet and micro nutrition advices 1

The advices in nutrition and micro nutrition could be revised in the next follow up examination. The advices do not take care about the clinical context, current treatment and specific lifestyle such as vegetarian, athletes. The advices are issue from Recommended Dietary Allowances, 10th Edition. National Academy Press 1989-1999. ISBN: 0-309-04633-5 and the cross analysis of the ES Teck results and in particular the body composition and hemodynamic indicators.

NOT RECOMMENDED FOODS	RECOMMENDED FOODS
Vegetables *Egg Plant, Avocados* ***Animal protein*** *Salami , Frankfurters, Well-hung game, Marinated herring, Beef liver, Cold cuts, Brain, Lard, Sausages, Bacon, Goose* ***Dairy products*** *Mozzarella, Margarine, Fresh cream, Cheese* ***Carbohydrates*** *Brewer's yeast, Sodium glutamate (often used in Chinese cooking), Chocolate, Ice-cream, Honey, Jam, Cocoa, Jam tart* ***Fats*** *Fried food, Mayonnaise* ***Drinks*** *Certain wines (Sauternes, Chianti, Riesling, Porto), Beer, Alcohol, Sweetened Cola Drinks* ***Oily foods*** *Almonds, Pistachios, Hazel nuts, Walnuts, Pine nuts* ***Fruit*** *Bananas, Pineapple, Dates , Fruit in syrup, Candied fruit, Dried fruit, Fruit jelly, Coconut* ***Reduce casein-based foods (for one month):*** *butter, margarine, fresh cream, cheese, cream desserts,ice-cream, cakes, sweet bread products, bars, miscellaneous confectionery, chocolate.*	***Vegetables*** *Artichokes, String beans, Celery root, Leeks, Fennel, Dandelion, All the green vegetables you want* ***Animal protein*** *Egg-white, Fish* ***Carbohydrates*** *Whole meal bread, Rice* ***Drinks*** *Chicory, Green tea* ***Fruit*** *2 fruits per day max, Cherry stalks in solution, Melon* ***Herbs*** *Parsley, Garlic* ***Plant protein*** *Soy* ***Oils*** *Evening primrose oils* ***Cereals*** *Bran*
MICRONUTRITION	***COOKING METHODS***
Vitamins *Vit. B5, Vit.C* ***Trace elements*** *Zinc nickel cobalt ,Cobalt Manganese ,Iodine ,Sulfur* ***Plant therapy*** *Poppy ,Passion flower ,Aubeline ,Hawthorn*	*· Steaming is to be preferred to all other methods.* *· For cooking food: olive, peanut or palm oil, without ever allowing it to smoke.* *· For improved digestion, advice for cooking : carrots, tomatoes, broccoli, spinach then add olive or colza oil after cooking.* *· To prepare fish, marinate in lemon juice, wine or oil, then steam or poach in stock* *· Do not burn or carbonize meat and throw away the gravy.*

Suggested diet advices 2

REGIME	*FOOD ASSOCIATIONS*
Daily Energy Expenditure (DEE): 2882 Kcal *A low calorie diet is recommended based on animal proteins (grilled meat , fish and chicken without skin), fruits (particularly plums and apricots) vegetables(tomatoes, artichokes and dry vegetables) and probiotics yogurts.* *Saturated fats to be eliminated (lipids) and fast sugars, however, you must consume 2 tablespoons of polyunsaturated fats (omega 3).* *Physical exercise is essential, with moderation, it will be introduced gradually and become regular, with at least 20 minutes per day.* *As a micronutrient supplement (capsules), carnitine and lecithine will be effective.*	*· Meat-potato* *· Meat-vegetables (good for acid-base balance)* *· Meat-cereal- vegetables (ideal complementarily)* *· Diversity of fruit and vegetables (action synergy of plant-micronutrients)*

DIETARY ADVICE
Reduce salt, alcohol, fast sugars, avoid barbecued foods and overcooked or burned foods, smoked animal protein (meat, fish, poultry), avoid fried foods and do not re-use cooking fat or oil. *Your total daily calories should be made up of:* *10 to 15% animal and vegetable protein* *30 to 35 % fats* *50 to 55% glucose, 10% of which should be fast sugars* *30 to 40 g of fiber /day* *A balanced diet must include all these substances vitamins and trace elements must be added.* *Water quality is the essential complement to a balanced diet.* *You should always eat a big breakfast, moderate lunch and light meal in the evening.* *Avoid using microwave ovens. Q10 coenzyme supplement is recommended (from 150 to 300 mg / day).*