20b huggam - 5 accum cleaner problem function REFLEX-VACUM-AGENT ([. Lo cotton status]) youwas action il status = wint them noturing Suck else if location = A then votuson Right else if Location = B then votusion left def clean (floose): i, j, нош, col=0;0; dem (floor) 1en (f(00 gr 6J) for i in yamaa (yow): -if 1 1.2 = = 0 : for & in range (col): f floor [:] [:] = =1: print_floor (floor, i, j, "clean" floogititij=0 point floos (floos, i, i, " Right" 19 12 col - 1 elso "Stay 2) for ; in range (col-1,-1,-1): if floor[i][i]==1: pount_flood (flood, i, j, et clean') flood[i][j]=0 pount floor (floor, ; er Left ? if is ols a stay



def print floor (floor, sous, col, dissertion). A dunction to heint the GRTD/900, col) represent the riverent varaum point (f" The offer motion is a believe: ") fee or in along (Jen (floor)): for c in yarge (Jen (flock J. st. J.)): : + v = you and c = = col; pwint (+" > ? +(009、12) ででしてい、 printf(f . ff(00 % [34][c] } " print (end = ' \m') print (f" & direction ?") print (end = · (n)) def maim (): =100 m = [] m = int (input (" Enter the mumber of rows :) m = int ("Entos the number of columno:") shint (" Ender of earn status does each call (1-disty, 0-deam)") for i'm mange (m): f = list(map (int, input (7, split (" ")))

floor. append (+)

p wint() lean (floor) main ()

output goe tust susting
Emter the and of sucuse: 1 Emter the and of adjumans: 2 enter clean status par oarh coll-
1 1
The glosse motor is as Igolous:
>1 / 1 leam
The glover material is as Isolans:
The gloss smatsus is, as bolows:
The gloon mutrice is as Issland: 5 > 0 <
output for your scome
Enter the sac of sources 2/
 Enter the me of crows (1- sisty, 0- dear



The floor materia is as leelow:
71/4 0
1 0
cleam
The floor imatrix is as lectoro:
704 0
<u>1</u> 0
Right
The flower matoux is as lectoro:
0 702
1 0 .
Stay
The floor materix is as below:
1 >0 <
Lough
2000 T
The gloss matrix is as leelow:
- U
0 0
>14 0
SCI COUR
The Manne and a 2 and Andrews
The flower materia is as leelow:
0 0
7040
stay O'SV
22.