← Index

Demo: watch adaptive drift in a real simulated cohort

150 simulated students took a two-stage Python OOP assessment. Each was given an intended skill profile, wrote answers to match it, and the same model then scored those answers. Everything below is read from that run.

Sonnet 4.6 | Haiku 4.5

Routing threshold 50


1 · One student | 2 · The cohort | 3 · Skill by skill

Point out: for every skill, the teal bar is what the model was told the student can do and the coral bar is what it scored. Compare the two bars on each skill: the coral is usually the longer one. Press **Find a misrouted student** (5 of 145 at θ = 50 with Sonnet 4.6).

Student: Student 0688 | Random student | Find a misrouted student


Student 0688 (Lab 1 Developing)

Stage 1, assignment 1 · event to-do planner · intended 39, scored 51



Stage 1 routing

Average over this student's Stage 1 assignments, threshold θ = 50.



Pushed to the High path. Intended skill says Low.

Drift: +11.8 points.

▶ **Show the question this twin answered**

Data: `simulation/data/simulation_results.jsonl` (Sonnet 4.6) and `simulation_results_haiku.jsonl` (Haiku 4.5) from the adaptive-conversational-assessment project; Stage 1 questions from `simulation_questions.json`. "Intended" is the mean of the student's true skill values over the skills each assignment tested. "Scored" is the assignment score the system used for routing. Here the misrouted share compares scored against intended, which is not the archetype-based measure in the paper's threshold table.

← Index

Demo: watch adaptive drift in a real simulated cohort

150 simulated students took a two-stage Python OOP assessment. Each was given an intended skill profile, wrote answers to match it, and the same model then scored those answers. Everything below is read from that run.

Sonnet 4.6 | Haiku 4.5

Routing threshold 50

1 · One student | 2 · The cohort | 3 · Skill by skill

Before you drag θ, ask the room: where will the dots sit relative to the diagonal? Most sit **above** it, so the scorer is generous. At θ = 50, 3% of Sonnet's students and 9% of Haiku's end up on the wrong side. Now try θ = 60, then switch the model.


Each dot is a student: intended vs scored (Stage 1 average)



Students	Pushed up past θ	Held back below θ	Mean drift
145	3	2	+5.3

How many students end up on the wrong side as θ moves?

Share of students whose scored result and intended result fall on different sides of θ.



Data: `simulation/data/simulation_results.jsonl` (Sonnet 4.6) and `simulation_results_haiku.jsonl` (Haiku 4.5) from the adaptive-conversational-assessment project; Stage 1 questions from `simulation_questions.json`. "Intended" is the mean of the student's true skill values over the skills each assignment tested. "Scored" is the assignment score the system used for routing. Here the misrouted share compares scored against intended, which is not the archetype-based measure in the paper's threshold table.

← Index

Demo: watch adaptive drift in a real simulated cohort

150 simulated students took a two-stage Python OOP assessment. Each was given an intended skill profile, wrote answers to match it, and the same model then scored those answers. Everything below is read from that run.

Sonnet 4.6 | Haiku 4.5


Routing threshold 50

1 · One student | 2 · The cohort | 3 · Skill by skill

Point out: skills with a visible code signature, such as **Setter with validation**, sit near the diagonal. Click **Polymorphism** or **ABC definition**: the dots form a flat cloud, so the score tells you almost nothing about the intended level. Pooled over all skills, Sonnet 4.6 gives r = 0.70.


Agreement (*r*) between intended and scored, per skill

strong, r ≥ 0.7 · moderate · weak, r < 0.4



Setter with validation

Every simulated answer that tested this skill. A perfect scorer puts all dots on the diagonal.



Answers tested	Agreement r	Mean drift
290	0.88	+0.10

Data: `simulation/data/simulation_results.jsonl` (Sonnet 4.6) and `simulation_results_haiku.jsonl` (Haiku 4.5) from the adaptive-conversational-assessment project; Stage 1 questions from `simulation_questions.json`. "Intended" is the mean of the student's true skill values over the skills each assignment tested. "Scored" is the assignment score the system used for routing. Here the misrouted share compares scored against intended, which is not the archetype-based measure in the paper's threshold table.