

Name: G.Sai Lasya

Roll no.: 2520030538

The screenshot displays the SQL Developer interface with a script editor and an output window. The script contains SQL commands to create tables, insert data, drop and create views, and perform a select query. The output window shows the execution results for each step.

```
13 );
14 • INSERT IGNORE INTO departments VALUES
15   (1,'CSE'),
16   (2,'ECE'),
17   (3,'EEE');
18
19 • INSERT IGNORE INTO employees VALUES
20   (101,'Rahul',1,50000),
21   (102,'Priya',2,65000),
22   (103,'Anil',1,55000),
23   (104,'Sneha',3,70000),
24   (105,'Kiran',2,48000);
25 • DROP VIEW IF EXISTS EmployeeView;
26
27 • CREATE VIEW EmployeeView AS
28   SELECT *
29   FROM employees;
30
31 • SELECT * FROM EmployeeView;
32 • DROP VIEW IF EXISTS EmployeeBasicView;
33
```

Output

#	Time	Action	Message
✓ 4	19:22:03	CREATE TABLE IF NOT EXISTS employees (emp_id INT PRIMARY KEY, emp_name VARCHAR(50), ...	0 row(s) affected
✓ 5	19:22:32	INSERT IGNORE INTO departments VALUES (1,'CSE'), (2,'ECE'), (3,'EEE')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
✓ 6	19:22:32	INSERT IGNORE INTO employees VALUES (101,'Rahul',1,50000), (102,'Priya',2,65000), (103,'Anil',1,55000), ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
⚠ 7	19:22:59	DROP VIEW IF EXISTS EmployeeView	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeedb1.employeeview'
✓ 8	19:22:59	CREATE VIEW EmployeeView AS SELECT * FROM employees	0 row(s) affected
✓ 9	19:22:59	SELECT * FROM EmployeeView LIMIT 0, 1000	5 row(s) returned

The screenshot is a duplicate of the one above, showing the same SQL script and execution output.

```

58
59 • INSERT IGNORE INTO employees VALUES
60 (101,'Rahul',1,50000),
61 (102,'Priya',2,65000),
62 (103,'Anil',1,55000),
63 (104,'Sneha',3,70000),
64 (105,'Kiran',2,48000);

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

emp_id	emp_name	salary
101	Rahul	50000.00
102	Priya	65000.00
103	Anil	55000.00
104	Sneha	70000.00
105	Kiran	48000.00

EmployeeView 3 EmployeeBasicView 4 x

Output

#	Time	Action	Message
25	19:26:41	CREATE DATABASE IF NOT EXISTS employeesdb1	1 row(s) affected, 1 warning(s): 1007 Can't create database 'employeesdb1';
26	19:26:41	USE employeesdb1	0 row(s) affected
27	19:26:41	CREATE TABLE IF NOT EXISTS departments (dept_id INT PRIMARY KEY, dept_name VARCHAR(50))	0 row(s) affected, 1 warning(s): 1050 Table 'departments' already exists
28	19:26:41	CREATE TABLE IF NOT EXISTS employees (emp_id INT PRIMARY KEY, emp_name VARCHAR(50), ...	0 row(s) affected, 1 warning(s): 1050 Table 'employees' already exists
29	19:26:41	INSERT IGNORE INTO departments VALUES (1,'CSE'), (2,'ECE'), (3,'EEE')	0 row(s) affected, 3 warning(s): 1062 Duplicate entry '1' for key 'departments'
30	19:26:41	INSERT IGNORE INTO employees VALUES (101,'Rahul',1,50000), (102,'Priya',2,65000), (103,'Anil',1,55000), ...	0 row(s) affected, 5 warning(s): 1062 Duplicate entry '101' for key 'employees'

```

32 • DROP VIEW IF EXISTS EmployeeBasicView;
33
34 • CREATE VIEW EmployeeBasicView AS
35 SELECT emp_id, emp_name, salary
36 FROM employees;
37
38 • SELECT * FROM EmployeeBasicView;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	emp_id	emp_name	salary
▶	101	Rahul	50000.00
	102	Priya	65000.00
	103	Anil	55000.00
	104	Sneha	70000.00
	105	Kiran	48000.00

EmployeeBasicView 2 x

Output

Action Output

#	Time	Action	Message
⚠	7 19:22:59	DROP VIEW IF EXISTS EmployeeView	0 row(s)
✅	8 19:22:59	CREATE VIEW EmployeeView AS SELECT * FROM employees	0 row(s)
✅	9 19:22:59	SELECT * FROM EmployeeView LIMIT 0, 1000	5 row(s)
⚠	10 19:25:03	DROP VIEW IF EXISTS EmployeeBasicView	0 row(s)
✅	11 19:25:03	CREATE VIEW EmployeeBasicView AS SELECT emp_id, emp_name, salary FROM employees	0 row(s)
✅	12 19:25:03	SELECT * FROM EmployeeBasicView LIMIT 0, 1000	5 row(s)

