

Name: G.Sai Lasya

Roll no. : 2520030538

The screenshot displays a SQL script in a text editor and its execution results in an 'Output' window. The script includes SQL commands for creating tables, inserting data, dropping and creating views, and querying data. The output window shows a table with columns for line number, time, action, and message, detailing the execution of each step.

```
13 );
14 • INSERT IGNORE INTO departments VALUES
15   (1,'CSE'),
16   (2,'ECE'),
17   (3,'EEE');
18
19 • INSERT IGNORE INTO employees VALUES
20   (101,'Rahul',1,50000),
21   (102,'Priya',2,65000),
22   (103,'Anil',1,55000),
23   (104,'Sneha',3,70000),
24   (105,'Kiran',2,48000);
25 • DROP VIEW IF EXISTS EmployeeView;
26
27 • CREATE VIEW EmployeeView AS
28   SELECT *
29   FROM employees;
30
31 • SELECT * FROM EmployeeView;
32 • DROP VIEW IF EXISTS EmployeeBasicView;
```

Output

#	Time	Action	Message
4	19:22:03	CREATE TABLE IF NOT EXISTS employees (emp_id INT PRIMARY KEY, emp_name VARCHAR(50), ...	0 row(s) affected
5	19:22:32	INSERT IGNORE INTO departments VALUES (1,'CSE'), (2,'ECE'), (3,'EEE')	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0
6	19:22:32	INSERT IGNORE INTO employees VALUES (101,'Rahul',1,50000), (102,'Priya',2,65000), (103,'Anil',1,55000), ...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
7	19:22:59	DROP VIEW IF EXISTS EmployeeView	0 row(s) affected, 1 warning(s): 1051 Unknown table 'employeeedb1.employeeview'
8	19:22:59	CREATE VIEW EmployeeView AS SELECT * FROM employees	0 row(s) affected
9	19:22:59	SELECT * FROM EmployeeView LIMIT 0, 1000	5 row(s) returned

```

58
59 • INSERT IGNORE INTO employees VALUES
60 (101,'Rahul',1,50000),
61 (102,'Priya',2,65000),
62 (103,'Anil',1,55000),
63 (104,'Sneha',3,70000),
64 (105,'Kiran',2,48000);

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

emp_id	emp_name	salary
101	Rahul	50000.00
102	Priya	65000.00
103	Anil	55000.00
104	Sneha	70000.00
105	Kiran	48000.00

EmployeeView 3 EmployeeBasicView 4 x

Output

Action Output

#	Time	Action	Message
25	19:26:41	CREATE DATABASE IF NOT EXISTS employeesdb1	1 row(s) affected, 1 warning(s): 1007 Can't create database 'employeesdb1';
26	19:26:41	USE employeesdb1	0 row(s) affected
27	19:26:41	CREATE TABLE IF NOT EXISTS departments (dept_id INT PRIMARY KEY, dept_name VARCHAR(50))	0 row(s) affected, 1 warning(s): 1050 Table 'departments' already exists
28	19:26:41	CREATE TABLE IF NOT EXISTS employees (emp_id INT PRIMARY KEY, emp_name VARCHAR(50), ...	0 row(s) affected, 1 warning(s): 1050 Table 'employees' already exists
29	19:26:41	INSERT IGNORE INTO departments VALUES (1,'CSE'), (2,'ECE'), (3,'EEE')	0 row(s) affected, 3 warning(s): 1062 Duplicate entry '1' for key 'departments'
30	19:26:41	INSERT IGNORE INTO employees VALUES (101,'Rahul',1,50000), (102,'Priya',2,65000), (103,'Anil',1,55000), ...	0 row(s) affected, 5 warning(s): 1062 Duplicate entry '101' for key 'employees'

```

32 • DROP VIEW IF EXISTS EmployeeBasicView;
33
34 • CREATE VIEW EmployeeBasicView AS
35 SELECT emp_id, emp_name, salary
36 FROM employees;
37
38 • SELECT * FROM EmployeeBasicView;

```

Result Grid | Filter Rows: | Export: | Wrap Cell Content: |

	emp_id	emp_name	salary
▶	101	Rahul	50000.00
	102	Priya	65000.00
	103	Anil	55000.00
	104	Sneha	70000.00
	105	Kiran	48000.00

EmployeeBasicView 2 x

Output

Action Output

#	Time	Action	Message
⚠	7 19:22:59	DROP VIEW IF EXISTS EmployeeView	0 row(s)
✓	8 19:22:59	CREATE VIEW EmployeeView AS SELECT * FROM employees	0 row(s)
✓	9 19:22:59	SELECT * FROM EmployeeView LIMIT 0, 1000	5 row(s)
⚠	10 19:25:03	DROP VIEW IF EXISTS EmployeeBasicView	0 row(s)
✓	11 19:25:03	CREATE VIEW EmployeeBasicView AS SELECT emp_id, emp_name, salary FROM employees	0 row(s)
✓	12 19:25:03	SELECT * FROM EmployeeBasicView LIMIT 0, 1000	5 row(s)

