-	GE:80.0======	=====BRID	
FRET 24: 480.0 mm FRET 23: 470.4859049025128 mm			
FRET 22: 460.4060722705003 mm			
FRET 21: 449.7268615995646 mm			
FRET 20: 438.41263201682034 mm			
FRET 19: 426.42562333279454 mm			
FRET 18: 413.7258300203048 mm			
FRET 17: 400.27086769973096 mm			
FRET 16: 386.015831685088 mm			
FRET 15: 370.9131471188113 mm			
FRET 14: 354.91241019509147 mm			
FRET 13: 337.9602199418581 mm			
FRET 12, 220 0 mm			
FRET 12: 320.0 mm			
FRET 11: 300.9718098050255 mm			
FRET 10: 280.81214454100063 mm			
FRET 9: 259.45372319912923 mm			
FRET 8: 236.82526403364054 mm			
FRET 7: 212.85124666558903 mm			
FRET 6: 187.45166004060962 mm			
FRET 5: 160.5417353994619 mm			
FRET 4: 132.0316633701762 mm			
FRET 3: 101.82629423762263 mm			
THE 3. 101.010134123 02103 THE			
FRET 2: 69.82482039018282 mm			
FRET 1: 35.9204398837162 mm			
=	8.0mm ======	======NUT:5	
Width at nut=58.0 Width at bridge=80.0			

https://aprendideluthier.com