Scale=640.0 idth at bridge=80.0 Width at nut=58.0 1 FRET 1: 45.246931635896544 mm FRET 1: 45.246931635896544 mm FRET 2: 78.51560500786695 mm FRET 2: 78.51560500786695 mm FRET 3: 109.9170512206673 mm FRET 3: 109.9170512206673 mm ı FRET 4: 139.55606968198538 mm FRET 4: 139.55606968198538 mm FRET 5: 167.531577860722 mm FRET 5: 167.531577860722 mm ı FRET 6: 193.9369414148482 mm FRET 6: 193.9369414148482 mm FRET 7: 218.86028579060925 mm FRET 7: 218.86028579060925 mm ١ FRET 8: 242.38479033300982 mm FRET 8: 242.38479033300982 mm FRET 9: 264.5889658891456 mm FRET 9: 264.5889658891456 mm I FRET 10: 285.54691683085684 mm FRET 10: 285.54691683085684 mm FRET 11: 305.32858837118124 mm FRET 11: 305.32858837118124 mm FRET 12: 324.0 mm FRET 12: 324.0 mm FRET 13: 341.62346581794833 mm FRET 13: 341.62346581794833 mm FRET 14: 358.2578025039335 mm FRET 14: 358.2578025039335 mm ١ FRET 15: 373.9585256103337 mm FRET 15: 373.9585256103337 mm FRET 16: 388.7780348409927 mm FRET 16: 388.7780348409927 mm FRET 17: 402.765788930361 mm FRET 17: 402.765788930361 mm FRET 18: 415.9684707074241 mm FRET 18: 415.9684707074241 mm FRET 19: 428.4301428953046 mm FRET 19: 428.4301428953046 mm FRET 20: 440.1923951665049 mm FRET 20: 440.1923951665049 mm FRET 21: 451.29448294457285 mm FRET 21: 451.29448294457285 mm I

BRIDGE SCALE COMPENSATION:10