Santander - Developer Coding Test

Using ASP.NET Core, implement a RESTful API to retrieve the details of the best *n* stories from the Hacker News API, as determined by their score, where *n* is specified by the caller to the API.

The Hacker News API is documented here: `https://github.com/HackerNews/API` .

The IDs for the stories can be retrieved from this URI: `https://hacker-news.firebaseio.com/v0/beststories.json` .

The details for an individual story ID can be retrieved from this URI: `https://hacker-news.firebaseio.com/v0/item/21233041.json` (in this case for the story with ID `21233041`)

The API should return an array of the best *n* stories as returned by the Hacker News API in descending order of score, in the form:

```
[
    {
        "title": "A uBlock Origin update was rejected from the Chrome Web Store",
        "uri": "https://github.com/uBlockOrigin/uBlock-issues/issues/745",
        "postedBy": "ismaildonmez",
        "time": "2019-10-12T13:43:01+00:00",
        "score": 1716,
        "commentCount": 572
    },
    { ... },
    { ... },
    { ... },
    ...
]
```

In addition to the above, your API should be able to efficiently service large numbers of requests without risking overloading of the Hacker News API.

You should share a public repository with us, that should include a README.md file which describes how to run the application, any assumptions you have made, and any enhancements or changes you would make, given the time.