



IL (PHASE 1 EARLY SITEWORK)
CONSTRUCTION PLANS
FOR
L.J. ALLEMAN MIDDLE SCHOOL
ADDITIONS & RENOVATIONS

00 ROSELAWN BOULEVARD
LAFAYETTE, LA 70503
LAFAYETTE PARISH
23 OCTOBER 2025



VICINITY MAP

N.T.S.



PROJECT

$$\text{AlF} \cdot 1'' \equiv 200'$$



AREA MAP

N.T.S.

CIVIL ENGINEER:



LCR & COMPANY, LLC
345 DOUCET ROAD, SUITE 102
LAFAYETTE, LA 70503
(337) 207-3761

OWNFR:

LAFAYETTE PARISH SCHOOL SYSTEM
SUPERINTENDENT: FRANCIS TOUCHET JR.
102 RUE IBERVILLE, LAFAYETTE, LA 70508
(337)–521–7014


SHEET INDEX	
SHEET NO.	DESCRIPTION
C-1	COVER SHEET & GENERAL NOTES
C-2	EXISTING SITE PLAN
C-3	PROPOSED SITE PLAN
C-4	OVERALL GRADING & DRAINAGE PLAN
C-5	PROPOSED GRADING & DRAINAGE PLAN (1 OF 4)
C-6	PROPOSED GRADING & DRAINAGE PLAN (2 OF 4)
C-7	PROPOSED GRADING & DRAINAGE PLAN (3 OF 4)
C-8	PROPOSED GRADING & DRAINAGE PLAN (4 OF 4)
C-9	OVERALL PAVING PLAN
C-10	PROPOSED PAVING PLAN (1 OF 4)
C-11	PROPOSED PAVING PLAN (2 OF 4)
C-12	PROPOSED PAVING PLAN (3 OF 4)
C-13	PROPOSED PAVING PLAN (4 OF 4)
C-14	PROPOSED UTILITY PLAN
C-15	PROPOSED EROSION CONTROL PLAN
C-16	GRADING & DRAINAGE NOTES & DETAILS
C-17	PAVING NOTES & DETAILS (1 OF 2)
C-18	PAVING NOTES & DETAILS (2 OF 2)
C-19	EROSION CONTROL DETAILS

SHEET INDEX

SHEET NO.	DESCRIPTION
C-1	COVER SHEET & GENERAL NOTES
C-2	EXISTING SITE PLAN
C-3	PROPOSED SITE PLAN
C-4	OVERALL GRADING & DRAINAGE PLAN
C-5	PROPOSED GRADING & DRAINAGE PLAN (1 OF 4)
C-6	PROPOSED GRADING & DRAINAGE PLAN (2 OF 4)
C-7	PROPOSED GRADING & DRAINAGE PLAN (3 OF 4)
C-8	PROPOSED GRADING & DRAINAGE PLAN (4 OF 4)
C-9	OVERALL PAVING PLAN
C-10	PROPOSED PAVING PLAN (1 OF 4)
C-11	PROPOSED PAVING PLAN (2 OF 4)
C-12	PROPOSED PAVING PLAN (3 OF 4)
C-13	PROPOSED PAVING PLAN (4 OF 4)
C-14	PROPOSED UTILITY PLAN
C-15	PROPOSED EROSION CONTROL PLAN
C-16	GRADING & DRAINAGE NOTES & DETAILS
C-17	PAVING NOTES & DETAILS (1 OF 2)
C-18	PAVING NOTES & DETAILS (2 OF 2)
C-19	EROSION CONTROL DETAILS

LJ ALLEMAN ADDITIONS & RENOVATIONS FOR


THE PARISH SCHOOL



col Medu


PROJECT NO.	LPS24210
DATE	2025-10-23
DRAWN BY	JACOB MEDUS
CHECKED BY	LANCE ROBICHAUX


COVER SHEET & GENERAL NOTE



LJ ALLEMAN ADDITIONS & RENOVATIONS FOR SCHOOL SYSTEM

600 Rosedown Blvd, Lafayette, LA 70503






C:\Users\Jacob\LCR & Company, LLC Dropbox\LCR & Company, LLC Team Folder\2. Projects\Engineering\25-016 LJ Alleman School DIA\2. CAD\Base Files\Design\25-016 C-BASE.dwg Jacob October 23, 2025 -

SHEET C-5

SHEET C-6


SHEET C-7

SHEET C-8



LEGEND:

- PROPOSED STORM PIPE
- PROPOSED CATCH BASIN/ INLET
- PROPOSED SWALE
- PROPOSED SLOPE ARROW
- PROPOSED SPOT ELEV.
- EXISTING SPOT ELEV.
- PHASE 2 CONSTRUCTION




STORM DRAINAGE NOTES:

- STORM DRAINAGE SYSTEMS SHALL BE CONSTRUCTED IN ACCORDANCE WITH CITY OF LAFAYETTE STANDARDS.
- ALL TRENCHES, INLETS, MANHOLES, CLEANOUTS, ETC., UNDER OR WITHIN FIVE FEET OF PAVEMENT, SHALL BE BACKFILLED WITH 610 CRUSHED LIMESTONE MATERIAL PLACED IN LOOSE LIFTS NOT EXCEEDING 8-INCHES IN DEPTH AND COMPAKTED TO 95% STANDARD PROCTOR DENSITY. CONTRACTOR SHALL BACKFILL SEWER TRENCHES TO THE BOTTOM OF PAVEMENT SUB-GRADE.
- ALL TRENCHES NOT UNDER, OR WITHIN FIVE FEET OF, PAVEMENT SHALL BE BACKFILLED WITH SUITABLE NATIVE MATERIAL PLACED IN LOOSE LIFTS NOT EXCEEDING 12-INCHES IN DEPTH AND COMPAKTED TO THE DENSITY OF NATURAL SURROUNDING SOIL, BUT NOT LESS THAN 95% STANDARD PROCTOR DENSITY.
- Maintain 6-INCH MINIMUM VERTICAL CLEARANCE AT PIPE CROSSINGS.
- ALL STORM DRAIN PIPING IN PUBLIC RIGHT-OF-WAYS SHALL BE RCP (CLASS III) OR HP STORM DRAIN PIPE UNLESS OTHERWISE NOTED.
- STORM SEWER BEDDING SHALL BE 610 CRUSHED LIMESTONE (6-INCHES THICK) IN ACCORDANCE WITH THE LATEST CITY OF LAFAYETTE STANDARDS AND SPECIFICATIONS. BACKFILL SHALL BE AS PER NOTES 2 AND 3 ABOVE.
- THE CONTRACTOR SHALL ESTABLISH POSITIVE DRAINAGE AT ALL TIMES AND MINIMIZE STANDING WATER DURING CONSTRUCTION.
- THE CONTRACTOR SHALL ENSURE THAT ALL SITE STORM WATER RUNOFF IS COLLECTED IN THE PROPOSED PERIMETER SWALES AND DOES NOT DISCHARGE ONTO ADJACENT PROPERTIES.
- DRIVeway CULVERTS SHALL BE INSTALLED IN ACCORDANCE WITH LDC ARTICLE 3, 89-42(e).
- ALL PROPOSED DRAIN INLETS LOCATED WITHIN PAVEMENT AREAS, OR WITHIN FIVE (5) FEET OF PAVEMENT, SHALL BE CB-01 CATCH BASINS IN ACCORDANCE WITH THE LATEST LADOTD STANDARD PLANS, UNLESS OTHERWISE NOTED ON THE PLANS. ALL OTHER PROPOSED DRAIN INLETS LOCATED IN GREEN OR NON-PAVED AREAS MAY BE NYLOPLAST DRAIN BASINS (OR APPROVED EQUAL).

SITE PREPARATION AND GRADING NOTES:

- PROPOSED ELEVATIONS SHOWN INDICATE FINAL GRADES (TOP OF PAVEMENT/LIMESTONE). ALL ELEVATIONS ARE REFERENCED TO NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88), U.S. SURVEY FEET (GEOD 12B).
- CONTRACTOR SHALL CUT AND FILL SITE USING SUITABLE ON-SITE EXCAVATED MATERIAL AND IMPORT STRUCTURAL FILL, AS REQUIRED TO OBTAIN FINISHED ELEVATIONS SHOWN ON PLANS.
- ALL DISTURBED AREAS SHOULD BE DRESSED TO THE TOP OF CURBS, PAVEMENTS, ETC. AND MADE TO DRAIN. SEEDING AND FERTILIZING, HYDROSEEDING, SODDING, ETC. SHALL BE INCLUDED FOR ALL DISTURBED AREAS WITHIN THE RIGHT OF WAY.
- CONTRACTOR SHALL REMOVE ALL EXISTING STORM DRAIN PIPE AND APPURTENANCES WITHIN THE FOOTPRINT OF THE PROPOSED BUILDING. CONTRACTOR SHALL BACKFILL ALL RESULTING TRENCHES AND DEPRESSIONS CREATED BY DEMOLITION USING IMPORTED STRUCTURAL FILL ($LL < 40$, $PI < 20$). THE SAME STRUCTURAL FILL SHALL BE USED TO CONSTRUCT THE BUILDING PAD, PLACED IN 8" COMPACTED LIFTS TO ACHIEVE FINISHED ELEVATIONS SHOWN ON THE PLANS. COMPACT BACKFILL AND BUILDING PAD MATERIAL TO 95% OF MAXIMUM DRY DENSITY PER ASTM D-698 AND IN ACCORDANCE WITH THE SOILS REPORT. THE MOISTURE CONTENT FOR COMPACTION OF SITE FILL SHALL BE AS DETERMINED BY THE GEOTECHNICAL ENGINEER.

NO.	DESCRIPTION	DATE



Jacob Medus
10/23/25

PROJECT NO. LPS24210

DATE 2025-10-23

DRAWN BY JACOB MEDUS

CHECKED BY LANCE ROBICHAUX

OVERALL
GRADING &
DRAINAGE
PLAN

C-4

EXISTING UTILITY NOTES:

- UTILITY LOCATIONS SHOWN ARE APPROXIMATE BASED ON VISIBLE ABOVE GROUND FEATURES AND LA ONE CALL MARKINGS.
- CONTRACTOR SHALL BE RESPONSIBLE FOR DETERMINING THE HORIZONTAL AND VERTICAL LOCATION OF ALL EXISTING UTILITIES PRIOR TO DEMOLITION OR CONSTRUCTION.
- CONTRACTOR SHALL BE RESPONSIBLE FOR ANY REPAIR TO EXISTING UTILITIES DUE TO DAMAGE INCURRED DURING CONSTRUCTION.
- CONTRACTOR SHALL IMMEDIATELY NOTIFY THE ENGINEER OF ANY DISCREPANCIES.

SURVEY NOTES:

- TOPOGRAPHIC SURVEY DATA WAS COLLECTED BY LCR & COMPANY LLC IN JUNE AND JULY OF 2025.
- HORIZONTAL DATUM AND DISTANCES ARE REFERENCED TO LOUISIANA STATE PLANE, NAD83, LOUISIANA SOUTH ZONE (1702), U.S. SURVEY FEET.
- ELEVATIONS ARE REFERENCED TO NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88), U.S. SURVEY FEET (GEOD 12B).

FLOOD NOTE:

THIS PROPERTY HAS BEEN DETERMINED TO BE LOCATED IN FLOOD "ZONE X - OTHER AREAS" (AREA DETERMINED TO BE OUTSIDE 500-YR FLOOD PLAIN) AS SHOWN ON THE FLOOD INSURANCE RATE MAP FOR LAFAYETTE PARISH, LOUISIANA, FIRM PANEL ID 22055C0160J, EFFECTIVE DATE DECEMBER 21, 2018.

LEGEND:

PROPOSED STORM PIPE	
PROPOSED CATCH BASIN/ INLET	
PROPOSED SWALE	
PROPOSED SLOPE ARROW	
PROPOSED SPOT ELEV.	
EXISTING SPOT ELEV.	
PHASE 2 CONSTRUCTION	


PROUET
■ ARCHITECTURE & ENGINEERING LLC

100 Central St. Suite 200,
Lafayette, La. 70501
(337)-237-6517
www.prouet.com

LJ ALLEMAN ADDITIONS & RENOVATIONS FOR SCHOOL SYSTEM

600 Rosedown Blvd, Lafayette, LA 70503

MATCHLINE SHEET C-5



LEGEND:


PROPOSED STORM PIPE	
PROPOSED CATCH BASIN/ INLET	
PROPOSED SWALE	
PROPOSED SLOPE ARROW	
PROPOSED SPOT ELEV.	
EXISTING SPOT ELEV.	
PHASE 2 CONSTRUCTION	
EXISTING 6" FIRE WATER LINE	
EXISTING FIRE DEPARTMENT CONNECTION LINE	

PROUET
■ ARCHITECTURE & ENGINEERING LLC
100 Central St, Suite 200,
Lafayette, La. 70501
(337) 237-6517
www.prouet.com

LJ ALLEMAN ADDITIONS &
RENOVATIONS FOR SCHOOL SYSTEM


600 Rosedown Blvd, Lafayette, LA 70503

MATCHLINE SHEET C-8



NO.	DESCRIPTION	DATE

PRE-SD



Jacob Medus
10/23/25

PROJECT NO. LPS24210

DATE 2025-10-23


DRAWN BY JACOB MEDUS

CHECKED BY LANCE ROBICHAUX

PROPOSED GRADING & DRAINAGE PLAN (3 OF 4)

C-7

MATCHLINE SHEET C-5



LEGEND:

PROPOSED STORM PIPE

PROPOSED CATCH BASIN/ INLET 

PROPOSED SWALE 

PROPOSED SLOPE ARROW 

PROPOSED SPOT ELEV. 

EXISTING SPOT ELEV. 


PHASE 2 CONSTRUCTION 

An architectural rendering of a modern school building. The building features a long, low profile with a large glass facade on the left side. A central entrance is marked by a set of double doors. The roofline is flat, and there are some green plants at the base of the building.

A circular seal for a professional engineer from the State of Louisiana. The outer ring contains the text "STATE OF LOUISIANA" at the top and "PROFESSIONAL ENGINEER" at the bottom, separated by diagonal lines. The center features a double-headed eagle with its wings spread, perched on a shield. Below the eagle, the name "JACOB EDWARD MEDUS" is printed, followed by "License No. 45108" and "IN".

Jacob Medus	
10/23/25	
PROJECT NO.	LPS24210
DATE	2025-10-23
DRAWN BY	JACOB MEDUS
CHECKED BY	LANCE ROBICHAUX

PROPOSED GRADING & DRAINAGE PLAN (4 OF 4)



A horizontal line representing a distance of 60 feet, divided into two segments by tick marks at 30 and 60.

C — 8

SHEET C-10

SHEET C-11

SHEET C-13

SHEET C-12

LEGEND:

PROPOSED BUILDING	
PROPOSED COVERED CONCRETE SIDEWALK	
PROPOSED BUILDING ROOF/ CANOPY	
PROPOSED CONCRETE SIDEWALK	
PROPOSED CONCRETE DRIVE	
PROPOSED SD ASPHALT PAVEMENT	
PROPOSED HD ASPHALT PAVEMENT	
PROPOSED FOOTBALL FIELD	
PROPOSED TEMPORARY GRAVEL PARKING	
EXISTING COVERED SIDEWALK	
EXISTING PAVING	
PHASE 2 CONSTRUCTION	
EXISTING SERVITUDE	
PROPERTY LINE	

PROUET
■ ARCHITECTURE & ENGINEERING LLC

100 Central St. Suite 200,
Lafayette, La. 70501
(337)-237-6517
www.prouet.com


LJ ALLEMAN ADDITIONS & RENOVATIONS FOR SCHOOL SYSTEM

600 Rosedown Blvd, Lafayette, LA 70503

NOTES:

1. STRIP ALL TOPSOIL AND VEGETATION TO A DEPTH OF 6"-12" PRIOR TO PLACEMENT OF ANY FILL. THE EXPOSED SUB-GRADE SHALL BE PROOF-ROLLED UNDER THE SUPERVISION OF THE GEOTECHNICAL ENGINEER, AND SOFT AREAS SHALL BE EXCAVATED AND BACKFILLED WITH SUITABLE STRUCTURAL FILL MATERIAL.
2. EXISTING PAVEMENTS, CURBS, SIDEWALKS, AND DRIVEWAYS WITHIN PUBLIC RIGHTS-OF-WAY WHICH HAVE BEEN DAMAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPLACED TO THE STANDARDS OF THE APPROPRIATE REGULATORY AGENCY.
3. CONTRACTOR SHALL GIVE NOTICE TO ALL AUTHORIZED INSPECTORS, SUPERINTENDENTS, AND PERSONS IN CHARGE OF PUBLIC AND PRIVATE UTILITIES AFFECTED BY HIS OPERATIONS PRIOR TO STARTING WORK.
4. ACCESS TO ALL EXISTING STREETS AND DRIVEWAYS SHALL BE MAINTAINED AT ALL TIMES.
5. GUIDELINES SET FORTH IN THE LOUISIANA "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES", AS CURRENTLY AMENDED, SHALL BE OBSERVED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ADEQUATE FLAG MEN, SIGNING, STRIPING AND WARNING DEVICES, ETC., DURING CONSTRUCTION - BOTH DAY AND NIGHT. IF EXISTING TRAFFIC SIGNALS OR ANY OTHER TRAFFIC DEVICES ARE AFFECTED BY CONSTRUCTION, CONTRACTOR IS TO PROVIDE ALTERNATE TRAFFIC CONTROL DEVICES IMMEDIATELY SO THAT TRAFFIC IS NOT INTERRUPTED.
6. CONTRACTOR SHALL NOT BE RESPONSIBLE FOR DESIGN CHANGES OR MODIFICATIONS EXCEPT AS SET FORTH BY CONSULTANT IN WRITING.
7. CONTRACTOR SHALL FOLLOW THE PLANS AND SPECIFICATIONS EXCEPT AS DIRECTED IN WRITING BY THE ENGINEER OR AS REQUIRED BY CODE OR MANUFACTURER'S INSTRUCTIONS WITH THE ENGINEER'S APPROVAL.
8. ALL UTILITIES PRESENTED ON THESE DRAWINGS ARE SHOWN BASED ON THE BEST AVAILABLE INFORMATION. CONTRACTOR SHALL VERIFY IN THE FIELD THE EXACT LOCATIONS PRIOR TO COMMENCING CONSTRUCTION. CONTRACTOR SHALL NOTIFY LA ONE CALL AT 811 AT LEAST 48 HOURS BEFORE PROCEEDING WITH ANY EXCAVATION.
9. ALL DISTURBED AREAS SHOULD BE DRESSED TO THE TOP OF CURBS, PAVEMENTS, ETC. AND MADE TO DRAIN, SEEDING AND FERTILIZING, HYDROSEEDING, SODDING, ETC. SHALL BE INCLUDED FOR ALL DISTURBED AREAS WITHIN THE RIGHT OF WAY.
10. UNLESS OTHERWISE NOTED, ALL DEPICTED PARKING SPACES ARE 18.5 FEET DEEP BY 9 FEET WIDE.
11. CURB CUTS SHALL BE INSTALLED ALONG ALL DEPICTED BARRIER CURBS AT ALL LOW POINTS AND AT A MAXIMUM SPACING INTERVAL OF 15 FEET.

NO.	DESCRIPTION	DATE




Jacob Medus
10/23/25


PROJECT NO. LPS24210
DATE 2025-10-23
DRAWN BY JACOB MEDUS
CHECKED BY LANCE ROBICHAX

OVERALL PAVING PLAN

C-9





0 50 100 FEET





MATCHLINE SHEET C-13



LEGEND:

PROPOSED BUILDING	
PROPOSED COVERED CONCRETE SIDEWALK	
PROPOSED BUILDING ROOF/ CANOPY	
PROPOSED CONCRETE SIDEWALK	
PROPOSED CONCRETE DRIVE	
PROPOSED SD ASPHALT PAVEMENT	
PROPOSED HD ASPHALT PAVEMENT	
PROPOSED FOOTBALL FIELD	
PROPOSED TEMPORARY GRAVEL PARKING	
EXPANSION JOINT	
CONTROL JOINT	
EXISTING COVERED SIDEWALK	
EXISTING PAVING	
PHASE 2 CONSTRUCTION	
EXISTING SERVITUDE PROPERTY LINE	

PAVING NOTES:

1. DEPICTED JOINT LAYOUT IS BASED ON TYPICAL REQUIREMENTS AND IS PROVIDED FOR INFORMATIONAL PURPOSES AS GENERAL GUIDANCE DURING CONSTRUCTION. CONTRACTOR MAY PROPOSE ALTERNATE JOINT LAYOUT FOR APPROVAL BY ENGINEER.

W
I
N
E
S
U
P
T
H
A
T
C
H
A
T
H



Jacob Nedra
10/23/25


PROJECT NO. LPS24210

DATE 2025-10-23

DRAWN BY JACOB MEDUS

CHECKED BY LANCE ROBICHAUX

PROPOSED PAVING PLAN (1 OF 4)



30 60
FEET

C-10

LEGEND:

PROPOSED BUILDING	
PROPOSED COVERED CONCRETE SIDEWALK	
PROPOSED BUILDING ROOF/ CANOPY	
PROPOSED CONCRETE SIDEWALK	
PROPOSED CONCRETE DRIVE	
PROPOSED SD ASPHALT PAVEMENT	
PROPOSED HD ASPHALT PAVEMENT	
PROPOSED FOOTBALL FIELD	
PROPOSED TEMPORARY GRAVEL PARKING	
EXPANSION JOINT (E.J.)	
CONTROL JOINT	
EXISTING COVERED SIDEWALK	
EXISTING PAVING	
PHASE 2 CONSTRUCTION	
EXISTING SERVITUDE PROPERTY LINE	

The logo for Prouet Architecture & Engineering LLC. It features a large, bold, black 'P' and 'E' where the top horizontal bar of each letter contains a small red square. Below the letters, the words 'ARCHITECTURE & ENGINEERING' are written in a smaller, black, sans-serif font, followed by 'LLC' in a smaller, black, all-caps font.


LU ALLMAN ADDITIONS & RENOVATIONS FOR AFA YETTE PARISH SCHOOL SYSTEM

600 Roselawn Blvd, Lafayette, LA 70503



PAVING NOTES:

1. DEPICTED JOINT LAYOUT IS BASED ON TYPICAL REQUIREMENTS AND IS PROVIDED FOR INFORMATIONAL PURPOSES AS GENERAL GUIDANCE DURING CONSTRUCTION. CONTRACTOR MAY PROPOSE ALTERNATE JOINT LAYOUT FOR APPROVAL BY ENGINEER.

O
1
—
C
T
U
U
I
S
U
Z
—
U
H
C
A T C
A T C



MATCHLINE SHEET C-12



Jacob Medus
10/23/25

ECT NO. **LPS24210**

2025-10-23

N BY JACOB MEDUS

ED BY LANCE ROBICHAUX

PROPOSED SAVING PLAN (2 OF 4)

A diagram showing a right-angled triangle representing a slope. The vertical leg is labeled "30" and the horizontal leg is labeled "60". The hypotenuse, representing the total slope length, is shaded black and has a length of approximately 34.64 feet.

C-11

MATCHLINE SHEET C-11

LEGEND:

PROPOSED BUILDING	
PROPOSED COVERED CONCRETE SIDEWALK	
PROPOSED BUILDING ROOF/ CANOPY	
PROPOSED CONCRETE SIDEWALK	
PROPOSED CONCRETE DRIVE	
PROPOSED SD ASPHALT PAVEMENT	
PROPOSED HD ASPHALT PAVEMENT	
PROPOSED FOOTBALL FIELD	
PROPOSED TEMPORARY GRAVEL PARKING	
EXISTING COVERED SIDEWALK	
EXISTING PAVING	
PHASE 2 CONSTRUCTION	
EXISTING SERVITUDE PROPERTY LINE
EXISTING 6" FIRE WATER LINE	-----FW6-----
EXISTING FIRE DEPARTMENT CONNECTION LINE	-----FDC-----



The logo for PROUET Architecture & Engineering LLC. It features the word "PROUET" in a large, bold, black sans-serif font. Each letter "P", "R", "O", "U", "E", and "T" has a small red square dot positioned at its top right corner. Below "PROUET", the words "ARCHITECTURE & ENGINEERING" are written in a smaller, black, all-caps sans-serif font. A thin horizontal line extends from the end of "ENGINEERING" to the right. To the far right of this line is a small red square, which is also a dot for the letter "T".

Central St. Suite 200,
ayette, La. 70501
(7)-237-6517
www.prouet.com

LEMAN ADDITIONS & RENOVATIONS FOR THE PARISH SCHOOL SYSTEM

600 Roselawn Blvd, Lafayette, LA 70503

3
1
—
0
T
U
I
S
E
Z
L
H
C
A
T
W




30 60

PROPOSED PAVING PLAN (3 OF 4)

C-12

C-12

MATCHLINE SHEET C-10



LEGEND:

PROPOSED BUILDING	
PROPOSED COVERED CONCRETE SIDEWALK	
PROPOSED BUILDING ROOF/ CANOPY	
PROPOSED CONCRETE SIDEWALK	
PROPOSED CONCRETE DRIVE	
PROPOSED SD ASPHALT PAVEMENT	
PROPOSED HD ASPHALT PAVEMENT	
PROPOSED FOOTBALL FIELD	
PROPOSED TEMPORARY GRAVEL PARKING	
EXISTING COVERED SIDEWALK	
EXISTING PAVING	
PHASE 2 CONSTRUCTION	
EXISTING SERVITUDE PROPERTY LINE	


PROUET

ARCHITECTURE & ENGINEERING LLC

0 Central St. Suite 200,
ayette, La. 70501
(318) 237-6517
www.prouet.com

LJ ALLEMAN ADDITIONS & RENOVATIONS FOR AEAYETTE PARBISH SCHOOL SYSTEM

600 Roselawn Blvd, Lafayette, LA 70503



Jacob Medus
10/23/25

PROJECT NO. LPS24210

ITE 2025-10-23

AWN BY JACOB MEDUS

RECHECKED BY LANCE ROBICHAUX

PROPOSED PAVING PLAN (4 OF 4)

C-13

**LJ ALLEMAN ADDITIONS &
RENOVATIONS FOR SCHOOL SYSTEM**

600 Rosedown Blvd, Lafayette, LA 70503

NO.	DESCRIPTION	DATE

PRE-SD
PRELIMINARY
(NOT FOR CONSTRUCTION)


PROJECT NO. LPS24210
DATE 2025-10-23
DRAWN BY JACOB MEDUS
CHECKED BY LANCE ROBICHAX


PROPOSED
UTILITY
PLAN

C-14

LEGEND:

PROPOSED 8" SEWER LINE	S8
PROPOSED 6" FIRE WATER LINE	FW6
PROPOSED 4" FIRE DEPARTMENT CONNECTION LINE	FDC
PROPOSED 3" DOMESTIC WATER LINE	W3
PROPOSED 4" DOMESTIC WATER LINE	W4
PROPOSED GAS SERVICE LINE	GAS
PROPOSED UNDERGROUND ELECTRIC LINE	UE
PROPOSED SANITARY SEWER MANHOLE	SMH
PROPOSED WATER VALVE	WP
EXISTING SERVITUDE PROPERTY LINE	-----
UTILITY CUT—CONCRETE ROAD REMOVAL/REPLACEMENT	██████████





OUTURE & ENGINEERING LLC

**Central St. Suite 200,
Shreveport, La. 70501
(318) 237-6517
prouet.com**

LAFAYETTE PARISH SCHOOL SYSTEM FOR RENOVATIONS & ADDITIONS

600 Roselawn Blvd, Lafayette, LA 70503

A circular professional engineer license seal. The outer ring contains the text "STATE OF LOUISIANA" at the top and "CIVIL ENGINEERING" at the bottom, separated by a horizontal line. The inner circle features a central emblem of a pelican feeding its young, surrounded by a decorative border.

Jacob Medus
10/23/25

JECT NO. LPS24210

2025-10-23

N BY JACOB MEDUS

ED BY LANCE ROBICHAUX


PROPOSED

ROF USED EROSION CONTROL PLAN

C-15


LJ ALLEMAN ADDITIONS &
RENOVATIONS
FOR SCHOOL SYSTEM

600 Rosedown Blvd, Lafayette, LA 70503




LJ ALLEMAN ADDITIONS &
RENOVATIONS FOR SCHOOL SYSTEM
LAFAYETTE PARISH, LA 70503

600 Rosedown Blvd, Lafayette, LA 70503



LJ ALLEMAN ADDITIONS &
RENOVATIONS
FOR SCHOOL SYSTEM
LAFAYETTE PARISH

600 Rosedown Blvd, Lafayette, LA 70503




LJ ALLEMAN ADDITIONS &
RENOVATIONS
FOR SCHOOL SYSTEM
LAFAYETTE PARISH
600 Rosedown Blvd, Lafayette, LA 70503

600 Rosedown Blvd, Lafayette, LA 70503

NO.	DESCRIPTION	DATE


PRE-SD



PROJECT NO.	LPS24210
DATE	2025-10-23
DRAWN BY	JACOB MEDUS
CHECKED BY	LANCE ROBICHAUX

EROSION
CONTROL
DETAILS

C-19



EROSION CONTROL NOTES

- PRIOR TO ANY OTHER CONSTRUCTION, A STABILIZED CONSTRUCTION EXIT SHALL BE CONSTRUCTED AT EACH POINT OF ENTRY TO OR EXIT FROM THE SITE.
- IMMEDIATELY AFTER THE ESTABLISHMENT OF CONSTRUCTION ENTRANCES, ALL PERIMETER EROSION CONTROL DEVICES AND STORM WATER MANAGEMENT DEVICES SUCH AS PONDS, HAY BALES, ETC. SHALL BE INSTALLED PRIOR TO ANY OTHER CONSTRUCTION AND MAINTAINED UNTIL PERMANENT GROUND COVER IS ESTABLISHED.
- ADDITIONAL EROSION CONTROL DEVICES SHALL BE INSTALLED IMMEDIATELY AFTER GROUND DISTURBANCE OCCURS. THE LOCATION OF SOME OF THE EROSION CONTROL DEVICES MAY HAVE TO BE ALTERED FROM THOSE SHOWN ON THE DRAWINGS IF DRAINAGE PATTERNS DURING CONSTRUCTION ARE DIFFERENT FROM THE FINAL PROPOSED DRAINAGE PATTERNS. IT IS THE CONTRACTOR'S RESPONSIBILITY TO ACCOMPLISH EROSION CONTROL FOR ALL DRAINAGE PATTERNS CREATED AT VARIOUS STAGES DURING CONSTRUCTION. ANY DIFFICULTY IN CONTROLLING EROSION DURING ANY PHASE OF CONSTRUCTION SHALL BE REPORTED TO THE ENGINEER IMMEDIATELY.
- THE LOCATIONS OF EROSION CONTROL DEVICES SHALL BE ADJUSTED AS CONSTRUCTION PROGRESSES TO MAINTAIN A FUNCTIONING EROSION CONTROL SYSTEM.
- ANY FAILURE OF ANY EROSION CONTROL DEVICE TO FUNCTION AS INTENDED FOR ANY REASON SHALL BE REPORTED TO THE ENGINEER IMMEDIATELY.
- EROSION CONTROL DEVICES SHALL BE INSPECTED AT LEAST WEEKLY AFTER EACH RAIN AND REPAIRED BY GENERAL CONTRACTOR.
- EROSION CONTROL DEVICES SHALL BE CLEANED WHEN SILT EXCEEDS 12" IN DEPTH.
- EROSION CONTROL DEVICES SHALL BE REPAIRED AS NECESSARY TO MAINTAIN A FUNCTIONING EROSION CONTROL SYSTEM.
- EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT COVER IS ESTABLISHED AND THEN REMOVED SO THAT DRAINAGE OF WHEN DIRECTED BY THE OWNERS, ARCHITECT AND CIVIL ENGINEER.
- STORM WATER DETENTION PONDS SHALL BE CLEANED AS SPECIFIED IN 7 ABOVE AND AFTER PERMANENT GROUND COVER HAS BEEN ESTABLISHED.
- ANY DISTURBED AREA LEFT EXPOSED FOR A PERIOD GREATER THAN 21 DAYS SHALL BE STABILIZED WITH TEMPORARY SEEDING.
- ALL DISTURBED AREAS WITH SLOPES 2:1 OR FLATTER WHICH ARE NOT STABILIZED BY OTHER MEASURES SHALL BE SEDED.
- ADDITIONAL EROSION CONTROL MEASURES WILL BE INSTALLED IF DEEMED NECESSARY BY ON-SITE INSPECTION.
- CONTRACTOR SHALL REMOVE ALL DIRT AND TRASH FOR NEW AND EXISTING PIPES WHICH MAY BE DISPOSED DURING CONSTRUCTION.