👩‍🏫 Staff Guide · Health · Unit 5B Sexual Health 2: STIs, Contraception & Safer Sex (Level 3)

Level 3 = students who can work close to the gen ed lesson. No slide decks: students follow Mr. Finstuen's lesson with Level 3 readings and guided notes (both have a 🔊 read-aloud copy online).

1. How the pieces line up

Gen ed lesson	Level 3 piece
Abstinence; Contraception (perfect vs. typical use)	Reading paragraphs 1-2; notes part A
Condoms	Reading paragraph 3 (no demo)
STIs; HIV; HPV vaccine	Reading paragraph 4; notes part B
Testing & Confidential Care; Making a Plan	Reading paragraph 5; notes part C; quick check

2. Supports built in

- Check the family opt-out list first (Healthy Youth Act)
- Reading + notes have a 🔊 read-aloud copy online
- Scenarios use made-up teens only

3. What to grade

- Quick check stands in for the STI/contraception quiz
- Opted-out students: alternate assignment from Mr. Finstuen
- Modified grading only as the IEP allows. Check with the case manager.

4. Who to ask

- Mr. Driver (SLE): changes and IEP questions.
- Facts we could not confirm say “check with Mr. Finstuen”.

🚧 Under construction (check with Mr. Finstuen)

- **Contraception research chart**: Turned in through an outside tool; the chart template is not in the export.
- **STI fact-sheet project**: Student project slides are not in the export.
- **Guest speaker (health clinic) notes**: Speaker name and questions are not in the export.

💗 Sensitive topic note

FAMILY OPT-OUT: Under Washington's Healthy Youth Act, families may opt their student out of sexual health lessons. Check Mr. Finstuen's opt-out list, and give opted-out students the alternate assignment. The Healthy Youth Act requires teaching abstinence together with medically accurate information on other methods (abstinence may not be taught alone). Use factual, non-judgmental words. No demonstrations on models; the condom steps are a numbered list only. Students never share personal experiences. If a student discloses abuse, you are a mandated reporter: tell Mr. Driver and the school counselor the same day.

5. Photo credits (open licenses)

Condoms Package.png — Khantarak, CC BY-SA 4.0, Wikimedia Commons

🩺 Sexual Health 2: STIs, Contraception & Safer Sex: Guided Notes

Health · Unit 5B · Level 3 (closer to the class work) · goes with Sexual Health part 2 (Abstinence, Contraception, Condoms, STIs, HIV/HPV, Testing, Making a Plan)

Name: _____

Use the class slides and your reading. Key words:

abstinence *contraception* *perfect use* *typical use* *IUD* *implant* *condom* *STI* *bacterial* *viral* *curable* *treatable* *HIV* *HPV vaccine* *confidential care*

A. Abstinence and contraception

1. Fill in the table.

Method	Typical-use effectiveness	Protects against STIs?
Abstinence		
Implant / IUD		
Pill		
External condom		

2. Explain the difference between perfect use and typical use.

_____

_____

B. STIs

3. Fill in the table.

STI	Cause (bacteria, virus, parasite)	Curable or treatable?
Chlamydia		
Gonorrhea		
Syphilis		
Trichomoniasis		
HIV		
HPV		
Herpes		

4. STIs are passed through body _____ or skin-to-skin contact, and many have no _____.

C. Testing and making a plan

5. Taylor (a made-up 16-year-old) is worried about an STI but doesn't want to tell a parent yet. What does WA law allow, and where can Taylor go?

6. List three parts of a good sexual-health plan.

🩺 Sexual Health 2: STIs, Contraception & Safer Sex: Reading

Health · Unit 5B · Level 3 (closer to the class work) · goes with Sexual Health part 2 (Abstinence, Contraception, Condoms, STIs, HIV/HPV, Testing, Making a Plan)

Name: _____

Protecting Your Sexual Health

Abstinence means choosing not to have sex. It is the only method that is 100% effective at preventing both pregnancy and sexually transmitted infections (STIs), and anyone can choose it at any time, even if they have had sex before. Washington's Healthy Youth Act says students should learn about abstinence along with medically accurate information about other methods.

Contraception means methods that prevent pregnancy. Scientists describe effectiveness two ways: perfect use (used correctly every time) and typical use (real life, including mistakes). Long-acting methods such as the implant and the IUD are more than 99% effective and last for years. The pill, shot, patch and ring are about 91 to 96% effective with typical use because they must be used on schedule. External condoms are about 87% effective with typical use. Only condoms, and abstinence, also lower the risk of STIs.

Using a condom correctly means checking the expiration date, opening the package carefully without teeth or scissors, using a new condom every time from start to finish, and throwing it in the trash afterward. Condoms are available at pharmacies and many health clinics.

STIs are infections passed through body fluids (blood, semen, pre-ejaculate, vaginal fluids) or skin-to-skin sexual contact. Bacterial STIs, chlamydia, gonorrhea and syphilis, and trichomoniasis, caused by a parasite, are curable with medicine. Viral STIs, HIV, HPV, herpes and hepatitis B, are not curable but are treatable. People with HIV who take medicine can live long, healthy lives. Vaccines prevent HPV, which can cause several cancers, and hepatitis B. Young people ages 15 to 24 get about half of all new STIs in the U.S.

Many STIs have no symptoms, so testing is the only way to know. In Washington, teens 14 and older can get STI testing and treatment without a parent's permission, and that care is confidential. Testing sites can be found at gettested.cdc.gov. Making a plan ahead of time, knowing your limits, talking with partners and trusted adults, and remembering that you can always say no, helps people make choices that match their values.

Check your reading

1. Why is typical-use effectiveness lower than perfect-use effectiveness?

2. Which two choices protect against both pregnancy and STIs?

3. Why is testing important even if a person feels fine?

🩺 Sexual Health 2: STIs, Contraception & Safer Sex: Quick Check

Health · Unit 5B · Level 3 (closer to the class work) · goes with Sexual Health part 2 (Abstinence, Contraception, Condoms, STIs, HIV/HPV, Testing, Making a Plan)

Name: _____

Multiple choice and short answer. You may have it read aloud.

1. Which is the only method that is 100% effective?

A. Condoms | B. IUD | C. Abstinence

2. Which method protects against both pregnancy and STIs?

A. Condoms | B. The pill | C. The implant

3. Which STI is curable?

A. HIV | B. HPV | C. Chlamydia

4. In Washington, teens can get confidential STI care starting at age…

A. 14 | B. 16 | C. 18

5. Explain why curable and non-curable STIs are different.

6. Name one vaccine that prevents an STI and what it protects against.

🩺 Sexual Health 2: STIs, Contraception & Safer Sex: Guided Notes · ANSWER KEY

Health · Unit 5B · Level 3 (closer to the class work) · goes with Sexual Health part 2 (Abstinence, Contraception, Condoms, STIs, HIV/HPV, Testing, Making a Plan)

Name: _____

Use the class slides and your reading. Key words:

abstinence | *contraception* | *perfect use* | *typical use* | *IUD* | *implant* | *condom* | *STI* | *bacterial* | *viral* | *curable* | *treatable* | *HIV* | *HPV vaccine* | *confidential care*

A. Abstinence and contraception

1. Fill in the table.

Method	Typical-use effectiveness	Protects against STIs?
Abstinence	**100%**	**yes**
Implant / IUD	**over 99%**	**no**
Pill	**about 93%**	**no**
External condom	**about 87%**	**yes (lowers risk)**

2. Explain the difference between perfect use and typical use.
Perfect use = used correctly every time; typical use = real life with mistakes, so it is lower.

B. STIs

3. Fill in the table.

STI	Cause (bacteria, virus, parasite)	Curable or treatable?
Chlamydia	**bacteria**	**curable**
Gonorrhea	**bacteria**	**curable**
Syphilis	**bacteria**	**curable**
Trichomoniasis	**parasite**	**curable**
HIV	**virus**	**treatable**
HPV	**virus**	**treatable (vaccine prevents)**
Herpes	**virus**	**treatable**

4. STIs are passed through body **fluids** or skin-to-skin contact, and many have no **symptoms**.

C. Testing and making a plan

5. Taylor (a made-up 16-year-old) is worried about an STI but doesn't want to tell a parent yet. What does WA law allow, and where can Taylor go?

Teens 14+ can get confidential STI testing and treatment; clinics, doctor, health department, gettested.cdc.gov.

6. List three parts of a good sexual-health plan.

Know your limits; talk with partner/trusted adult; abstinence or protection; get tested; remember you can say no.

🔑 *Key written by our team from Mr. Finstuen's worksheets and slides, please check.*

🩺 Sexual Health 2: STIs, Contraception & Safer Sex: Quick Check · ANSWER KEY

Health · Unit 5B · Level 3 (closer to the class work) · goes with Sexual Health part 2 (Abstinence, Contraception, Condoms, STIs, HIV/HPV, Testing, Making a Plan)

Name: _____

Multiple choice and short answer. You may have it read aloud.

1. Which is the only method that is 100% effective?

A. Condoms | B. IUD | **C. Abstinence**

2. Which method protects against both pregnancy and STIs?

A. Condoms | B. The pill | C. The implant

3. Which STI is curable?

A. HIV | B. HPV | **C. Chlamydia**

4. In Washington, teens can get confidential STI care starting at age…

A. 14 | B. 16 | C. 18

5. Explain why curable and non-curable STIs are different.

Bacterial/parasite STIs can be killed by medicine; viral STIs stay in the body but medicine can treat symptoms.

6. Name one vaccine that prevents an STI and what it protects against.

HPV vaccine — prevents HPV and HPV-related cancers (or hepatitis B vaccine).

🔑 *Written by our team from Mr. Finstuen's lessons and quizzes, please check.*