👩‍🏫 Staff Guide · Health · Unit 6 Safety, First Aid & CPR (Level 3)

Level 3 = students who can work close to the gen ed lesson. No slide decks: students follow Mr. Finstuen's lesson with Level 3 readings and guided notes (both have a 🔊 read-aloud copy online).

1. How the pieces line up

Gen ed lesson	Level 3 piece
Injury Prevention; Emergency Scenarios; When to Call 911	Reading paragraphs 1-2; notes part A
First Aid Basics; Heart Attack vs. Cardiac Arrest	Reading paragraphs 2-3; notes part B
Hands-Only CPR & AED	Reading paragraph 4; notes part C (CPR math); manikin practice
Choking; Summer Safety Project	Reading paragraph 5; notes part C; quick check; summer poster

2. Supports built in

- Reading + notes have a 🔊 read-aloud copy online
- Manikin only for CPR
- Any student may step out of a scenario

3. What to grade

- Quick check stands in for the CPR/first aid quiz
- Summer safety poster: 3 tips + sources = full credit
- Modified grading only as the IEP allows. Check with the case manager.

4. Who to ask

- Mr. Driver (SLE): changes and IEP questions.
- Facts we could not confirm say “check with Mr. Finstuen”.

🚧 Under construction (check with Mr. Finstuen)

- **8 emergency scenario cards**: His scenario titles are in the export but not the full cards; we use 3 written scenarios at Level 3.
- **CPR training video + certification steps**: Video and any certificate process are not in the export.
- **Summer Safety Project rubric**: Turned in through an outside tool; the rubric is not in the export.

💗 Sensitive topic note

Some students may have been in an emergency or lost someone. Let any student step out of a scenario. CPR practice is on a manikin only, with staff; never on a person. Students do not need to share past emergencies.

5. Photo credits (open licenses)

Defibrillator-809447 1920.jpg — Tanja-Denise Schantz, CC0, Wikimedia Commons · Erste Hilfe 003 2026 02 17.jpg — Friedrich Haag, CC BY-SA 4.0, Wikimedia Commons · Bicycle white helmet from bikemate.jpg — Afifa Afrin, CC BY-SA 4.0, Wikimedia Commons · Seat Belt in Car (55562970776).jpg — Tony Webster, CC BY 4.0, Wikimedia Commons

🚑 Safety, First Aid & CPR: Guided Notes

Health · Unit 6 · Level 3 (closer to the class work) · goes with the Safety, First Aid & CPR module (Injury Prevention, 911, First Aid, Hands-Only CPR & AED, Choking, Summer Safety)

Name: _____

Use the class slides and your reading. Key words:

injury prevention | *distracted driving* | *911 dispatcher* | *Check, Call, Care* | *first aid* | *heart attack* | *cardiac arrest* | *hands-only CPR* | *compression* | *AED* | *choking* | *abdominal thrusts*

A. Prevention and calling 911

1. Fill in the table.

Situation	Prevention step
Riding in a car	
Riding a bike	
Swimming	
Hot summer day	

2. Scenario: At the park, you find a man lying on the ground who won't respond. Write what you would say to the 911 dispatcher.

_____

_____

_____

B. First aid and the heart

3. Fill in the table.

	Heart attack	Cardiac arrest
What happens		
Is the person awake?		
What you do		

4. First aid steps are Check, Call, _____. Cool a burn for at least _____ minutes.

C. CPR, AED and choking

5. **CPR rate math**

> Hands-only CPR is 100-120 compressions per minute
> Example: 30 seconds × 2 = 1 minute

a) At 110 per minute, how many compressions in 2 minutes? _____

b) Help takes 8 minutes to arrive. At 100 per minute, how many compressions?

_____

c) You counted 45 pushes in 30 seconds. Is that fast enough? _____

6. Scenario: Your friend at lunch grabs their throat and can't speak. List what you do.

_____

_____

_____

🚑 Safety, First Aid & CPR: Reading

Health · Unit 6 · Level 3 (closer to the class work) · goes with the Safety, First Aid & CPR module (Injury Prevention, 911, First Aid, Hands-Only CPR & AED, Choking, Summer Safety)

Name: _____

Preventing Injuries and Responding to Emergencies

Most injuries can be prevented. Motor vehicle crashes are a leading cause of death for teens, so wear a seat belt on every ride and never drive distracted or impaired. Helmets protect the brain on bikes, skateboards and scooters. Swim with a buddy, wear a life jacket on boats, and protect yourself from heat and sun with water, shade and sunscreen.

Call 911 when there is a threat to life or safety: someone is not breathing or unconscious, has severe bleeding or chest pain, there is a fire, or a crime is happening. Tell the dispatcher where you are, what happened and how many people are hurt, and stay on the line until they tell you to hang up. For any first aid, follow Check, Call, Care: check that the scene is safe, call for help, then give care. Press firmly on bleeding with a clean cloth, and cool a burn under running water for at least 10 minutes.

A heart attack and cardiac arrest are different. In a heart attack, blood flow to part of the heart is blocked; the person is usually awake, with chest pain or pressure, shortness of breath or pain in the arm, jaw or back. In cardiac arrest, the heart suddenly stops pumping; the person collapses and is not breathing normally. Both are emergencies, but cardiac arrest needs CPR and an AED right away.

Hands-only CPR has two steps: call 911, then push hard and fast in the center of the chest. Push at least 2 inches deep at 100 to 120 compressions per minute, about the beat of the song “Stayin' Alive,” and let the chest come back up between pushes. An AED (automated external defibrillator) can shock the heart back into a normal rhythm. Turn it on and follow its voice prompts; anyone can use one.

Choking happens when something blocks the airway. The universal sign is hands clutched at the throat. If the person can cough forcefully, encourage them to keep coughing. If they cannot breathe, cough or speak, give abdominal thrusts (the Heimlich maneuver): stand behind them, make a fist just above the belly button and give quick inward and upward thrusts. Call 911 if the object does not come out or the person becomes unresponsive.

Check your reading

1. Give three things you should tell a 911 dispatcher.

2. How can you tell a heart attack from cardiac arrest?

3. What are the depth and rate for hands-only CPR?

🚑 Safety, First Aid & CPR: Quick Check

Health · Unit 6 · Level 3 (closer to the class work) · goes with the Safety, First Aid & CPR module (Injury Prevention, 911, First Aid, Hands-Only CPR & AED, Choking, Summer Safety)

Name: _____

Multiple choice and short answer. You may have it read aloud.

1. Which is the leading cause of teen injury deaths prevented by seat belts?

A. Sunburn | B. Paper cuts | C. Motor vehicle crashes

2. The correct first aid order is…

A. Check, Call, Care | B. Care, Call, Check | C. Call, Check, Care

3. A person collapses and isn't breathing normally. This is…

A. A heart attack | B. Choking | C. Cardiac arrest

4. Hands-only CPR rate is…

A. 100-120 per minute | B. 30-40 per minute | C. 200-250 per minute

5. Explain why anyone can use an AED.

6. When should you NOT give abdominal thrusts to a choking person?

🚑 Safety, First Aid & CPR: Guided Notes · ANSWER KEY

Health · Unit 6 · Level 3 (closer to the class work) · goes with the Safety, First Aid & CPR module (Injury Prevention, 911, First Aid, Hands-Only CPR & AED, Choking, Summer Safety)

Name: _____

Use the class slides and your reading. Key words:

injury prevention | *distracted driving* | *911 dispatcher* | *Check, Call, Care* | *first aid* | *heart attack* | *cardiac arrest* | *hands-only CPR* | *compression* | *AED* | *choking* | *abdominal thrusts*

A. Prevention and calling 911

1. Fill in the table.

Situation	Prevention step
Riding in a car	**seat belt, no distractions**
Riding a bike	**helmet**
Swimming	**buddy, life jacket**
Hot summer day	**water, shade, sunscreen**

2. Scenario: At the park, you find a man lying on the ground who won't respond. Write what you would say to the 911 dispatcher.

Location, what happened (man unresponsive, not breathing normally), how many people, stay on the line.

B. First aid and the heart

3. Fill in the table.

	Heart attack	Cardiac arrest
What happens	**blood flow blocked**	**heart stops pumping**
Is the person awake?	**usually yes**	**no, not breathing normally**
What you do	**call 911, keep them calm**	**call 911, CPR, AED**

4. First aid steps are Check, Call, **Care**. Cool a burn for at least **10** minutes.

C. CPR, AED and choking

5. **CPR rate math**

> Hands-only CPR is 100-120 compressions per minute
> Example: 30 seconds × 2 = 1 minute

a) At 110 per minute, how many compressions in 2 minutes? **220**

b) Help takes 8 minutes to arrive. At 100 per minute, how many compressions? **800**

c) You counted 45 pushes in 30 seconds. Is that fast enough? **No: 90/min, too slow; speed up**

6. Scenario: Your friend at lunch grabs their throat and can't speak. List what you do.
Ask if they're choking; if they can't cough/speak, give abdominal thrusts; have someone call 911; continue until object out or help arrives.

🔑 *Key written by our team from Mr. Finstuen's worksheets and slides, please check.*

🚑 Safety, First Aid & CPR: Quick Check · ANSWER KEY

Health · Unit 6 · Level 3 (closer to the class work) · goes with the Safety, First Aid & CPR module (Injury Prevention, 911, First Aid, Hands-Only CPR & AED, Choking, Summer Safety)

Name: _____

Multiple choice and short answer. You may have it read aloud.

1. Which is the leading cause of teen injury deaths prevented by seat belts?

A. Sunburn | B. Paper cuts | **C. Motor vehicle crashes**

2. The correct first aid order is…

A. Check, Call, Care | B. Care, Call, Check | C. Call, Check, Care

3. A person collapses and isn't breathing normally. This is…

A. A heart attack | B. Choking | **C. Cardiac arrest**

4. Hands-only CPR rate is…

A. 100-120 per minute | B. 30-40 per minute | C. 200-250 per minute

5. Explain why anyone can use an AED.

It turns on and gives voice instructions for each step; it only shocks if needed.

6. When should you NOT give abdominal thrusts to a choking person?

When they can still cough forcefully, speak or breathe — let them keep coughing.

🔑 *Written by our team from Mr. Finstuen's lessons and quizzes, please check.*