

Index

A

- acceleration error5-13
- acceleration in cruise flight4-10
- ADF components9-3
- advanced technologies9-24
- advanced technology systems5-28
- aerodynamic factors4-1, 5-1
- aerodynamics4-2
- aeronautical information manual (AIM)1-1, 10-2
- aircraft control8-3
 - during instrument flight6-3
- aircraft system malfunctions11-3
- air data computer (ADC)5-22
- airplane trim6-8
- airport/facility directory (A/FD)10-2
- airport sketch/airport diagram1-27
- air route traffic control center (ARTCC)2-7
- airspace classification1-2
 - Class A1-2
 - Class C1-2
 - Class D1-2
 - Class E1-2
 - Class G1-2
- airspeed5-9
 - indicated airspeed (IAS)5-9
 - calibrated airspeed (CAS)5-9
 - equivalent airspeed (EAS)5-9
 - mach number5-10
 - true airspeed (TAS)5-9
- airspeed changes
 - common errors8-10
 - in straight-and-level flight7-11, 7-40
- airspeed color codes5-10
- airspeed indicator (ASI)5-8, 6-6, 6-8, 6-10, 7-6, 7-37, 8-5
- air traffic control (ATC)2-1
- alternator/generator failure11-5
- altimeter6-10, 7-3, 7-36, 8-4
 - enhancements (encoding)5-7
- analog instrument failure11-7
- analog pictorial displays5-23
- angle of attack4-2
- applying the four-step process6-20
- approach azimuth guidance9-43
- approach control advances2-12
 - precision runway monitor (PRM)2-12
 - PRM benefits2-13
 - PRM radar2-12
- approach control facility2-12
- approaches10-13
 - lighting systems (ALS)9-38
 - to airport with an operating tower10-15
 - to airport without an operating control tower10-13
 - to parallel runways10-20
 - to stall7-26
- area navigation (RNAV)9-22
- ATC inflight weather avoidance assistance2-11
- ATC radar weather displays2-11
- ATC reports10-7
- ATC towers2-5
- atmosphere4-4
 - layers of the atmosphere4-5
- attitude and heading reference system (AHRS)5-22
- attitude control6-3
- attitude direction indicator (ADI)5-23
- attitude indicator .. 5-19, 6-4, 7-2, 7-6, 7-34, 7-37, 8-3, 8-5
- attitude instrument flying
 - fundamental skills6-24
 - primary and supporting method6-21
 - using the control and performance method6-2
 - using the primary and supporting method6-4
- automated flight service stations (AFSS)2-4
- automatic dependent surveillance—broadcast (ADS-B)5-28
- autopilot systems5-25
 - usage7-58
- autorotations8-17
 - common errors8-17
- aviation magnetic compass5-10

B

bank	7-25
bank control	6-4, 6-7, 6-20, 7-6, 7-37, 8-5
blockage of the pitot-static system.....	5-2
pitot system	5-2
static system	5-3

C

cancelling IFR flight plans	10-3
center approach/departure control.....	2-7
certified checkpoints	9-16
change of airspeed	
during turns	7-24
in turns	8-14
circling approaches	10-20
patterns	7-32
clearances.....	10-3
separations	10-4
climbing and descending turns.....	7-24, 8-15
climbing while accelerating	3-8
climbing while turning.....	3-8
climbs.....	4-10, 7-14
common cross-check errors	6-11
communication equipment.....	2-2
communication facilities	2-4
communication/navigation system malfunction	11-8
communication procedures	2-4
compass locator.....	9-38
compass turns.....	7-21, 7-53, 8-15
compliance with published standard instrument approach procedures	10-13
conducting an IFR flight	10-26
constant airspeed climb	
from cruise airspeed	7-46
from established airspeed	7-47
constant rate climbs.....	7-47
control and performance method	6-18
control instruments.....	6-2, 6-18
control sequence.....	2-13
coping with spatial disorientation	3-8
course deviation indicator (CDI)	9-11
course interception	9-14
course reversal elements in plan view and profile view	1-20
procedure turns	1-20
holding in lieu of procedure turn.....	1-20
teardrop procedure.....	1-21

D

density altitude	4-5
departure procedures (DPs).....	1-12, 10-5

departures and instrument departure procedures (DPs).....	9-31
departures from airports without an operating control tower	10-7
descents	7-16, 7-49
differential global positioning systems (DGPS)	9-32
distance measuring equipment (DME)	9-17
arc	9-17
components	9-17
function.....	9-17
holding.....	10-13
disturbances to radio wave reception.....	9-3
diving or rolling beyond the vertical plane.....	3-8
diving while turning	3-8
drag	4-3
induced drag	4-3
parasite drag	4-3
skin friction drag	4-3
interference drag.....	4-3
form drag	4-4
drag curves	4-6
dry air vacuum pump	5-17
dynamic pressure type instruments.....	5-8

E

ears	3-4
electrical systems	5-17
electronic flight display malfunction	11-4
electronic flight instrument systems.....	5-27
emergencies.....	8-16
engine instruments	6-8
en route procedures	10-7
errors during compass turns	7-26
establishing a standard rate turn.....	7-51
eyes	3-2

F

federal airways	1-4
filing in flight.....	10-2
flags or other signal strength indicators	9-11
flight director system (FDS).....	5-23
flight instruments	4-16, 8-2
flight management systems (FMS)	5-26, 5-27, 9-44
function.....	9-46
flight services station (FFS)	2-4
flightpath	4-2
flight support systems	5-22
flux gate compass system.....	5-15
four forces	4-2
drag.....	4-3
lift	4-2, 4-6

thrust.....	4-3
weight	4-3
function of ADF.....	9-4

G

glideslope (GS)	9-37
global navigation satellite system (GNSS)	9-24
global positioning system (GPS)	5-27, 9-25
components.....	9-25
errors.....	9-31
function.....	9-26
instrument approaches	9-29
nearest airport function.....	11-9
substitution	9-27
substitution for ADF or DME	9-27
ground proximity warning system (GPWS)	5-34
ground wave.....	9-2
gyroscopic instruments	5-19
gyroscopic systems	5-16

H

heading.....	7-44
heading indicator.....	5-19, 6-7, 6-10, 7-7, 7-38, 8-6
head-up display (HUD).....	5-34, 9-46
height above landing (HAL)	1-27
helicopter trim.....	6-10
holding instructions.....	10-10
holding procedures.....	10-10
homing	9-5
horizontal situation indicator (HSI)	5-23, 7-38
how radio waves propagate.....	9-2
how to prevent landing errors due to optical illusions...	3-9

I

IAP minimums	10-21
ICAO cold temperature error table	5-5
icing.....	4-13
antenna icing.....	4-17
clear ice.....	4-13
effects of icing on critical aircraft systems.....	4-16
general effects of icing on airfoils.....	4-14
induction icing	4-13
mixed ice	4-14
propeller icing.....	4-16
rime ice	4-14
structural icing.....	4-13, 10-23
IFR en route charts.....	1-6
airport information	1-6
charted IFR altitudes	1-6
navigation features	1-7

IFR flight plan.....	10-2
IFR flight using GPS.....	9-28
illusions leading to spatial disorientation.....	3-5
inadvertent icing encounter.....	11-2
inadvertent thunderstorm encounter	11-2
inertial navigation system (INS)	9-34
INS components	9-34
INS errors	9-34
inoperative components	1-27
instrument approach capabilities.....	9-32
instrument approaches to civil airports	10-13
instrument approach procedure charts	1-12
margin identification.....	1-12
pilot briefing	1-16
plan view	1-16
instrument approach procedure (IAP).....	1-12
approach systems.....	9-35
cross-check	6-10, 6-24, 8-2
instrument flight.....	8-2
instrument flight patterns	7-30, 7-61
instrument flying common errors.....	6-27
emphasis	6-28
fixation.....	6-27
omission	6-28
instrument interpretation.....	6-13, 8-3
instrument landing systems (ILS).....	9-35
airborne components	9-38
components.....	9-35
errors.....	9-40
function.....	9-40
instrument takeoff.....	7-29, 7-60, 8-17
common errors.....	7-29, 7-61, 8-18
instrument weather flying	10-22
integrated flight control system.....	5-25
intercepting bearings.....	9-8
intercepting lead radials	9-18
International Civil Aviation Organization (ICAO).....	1-1
international standard atmosphere (ISA)	4-5
intersections	1-7
inverted-V cross-check	6-11

L

landing.....	10-22
landing minimums	1-23
large airplanes	4-10
law of inertia, the	4-4
law of momentum, the	4-4
law of reaction, the.....	4-4
learning methods.....	6-2, 6-16
letters of agreement (LOA).....	2-15

leveling off	7-16, 7-17
load factor	4-12
local area augmentation system (LAAS)	9-33
localizer	9-35
localizer type directional aid (LDA)	9-43
loss of alternator/generator for electronic flight instrumentation	11-5

M

magnetic compass	5-10, 6-7
acceleration error	5-13
construction	5-11
deviation	5-12
induced errors	5-11
northerly turning errors	5-13
oscillation error	5-14
southerly turning errors	5-13
theory of operations	5-11
variation	5-12
magnetism	5-10
marker beacons	9-37, 9-40
master battery switch	11-5
maximum allowable airspeed	5-10
microwave landing system (MLS)	9-43
missed approaches	10-21
multi-function display (MFD)	5-28

N

National Aeronautical Navigation Services (AERONAV services)	10-2
National Airspace System (NAS)	1-1
navaids	1-7
navigating the MFD page groups	11-10
nearest airport page group	11-10
nearest airports page soft keys	11-10
nearest airports using the MFD	11-10
nearest airports using the PFD	11-9
navigation/communication equipment	2-2
navigation instruments	6-2, 6-19
NDB components	9-3
nerves	3-5
Newton's First Law	4-4
Newton's Second Law	4-4
Newton's Third Law	4-4
nondirectional radio beacon (NDB)	9-3
nonprecision approaches	1-23
nose-high attitudes	7-27
nose-low attitudes	7-28
Notices to Airmen Publication (NTAP)	10-2

O

obstacle departure procedures (ODP)	1-12, 10-5
omnibearing selector (OBS)	9-11
operating on the main battery	11-5, 11-6
operational errors of ADF	9-8
optical illusions	3-9
featureless terrain illusion	3-9
fog	3-9, 10-24
ground lighting illusions	3-9
haze	3-9
runway width illusion	3-9
runway and terrain slopes illusion	3-9
water refraction	3-9
other routing	1-5

P

partial panel flight	7-36
performance instruments	6-2, 6-19
pitch	7-25, 7-43
pitch attitude instrument cross-check	6-7
pitch control	6-4, 6-20, 6-22, 7-2, 7-34, 8-3
pitch/power relationship	4-6
pitot/static instruments	5-3
pitot/static system failure	11-8
pitot/static systems	5-2
planning the descent and approach	10-8
pneumatic system failure	11-7
pneumatic systems	5-17
POH/AFM	10-2
point in space approach	1-27
position reports	10-7
postural considerations	3-7
power	7-26, 7-45
control	6-4, 6-8, 6-21, 7-8, 7-39
control during straight-and-level flight	8-7
settings	7-9, 7-39
sources	5-17
precipitation static	11-3
precision approaches	1-23
preferred IFR	1-5
pressure altitude	4-5
pressure indicating systems	5-17
primary bank	6-23
primary flight display (PFD)	5-27
primary pitch	6-22
primary power	6-24
primary yaw	6-23
procedural steps in using control and performance	6-2
procedure turn	7-30

R

racetrack pattern.....	7-30
radar	2-3
radar and transponders	2-3
Mode C (altitude reporting).....	2-3
radar approaches	10-15
radar-controlled departures	10-5
radar limitations	9-48
radar monitoring of instrument approaches	10-18
radar navigation (ground-based)	9-46
radio altimeters.....	5-29
radio principles.....	9-2
recognizing unusual attitudes.....	7-27
recovery from unusual attitudes.....	7-27
rectangular cross-check.....	6-11
reduced vertical separation minimum (RVSM).....	5-7
regions of command.....	4-7
control characteristics.....	4-7
relative wind.....	4-2
remote indicating compass.....	5-15
required navigation instrument system inspection.....	5-36
required navigation performance	9-44
reversal of motion	3-8
RNAV instrument approach charts.....	1-30
route information	1-10

S

safety systems	5-29
scanning techniques	6-24
selected radial cross-check.....	6-11, 6-24
sensitive altimeter	5-3
altimeter errors	5-4
cold weather altimeter errors.....	5-5
inherent altimeter error.....	5-5
principle of operation	5-3
sensory systems for orientation.....	3-2
servo failure	8-17
side-step maneuver.....	10-20
simplified directional facility (SDF)	9-42
situational awareness	11-11
sky wave.....	9-2
slip/skid indicator.....	7-39
slow-speed flight	4-8
small airplanes	4-9
sources of flight planning information.....	10-2
space wave	9-2
spatial disorientation	3-2, 3-5, 3-7
special use airspace.....	1-2
speed stability.....	4-8
normal command.....	4-8
reversed command.....	4-8

stall warning systems	4-17
standard 45° procedure turn	7-30
standard entry procedures	10-11
standard holding pattern (no wind).....	10-10
standard holding pattern (with wind).....	10-10
standard instrument departures	10-5
standard rate turns	7-19, 7-51
standard terminal arrival routes (STARs)	1-12, 10-9
standby battery	11-6
static pressure.....	5-2
station passage	9-5
steep turns	7-22, 7-53
straight-and-level flight.....	6-22, 7-2, 7-34, 8-3
common errors.....	7-12, 7-43, 8-7
straight climbs and descents.....	7-14, 7-46
common errors.....	7-17, 7-50, 8-13
straight climbs (constant airspeed and constant rate) ..	8-10
straight descents (constant airspeed and constant rate)	8-12
substitutes for inoperative or unusable components ..	10-10
synthetic vision	5-28
systems preflight procedures.....	5-36

T

tailplane stall symptoms.....	4-16
teardrop patterns.....	7-31
techniques for electrical usage	11-5, 11-6
temporary flight restrictions (TFRS).....	1-4
terminal arrival area (TAA)	1-18
terminal procedures publications	1-12
departure procedures	1-12
marginal identification.....	1-12
standard terminal arrival routes.....	1-12
terminal radar approach control (TRACON).....	2-6
terrain alerting systems	5-34
terrain awareness and warning system (TAWS).....	5-34
the four-step process used to change attitude	6-19
adjust	6-20
cross-check.....	6-20
establish.....	6-19
trim	6-20
tilting to right or left.....	3-8
timed approaches from a holding fix	10-18
timed turns	7-21, 7-53, 8-13
time factors.....	10-12
tower en route control (TEC).....	1-6, 2-7
tracking	9-5
tracking to and from the station	9-14
traditional navigation systems.....	9-3
traffic advisory systems.....	5-29
traffic alert and collision avoidance system (TCAS) ...	5-30

traffic alert systems	5-30
traffic avoidance.....	11-12
traffic avoidance systems	5-30
traffic information system.....	5-29
transponders	2-3
trim.....	4-8, 6-20, 7-26, 7-45
control.....	6-8
technique	7-12, 7-43
turn-and-slip indicator.....	5-20, 7-8
turn coordinator.....	5-21, 7-7
turn coordinator/turn-and-slip indicator.....	6-8
turn indicator.....	5-20, 8-7
turn rate indicator.....	7-38
turns.....	4-10, 7-19, 7-51, 8-13
common errors.....	7-25, 8-15
coordination of rudder and aileron controls	4-11
radius of turn	4-11
rate of turn	4-11
turns to predetermined headings	7-20, 7-52, 8-13

U

unforecast adverse weather.....	11-2
unusual attitude recovery protection.....	7-55
unusual attitudes.....	8-16
unusual attitudes and recoveries	7-26
common errors	7-28, 7-58, 8-16

V

vacuum pump systems	5-17
venturi tube systems.....	5-17
vertical card magnetic compass	5-15
vertical descent angle (VDA).....	1-23
vertical speed indicator (VSI)	5-8, 6-5, 7-4, 8-5
very high frequency omnidirectional range (VOR)	9-8
function.....	9-11
operational errors.....	9-14
receiver accuracy check.....	9-16
test facility (VOT)	9-16
vestibular illusions	3-5
coriolis illusion.....	3-6
elevator illusion	3-6
graveyard spiral	3-6
inversion illusion	3-6
leans, the.....	3-5
somatogravic illusion	3-6
VFR-on-top.....	10-26
VFR over-the-top.....	10-26
visibility figures	1-23
vision under dim and bright illumination.....	3-3

visual illusions	3-7
false horizon	3-7
autokinesis	3-7
VOR accuracy	9-16
VOR components.....	9-10
VOR/DME RNAV	9-22
components.....	9-23
function.....	9-23
errors.....	9-24
VSI tape	7-36

W

weather avoidance assistance.....	2-11
weather conditions	10-22
thunderstorms	10-24
turbulence	10-22
volcanic ash	10-24
wind shear.....	10-25
weather information and communication features.....	1-10
wet-type vacuum pump.....	5-17
wide area augmentation system (WAAS).....	9-32
wind shear	10-25
windshields	4-17
wing.....	4-2