Status	Finished
Started	Tuesday, 29 September 2026, 4:28 PM
Completed	Tuesday, 29 September 2026, 4:33 PM
Duration	4 mins 36 secs
Grade	**10.00** out of 15.00 (**66.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following function definition header is wrong?

a. def sum(n1, n2, n = 3):
b. def div(p1=4, p2, p3): ✓
c. def scan(p1, p2 = 4, p3 = 5):
d. def mul(p1, n1, m1):

Question **2**

Incorrect

Mark 0.00 out of 1.00

Fill in the line of the following Python code for calculating the factorial of a number?

```
def factorial👎 :
    if (n==1 or n==0):
        return 1
    else:
        return ——
num = 5;
print("number : ",num)
print("Factorial : ",factorial(num))
```

a. (n * factorial(n - 1))
b. fact(n)*fact(n-1)
c. n*(n-1) ✗
d. (n-1)*(n-2)

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following statement is a function call?

a. def sum🪀
b. call sum🪀
c. sum🪀 ✓
d. function sum🪀

Question **4**

Correct

Mark 1.00 out of 1.00

The function can be called in the program by writing function name followed by _____.

a. [ ]

b. None of the mentioned

c. ( ) ✓

d. { }

Question **5**

Correct

Mark 1.00 out of 1.00

The _____ statement returns the values from the function to the calling function.

a. send

b. return ✓

c. give

d. take

Question **6**

Correct

Mark 1.00 out of 1.00

Function defined to achieve some task as per the programmer's requirement is called a _____.

a. built in functions

b. library function

c. All of the mentioned

d. user defined function ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Choose the correct statement

a. We can create function with argument(s) and no return value.

b. We can create function with no argument and with return value(s)

c. We can create function with no argument and no return value.

d. All of the mentioned ✓

Question **8**

Incorrect

Mark 0.00 out of 1.00

Write the output of : print(max([1, 2, 3, 4], [4, 5, 6], [7]))

- a. [7]
- b. [1, 2, 3, 4]
- c. [4, 5, 6]
- d. 7 ✗

Question **9**

Incorrect

Mark 0.00 out of 1.00

Python function always returns a value

Select one:

- True
- False ✗

Question **10**

Incorrect

Mark 0.00 out of 1.00

Which module is to be imported for using randint function?

- a. rand
- b. random
- c. randrange ✗
- d. randomrange

Question **11**

Correct

Mark 1.00 out of 1.00

The process of dividing a computer program into separate independent blocks of code with specific functionalities is known as _____.

- a. Step Programming
- b. Modular Programming ✓
- c. More Programming
- d. Programming

Question **12**

Correct

Mark 1.00 out of 1.00

Which keyword is used to begin the definition of a function?

- a. Def
- b. def ✓
- c. DEF
- d. Define

Question **13**

Incorrect

Mark 0.00 out of 1.00

Choose the incorrect statement.

- a. print(pow(2.3, 3.2)) ✗
- b. print(pow(2, 3))
- c. print(pow(2, 3, 2))
- d. None of the mentioned

Question **14**

Correct

Mark 1.00 out of 1.00

Functions which do not return any value is called _____.

- a. null function
- b. void function ✓
- c. default function
- d. zero function

Question **15**

Correct

Mark 1.00 out of 1.00

cal(n1) : What is n1?

- a. Parameter
- b. Argument ✓
- c. None of the mentioned
- d. Keyword