Status	Finished
Started	Wednesday, 21 October 2026, 9:09 PM
Completed	Wednesday, 21 October 2026, 9:11 PM
Duration	2 mins 40 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

a. write_list()
b. write_all()
c. write()
d. writelines() ✓

The correct answer is: writelines()

Question **2**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. move the file pointer five characters ahead from the current position ✓
b. move the file pointer five characters behind from the current position
c. moves the file pointer to the end of a file
d. move the file pointer to beginning of the file

The correct answer is:
move the file pointer five characters ahead from the current position

Question **3**

Incorrect

Mark 0.00 out of 1.00

Which method is used to sets the position of a file pointer

a. fseek() ✗
b. tell()
c. ftell()
d. seek()

The correct answer is: seek()

Question **4**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

a. null
b. garbage
c. 2
d. 0 ✓
e. 1

The correct answer is:
0

Question **5**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. write() ✓
b. insert()
c. read()
d. append()

The correct answer is: write()

Question **6**

Correct

Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

a. An empty string ✓
b. 0
c. EOFError
d. None

The correct answer is: An empty string

Question **7**

Correct

Mark 1.00 out of 1.00

If the file is opened in write mode and already exists, it truncates the existing content and places the filehandle at the beginning of the file.

Select one:

True ✓
False

The correct answer is 'True'.

Question **8**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use _____

a. outfile = open("c:\scores.txt", "w")
b. outfile = open(file = "c:\scores.txt", "w")
c. outfile = open("c:\\scores.txt", "w") ✓
d. outfile = open(file = "c:\\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")

Question **9**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. An error is raised

b. world

c. Hello

d. Hello, world! ✓

The correct answer is: Hello, world!

Question **10**

Correct

Mark 1.00 out of 1.00

What does the following code do?

fo = open("foo.txt", "w")

a. Opens a file in binary mode

b. Opens an existing file in read mode

c. Appends to an existing file

d. Creates a new file for writing ✓

The correct answer is: Creates a new file for writing

Question **11**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. \n ✓

b. \t

c. ,

d. space

The correct answer is:
\n

Question **12**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Closes the file
b. Deletes the file content
c. Flushes the internal buffer to the file ✓
d. Moves the file cursor to the beginning

The correct answer is: Flushes the internal buffer to the file

Question **13**

Correct

Mark 1.00 out of 1.00

What is the default mode in which the open() function opens a file?

a. Binary
b. Write
c. Append
d. Read ✓

The correct answer is: Read

Question **14**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. reduce()
b. resize()
c. truncate() ✓
d. shrink()

The correct answer is: truncate()

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. readline() ✓
b. readline(size)
c. readlines()
d. read()

The correct answer is: readline()