Cucumber Report

| Start : Mar 13, 11:12:53.568 PM	End : Mar 13, 11:13:09.098 PM	Duration : 15.530 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 3 SKIPPED - 0	PASSED - 32 FAILED - 3 SKIPPED - 0

Features: 2

Scenarios: 10

Steps: 35

Pass % (Features): 50 %

Pass % (Scenarios): 70 %

Pass % (Steps): 91 %

#	Feature Name	T	P	F	S	Duration
1	Get book by ISBN	5	2	3	0	11.276 s
2	Get city airdata	5	5	0	0	4.238 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Get book by ISBN	User calls web service to get a book by its ISBN	5	5	0	0	6.376 s
2	Get book by ISBN	ISBN Google Base	3	3	0	0	1.644 s
3	Get book by ISBN	ISBN Google Base	3	2	1	0	0.846 s
4	Get book by ISBN	User calls web service to get a non existant book by its ISBN	3	2	1	0	0.750 s
5	Get book by ISBN	User ISBN 2 calls	6	5	1	0	1.456 s
6	Get city airdata	Simple cuke test	3	3	0	0	0.000 s
7	Get city airdata	User calls web service to get london air data	3	3	0	0	0.879 s
8	Get city airdata	User calls web service to get munich air data	3	3	0	0	0.875 s
9	Get city airdata	User calls web service to get paris air data	3	3	0	0	1.531 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
10	Get city airdata	User calls web service to get rome air data	3	3	0	0	0.891 s

(F)- Get book by ISBN

FAILED	DURATION - 11.276 s	Scenarios		Steps	
		Total - 5		Total - 20	
/ 11:12:53.568 PM // 11:13:04.844 PM /		Pass - 2	5	Pass - 17	20
		Fail - 3		Fail - 3	
@books		Skip - 0		Skip - 0	

(S)- User calls web service to get a book by its ISBN

PASSED	DURATION - 6.376 s		Steps	
			Total - 5	
/ 11:12:53.568 PM // 11:12:59.944 PM /			Pass - 5	5
Get book by ISBN			Fail - 0	
@books			Skip - 0	

GET	200	https://www.googleapis.com/books/v1/volumes?q=isbn%3A9781451648546			
Request	Headers		Response	Body	Headers

| #	Step / Hook Details	Status	Duration
1	Given a book exists with an isbn of 9781451648546	PASSED	0.750 s
2	When a user retrieves the book by isbn	PASSED	4.407 s
3	Then the status code is 200	PASSED	0.047 s
4	And response includes the following	PASSED	1.078 s
	totalItems 1 kind books#volumes		
5	And response includes the following in any order	PASSED	0.094 s
	items.volumeInfo.title Steve Jobs items.volumeInfo.publisher Simon and Schuster items.volumeInfo.pageCount 630		

(S)- ISBN Google Base

PASSED	DURATION - 1.644 s
/ 11:13:00.084 PM // 11:13:01.728 PM /	
Get book by ISBN	
@books	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

GET	200	https://www.googleapis.com/books/v1/volumes?q=isbn%3A9781451648546
Request	Headers	Response Body Headers

#	Step / Hook Details	Status	Duration
1	Given a book exists with an isbn of 9781451648546	PASSED	0.000 s
2	When a user retrieves the book by isbn	PASSED	1.644 s
3	Then the status code is 200	PASSED	0.000 s

(S)- ISBN Google Base

FAILED	DURATION - 0.846 s
/ 11:13:01.760 PM // 11:13:02.606 PM /	
Get book by ISBN	
@books	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

GET	200	https://www.googleapis.com/books/v1/volumes?q=isbn%3A432877
Request	Headers	Response Body Headers

#	Step / Hook Details	Status	Duration
1	Given a book exists with an isbn of 432877	PASSED	0.000 s
2	When a user retrieves the book by isbn	PASSED	0.831 s
3	Then the status code is 404	FAILED	0.015 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>.		

| #	Step / Hook Details	Status	Duration
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)		
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:59)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)		
	at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:193)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126)		
	at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:134)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at io.restassured.internal.ValidatableResponseImpl.super2statusCode(ValidatableResponseImpl.groovy)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)		
	at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:142)		
	at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy)		
	at stepdefs.BookStepDefinitions.verify_status_code(BookStepDefinitions.java:40)		
	at ?.the status code is 404(classpath:stepdefs/book.feature:19)		
* Not displayable characters are replaced by '?'.			

(S)- User calls web service to get a non existant book by its ISBN

FAILED	DURATION - 0.750 s
/ 11:13:02.622 PM // 11:13:03.372 PM /	
Get book by ISBN	
@books	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

GET	200	https://www.googleapis.com/books/v1/volumes?q=isbn%3A432877			
Request	Headers		Response	Body	Headers

#	Step / Hook Details	Status	Duration
1	Given a book exists with an isbn of 432877	PASSED	0.000 s
2	When a user retrieves the book by isbn	PASSED	0.750 s
3	Then the status code is 404	FAILED	0.000 s

java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>.
    at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
    at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.lang.reflect.Constructor.newInstance(Constructor.java:423)
    at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)
    at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:59)
    at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)
    at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source)
    at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.lang.reflect.Method.invoke(Method.java:498)
    at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)
    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.
java:193)
    at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)
    at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)
    at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126)
    at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source)

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:134) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at io.restassured.internal.ValidatableResponseImpl.super2statusCode(ValidatableResponseImpl.groovy) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144) at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:142) at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy) at stepdefs.BookStepDefinitions.verify_status_code(BookStepDefinitions.java:40) at ?.the status code is 404(classpath:stepdefs/book.feature:29) * Not displayable characters are replaced by '?'.		

(S)- User ISBN 2 calls

FAILED	DURATION - 1.456 s
/ 11:13:03.388 PM // 11:13:04.844 PM /	
Get book by ISBN	
@books	

Steps
Total - 6
Pass - 5
Fail - 1
Skip - 0

6

GET	200	https://www.googleapis.com/books/v1/volumes?q=isbn%3A9781451648546
Request	Headers	Response — Body — Headers

GET	200	https://www.googleapis.com/books/v1/volumes?q=isbn%3A432877
Request	Headers	Response — Body — Headers

#	Step / Hook Details	Status	Duration
1	Given a book exists with an isbn of 9781451648546	PASSED	0.000 s
2	When a user retrieves the book by isbn	PASSED	0.753 s
3	Then the status code is 200	PASSED	0.000 s
4	Given a book exists with an isbn of 432877	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
5	When a user retrieves the book by isbn	PASSED	0.703 s
6	Then the status code is 404	FAILED	0.000 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>. at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:59) at org.codehaus.groovy.runtime.callsite.ConstructorSite$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493) at io.restassured.internal.ResponseSpecificationImpl$HamcrestAssertionClosure$validate$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:674) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:193) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:126) at io.restassured.specification.ResponseSpecification$statusCode$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:134) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at io.restassured.internal.ValidatableResponseImpl.super2statusCode(ValidatableResponseImpl.groovy) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107) at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323) at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268) at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144) at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy:142) at io.restassured.internal.ValidatableResponseImpl.statusCode(ValidatableResponseImpl.groovy) at stepdefs.BookStepDefinitions.verify_status_code(BookStepDefinitions.java:40) at ?.the status code is 404(classpath:stepdefs/book.feature:37) * Not displayable characters are replaced by '?'.		

(F)- Get city airdata

PASSED	DURATION - 4.238 s	Scenarios		Steps	
/ 11:13:04.860 PM // 11:13:09.098 PM /		Total - 5		Total - 15	
		Pass - 5	5	Pass - 15	15
@city		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Simple cuke test

PASSED	DURATION - 0.000 s		Steps	
/ 11:13:04.860 PM // 11:13:04.860 PM /			Total - 3	
Get city airdata			Pass - 3	3
			Fail - 0	
@city			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given step one	PASSED	0.000 s
2	When step two	PASSED	0.000 s
3	Then step three	PASSED	0.000 s

(S)- User calls web service to get london air data

PASSED	DURATION - 0.879 s		Steps	
/ 11:13:04.875 PM // 11:13:05.754 PM /			Total - 3	
Get city airdata			Pass - 3	3
			Fail - 0	
@city			Skip - 0	

GET	200	https://api.waqi.info/feed/london/?token=1a5d8f027e344fa191b88e966bdb5d4aa4853d4a

Request	*Headers*	*Cookies*		*Response*	*Body*	*Headers*

| #	Step / Hook Details	Status	Duration
1	Given air data for london exists	PASSED	0.000 s
2	When retrieve the air data	PASSED	0.879 s
3	Then the air data status code is 200	PASSED	0.000 s

(S)- User calls web service to get munich air data

PASSED	DURATION - 0.875 s		Steps
/ 11:13:05.769 PM // 11:13:06.644 PM /			Total - 3
Get city airdata			Pass - 3
			Fail - 0
@city			Skip - 0

3

GET	**200**	https://api.waqi.info/feed/munich/?token=1a5d8f027e344fa191b88e966bdb5d4aa4853d4a

Request	*Headers*	*Cookies*		*Response*	*Body*	*Headers*

| #	Step / Hook Details	Status	Duration
1	Given air data for munich exists	PASSED	0.000 s
2	When retrieve the air data	PASSED	0.875 s
3	Then the air data status code is 200	PASSED	0.000 s

(S)- User calls web service to get paris air data

PASSED	DURATION - 1.531 s		Steps
/ 11:13:06.660 PM // 11:13:08.191 PM /			Total - 3
Get city airdata			Pass - 3
			Fail - 0
@city			Skip - 0

3

GET	**200**	https://api.waqi.info/feed/paris/?token=1a5d8f027e344fa191b88e966bdb5d4aa4853d4a

Request	Headers	Cookies	Response	Body	Headers

#	Step / Hook Details	Status	Duration
1	Given air data for paris exists	PASSED	0.000 s
2	When retrieve the air data	PASSED	1.531 s
3	Then the air data status code is 200	PASSED	0.000 s

(S)- User calls web service to get rome air data

PASSED	DURATION - 0.891 s		
/ 11:13:08.207 PM // 11:13:09.098 PM /			Steps
Get city airdata			Total - 3 Pass - 3 Fail - 0
@city			Skip - 0

GET	200	https://api.waqi.info/feed/rome/?token=1a5d8f027e344fa191b88e966bdb5d4aa4853d4a
Request	Headers Cookies	Response Body Headers

#	Step / Hook Details	Status	Duration
1	Given air data for rome exists	PASSED	0.000 s
2	When retrieve the air data	PASSED	0.891 s
3	Then the air data status code is 200	PASSED	0.000 s