

Cucumber Report

Apr 20, 2021 12:24:30 AM

Start : Apr 20, 12:22:36.388 AM

End : Apr 20, 12:24:27.094 AM

Duration : 1 m 50.706 s

Features

Scenarios

Steps

PASSED - 4

FAILED - 2

SKIPPED - 1

PASSED - 18




FAILED - 3


SKIPPED - 3

PASSED - 40


FAILED - 1

SKIPPED - 8







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|-------------|
| 1 | <u>DataTable And DocString</u> | 2 | 2 | 0 | 0 | 8.933 s |
| 2 | <u>Exception</u> | 5 | 4 | 1 | 0 | 11.536 s |
| 3 | <u>Hook and step failures</u> | 2 | 0 | 2 | 0 | 0.013 s |
| 4 | <u>Polish Założenia Scenariusz And Szablon scenariusza</u> | 9 | 9 | 0 | 0 | 27.074 s |
| 5 | <u>Scenario And Scenario Outline</u> | 1 | 1 | 0 | 0 | 15.026 s |
| 6 | <u>Screenshots</u> | 2 | 2 | 0 | 0 | 1 m 0.063 s |
| 7 | <u>Scenarios With No Step Definitions</u> | 3 | 0 | 0 | 3 | 0.013 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|------------------------------------|---|---|---|---|----------|
| 1 | <u>DataTable And DocString</u> | <u>DataTable Scenario</u> | 2 | 2 | 0 | 0 | 4.295 s |
| 2 | <u>DataTable And DocString</u> | <u>Doc String to Custom Object</u> | 2 | 2 | 0 | 0 | 4.597 s |
| 3 | <u>Exception</u> | <u>Exception</u> | 1 | 1 | 0 | 0 | 2.505 s |
| 4 | <u>Exception</u> | <u>No Exception</u> | 1 | 1 | 0 | 0 | 1.502 s |
| 5 | <u>Exception</u> | <u>Other Exception</u> | 2 | 0 | 1 | 1 | 2.505 s |
| 6 | <u>Exception</u> | <u>Check exception 1</u> | 1 | 1 | 0 | 0 | 2.502 s |
| 7 | <u>Exception</u> | <u>Check exception 2</u> | 1 | 1 | 0 | 0 | 2.502 s |
| 8 | <u>Hook and step failures</u> | <u>Before Hook</u> | 2 | 0 | 0 | 2 | 0.006 s |
| 9 | <u>Hook and step failures</u> | <u>After Hook</u> | 2 | 0 | 0 | 2 | 0.004 s |
| 10 | <u>Polish Założenia Scenariusz And Szablon scenariusza</u> | <u>Scenario Outline Row 300</u> | 3 | 3 | 0 | 0 | 3.014 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---------------------------------|---|---|---|---|----------|
| 11 | <u>Polish Założenia Scenariusz And Szablon scenariusza</u> | <u>Scenario Outline Row 500</u> | 3 | 3 | 0 | 0 | 3.005 s |
| 12 | <u>Polish Założenia Scenariusz And Szablon scenariusza</u> | <u>Scenario Outline Row 400</u> | 3 | 3 | 0 | 0 | 3.005 s |
| 13 | <u>Polish Założenia Scenariusz And Szablon scenariusza</u> | <u>Scenario Outline Row 600</u> | 3 | 3 | 0 | 0 | 3.004 s |
| 14 | <u>Polish Założenia Scenariusz And Szablon scenariusza</u> | <u>Scenario Outline Row 300</u> | 3 | 3 | 0 | 0 | 3.003 s |
| 15 | <u>Polish Założenia Scenariusz And Szablon scenariusza</u> | <u>Scenario Outline Row 500</u> | 3 | 3 | 0 | 0 | 3.004 s |
| 16 | <u>Polish Założenia Scenariusz And Szablon scenariusza</u> | <u>Scenario Outline Row 400</u> | 3 | 3 | 0 | 0 | 3.004 s |
| 17 | <u>Polish Założenia Scenariusz And Szablon scenariusza</u> | <u>Scenario Outline Row 600</u> | 3 | 3 | 0 | 0 | 3.002 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|--|---|---|---|---|----------|
| 18 | <u>Polish Założenia Scenariusz And Szablon scenariusza</u> | <u>Scenario Number Seven Seven Seven</u> | 3 | 3 | 0 | 0 | 3.004 s |
| 19 | <u>Scenario And Scenario Outline</u> | <u>Scenario Number Seven Seven Seven</u> | 3 | 3 | 0 | 0 | 3.001 s |
| 20 | <u>Screenshots</u> | <u>Scenario screenshot GIT</u> | 1 | 1 | 0 | 0 | 52.027 s |
| 21 | <u>Screenshots</u> | <u>Scenario screenshot STACK</u> | 1 | 1 | 0 | 0 | 8.033 s |
| 22 | <u>Scenarios With No Step Definitions</u> | <u>No Step defined</u> | 1 | 0 | 0 | 1 | 0.001 s |
| 23 | <u>Scenarios With No Step Definitions</u> | <u>Pending step</u> | 1 | 0 | 0 | 1 | 0.003 s |
| 24 | <u>Scenarios With No Step Definitions</u> | <u>Skipped step</u> | 1 | 0 | 0 | 1 | 0.002 s |

(F)- DataTable And DocString



| | | | | | |
|--|---------------------------|-----------|---|-----------|---|
| PASSED | DURATION - 8.933 s | Scenarios |  | Steps |  |
| / 12:22:36.388 AM // 12:22:45.321 AM / | | Total - 2 | | Total - 4 | |
| | | Pass - 2 | | Pass - 4 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- DataTable Scenario

| | | | | |
|---|--|--|---|---|
| <div>PASSED</div> <div>DURATION - 4.295 s</div> | |  | <div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 12:22:36.417 AM // 12:22:40.712 AM / | | | | |
| DataTable And DocString | | | | |
| @tabledoc @datatable | | | | |



| # | Step / Hook Details | Status | Duration | | | | | | | | |
|----------|--|--------|----------|----------|----------|-----------------|---|---------------|---|----------|---|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.006 s | | | | | | | | |
| | BEFORE HI BEFORE HELLO | | | | | | | | | | |
| 1 | Given 'Hello' background | PASSED | 0.271 s | | | | | | | | |
| | background | | | | | | | | | | |
| 2 | Given Customer orders the dishes | PASSED | 4.004 s | | | | | | | | |
| | <table><tr><td>dish</td><td>quantity</td></tr><tr><td>Spicy Meatballs</td><td>2</td></tr><tr><td>Fried Gnocchi</td><td>2</td></tr><tr><td>Espresso</td><td>3</td></tr></table> | | | dish | quantity | Spicy Meatballs | 2 | Fried Gnocchi | 2 | Espresso | 3 |
| | dish | | | quantity | | | | | | | |
| | Spicy Meatballs | | | 2 | | | | | | | |
| | Fried Gnocchi | | | 2 | | | | | | | |
| Espresso | 3 | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.001 s | | | | | | | | |
| | AFTER HI AFTER HELLO | | | | | | | | | | |

(S)- Doc String to Custom Object



| | | | | |
|---|--|--|---|---|
| <div>PASSED</div> <div>DURATION - 4.597 s</div> | |  | <div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 12:22:40.724 AM // 12:22:45.321 AM / | | | | |
| DataTable And DocString | | | | |
| @tabledoc @docstring | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Given 'Hello' background | PASSED | 0.250 s |
| | background | | |
| 2 | Given the doc string is | PASSED | 4.344 s |
| | Hello there how r u? | | |
| | Doing great. Whats new? | | |
| | Nothing much. | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | AFTER HI AFTER HELLO | | |

(F)- Exception



| | | | | | |
|--|--------------------------------|---|--|---|--|
| <div>FAILED</div> | <div>DURATION - 11.536 s</div> | <div>Scenarios</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div> | <div></div> |
| / 12:22:45.327 AM // 12:22:56.863 AM / | | | | | |
| | | | | | |

(S)- Exception

| | | | |
|---|---|---|--|
| <div>PASSED</div> <div>DURATION - 2.505 s</div> | <div></div> | <div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 12:22:45.328 AM // 12:22:47.833 AM /</div> | | | |
| <div>Exception</div> | | | |
| <div>@exception</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Given Raise exception | PASSED | 2.503 s |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | AFTER HI AFTER HELLO | | |



(S)- No Exception

| | | | |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 1.502 s</div> | <div></div> | <div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 12:22:47.836 AM // 12:22:49.338 AM /</div> | | | |
| <div>Exception</div> | | | |
| <div>@exception</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Given Do not raise exception | PASSED | 1.500 s |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | AFTER HI | | |



| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | AFTER HELLO | | |

(S)- Other Exception

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 2.505 s</div> | | <div></div> | <div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div> | <div></div> |
| <div>/ 12:22:49.341 AM // 12:22:51.846 AM /</div> | | | | |
| <div>Exception</div> | | | | |
| <div>@exception</div> | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Given Raise exception java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:108) at ?.Raise exception(classpath:stepdefs/exceptions.feature:11) * Not displayable characters are replaced by '?'. | FAILED | 2.503 s |
| 2 | Given Raise exception | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI AFTER HELLO | | |

(S)- Check exception 1

| | | | |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 2.502 s</div> |  | <div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 12:22:51.856 AM // 12:22:54.358 AM /</div> | | | |
| <div>Exception</div> | | | |
| <div>@exception</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Given Raise exception | PASSED | 2.500 s |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI AFTER HELLO | | |



(S)- Check exception 2

| | | | |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 2.502 s</div> | <div></div> | <div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 12:22:54.361 AM // 12:22:56.863 AM /</div> | | | |
| <div>Exception</div> | | | |
| <div>@exception</div> | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Given Raise exception | PASSED | 2.500 s |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | AFTER HELLO | | |

(F)- Hook and step failures



| | | | | | |
|--|--------------------|-----------|---|-----------|---|
| FAILED | DURATION - 0.013 s | Scenarios |  | Steps |  |
| / 12:22:56.867 AM // 12:22:56.880 AM / | | Total - 2 | | Total - 4 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 2 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 4 | |

(S)- Before Hook

| | | | | |
|---|--|--|-----------|---|
| <div>FAILED</div> <div>DURATION - 0.006 s</div> | |  | Steps |  |
| / 12:22:56.867 AM // 12:22:56.873 AM / | | | Total - 2 | |
| Hook and step failures | | | Pass - 0 | |
| @failure | | | Fail - 0 | |
| | | | Skip - 2 | |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | FAILURE HI | | |
| | FAILURE HELLO | | |
| | java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:56) | | |
| 1 | Given Hook failure step | SKIPPED | 0.001 s |
| 2 | When Skip hook failure step | SKIPPED | 0.000 s |
| | AFTER - stepdefs.Stepdefs.afterFailure() | FAILED | 0.001 s |
| | FAILURE HI | | |
| | FAILURE HELLO | | |
| | java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:63) | | |

(S)- After Hook



| | | | |
|---|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.004 s</div> |  | <div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div> |  |
| <div>/ 12:22:56.876 AM // 12:22:56.880 AM /</div> | | | |
| <div>Hook and step failures</div> | | | |
| <div>@failure</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | FAILURE HI | | |
| | FAILURE HELLO | | |
| | java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:56) | | |
| 1 | Given Hook failure step | SKIPPED | 0.001 s |
| 2 | Then Skip hook failure step | SKIPPED | 0.000 s |
| | AFTER - stepdefs.Stepdefs.afterFailure() | FAILED | 0.001 s |
| | FAILURE HI | | |
| | FAILURE HELLO | | |
| | java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:63) | | |

(F)- Polish Założenia Scenariusz And Szablon scenariusza



| | | | | | |
|--|---------------------|---|--|---|--|
| PASSED | DURATION - 27.074 s | <div>Scenarios</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> | <div>Steps</div> <div>Total - 27</div> <div>Pass - 27</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 12:22:56.885 AM // 12:23:23.959 AM / | | | | | |
| | | | | | |
| | | | | | |

(S)- Scenario Outline Row 300

| | | | | |
|---|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 3.014 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 12:22:56.885 AM // 12:22:59.899 AM / | | | | |
| Polish Założenia Scenariusz And Szablon scenariusza | | | | |
| @dialect | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One300' | PASSED | 1.003 s |
| | log HATE THIS | | |
| 2 | Kiedy Complete action in 'when' step in 'Scenario Outline One300' | PASSED | 1.002 s |
| | log HATE THIS | | |
| 3 | Wtedy Validate the outcome in 'then' step in 'Scenario Outline One300' | PASSED | 1.001 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI AFTER HELLO | | |

(S)- Scenario Outline Row 500

| | | | |
|--|--|---|---|
| <div>PASSED</div> <div>DURATION - 3.005 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 12:22:59.902 AM // 12:23:02.907 AM /</div> | | | |
| <div>Polish Założenia Scenariusz And Szablon scenariusza</div> | | | |
| <div>@dialect</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two500' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 2 | Kiedy Complete action in 'when' step in 'Scenario Outline Two500' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 3 | Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two500' | PASSED | 1.002 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI AFTER HELLO | | |



(S)- Scenario Outline Row 400

| | | | |
|--|--|---|--|
| <div>PASSED</div> <div>DURATION - 3.005 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 12:23:02.912 AM // 12:23:05.917 AM /</div> | | | |
| <div>Polish Założenia Scenariusz And Szablon scenariusza</div> | | | |
| <div>@dialect</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One400' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 2 | Kiedy Complete action in 'when' step in 'Scenario Outline One400' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 3 | Wtedy Validate the outcome in 'then' step in 'Scenario Outline One400' | PASSED | 1.002 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|-------------------------|--------|----------|
| | AFTER HI AFTER HELLO | | |

(S)- Scenario Outline Row 600

| | | | |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 3.004 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 12:23:05.920 AM // 12:23:08.924 AM / | | | |
| Polish Założenia Scenariusz And Szablon scenariusza | | | |
| @dialect | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two600' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 2 | Kiedy Complete action in 'when' step in 'Scenario Outline Two600' | PASSED | 1.000 s |
| | log HATE THIS | | |
| 3 | Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two600' | PASSED | 1.000 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI AFTER HELLO | | |

(S)- Scenario Outline Row 300

| | | | |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 3.003 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 12:23:11.937 AM // 12:23:14.940 AM / | | | |
| Polish Założenia Scenariusz And Szablon scenariusza | | | |
| @both @scenout | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Write a 'given' step with precondition in 'Scenario Outline One300' | PASSED | 1.002 s |
| | log HATE THIS | | |
| 2 | When Complete action in 'when' step in 'Scenario Outline One300' | PASSED | 1.000 s |
| | log HATE THIS | | |
| 3 | Then Validate the outcome in 'then' step in 'Scenario Outline One300' | PASSED | 1.000 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

(S)- Scenario Outline Row 500

| | | | | |
|---|-------------------------------|--|---|---|
| <div>PASSED</div> | <div>DURATION - 3.004 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 12:23:14.944 AM // 12:23:17.948 AM / | | | | |
| Polish Założenia Scenariusz And Szablon scenariusza | | | | |
| @both @scenout | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.001 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Given Write a 'given' step with precondition in 'Scenario Outline Two500' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 2 | When Complete action in 'when' step in 'Scenario Outline Two500' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 3 | Then Validate the outcome in 'then' step in 'Scenario Outline Two500' | PASSED | 1.001 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI AFTER HELLO | | |



(S)- Scenario Outline Row 400

| | | | | | | |
|---|--|--------------------|--|---|---|---|
| PASSED | | DURATION - 3.004 s | |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 12:23:17.951 AM // 12:23:20.955 AM / | | | | | | |
| Polish Założenia Scenariusz And Szablon scenariusza | | | | | | |
| @both @scenout | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Given Write a 'given' step with precondition in 'Scenario Outline One400' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 2 | When Complete action in 'when' step in 'Scenario Outline One400' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 3 | Then Validate the outcome in 'then' step in 'Scenario Outline One400' | PASSED | 1.001 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |



| # | Step / Hook Details | Status | Duration |
|---|-------------------------|--------|----------|
| | AFTER HI AFTER HELLO | | |

(S)- Scenario Outline Row 600

| | | | |
|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 3.002 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 12:23:20.957 AM // 12:23:23.959 AM /</div> | | | |
| <div>Polish Założenia Scenariusz And Szablon scenariusza</div> | | | |
| <div>@both @scenout</div> | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Given Write a 'given' step with precondition in 'Scenario Outline Two600' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 2 | When Complete action in 'when' step in 'Scenario Outline Two600' | PASSED | 1.000 s |
| | log HATE THIS | | |
| 3 | Then Validate the outcome in 'then' step in 'Scenario Outline Two600' | PASSED | 1.000 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI AFTER HELLO | | |

(S)- Scenario Number Seven Seven Seven



| | | | | |
|---|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 3.004 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 12:23:08.928 AM // 12:23:11.932 AM / | | | | |
| Polish Założenia Scenariusz And Szablon scenariusza | | | | |
| @dialect | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Zakładając Write a 'given' step with precondition in 'Scenario 777' log HATE THIS | PASSED | 1.000 s |
| 2 | Kiedy Complete action in 'when' step in 'Scenario 777' log HATE THIS | PASSED | 1.002 s |
| 3 | Wtedy Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS | PASSED | 1.001 s |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI AFTER HELLO | | |

(F)- Scenario And Scenario Outline

| | | | | | |
|--|--------------------------------|---|--|---|--|
| <div>PASSED</div> | <div>DURATION - 15.026 s</div> | <div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 12:23:11.937 AM // 12:23:26.963 AM / | | | | | |
| | | | | | |

(S)- Scenario Number Seven Seven Seven

| | | | | |
|---|--|---|---|--|
| <div>PASSED</div> <div>DURATION - 3.001 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 12:23:23.962 AM // 12:23:26.963 AM /</div> | | | | |
| <div>Scenario And Scenario Outline</div> | | | | |
| <div>@both @scen</div> | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Given Write a 'given' step with precondition in 'Scenario 777' log HATE THIS | PASSED | 1.000 s |
| 2 | When Complete action in 'when' step in 'Scenario 777' log HATE THIS | PASSED | 1.000 s |
| 3 | Then Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS | PASSED | 1.000 s |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI AFTER HELLO | | |

(F)- Screenshots



| | | | | | |
|---|-----------------------------------|---|------------------------------------|---|------------------------------------|
| <div>PASSED</div> | <div>DURATION - 1 m 0.063 s</div> | <div>Scenarios</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div><div></div><div>2</div></div> | <div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div><div></div><div>2</div></div> |
| <div>/ 12:23:26.967 AM // 12:24:27.030 AM /</div> | | | | | |
| | | | | | |


(S)- Scenario screenshot GIT

| | | | |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 52.027 s</div> |  | <div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 12:23:26.967 AM // 12:24:18.994 AM /</div> | | | |
| <div>Screenshots</div> | | | |
| <div>@website</div> | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI BEFORE HELLO | | |
| | BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario) | PASSED | 13.941 s |
| | HELLO THERE!!! | | |
| | BEFORE_STEP - stepdefs.Stepdefs.beforeSite2() | PASSED | 0.000 s |
| | GOOD BYE!!! | | |
| 1 | When Go to https://github.com/ | PASSED | 26.875 s |
| | scenario website name - https://github.com/ | | |
| | AFTER_STEP - stepdefs.Stepdefs.afterSite() | PASSED | 11.209 s |
| | HELLO THERE!!! https://github.com/ https://github.com/ | | |
| |  | | |
| | AFTER_STEP - stepdefs.Stepdefs.afterSite2() | PASSED | 0.000 s |
| | GOOD BYE!!! https://github.com/ | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI AFTER HELLO | | |

(S)- Scenario screenshot STACK



| | | | | |
|---|--|---|--|--|
| <div><div>PASSED</div><div>DURATION - 8.033 s</div></div> | | <div></div> | <div><div>Steps</div><div>Total - 1</div><div>Pass - 1</div><div>Fail - 0</div><div>Skip - 0</div></div> | <div></div> |
| <div>/ 12:24:18.997 AM // 12:24:27.030 AM /</div> | | | | |
| <div>Screenshots</div> | | | | |
| <div>@website</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI BEFORE HELLO | | |
| | BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario) | PASSED | 3.814 s |
| | HELLO THERE!!! | | |
| | BEFORE_STEP - stepdefs.Stepdefs.beforeSite2() | PASSED | 0.000 s |
| | GOOD BYE!!! | | |
| 1 | Given Go to https://stackoverflow.com/ | PASSED | 3.217 s |
| | scenario website name - https://stackoverflow.com/ | | |
| | AFTER_STEP - stepdefs.Stepdefs.afterSite() | PASSED | 1.001 s |
| | HELLO THERE!!! https://stackoverflow.com/ https://stackoverflow.com/ | | |
| |  | | |
| | AFTER_STEP - stepdefs.Stepdefs.afterSite2() | PASSED | 0.000 s |
| | GOOD BYE!!! https://stackoverflow.com/ | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI AFTER HELLO | | |

(F)- Scenarios With No Step Definitions



| | | | | | |
|--|---------------------------|-----------|---|-----------|---|
| SKIPPED | DURATION - 0.013 s | Scenarios |  | Steps |  |
| / 12:24:27.081 AM // 12:24:27.094 AM / | | Total - 3 | | Total - 3 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 3 | | Skip - 3 | |

(S)- No Step defined

| | | | | | |
|--|--|--|-----------|--|---|
| <div>SKIPPED</div> <div>DURATION - 0.001 s</div> | |  | Steps | |  |
| / 12:24:27.082 AM // 12:24:27.083 AM / | | | Total - 1 | | |
| Scenarios With No Step Definitions | | | Pass - 0 | | |
| @skip | | | Fail - 0 | | |
| | | | Skip - 1 | | |



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI BEFORE HELLO | | |
| 1 | Given No step definition methods | SKIPPED | 0.001 s |
| | Step undefined | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI AFTER HELLO | | |

(S)- Pending step

| | | | | |
|--|--------------------|--|---|---|
| SKIPPED | DURATION - 0.003 s |  | Steps Total - 1 Pass - 0 Fail - 0 Skip - 1 |  |
| / 12:24:27.086 AM // 12:24:27.089 AM / | | | | |
| Scenarios With No Step Definitions | | | | |
| @skip | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Pending step definition | SKIPPED | 0.002 s |
| | io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pending_step_definition_methods(Stepdefs.java:174) at ?.Pending step definition(classpath:stepdefs/skipdef.feature:13) * Not displayable characters are replaced by '?'. | | |
| | | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

(S)- Skipped step

| | | | | |
|--|--|--|---|---|
| <div>SKIPPED</div> <div>DURATION - 0.002 s</div> | |  | <div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 1</div> |  |
| / 12:24:27.092 AM // 12:24:27.094 AM / | | | | |
| Scenarios With No Step Definitions | | | | |
| @skip | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE HELLO | | |
| 1 | Given Skipped step definition | SKIPPED | 0.001 s |
| | org.testng.SkipException: SKip it at stepdefs.Stepdefs.skippedStep(Stepdefs.java:179) at ?.Skipped step definition(classpath:stepdefs/skipdef.feature:18) * Not displayable characters are replaced by '?'. AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | | |
| | AFTER HI AFTER HELLO | PASSED | 0.000 s |

(Step) AFTER_STEP - stepdefs.Stepdefs.
afterSite()

(S) Scenario screenshot GIT

(F) Screenshots



(Step) AFTER_STEP - stepdefs.Stepdefs.
afterSite()

(S) Scenario screenshot STACK

(F) Screenshots

