

Cucumber Report

Apr 26, 2022 4:59:01 PM

Start : Apr 26, 4:56:50.814 PM

End : Apr 26, 4:58:59.186 PM

Duration : 2 m 8.372 s

Features

Scenarios

Steps

PASSED - 7

FAILED - 2

SKIPPED - 1

PASSED - 21




FAILED - 5


SKIPPED - 3

PASSED - 57

FAILED - 3


SKIPPED - 7






#	Feature Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	2	2	0	0	8.826 s
2	<u>Exception</u>	5	2	3	0	14.043 s
3	<u>Hook and step failures</u>	2	0	2	0	0.010 s
4	<u>Large Data</u>	1	1	0	0	34.648 s
5	<u>Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names</u> *	2	2	0	0	6.025 s
6	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	5	5	0	0	15.083 s
7	<u>Scenario And Scenario Outline</u>	6	6	0	0	19.569 s
8	<u>Screenshots</u>	2	2	0	0	18.419 s
9	<u>Scenarios With No Step Definitions</u>	3	0	0	3	0.015 s
10	<u>Two Screenshots</u>	1	1	0	0	11.674 s

* The feature name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	<u>DataTable Scenario</u>	2	2	0	0	4.309 s
2	<u>DataTable And DocString</u>	<u>Doc String to Custom Object</u>	2	2	0	0	4.501 s
3	<u>Exception</u>	<u>Exception</u>	1	1	0	0	2.503 s
4	<u>Exception</u>	<u>No Exception</u>	1	1	0	0	1.503 s
5	<u>Exception</u>	<u>Other Exception</u>	2	1	1	0	5.007 s
6	<u>Exception</u>	<u>Check exception 1</u>	1	0	1	0	2.503 s
7	<u>Exception</u>	<u>Check exception 2</u>	1	0	1	0	2.507 s
8	<u>Hook and step failures</u>	<u>Before Hook</u>	2	0	0	2	0.005 s
9	<u>Hook and step failures</u>	<u>After Hook</u>	2	0	0	2	0.005 s
10	<u>Large Data</u>	<u>Large data scenario</u>	2	2	0	0	34.648 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Long long feature & Scenario Names</u> <u>Long long feature & Scenario Names *</u>	<u>Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario *</u>	3	3	0	0	3.011 s
12	<u>Long long feature & Scenario Names</u> <u>Long long feature & Scenario Names *</u>	<u>Scenario Normal Name</u>	3	3	0	0	3.014 s
13	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 300</u>	3	3	0	0	3.015 s
14	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 500</u>	3	3	0	0	3.020 s
15	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 400</u>	3	3	0	0	3.013 s
16	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 600</u>	3	3	0	0	3.009 s

* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Number Seven Seven Seven</u>	3	3	0	0	3.016 s
18	<u>Scenario And Scenario Outline</u>	<u>SO Row 300</u>	4	4	0	0	3.258 s
19	<u>Scenario And Scenario Outline</u>	<u>SO Row 500</u>	4	4	0	0	3.264 s
20	<u>Scenario And Scenario Outline</u>	<u>SO Row 400</u>	4	4	0	0	3.266 s
21	<u>Scenario And Scenario Outline</u>	<u>SO Row 600</u>	4	4	0	0	3.256 s
22	<u>Scenario And Scenario Outline</u>	<u>Scenario Number Seven Seven Seven</u>	4	4	0	0	3.266 s
23	<u>Scenario And Scenario Outline</u>	<u>Scenario Other Symbols</u>	4	4	0	0	3.259 s
24	<u>Screenshots</u>	<u>Scenario screenshot GIT</u>	1	1	0	0	10.294 s
25	<u>Screenshots</u>	<u>Scenario screenshot STACK</u>	1	1	0	0	8.125 s
26	<u>Scenarios With No Step Definitions</u>	<u>No Step defined</u>	1	0	0	1	0.000 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>Scenarios With No Step Definitions</u>	<u>Pending step</u>	1	0	0	1	0.000 s
28	<u>Scenarios With No Step Definitions</u>	<u>Skipped step</u>	1	0	0	1	0.000 s
29	<u>Two Screenshots</u>	<u>Scenario screenshot 2</u>	1	1	0	0	11.674 s

DataTable And DocString



PASSED	DURATION - 8.826 s	Scenarios		Steps	
/ 4:56:50.814 PM // 4:56:59.640 PM /		Total - 2		Total - 4	
		Pass - 2		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

DataTable Scenario

<div>PASSED</div> <div>DURATION - 4.309 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:56:50.820 PM // 4:56:55.129 PM /				
DataTable And DocString				
@tabledoc @datatable				

#	Step / Hook Details	Status	Duration								
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.011 s								
	BEFORE HI										
	BEFORE HELLO										
1	Given 'Hello' background	PASSED	0.256 s								
background											
2	Given Customer orders the dishes	PASSED	4.025 s								
<table><tr><td>dish</td><td>quantity</td></tr><tr><td>Spicy Meatballs</td><td>2</td></tr><tr><td>Fried Gnocchi</td><td>2</td></tr><tr><td>Espresso</td><td>3</td></tr></table>				dish	quantity	Spicy Meatballs	2	Fried Gnocchi	2	Espresso	3
dish	quantity										
Spicy Meatballs	2										
Fried Gnocchi	2										
Espresso	3										
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s								
	AFTER HI										
	AFTER HELLO										

Doc String to Custom Object



<div>PASSED</div>	<div>DURATION - 4.501 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:56:55.139 PM // 4:56:59.640 PM /</div>				
<div>DataTable And DocString</div>				
<div>@tabledoc @docstring</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given 'Hello' background	PASSED	0.255 s
	background		
2	Given the doc string is	PASSED	4.246 s
	Hello there how r u?		
	Doing great. Whats new?		
	Nothing much.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Exception



<div><div>FAILED</div><div>DURATION - 14.043 s</div></div>		<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 3</div> <div>Skip - 0</div>	<div><div><div>5</div></div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 3</div> <div>Skip - 0</div>	<div><div><div>6</div></div></div>
/ 4:56:59.645 PM // 4:57:13.688 PM /					

Exception

<div>PASSED</div>	<div>DURATION - 2.503 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:56:59.645 PM // 4:57:02.148 PM /				
Exception				
@exception				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	PASSED	2.503 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

No Exception

<div>PASSED</div>	<div>DURATION - 1.503 s</div>	<div></div>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:57:02.153 PM // 4:57:03.656 PM /</div>				
<div>Exception</div>				
<div>@exception</div>				


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Do not raise exception	PASSED	1.503 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Other Exception

<div>FAILED</div>	<div>DURATION - 5.007 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:57:03.661 PM // 4:57:08.668 PM /</div>				
<div>Exception</div>				
<div>@exception</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	PASSED	2.502 s
2	Given Raise exception	FAILED	2.500 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:114) at ?.Raise exception(classpath:stepdefs/exceptions.feature:12) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.005 s
	AFTER HI		
	AFTER HELLO		

Check exception 1

FAILED	DURATION - 2.503 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 4:57:08.678 PM // 4:57:11.181 PM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given Raise exception	FAILED	2.503 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:114) at ?.Raise exception(classpath:stepdefs/exceptions.feature:15) * Not displayable characters are replaced by '?'. 		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		



Check exception 2

FAILED	DURATION - 2.507 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 4:57:11.181 PM // 4:57:13.688 PM /				
Exception				
@exception				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.005 s
	BEFORE HI BEFORE HELLO		
1	Given Raise exception	FAILED	2.502 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) 		

#	Step / Hook Details	Status	Duration
	at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:114) at ?.Raise exception(classpath:stepdefs/exceptions.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Hook and step failures

FAILED	DURATION - 0.010 s	Scenarios		Steps	
/ 4:57:13.693 PM // 4:57:13.703 PM /		Total - 2		Total - 4	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 4	



Before Hook

FAILED	DURATION - 0.005 s		Steps	
/ 4:57:13.693 PM // 4:57:13.698 PM /			Total - 2	
Hook and step failures			Pass - 0	
@failure			Fail - 0	
			Skip - 2	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:62)		
1	Given Hook failure step	SKIPPED	0.000 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.005 s
	FAILURE HI		
	FAILURE HELLO		

#	Step / Hook Details	Status	Duration
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:69)		

After Hook



FAILED	DURATION - 0.005 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 4:57:13.698 PM // 4:57:13.703 PM /				
Hook and step failures				
@failure				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.005 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:62)		
1	Given Hook failure step	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:69)		

Large Data


<div>PASSED</div>	<div>DURATION - 34.648 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>1</div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>2</div></div>
<div>/ 4:57:13.708 PM // 4:57:48.356 PM /</div>					

Large data scenario

<div>PASSED</div>	<div>DURATION - 34.648 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:57:13.708 PM // 4:57:48.356 PM /</div>				
<div>Large Data</div>				
<div>@large</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	3.201 s
	HELLO THERE!!!		
1	Given the doc string is Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink	PASSED	4.001 s

[illegible]

#	Step / Hook Details	Status	Duration
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	1.396 s
	HELLO THERE!!!		
2	When Go to https://github.com/	PASSED	5.786 s
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	19.498 s
	HELLO THERE!!! https://github.com/		
	https://github.com/		
			
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

[illegible]

**Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario
Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long
Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name
Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario
Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name**

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.002 s
	log HATE THIS		
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	1.005 s
	log HATE THIS		
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.004 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Normal Name


PASSED

DURATION - 3.014 s

/ 4:57:51.372 PM // 4:57:54.386 PM /

Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario *

@longlong @lengthyfeature @smallscenario



Step	Value
1	1.0
2	1.0
3	1.0


Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.004 s
	log HATE THIS		
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	1.002 s
	log HATE THIS		
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.003 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Polish Założenia Scenariusz And Szablon scenariusza

PASSED

DURATION - 15.083 s

/ 4:57:54.386 PM // 4:58:09.469 PM /


Scenarios

Total - 5

Pass - 5

Fail - 0

Skip - 0




Steps



Total - 15

Pass - 15

Fail - 0



Skip - 0



PASSED		DURATION - 3.015 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:57:54.386 PM // 4:57:57.401 PM /						
Polish Założenia Scenariusz And Szablon scenariusza						
@dialect						

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	1.005 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline One300'	PASSED	1.004 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	1.001 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



Scenario Outline Row 500

PASSED		DURATION - 3.020 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:57:57.401 PM // 4:58:00.421 PM /						
Polish Założenia Scenariusz And Szablon scenariusza						
@dialect						

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	1.007 s



#	Step / Hook Details	Status	Duration
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	1.003 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	1.010 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Outline Row 400

PASSED	DURATION - 3.013 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:58:00.431 PM // 4:58:03.444 PM /				
Polish Założenia Scenariusz And Szablon scenariusza				
@dialect				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	1.010 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline One400'	PASSED	1.000 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	1.003 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Outline Row 600

<div>PASSED</div> <div>DURATION - 3.009 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 4:58:03.444 PM // 4:58:06.453 PM /</div>			
<div>Polish Założenia Scenariusz And Szablon scenariusza</div>			
<div>@dialect</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	1.006 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	1.000 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	1.003 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



Scenario Number Seven Seven Seven

<div>PASSED</div> <div>DURATION - 3.016 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 4:58:06.453 PM // 4:58:09.469 PM /</div>			
<div>Polish Założenia Scenariusz And Szablon scenariusza</div>			
<div>@dialect</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.004 s

#	Step / Hook Details	Status	Duration
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario 777'	PASSED	1.003 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.004 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario And Scenario Outline

PASSED	DURATION - 19.569 s	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0		Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	
/ 4:58:09.474 PM // 4:58:29.043 PM /					



SO Row 300

PASSED	DURATION - 3.258 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:58:09.474 PM // 4:58:12.732 PM /				
Scenario And Scenario Outline				
@odd @both @scenout				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.255 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	1.003 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline One300'	PASSED	1.000 s



#	Step / Hook Details	Status	Duration
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

SO Row 500

PASSED	DURATION - 3.264 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:58:12.732 PM // 4:58:15.996 PM /				
Scenario And Scenario Outline				
@odd @both @scenout				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.005 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.251 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	1.004 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	1.000 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	1.004 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

SO Row 400

<div>PASSED</div>	<div>DURATION - 3.266 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:58:15.996 PM // 4:58:19.262 PM /</div>				
<div>Scenario And Scenario Outline</div>				
<div>@even @both @scenout</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.253 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	1.004 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline One400'	PASSED	1.004 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	1.005 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



SO Row 600

<div>PASSED</div> <div>DURATION - 3.256 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:58:19.262 PM // 4:58:22.518 PM /</div>			
<div>Scenario And Scenario Outline</div>			
<div>@even @both @scenout</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		

#	Step / Hook Details	Status	Duration
	BEFORE HELLO		
1	Given Hello background background	PASSED	0.250 s
2	Given Write a 'given' step with precondition in 'Scenario Outline Two600' log HATE THIS	PASSED	1.000 s
3	When Complete action in 'when' step in 'Scenario Outline Two600' log HATE THIS	PASSED	1.005 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two600' log HATE THIS	PASSED	1.001 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s



Scenario Number Seven Seven Seven

PASSED	DURATION - 3.266 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:58:22.518 PM // 4:58:25.784 PM /				
Scenario And Scenario Outline				
@both @scen				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Hello background background	PASSED	0.255 s
2	Given Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.000 s
3	When Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.011 s
4	Then Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
	AFTER HI AFTER HELLO		

Scenario Other Symbols


PASSED		DURATION - 3.259 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 4:58:25.784 PM // 4:58:29.043 PM /						
Scenario And Scenario Outline						
@both @misc						


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Hello background background	PASSED	0.254 s
2	* Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.000 s
3	And Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.000 s
4	But Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.005 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Screenshots



PASSED	DURATION - 18.419 s	Scenarios		Steps	
/ 4:58:29.043 PM // 4:58:47.462 PM /		Total - 2		Total - 2	
		Pass - 2		Pass - 2	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	


Scenario screenshot GIT

<div>PASSED</div>	<div>DURATION - 10.294 s</div>	<div></div>	<div><div>Steps</div><div>Total - 1</div><div>Pass - 1</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 4:58:29.043 PM // 4:58:39.337 PM /</div>				
<div>Screenshots</div>				
<div>@website</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	2.395 s
	HELLO THERE!!!		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2()	PASSED	0.000 s
	GOOD BYE!!!		
1	When Go to https://github.com/	PASSED	5.694 s
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	2.205 s
	HELLO THERE!!! https://github.com/		
	https://github.com/		
			
	AFTER_STEP - stepdefs.Stepdefs.afterSite2()	PASSED	0.000 s
	GOOD BYE!!! https://github.com/		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario screenshot STACK



<div>PASSED</div>	<div>DURATION - 8.125 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 4:58:39.337 PM // 4:58:47.462 PM /</div>				
<div>Screenshots</div>				
<div>@website</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.005 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	1.907 s
	HELLO THERE!!!		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2()	PASSED	0.000 s
	GOOD BYE!!!		
1	Given Go to https://stackoverflow.com/	PASSED	5.375 s
	scenario website name - https://stackoverflow.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	0.833 s
	HELLO THERE!!! https://stackoverflow.com/		
	https://stackoverflow.com/		
			
	AFTER_STEP - stepdefs.Stepdefs.afterSite2()	PASSED	0.000 s
	GOOD BYE!!! https://stackoverflow.com/		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenarios With No Step Definitions



SKIPPED	DURATION - 0.015 s	Scenarios Total - 3 Pass - 0 Fail - 0 Skip - 3		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 4:58:47.492 PM // 4:58:47.507 PM /					

No Step defined

SKIPPED	DURATION - 0.000 s		Steps	
/ 4:58:47.497 PM // 4:58:47.497 PM /			Total - 1	
Scenarios With No Step Definitions			Pass - 0	
@skip			Fail - 0	
			Skip - 1	



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given No step definition methods	SKIPPED	0.000 s
	Step undefined		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Pending step

SKIPPED	DURATION - 0.000 s		Steps	
/ 4:58:47.502 PM // 4:58:47.502 PM /			Total - 1	
Scenarios With No Step Definitions			Pass - 0	
@skip			Fail - 0	
			Skip - 1	



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Pending step definition io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pending_step_definition_methods(Stepdefs.java:180) at ?.Pending step definition(classpath:stepdefs/skipdef.feature:13) * Not displayable characters are replaced by '?'. 	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Skipped step

SKIPPED	DURATION - 0.000 s		Steps Total - 1 Pass - 0 Fail - 0 Skip - 1	
/ 4:58:47.507 PM // 4:58:47.507 PM /				
Scenarios With No Step Definitions				
@skip				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Skipped step definition org.testng.SkipException: Skip it at stepdefs.Stepdefs.skippedStep(Stepdefs.java:185) at ?.Skipped step definition(classpath:stepdefs/skipdef.feature:18) * Not displayable characters are replaced by '?'. 	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Two Screenshots

PASSED	DURATION - 11.674 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 4:58:47.512 PM // 4:58:59.186 PM /					

Scenario screenshot 2

<div>PASSED</div>	<div>DURATION - 11.674 s</div>	<div></div>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:58:47.512 PM // 4:58:59.186 PM /</div>				
<div>Two Screenshots</div>				
<div>@twoimg</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	When Go to capture 2 images in one step	PASSED	11.674 s
	github		
	stackoverflow		
	 		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		