

Cucumber Report

May 11, 2022 1:29:58 PM

Start : May 11, 1:27:10.817 PM

End : May 11, 1:29:54.926 PM

Duration : 2 m 44.109 s

Features

Scenarios

Steps

PASSED - 7

FAILED - 2

SKIPPED - 1

PASSED - 23





FAILED - 3

SKIPPED - 3

PASSED - 59

FAILED - 1

SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>DataTable And DocString</u>	8.755 s	2	2	0	0	4	4	0	0
<u>Exception</u>	14.053 s	5	4	1	0	6	5	1	0
<u>Hook and step failures</u>	0.020 s	2	0	2	0	4	0	0	4
<u>Large Data</u>	52.269 s	1	1	0	0	2	2	0	0
<u>Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & *</u>	6.006 s	2	2	0	0	6	6	0	0
<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	15.060 s	5	5	0	0	15	15	0	0
<u>Scenario And Scenario Outline</u>	19.523 s	6	6	0	0	24	24	0	0
<u>Screenshots</u>	33.510 s	2	2	0	0	2	2	0	0
<u>Scenarios With No Step Definitions</u>	0.015 s	3	0	0	3	3	0	0	3
<u>Two Screenshots</u>	14.789 s	1	1	0	0	1	1	0	0

* The feature name has been cropped to fit in the available space.


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tabledoc	2	2	0	0	1	1	0	0
@datatable	1	1	0	0	1	1	0	0
@docstring	1	1	0	0	1	1	0	0
@exception	5	4	1	0	1	0	1	0
@failure	2	0	2	0	1	0	1	0
@large	1	1	0	0	1	1	0	0
@longlong	2	2	0	0	1	1	0	0
@lengthyfeature	2	2	0	0	1	1	0	0
@lengthyscenariolengthyscenarioscenario	1	1	0	0	1	1	0	0
@lengthyscenariolengthyscenario	1	1	0	0	1	1	0	0
@lengthyscenario	1	1	0	0	1	1	0	0
@longlonglonglong	1	1	0	0	1	1	0	0
@smallscenario	1	1	0	0	1	1	0	0
@dialect	5	5	0	0	1	1	0	0
@odd	2	2	0	0	1	1	0	0
@both	6	6	0	0	1	1	0	0
@scenout	4	4	0	0	1	1	0	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@even	2	2	0	0	1	1	0	0
@scen	1	1	0	0	1	1	0	0
@misc	1	1	0	0	1	1	0	0
@website	2	2	0	0	1	1	0	0
@skip	3	0	0	3	1	0	0	1
@twoimg	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	2	2	0	0	8.755 s
2	<u>Exception</u>	5	4	1	0	14.053 s
3	<u>Hook and step failures</u>	2	0	2	0	0.020 s
4	<u>Large Data</u>	1	1	0	0	52.269 s
5	<u>Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names *</u>	2	2	0	0	6.006 s
6	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	5	5	0	0	15.060 s
7	<u>Scenario And Scenario Outline</u>	6	6	0	0	19.523 s
8	<u>Screenshots</u>	2	2	0	0	33.510 s
9	<u>Scenarios With No Step Definitions</u>	3	0	0	3	0.015 s
10	<u>Two Screenshots</u>	1	1	0	0	14.789 s

* The feature name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	<u>DataTable Scenario</u>	2	2	0	0	4.298 s
2	<u>DataTable And DocString</u>	<u>Doc String to Custom Object</u>	2	2	0	0	4.437 s
3	<u>Exception</u>	<u>Exception</u>	1	1	0	0	2.505 s
4	<u>Exception</u>	<u>No Exception</u>	1	1	0	0	1.503 s
5	<u>Exception</u>	<u>Other Exception</u>	2	1	1	0	5.009 s
6	<u>Exception</u>	<u>Check exception 1</u>	1	1	0	0	2.505 s
7	<u>Exception</u>	<u>Check exception 2</u>	1	1	0	0	2.503 s
8	<u>Hook and step failures</u>	<u>Before Hook</u>	2	0	0	2	0.008 s
9	<u>Hook and step failures</u>	<u>After Hook</u>	2	0	0	2	0.007 s
10	<u>Large Data</u>	<u>Large data scenario</u>	2	2	0	0	52.269 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Long long feature & Scenario Names</u> <u>Long long feature & Scenario Names *</u>	<u>Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario *</u>	3	3	0	0	3.001 s
12	<u>Long long feature & Scenario Names</u> <u>Long long feature & Scenario Names *</u>	<u>Scenario Normal Name</u>	3	3	0	0	3.002 s
13	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 300</u>	3	3	0	0	3.040 s
14	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 500</u>	3	3	0	0	3.002 s
15	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 400</u>	3	3	0	0	3.002 s
16	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 600</u>	3	3	0	0	3.002 s

* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Number Seven Seven Seven</u>	3	3	0	0	3.000 s
18	<u>Scenario And Scenario Outline</u>	<u>SO Row 300</u>	4	4	0	0	3.254 s
19	<u>Scenario And Scenario Outline</u>	<u>SO Row 500</u>	4	4	0	0	3.252 s
20	<u>Scenario And Scenario Outline</u>	<u>SO Row 400</u>	4	4	0	0	3.251 s
21	<u>Scenario And Scenario Outline</u>	<u>SO Row 600</u>	4	4	0	0	3.251 s
22	<u>Scenario And Scenario Outline</u>	<u>Scenario Number Seven Seven Seven</u>	4	4	0	0	3.251 s
23	<u>Scenario And Scenario Outline</u>	<u>Scenario Other Symbols</u>	4	4	0	0	3.253 s
24	<u>Screenshots</u>	<u>Scenario screenshot GIT</u>	1	1	0	0	24.802 s
25	<u>Screenshots</u>	<u>Scenario screenshot STACK</u>	1	1	0	0	8.705 s
26	<u>Scenarios With No Step Definitions</u>	<u>No Step defined</u>	1	0	0	1	0.002 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>Scenarios With No Step Definitions</u>	<u>Pending step</u>	1	0	0	1	0.004 s
28	<u>Scenarios With No Step Definitions</u>	<u>Skipped step</u>	1	0	0	1	0.002 s
29	<u>Two Screenshots</u>	<u>Scenario screenshot 2</u>	1	1	0	0	14.789 s

DataTable And DocString



PASSED	DURATION - 8.755 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:27:10.817 PM // 1:27:19.572 PM /					

DataTable Scenario

PASSED	DURATION - 4.298 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 1:27:10.823 PM // 1:27:15.121 PM /				
DataTable And DocString				
@tabledoc @datatable				



#	Step / Hook Details	Status	Duration								
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.008 s								
	BEFORE HI										
	BEFORE HELLO										
1	Given 'Hello' background	PASSED	0.272 s								
	background										
2	Given Customer orders the dishes	PASSED	4.004 s								
	<table><tr><td>dish</td><td>quantity</td></tr><tr><td>Spicy Meatballs</td><td>2</td></tr><tr><td>Fried Gnocchi</td><td>2</td></tr><tr><td>Espresso</td><td>3</td></tr></table>			dish	quantity	Spicy Meatballs	2	Fried Gnocchi	2	Espresso	3
dish	quantity										
Spicy Meatballs	2										
Fried Gnocchi	2										
Espresso	3										
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s								
	AFTER HI										
	AFTER HELLO										

Doc String to Custom Object

<div>PASSED</div> <div>DURATION - 4.437 s</div>			<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:27:15.135 PM // 1:27:19.572 PM /				
DataTable And DocString				
@tabledoc @docstring				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.002 s
	BEFORE HI		
	BEFORE HELLO		
1	Given 'Hello' background	PASSED	0.251 s
	background		
2	Given the doc string is	PASSED	4.181 s
	Hello there how r u?		
	Doing great. Whats new?		
	Nothing much.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI		
	AFTER HELLO		

Exception



<div>FAILED</div> <div>DURATION - 14.053 s</div>		<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 1:27:19.577 PM // 1:27:33.630 PM /					

Exception

<div>PASSED</div>	<div>DURATION - 2.505 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:27:19.577 PM // 1:27:22.082 PM /</div>				
<div>Exception</div>				
<div>@exception</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	PASSED	2.502 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI		
	AFTER HELLO		

No Exception

<div>PASSED</div>	<div>DURATION - 1.503 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:27:22.085 PM // 1:27:23.588 PM /				
Exception				
@exception				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Do not raise exception	PASSED	1.501 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Other Exception

FAILED		DURATION - 5.009 s			Steps Total - 2 Pass - 1 Fail - 1 Skip - 0			
/ 1:27:23.591 PM // 1:27:28.600 PM /								
Exception								
@exception								



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	PASSED	2.501 s
2	Given Raise exception	FAILED	2.506 s
	<pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:114) at ?.Raise exception(classpath:stepdefs/exceptions.feature:12) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI		
	AFTER HELLO		

Check exception 1

<div>PASSED</div>	<div>DURATION - 2.505 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:27:28.620 PM // 1:27:31.125 PM /</div>				
<div>Exception</div>				
<div>@exception</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.002 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	PASSED	2.501 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI		
	AFTER HELLO		

Check exception 2



PASSED	DURATION - 2.503 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 1:27:31.127 PM // 1:27:33.630 PM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	PASSED	2.501 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI		
	AFTER HELLO		

Hook and step failures



FAILED	DURATION - 0.020 s	Scenarios		Steps	
/ 1:27:33.634 PM // 1:27:33.654 PM /		Total - 2		Total - 4	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 4	

Before Hook

<div>FAILED</div> <div>DURATION - 0.008 s</div>			Steps	
<div>/ 1:27:33.634 PM // 1:27:33.642 PM /</div>			Total - 2	
<div>Hook and step failures</div>			Pass - 0	
<div>@failure</div>			Fail - 0	
			Skip - 2	



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.001 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:62)		
1	Given Hook failure step	SKIPPED	0.001 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.001 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:69)		

After Hook



FAILED	DURATION - 0.007 s		<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 2</div>	
/ 1:27:33.647 PM // 1:27:33.654 PM /				
Hook and step failures				
@failure				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.001 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:62)		
1	Given Hook failure step	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.002 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:69)		

Large Data


<div>PASSED</div>	<div>DURATION - 52.269 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:27:33.666 PM // 1:28:25.935 PM /</div>					

Large data scenario

<div>PASSED</div>	<div>DURATION - 52.269 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:27:33.666 PM // 1:28:25.935 PM /</div>				
<div>Large Data</div>				
<div>@large</div>				


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	21.109 s
	HELLO THERE!!!		
1	Given the doc string is Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink	PASSED	4.002 s

[illegible]

#	Step / Hook Details	Status	Duration
	HELLO THERE!!! null		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	1.263 s
	HELLO THERE!!!		
2	When Go to https://github.com/ scenario website name - https://github.com/	PASSED	12.773 s
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	11.888 s
	HELLO THERE!!! https://github.com/ https://github.com/		
			
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names
 Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature
 & Scenario Names Long long feature Long long feature & Scenario Names Long long feature & Scenario
 Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature &
 Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature
 & Scenario Names Long long Long long feature & Scenario Names Long long feature Long long feature &
 Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature
 & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long
 feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario
 Names Long long feature Long long feature & Scenario Names Long long feature & Scenario Names Long long



PASSED	DURATION - 6.006 s	Scenarios		Steps	
/ 1:28:25.940 PM // 1:28:31.946 PM /		Total - 2		Total - 6	
		Pass - 2	2	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

PASSED	DURATION - 3.001 s	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> <div>  </div>
/ 1:28:25.940 PM // 1:28:28.941 PM /		
Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario *		
@longlong @lengthyfeature @lengthyscenariolengthyscenarioscenario @lengthyscenariolengthyscenario @lengthyscenario *		

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	1.000 s



#	Step / Hook Details	Status	Duration
	log HATE THIS		
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Normal Name



PASSED	DURATION - 3.002 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 1:28:28.944 PM // 1:28:31.946 PM /				
Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario *				
@longlong @lengthyfeature @smallscenario				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.001 s
	log HATE THIS		
2	When Complete action in 'when' step in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
3	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.001 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Polish Założenia Scenariusz And Szablon scenariusza



PASSED	DURATION - 15.060 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 1:28:31.950 PM // 1:28:47.010 PM /					

Scenario Outline Row 300

<div>PASSED</div> <div>DURATION - 3.040 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:28:31.951 PM // 1:28:34.991 PM /</div>			
<div>Polish Założenia Scenariusz And Szablon scenariusza</div>			
<div>@dialect</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	1.001 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline One300'	PASSED	1.000 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	1.001 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

Scenario Outline Row 500

<div>PASSED</div> <div>DURATION - 3.002 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:28:34.994 PM // 1:28:37.996 PM /</div>			
<div>Polish Założenia Scenariusz And Szablon scenariusza</div>			
<div>@dialect</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	1.000 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	1.001 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



Scenario Outline Row 400

<div>PASSED</div> <div>DURATION - 3.002 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:28:37.999 PM // 1:28:41.001 PM /</div>			
<div>Polish Założenia Scenariusz And Szablon scenariusza</div>			
<div>@dialect</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		



#	Step / Hook Details	Status	Duration
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	1.001 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline One400'	PASSED	1.001 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Outline Row 600

PASSED	DURATION - 3.002 s	 <p>Steps Total - 3 Pass - 3 Fail - 0 Skip - 0</p> 
/ 1:28:41.005 PM // 1:28:44.007 PM /		
Polish Założenia Scenariusz And Szablon scenariusza		
@dialect		

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	1.001 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	1.000 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Number Seven Seven Seven



<div>PASSED</div> <div>DURATION - 3.000 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:28:44.010 PM // 1:28:47.010 PM /</div>				
<div>Polish Założenia Scenariusz And Szablon scenariusza</div>				
<div>@dialect</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario And Scenario Outline



<div>PASSED</div>	<div>DURATION - 19.523 s</div>	<div>Scenarios</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>6</div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 24</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>24</div></div>
<div>/ 1:28:47.015 PM // 1:29:06.538 PM /</div>					

SO Row 300

<div>PASSED</div> <div>DURATION - 3.254 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:28:47.015 PM // 1:28:50.269 PM /				
Scenario And Scenario Outline				
@odd @both @scenout				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.251 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	1.001 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline One300'	PASSED	1.000 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	1.001 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

SO Row 500

<div>PASSED</div>	<div>DURATION - 3.252 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:28:50.272 PM // 1:28:53.524 PM /</div>				
<div>Scenario And Scenario Outline</div>				
<div>@odd @both @scenout</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.251 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	1.000 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	1.000 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



SO Row 400

PASSED		DURATION - 3.251 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:28:53.526 PM // 1:28:56.777 PM /						
Scenario And Scenario Outline						
@even @both @scenout						

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	1.000 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline One400'	PASSED	1.000 s
	log HATE THIS		



#	Step / Hook Details	Status	Duration
4	Then Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

SO Row 600

PASSED		DURATION - 3.251 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:28:56.779 PM // 1:29:00.030 PM /						
Scenario And Scenario Outline						
@even @both @scenout						



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	1.000 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	1.000 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Number Seven Seven Seven

<div>PASSED</div> <div>DURATION - 3.251 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:29:00.032 PM // 1:29:03.283 PM /</div>			
<div>Scenario And Scenario Outline</div>			
<div>@both @scen</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Other Symbols



<div>PASSED</div> <div>DURATION - 3.253 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 1:29:03.285 PM // 1:29:06.538 PM /</div>			
<div>Scenario And Scenario Outline</div>			
<div>@both @misc</div>			


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	* Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.001 s
	log HATE THIS		
3	And Complete action in 'when' step in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
4	But Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.001 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Screenshots



PASSED	DURATION - 33.510 s	Scenarios		Steps	
/ 1:29:06.540 PM // 1:29:40.050 PM /		Total - 2		Total - 2	
		Pass - 2	2	Pass - 2	2
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Scenario screenshot GIT


PASSED	DURATION - 24.802 s		Steps	
/ 1:29:06.540 PM // 1:29:31.342 PM /			Total - 1	
Screenshots			Pass - 1	1
@website			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	7.265 s
	HELLO THERE!!!		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2()	PASSED	0.000 s
	GOOD BYE!!!		
1	When Go to https://github.com/	PASSED	6.950 s
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	10.585 s
	HELLO THERE!!! https://github.com/ https://github.com/		
			
	AFTER_STEP - stepdefs.Stepdefs.afterSite2()	PASSED	0.001 s
	GOOD BYE!!! https://github.com/		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		



Scenario screenshot STACK

PASSED DURATION - 8.705 s / 1:29:31.345 PM // 1:29:40.050 PM / Screenshots @website		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
	BEFORE HI BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario) HELLO THERE!!!	PASSED	2.354 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2() GOOD BYE!!!	PASSED	0.000 s
1	Given Go to https://stackoverflow.com/ scenario website name - https://stackoverflow.com/	PASSED	5.531 s
	AFTER_STEP - stepdefs.Stepdefs.afterSite() HELLO THERE!!! https://stackoverflow.com/ https://stackoverflow.com/	PASSED	0.819 s
			
	AFTER_STEP - stepdefs.Stepdefs.afterSite2() GOOD BYE!!! https://stackoverflow.com/	PASSED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Scenarios With No Step Definitions



SKIPPED	DURATION - 0.015 s	Scenarios Total - 3 Pass - 0 Fail - 0 Skip - 3		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:29:40.119 PM // 1:29:40.134 PM /					

No Step defined

SKIPPED	DURATION - 0.002 s		<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 1</div>	
/ 1:29:40.119 PM // 1:29:40.121 PM /				
Scenarios With No Step Definitions				
@skip				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given No step definition methods	SKIPPED	0.001 s
	Step undefined		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



Pending step

SKIPPED	DURATION - 0.004 s		<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 1</div>	
/ 1:29:40.125 PM // 1:29:40.129 PM /				
Scenarios With No Step Definitions				
@skip				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Pending step definition	SKIPPED	0.002 s
	io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pending_step_definition_methods(Stepdefs.java:180)		



#	Step / Hook Details	Status	Duration
	at ?.Pending step definition(classpath:stepdefs/skipdef.feature:13) * Not displayable characters are replaced by '?'. AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)		
	AFTER HI AFTER HELLO	PASSED	0.000 s

Skipped step



SKIPPED	DURATION - 0.002 s		Steps Total - 1 Pass - 0 Fail - 0 Skip - 1	
/ 1:29:40.132 PM // 1:29:40.134 PM /				
Scenarios With No Step Definitions				
@skip				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.001 s
1	Given Skipped step definition org.testng.SkipException: SKip it at stepdefs.Stepdefs.skippedStep(Stepdefs.java:185) at ?.Skipped step definition(classpath:stepdefs/skipdef.feature:18) * Not displayable characters are replaced by '?'. AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	SKIPPED	0.000 s
	AFTER HI AFTER HELLO	PASSED	0.000 s

Two Screenshots

PASSED	DURATION - 14.789 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 1:29:40.137 PM // 1:29:54.926 PM /					

Scenario screenshot 2

PASSED	DURATION - 14.789 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 1:29:40.137 PM // 1:29:54.926 PM /				
Two Screenshots				
@twoimg				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	When Go to capture 2 images in one step	PASSED	14.788 s
	github		
	stackoverflow		
	 		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		