

Cucumber Report

May 12, 2022 12:36:32 PM

Start : May 12, 12:32:27.634 PM

End : May 12, 12:36:28.913 PM

Duration : 4 m 1.279 s

Features

Scenarios

Steps

PASSED - 8

FAILED - 2

SKIPPED - 1

PASSED - 22






FAILED - 5

SKIPPED - 3

PASSED - 60

FAILED - 3

SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>DataTable And DocString</u>	8.813 s	2	2	0	0	4	4	0	0
<u>Exception</u>	14.017 s	5	2	3	0	6	3	3	0
<u>Hook and step failures</u>	0.015 s	2	0	2	0	4	0	0	4
<u>Large Data</u>	40.161 s	1	1	0	0	2	2	0	0
<u>Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & *</u>	6.067 s	2	2	0	0	6	6	0	0
<u>No tag feature</u>	3.034 s	1	1	0	0	3	3	0	0
<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	15.215 s	5	5	0	0	15	15	0	0
<u>Scenario And Scenario Outline</u>	19.672 s	6	6	0	0	24	24	0	0
<u>Screenshots</u>	1 m 39.240 s	2	2	0	0	2	2	0	0
<u>Scenarios With No Step Definitions</u>	0.010 s	3	0	0	3	3	0	0	3
<u>Two Screenshots</u>	34.909 s	1	1	0	0	1	1	0	0

* The feature name has been cropped to fit in the available space.


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tabledoc	2	2	0	0	1	1	0	0
@datatable	1	1	0	0	1	1	0	0
@docstring	1	1	0	0	1	1	0	0
@exception	5	2	3	0	1	0	1	0
@failure	2	0	2	0	1	0	1	0
@large	1	1	0	0	1	1	0	0
@longlong	2	2	0	0	1	1	0	0
@lengthyfeature	2	2	0	0	1	1	0	0
@lengthyscenariolengthyscenarioscenario	1	1	0	0	1	1	0	0
@lengthyscenariolengthyscenario	1	1	0	0	1	1	0	0
@lengthyscenario	1	1	0	0	1	1	0	0
@longlonglonglong	1	1	0	0	1	1	0	0
@smallscenario	1	1	0	0	1	1	0	0
@dialect	5	5	0	0	1	1	0	0
@odd	2	2	0	0	1	1	0	0
@both	6	6	0	0	1	1	0	0
@scenout	4	4	0	0	1	1	0	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@even	2	2	0	0	1	1	0	0
@scen	1	1	0	0	1	1	0	0
@misc	1	1	0	0	1	1	0	0
@website	2	2	0	0	1	1	0	0
@skip	3	0	0	3	1	0	0	1
@twoimg	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	2	2	0	0	8.813 s
2	<u>Exception</u>	5	2	3	0	14.017 s
3	<u>Hook and step failures</u>	2	0	2	0	0.015 s
4	<u>Large Data</u>	1	1	0	0	40.161 s
5	<u>Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names *</u>	2	2	0	0	6.067 s
6	<u>No tag feature</u>	1	1	0	0	3.034 s
7	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	5	5	0	0	15.215 s
8	<u>Scenario And Scenario Outline</u>	6	6	0	0	19.672 s
9	<u>Screenshots</u>	2	2	0	0	1 m 39.240 s
10	<u>Scenarios With No Step Definitions</u>	3	0	0	3	0.010 s


* The feature name has been cropped to fit in the available space.



#	Feature Name	T	P	F	S	Duration
11	<u>Two Screenshots</u>	1	1	0	0	34.909 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	<u>DataTable Scenario</u>	2	2	0	0	4.282 s
2	<u>DataTable And DocString</u>	<u>Doc String to Custom Object</u>	2	2	0	0	4.516 s
3	<u>Exception</u>	<u>Exception</u>	1	0	1	0	2.500 s
4	<u>Exception</u>	<u>No Exception</u>	1	1	0	0	1.500 s
5	<u>Exception</u>	<u>Other Exception</u>	2	1	1	0	5.000 s
6	<u>Exception</u>	<u>Check exception 1</u>	1	1	0	0	2.501 s
7	<u>Exception</u>	<u>Check exception 2</u>	1	0	1	0	2.500 s
8	<u>Hook and step failures</u>	<u>Before Hook</u>	2	0	0	2	0.015 s
9	<u>Hook and step failures</u>	<u>After Hook</u>	2	0	0	2	0.000 s
10	<u>Large Data</u>	<u>Large data scenario</u>	2	2	0	0	40.161 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Long long feature & Scenario Names</u> <u>Long long feature & Scenario Names *</u>	<u>Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario *</u>	3	3	0	0	3.029 s
12	<u>Long long feature & Scenario Names</u> <u>Long long feature & Scenario Names *</u>	<u>Scenario Normal Name</u>	3	3	0	0	3.038 s
13	<u>No tag feature</u>	<u>No tag scenario</u>	3	3	0	0	3.034 s
14	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 300</u>	3	3	0	0	3.084 s
15	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 500</u>	3	3	0	0	3.032 s
16	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 400</u>	3	3	0	0	3.025 s
17	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 600</u>	3	3	0	0	3.037 s

* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Number Seven Seven Seven</u>	3	3	0	0	3.035 s
19	<u>Scenario And Scenario Outline</u>	<u>SO Row 300</u>	4	4	0	0	3.279 s
20	<u>Scenario And Scenario Outline</u>	<u>SO Row 500</u>	4	4	0	0	3.277 s
21	<u>Scenario And Scenario Outline</u>	<u>SO Row 400</u>	4	4	0	0	3.291 s
22	<u>Scenario And Scenario Outline</u>	<u>SO Row 600</u>	4	4	0	0	3.269 s
23	<u>Scenario And Scenario Outline</u>	<u>Scenario Number Seven Seven Seven</u>	4	4	0	0	3.281 s
24	<u>Scenario And Scenario Outline</u>	<u>Scenario Other Symbols</u>	4	4	0	0	3.272 s
25	<u>Screenshots</u>	<u>Scenario screenshot GIT</u>	1	1	0	0	21.469 s
26	<u>Screenshots</u>	<u>Scenario screenshot STACK</u>	1	1	0	0	1 m 17.771 s
27	<u>Scenarios With No Step Definitions</u>	<u>No Step defined</u>	1	0	0	1	0.001 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>Scenarios With No Step Definitions</u>	<u>Pending step</u>	1	0	0	1	0.003 s
29	<u>Scenarios With No Step Definitions</u>	<u>Skipped step</u>	1	0	0	1	0.001 s
30	<u>Two Screenshots</u>	<u>Scenario screenshot 2</u>	1	1	0	0	34.909 s

DataTable And DocString



PASSED	DURATION - 8.813 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:32:27.634 PM // 12:32:36.447 PM /					

DataTable Scenario

PASSED	DURATION - 4.282 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 12:32:27.649 PM // 12:32:31.931 PM /				
DataTable And DocString				
@tabledoc @datatable				



#	Step / Hook Details	Status	Duration								
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s								
	BEFORE HI										
	BEFORE HELLO										
1	Given 'Hello' background	PASSED	0.266 s								
	background										
2	Given Customer orders the dishes	PASSED	4.000 s								
	<table><tr><td>dish</td><td>quantity</td></tr><tr><td>Spicy Meatballs</td><td>2</td></tr><tr><td>Fried Gnocchi</td><td>2</td></tr><tr><td>Espresso</td><td>3</td></tr></table>			dish	quantity	Spicy Meatballs	2	Fried Gnocchi	2	Espresso	3
dish	quantity										
Spicy Meatballs	2										
Fried Gnocchi	2										
Espresso	3										
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s								
	AFTER HI										
	AFTER HELLO										

Doc String to Custom Object



<div>PASSED</div> <div>DURATION - 4.516 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:32:31.931 PM // 12:32:36.447 PM /</div>			
<div>DataTable And DocString</div>			
<div>@tabledoc @docstring</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given 'Hello' background	PASSED	0.265 s
	background		
2	Given the doc string is	PASSED	4.251 s
	Hello there how r u?		
	Doing great. Whats new?		
	Nothing much.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Exception



<div>FAILED</div> <div>DURATION - 14.017 s</div>		<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 3</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 3</div> <div>Fail - 3</div> <div>Skip - 0</div>	<div></div>
/ 12:32:36.462 PM // 12:32:50.479 PM /					

Exception

FAILED	DURATION - 2.500 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 12:32:36.462 PM // 12:32:38.962 PM /				
Exception				
@exception				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:114) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1646477160712/cuke5-extent-adapter-report/src/test/resources/stepdefs/exceptions.feature:5) * Not displayable characters are replaced by '?'.	FAILED	2.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

No Exception

<div>PASSED</div>	<div>DURATION - 1.500 s</div>	<div></div>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:32:38.978 PM // 12:32:40.478 PM /</div>				
<div>Exception</div>				
<div>@exception</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Do not raise exception	PASSED	1.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Other Exception

<div>FAILED</div> <div>DURATION - 5.000 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:32:40.478 PM // 12:32:45.478 PM /</div>				
<div>Exception</div>				
<div>@exception</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	PASSED	2.500 s
2	Given Raise exception	FAILED	2.500 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:114) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1646477160712/cuke5-extent-adapter-report/src/test/resources/stepdefs/exceptions.feature:12) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)		
	AFTER HI	PASSED	0.000 s



#	Step / Hook Details	Status	Duration
	AFTER HELLO		

Check exception 1

<div>PASSED</div>	<div>DURATION - 2.501 s</div>	<div></div>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:32:45.478 PM // 12:32:47.979 PM /</div>				
<div>Exception</div>				
<div>@exception</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	PASSED	2.501 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



Check exception 2

<div>FAILED</div> <div>DURATION - 2.500 s</div>			<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 12:32:47.979 PM // 12:32:50.479 PM /				
Exception				
@exception				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		

#	Step / Hook Details	Status	Duration
1	Given Raise exception <pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:97) at org.testng.Assert.assertEqualsImpl(Assert.java:136) at org.testng.Assert.assertEquals(Assert.java:118) at org.testng.Assert.assertEquals(Assert.java:751) at org.testng.Assert.assertEquals(Assert.java:761) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:114) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1646477160712/cuke5-extent-adapter-report/src/test/resources/stepdefs/exceptions.feature:15) * Not displayable characters are replaced by '?'. </pre>	FAILED	2.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Hook and step failures

FAILED	DURATION - 0.015 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 12:32:50.479 PM // 12:32:50.494 PM /					



Before Hook

FAILED	DURATION - 0.015 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 12:32:50.479 PM // 12:32:50.494 PM /				
Hook and step failures				
@failure				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	FAILURE HI FAILURE HELLO java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:62)		
1	Given Hook failure step	SKIPPED	0.000 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure() FAILURE HI FAILURE HELLO java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:69)	FAILED	0.000 s



After Hook

FAILED	DURATION - 0.000 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 12:32:50.494 PM // 12:32:50.494 PM /				
Hook and step failures				
@failure				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario) FAILURE HI FAILURE HELLO java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:62)	FAILED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure() FAILURE HI FAILURE HELLO java.lang.RuntimeException	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at stepdefs.Stepdefs.afterFailure(Stepdefs.java:69)		

Large Data


PASSED	DURATION - 40.161 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 12:32:50.510 PM // 12:33:30.671 PM /					



Large data scenario

PASSED	DURATION - 40.161 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 12:32:50.510 PM // 12:33:30.671 PM /				
Large Data				
@large				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	19.912 s
	HELLO THERE!!!		
1	Given the doc string is	PASSED	4.001 s
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?		

[illegible]

#	Step / Hook Details	Status	Duration
	<p>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p> <p>Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Doing great. Spicy Meatballs for food and drink italian sicily</p> <p>Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p>		
	<p>AFTER_STEP - stepdefs.Stepdefs.afterSite()</p> <p>HELLO THERE!!! null</p>	PASSED	1.755 s
	<p>BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)</p> <p>HELLO THERE!!!</p>	PASSED	2.999 s
2	<p>When Go to https://github.com/</p> <p>scenario website name - https://github.com/</p>	PASSED	8.977 s
	<p>AFTER_STEP - stepdefs.Stepdefs.afterSite()</p> <p>HELLO THERE!!! https://github.com/</p> <p>https://github.com/</p> 	PASSED	2.516 s
	<p>AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)</p> <p>AFTER HI</p> <p>AFTER HELLO</p>	PASSED	0.000 s



PASSED	DURATION - 6.067 s	Scenarios		Steps	
/ 12:33:30.671 PM // 12:33:36.738 PM /		Total - 2		Total - 6	
		Pass - 2		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

**Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario
Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long
Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name
Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario
Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long
Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name**

PASSED	DURATION - 3.029 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:33:30.671 PM // 12:33:33.700 PM /				
Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario *				
@longlong @lengthyfeature @lengthyscenariolengthyscenarioscenario @lengthyscenariolengthyscenario @lengthyscenario *				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.013 s
2	When Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.001 s
3	Then Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.015 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



Scenario Normal Name

PASSED		DURATION - 3.038 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:33:33.700 PM // 12:33:36.738 PM /						
Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario *						
@longlong @lengthyfeature @smallscenario						



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		

#	Step / Hook Details	Status	Duration
	BEFORE HELLO		
1	Given Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.009 s
2	When Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.016 s
3	Then Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.013 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

No tag feature

PASSED	DURATION - 3.034 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:33:36.738 PM // 12:33:39.772 PM /					



No tag scenario

PASSED	DURATION - 3.034 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:33:36.738 PM // 12:33:39.772 PM /				
No tag feature				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Write a 'given' step with precondition in 'Scenario No tag'	PASSED	1.015 s

#	Step / Hook Details	Status	Duration
	log HATE THIS		
2	When Complete action in 'when' step in 'Scenario No tag'	PASSED	1.009 s
	log HATE THIS		
3	Then Validate the outcome in 'then' step in 'Scenario No tag'	PASSED	1.010 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Polish Założenia Scenariusz And Szablon scenariusza

PASSED	DURATION - 15.215 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 12:33:39.772 PM // 12:33:54.987 PM /					



Scenario Outline Row 300

PASSED	DURATION - 3.084 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:33:39.772 PM // 12:33:42.856 PM /				
Polish Założenia Scenariusz And Szablon scenariusza				
@dialect				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	1.015 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline One300'	PASSED	1.010 s



#	Step / Hook Details	Status	Duration
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	1.009 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Outline Row 500

PASSED		DURATION - 3.032 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:33:42.856 PM // 12:33:45.888 PM /						
Polish Założenia Scenariusz And Szablon scenariusza						
@dialect						



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	1.012 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	1.010 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	1.010 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Outline Row 400

<div>PASSED</div> <div>DURATION - 3.025 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:33:45.890 PM // 12:33:48.915 PM /				
Polish Założenia Scenariusz And Szablon scenariusza				
@dialect				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	1.009 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline One400'	PASSED	1.007 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	1.009 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



Scenario Outline Row 600

PASSED		DURATION - 3.037 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:33:48.915 PM // 12:33:51.952 PM /						
Polish Założenia Scenariusz And Szablon scenariusza						
@dialect						

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		



#	Step / Hook Details	Status	Duration
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two600' log HATE THIS	PASSED	1.016 s
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two600' log HATE THIS	PASSED	1.009 s
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two600' log HATE THIS	PASSED	1.012 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Scenario Number Seven Seven Seven



PASSED		DURATION - 3.035 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:33:51.952 PM // 12:33:54.987 PM /						
Polish Założenia Scenariusz And Szablon scenariusza						
@dialect						

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Zakładając Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.016 s
2	Kiedy Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.009 s
3	Wtedy Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.010 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Scenario And Scenario Outline



PASSED	DURATION - 19.672 s	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0		Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	
/ 12:33:54.990 PM // 12:34:14.662 PM /					

SO Row 300

<div>PASSED</div> <div>DURATION - 3.279 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:33:54.990 PM // 12:33:58.269 PM /</div>			
<div>Scenario And Scenario Outline</div>			
<div>@odd @both @scenout</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	1.013 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline One300'	PASSED	1.003 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	1.013 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

SO Row 500

<div>PASSED</div>	<div>DURATION - 3.277 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:33:58.269 PM // 12:34:01.546 PM /</div>				
<div>Scenario And Scenario Outline</div>				
<div>@odd @both @scenout</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.252 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	1.001 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	1.015 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	1.009 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

SO Row 400

<div>PASSED</div> <div>DURATION - 3.291 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:34:01.546 PM // 12:34:04.837 PM /</div>				
<div>Scenario And Scenario Outline</div>				
<div>@even @both @scenout</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.254 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	1.009 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline One400'	PASSED	1.013 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	1.015 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



SO Row 600

PASSED		DURATION - 3.269 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:34:04.837 PM // 12:34:08.106 PM /						
Scenario And Scenario Outline						
@even @both @scenout						

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	1.012 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	1.001 s
	log HATE THIS		



#	Step / Hook Details	Status	Duration
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	1.006 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Number Seven Seven Seven

PASSED		DURATION - 3.281 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0		
/ 12:34:08.106 PM // 12:34:11.387 PM /							
Scenario And Scenario Outline							
@both @scen							



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.013 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario 777'	PASSED	1.009 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.009 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Other Symbols



<div>PASSED</div>	<div>DURATION - 3.272 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:34:11.390 PM // 12:34:14.662 PM /</div>				
<div>Scenario And Scenario Outline</div>				
<div>@both @misc</div>				


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	* Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
3	And Complete action in 'when' step in 'Scenario 777'	PASSED	1.013 s
	log HATE THIS		
4	But Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.009 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Screenshots



<div>PASSED</div>	<div>DURATION - 1 m 39.240 s</div>	<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:34:14.662 PM // 12:35:53.902 PM /</div>					


Scenario screenshot GIT

<div>PASSED</div>	<div>DURATION - 21.469 s</div>	<div></div>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:34:14.662 PM // 12:34:36.131 PM /</div>				
<div>Screenshots</div>				
<div>@website</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	1.695 s
	HELLO THERE!!!		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2()	PASSED	0.000 s
	GOOD BYE!!!		
1	When Go to https://github.com/	PASSED	7.110 s
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	12.664 s
	HELLO THERE!!! https://github.com/		
	https://github.com/		
			
	AFTER_STEP - stepdefs.Stepdefs.afterSite2()	PASSED	0.000 s
	GOOD BYE!!! https://github.com/		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario screenshot STACK



<div>PASSED</div>	<div>DURATION - 1 m 17.771 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 12:34:36.131 PM // 12:35:53.902 PM /</div>				
<div>Screenshots</div>				
<div>@website</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	14.300 s
	HELLO THERE!!!		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2()	PASSED	0.002 s
	GOOD BYE!!!		
1	Given Go to https://stackoverflow.com/	PASSED	39.268 s
	scenario website name - https://stackoverflow.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	24.200 s
	HELLO THERE!!! https://stackoverflow.com/ https://stackoverflow.com/		
			
	AFTER_STEP - stepdefs.Stepdefs.afterSite2()	PASSED	0.001 s
	GOOD BYE!!! https://stackoverflow.com/		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

Scenarios With No Step Definitions



SKIPPED	DURATION - 0.010 s	Scenarios Total - 3 Pass - 0 Fail - 0 Skip - 3		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 12:35:53.990 PM // 12:35:54.000 PM /					

No Step defined

SKIPPED	DURATION - 0.001 s		Steps Total - 1 Pass - 0 Fail - 0 Skip - 1	
/ 12:35:53.990 PM // 12:35:53.991 PM /				
Scenarios With No Step Definitions				
@skip				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given No step definition methods	SKIPPED	0.001 s
	Step undefined		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Pending step

SKIPPED	DURATION - 0.003 s		<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 1</div>	
/ 12:35:53.994 PM // 12:35:53.997 PM /				
Scenarios With No Step Definitions				
@skip				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Pending step definition io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pending_step_definition_methods(Stepdefs.java:180) at ?.Pending step definition(file:///D:/eclipse-workspace/maven.1646477160712/cuke5-extent-adapter-report/src/test/resources/stepdefs/skipdef.feature:13) * Not displayable characters are replaced by '?'.	SKIPPED	0.002 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI		
	AFTER HELLO		



Skipped step

SKIPPED	DURATION - 0.001 s		Steps Total - 1 Pass - 0 Fail - 0 Skip - 1	
/ 12:35:53.999 PM // 12:35:54.000 PM /				
Scenarios With No Step Definitions				
@skip				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		

#	Step / Hook Details	Status	Duration
1	Given Skipped step definition org.testng.SkipException: SKip it at stepdefs.Stepdefs.skippedStep(Stepdefs.java:185) at ?.Skipped step definition(file:///D:/eclipse-workspace/maven.1646477160712/cuke5-extent-adapter-report/src/test/resources/stepdefs/skipdef.feature:18) * Not displayable characters are replaced by '?'. AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	SKIPPED	0.000 s
		PASSED	0.000 s


Two Screenshots

PASSED	DURATION - 34.909 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 12:35:54.004 PM // 12:36:28.913 PM /					

Scenario screenshot 2

PASSED	DURATION - 34.909 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 12:35:54.004 PM // 12:36:28.913 PM /				
Two Screenshots				
@twoimg				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	When Go to capture 2 images in one step github stackoverflow	PASSED	34.909 s

#	Step / Hook Details	Status	Duration
			
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		