

# Cucumber Report

May 12, 2022 12:13:48 PM

**Start : May 12, 12:09:44.492 PM**

**End : May 12, 12:13:44.481 PM**

**Duration : 3 m 59.989 s**

## Features







PASSED - 8  
FAILED - 3  
SKIPPED - 0

## Scenarios

PASSED - 22  
FAILED - 7  
SKIPPED - 1

## Steps

PASSED - 60  
FAILED - 5  
SKIPPED - 5




<b>Feature</b>		<b>Duration</b>	<b>Scenario</b>				<b>Step</b>			
			<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>DataTable And DocString</u>		4.813 s	2	2	0	0	4	4	0	0
<u>Exception</u>		14.016 s	5	2	3	0	6	3	3	0
<u>Hook and step failures</u>		0.016 s	2	0	2	0	4	0	0	4
<u>Large Data</u>		1 m 42.005 s	1	1	0	0	2	2	0	0
<u>Long long feature &amp; Scenario Names Long long feature &amp; Scenario Names Long long feature &amp; Scenario Names Long long feature &amp; *</u>		6.013 s	2	2	0	0	6	6	0	0
<u>No tag feature</u>		3.001 s	1	1	0	0	3	3	0	0
<u>Polish Założenia Scenariusz And Szablon scenariusza</u>		15.125 s	5	5	0	0	15	15	0	0
<u>Scenario And Scenario Outline</u>		19.502 s	6	6	0	0	24	24	0	0
<u>Screenshots</u>		53.434 s	2	2	0	0	2	2	0	0
<u>Scenarios With No Step Definitions</u>		0.016 s	3	0	2	1	3	0	2	1
<u>Two Screenshots</u>		21.940 s	1	1	0	0	1	1	0	0

\* The feature name has been cropped to fit in the available space.


<b>Tag</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@tabledoc		2	2	0	0	1	1	0	0
@exception		5	2	3	0	1	0	1	0
@failure		2	0	2	0	1	0	1	0
@large		1	1	0	0	1	1	0	0
@longlong		2	2	0	0	1	1	0	0
@lengthyfeature		2	2	0	0	1	1	0	0
@lengthyscenariolengthyscenarioscenario		1	1	0	0	1	1	0	0
@lengthyscenariolengthyscenario		1	1	0	0	1	1	0	0
@lengthyscenario		1	1	0	0	1	1	0	0
@longlonglonglong		1	1	0	0	1	1	0	0
@smallscenario		1	1	0	0	1	1	0	0
@dialect		5	5	0	0	1	1	0	0
@both		6	6	0	0	1	1	0	0
@scenout		4	4	0	0	1	1	0	0
@scen		1	1	0	0	1	1	0	0
@misc		1	1	0	0	1	1	0	0
@website		2	2	0	0	1	1	0	0

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<b>Name</b>								
@git	1	1	0	0	1	1	0	0
@stack	1	1	0	0	1	1	0	0
@skip	3	0	2	1	1	0	1	0
@twoimg	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	2	2	0	0	4.813 s
2	<u>Exception</u>	5	2	3	0	14.016 s
3	<u>Hook and step failures</u>	2	0	2	0	0.016 s
4	<u>Large Data</u>	1	1	0	0	1 m 42.005 s
5	<u>Long long feature &amp; Scenario Names Long long feature &amp; Scenario Names *</u>	2	2	0	0	6.013 s
6	<u>No tag feature</u>	1	1	0	0	3.001 s
7	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	5	5	0	0	15.125 s
8	<u>Scenario And Scenario Outline</u>	6	6	0	0	19.502 s
9	<u>Screenshots</u>	2	2	0	0	53.434 s
10	<u>Scenarios With No Step Definitions</u>	3	0	2	1	0.016 s

\* The feature name has been cropped to fit in the available space.




#	Feature Name	T	P	F	S	Duration
11	<u>Two Screenshots</u>	1	1	0	0	21.940 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<a href="#">DataTable And DocString</a>	<a href="#">DataTable Scenario</a>	2	2	0	0	2.313 s
2	<a href="#">DataTable And DocString</a>	<a href="#">Doc String to Custom Object</a>	2	2	0	0	2.453 s
3	<a href="#">Exception</a>	<a href="#">Exception</a>	1	0	1	0	2.500 s
4	<a href="#">Exception</a>	<a href="#">No Exception</a>	1	1	0	0	1.500 s
5	<a href="#">Exception</a>	<a href="#">Other Exception</a>	2	2	0	0	5.000 s
6	<a href="#">Exception</a>	<a href="#">Check exception 1</a>	1	0	1	0	2.500 s
7	<a href="#">Exception</a>	<a href="#">Check exception 2</a>	1	0	1	0	2.500 s
8	<a href="#">Hook and step failures</a>	<a href="#">Before Hook</a>	2	0	0	2	0.016 s
9	<a href="#">Hook and step failures</a>	<a href="#">After Hook</a>	2	0	0	2	0.000 s
10	<a href="#">Large Data</a>	<a href="#">Large data scenario</a>	2	2	0	0	1 m 42.005 s

\* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Long long feature &amp; Scenario Names</u> <u>Long long feature &amp; Scenario Names *</u>	<u>Scenario Long Name Scenario *</u>	3	3	0	0	3.013 s
12	<u>Long long feature &amp; Scenario Names</u> <u>Long long feature &amp; Scenario Names *</u>	<u>Scenario Normal Name</u>	3	3	0	0	3.000 s
13	<u>No tag feature</u>	<u>No tag scenario</u>	3	3	0	0	3.001 s
14	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 300</u>	3	3	0	0	3.125 s
15	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 500</u>	3	3	0	0	3.000 s
16	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 400</u>	3	3	0	0	3.000 s
17	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 600</u>	3	3	0	0	3.000 s

\* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Number Seven Seven Seven</u>	3	3	0	0	3.000 s
19	<u>Scenario And Scenario Outline</u>	<u>SO Row 300</u>	4	4	0	0	3.251 s
20	<u>Scenario And Scenario Outline</u>	<u>SO Row 500</u>	4	4	0	0	3.250 s
21	<u>Scenario And Scenario Outline</u>	<u>SO Row 400</u>	4	4	0	0	3.250 s
22	<u>Scenario And Scenario Outline</u>	<u>SO Row 600</u>	4	4	0	0	3.250 s
23	<u>Scenario And Scenario Outline</u>	<u>Scenario Number Seven Seven Seven</u>	4	4	0	0	3.250 s
24	<u>Scenario And Scenario Outline</u>	<u>Scenario Other Symbols</u>	4	4	0	0	3.251 s
25	<u>Screenshots</u>	<u>Scenario screenshot GIT</u>	1	1	0	0	42.511 s
26	<u>Screenshots</u>	<u>Scenario screenshot STACK</u>	1	1	0	0	10.923 s
27	<u>Scenarios With No Step Definitions</u>	<u>No Step defined</u>	1	0	1	0	0.000 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>Scenarios With No Step Definitions</u>	<u>Pending step</u>	1	0	1	0	0.016 s
29	<u>Scenarios With No Step Definitions</u>	<u>Skipped step</u>	1	0	0	1	0.000 s
30	<u>Two Screenshots</u>	<u>Scenario screenshot 2</u>	1	1	0	0	21.940 s

## DataTable And DocString


PASSED	DURATION - 4.813 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:09:44.492 PM // 12:09:49.305 PM /					

## DataTable Scenario

PASSED	DURATION - 2.313 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 12:09:44.523 PM // 12:09:46.836 PM /			
DataTable And DocString			
@tabledoc			

#	Step / Hook Details	Status	Duration																																																												
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI BEFORE HELLO	PASSED	0.016 s																																																												
1	Given Hello background  background	PASSED	0.265 s																																																												
2	Given Customer orders the dishes  <table border="1"> <tr> <td>one cell Customer orders t*</td> <td>two cell</td> <td>three cell</td> <td>four cell</td> <td>five cell</td> <td>six cell</td> <td>seven cell</td> <td>eight cell</td> <td>nine cell</td> <td>ten cell</td> <td>eleven cell</td> <td>twelve cell</td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> </tr> </table> * The data cell text(s) have been cropped to fit in the available space.	one cell Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	PASSED	2.016 s
one cell Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell																																																				
1	2	3	4	5	6	7	8	9	10	11	12																																																				
1	2	3	4	5	6	7	8	9	10	11	12																																																				
1	2	3	4	5	6	7	8	9	10	11	12																																																				
1	2	3	4	5	6	7	8	9	10	11	12																																																				
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI AFTER HELLO	PASSED	0.000 s																																																												

## Doc String to Custom Object




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI  BEFORE HELLO	PASSED	0.000 s
1	Given Hello background  background	PASSED	0.250 s
2	Given the doc string is  Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily  Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily  Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily  Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?	PASSED	2.203 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI  AFTER HELLO	PASSED	0.000 s


## Exception




## Exception



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Raise exception  java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:108) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1646475191298/cuke6-extent-adapter-report/src/test/resources/stepdefs/exceptions.feature:5) * Not displayable characters are replaced by '?'.	FAILED	2.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI AFTER HELLO	PASSED	0.000 s

**No Exception**


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI  BEFORE HELLO	PASSED	0.000 s
1	Given Do not raise exception	PASSED	1.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI  AFTER HELLO	PASSED	0.000 s

**Other Exception**

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI  BEFORE HELLO	PASSED	0.000 s
1	Given Raise exception	PASSED	2.500 s
2	Given Raise exception	PASSED	2.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER HI AFTER HELLO		

## Check exception 1



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Raise exception  java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:108) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1646475191298/cuke6-extent-adaptor-report/src/test/resources/stepdefs/exceptions.feature:16) * Not displayable characters are replaced by '?'.	FAILED	2.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI AFTER HELLO	PASSED	0.000 s

## Check exception 2




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Raise exception  java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:108) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1646475191298/cuke6-extent-adapter-report/src/test/resources/stepdefs/exceptions.feature:16) * Not displayable characters are replaced by '?'.  AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	FAILED	2.500 s
	AFTER HI AFTER HELLO	PASSED	0.000 s

## Hook and step failures




## Before Hook



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)  FAILURE HI FAILURE HELLO  java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:57)	FAILED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()  FAILURE HI FAILURE HELLO  java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:64)	FAILED	0.016 s

## After Hook




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:57)		
1	Given Hook failure step	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:64)		

## Large Data



## Large data scenario




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		

#	Step / Hook Details	Status	Duration
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario) HELLO THERE!!!	PASSED	32.622 s
1	<p>Given the doc string is</p> <p>Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p>	PASSED	2.013 s

#	Step / Hook Details	Status	Duration
	<p>Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Doing great. Spicy Meatballs for food and drink italian sicily</p> <p>Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p> <p>Hello there how r u? Hello there how r u?</p> <p>Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Doing great. Spicy Meatballs for food and drink italian sicily</p> <p>Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p> <p>Hello there how r u? Hello there how r u?</p> <p>Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Doing great. Spicy Meatballs for food and drink italian sicily</p> <p>Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p> <p>Hello there how r u? Hello there how r u?</p>		
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	2.359 s
	HELLO THERE!!! null		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	4.093 s
	HELLO THERE!!!		
2	When Go to <a href="https://github.com/">https://github.com/</a> scenario website name - <a href="https://github.com/">https://github.com/</a>	PASSED	19.867 s
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	41.051 s


#	Step / Hook Details	Status	Duration
	<p>HELLO THERE!!! https://github.com/ https://github.com/</p> 		
	<p>AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)</p> <p>AFTER HI</p> <p>AFTER HELLO</p>	PASSED	0.000 s

Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario  
 Names Long long feature & Scenario Names Long long feature & Scenario Names Long long Long long feature  
 & Scenario Names Long long feature Long long feature & Scenario Names Long long feature & Scenario  
 Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature &  
 Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature  
 & Scenario Names Long long Long long feature & Scenario Names Long long feature Long long feature &  
 Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature  
 & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long  
 feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario  
 Names Long long feature Long long feature & Scenario Names Long long feature & Scenario Names Long long  
 feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long  
 long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names  
 Long long Long long feature & Scenario Names Long long feature Long long feature & Scenario Names Long  
 long feature & Scenario Names



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI  BEFORE HELLO	PASSED	0.000 s
1	Given Write a 'given' step with precondition in 'Scenario 777'  log HATE THIS	PASSED	1.011 s
2	When Complete action in 'when' step in 'Scenario 777'  log HATE THIS	PASSED	1.000 s
3	Then Validate the outcome in 'then' step in 'Scenario 777'  log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
	AFTER HELLO		

**Scenario Normal Name**

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.000 s
2	When Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.000 s
3	Then Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

**No tag feature**

## No tag scenario





#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI  BEFORE HELLO	PASSED	0.000 s
1	Given Write a 'given' step with precondition in 'Scenario No tag'  log HATE THIS	PASSED	1.001 s
2	When Complete action in 'when' step in 'Scenario No tag'  log HATE THIS	PASSED	1.000 s
3	Then Validate the outcome in 'then' step in 'Scenario No tag'  log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI  AFTER HELLO	PASSED	0.000 s

## Polish Założenia Scenariusz And Szablon scenariusza




## Scenario Outline Row 300

PASSED	DURATION - 3.125 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:11:54.386 PM // 12:11:57.511 PM /				
Polish Założenia Scenariusz And Szablon scenariusza				
@dialect				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	1.000 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline One300'	PASSED	1.000 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		


### Scenario Outline Row 500

PASSED	DURATION - 3.000 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:11:57.511 PM // 12:12:00.511 PM /				
Polish Założenia Scenariusz And Szablon scenariusza				
@dialect				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		



#	Step / Hook Details	Status	Duration
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two500' log HATE THIS	PASSED	1.000 s
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two500' log HATE THIS	PASSED	1.000 s
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two500' log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

### Scenario Outline Row 400





#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One400' log HATE THIS	PASSED	1.000 s
2	Kiedy Complete action in 'when' step in 'Scenario Outline One400' log HATE THIS	PASSED	1.000 s
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One400' log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

## Scenario Outline Row 600

PASSED	DURATION - 3.000 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:12:03.511 PM // 12:12:06.511 PM /				
Polish Założenia Scenariusz And Szablon scenariusza				
@dialect				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI  BEFORE HELLO	PASSED	0.000 s
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two600'  log HATE THIS	PASSED	1.000 s
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two600'  log HATE THIS	PASSED	1.000 s
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two600'  log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI  AFTER HELLO	PASSED	0.000 s

## Scenario Number Seven Seven Seven


PASSED	DURATION - 3.000 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:12:06.511 PM // 12:12:09.511 PM /				
Polish Założenia Scenariusz And Szablon scenariusza				
@dialect				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Zakładając Write a 'given' step with precondition in 'Scenario 777'  log HATE THIS	PASSED	1.000 s
2	Kiedy Complete action in 'when' step in 'Scenario 777'  log HATE THIS	PASSED	1.000 s
3	Wtedy Validate the outcome in 'then' step in 'Scenario 777'  log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI AFTER HELLO	PASSED	0.000 s

## Scenario And Scenario Outline




## SO Row 300



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
	BEFORE HELLO		
1	Given Hello background background	PASSED	0.250 s
2	Given Write a 'given' step with precondition in 'Scenario Outline One300' log HATE THIS	PASSED	1.001 s
3	When Complete action in 'when' step in 'Scenario Outline One300' log HATE THIS	PASSED	1.000 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline One300' log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

**SO Row 500**

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background background	PASSED	0.250 s
2	Given Write a 'given' step with precondition in 'Scenario Outline Two500' log HATE THIS	PASSED	1.000 s
3	When Complete action in 'when' step in 'Scenario Outline Two500' log HATE THIS	PASSED	1.000 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two500' log HATE THIS	PASSED	1.000 s


#	Step / Hook Details	Status	Duration
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI AFTER HELLO	PASSED	0.000 s

**SO Row 400**

PASSED	DURATION - 3.250 s	 <p>12:12:16.012 PM // 12:12:19.262 PM /</p> <p>Scenario And Scenario Outline</p> <p>@both @scenout</p>	<p>Steps</p> <p>Total - 4</p> <p>Pass - 4</p> <p>Fail - 0</p> <p>Skip - 0</p> 
--------	--------------------	---	---


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Hello background  background	PASSED	0.250 s
2	Given Write a 'given' step with precondition in 'Scenario Outline One400'  log HATE THIS	PASSED	1.000 s
3	When Complete action in 'when' step in 'Scenario Outline One400'  log HATE THIS	PASSED	1.000 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline One400'  log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI AFTER HELLO	PASSED	0.000 s

**SO Row 600**




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Hello background  background	PASSED	0.250 s
2	Given Write a 'given' step with precondition in 'Scenario Outline Two600'  log HATE THIS	PASSED	1.000 s
3	When Complete action in 'when' step in 'Scenario Outline Two600'  log HATE THIS	PASSED	1.000 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two600'  log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI AFTER HELLO	PASSED	0.000 s

### Scenario Number Seven Seven Seven



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Hello background  background	PASSED	0.250 s
2	Given Write a 'given' step with precondition in 'Scenario 777'  log HATE THIS	PASSED	1.000 s
3	When Complete action in 'when' step in 'Scenario 777'  log HATE THIS	PASSED	1.000 s
4	Then Validate the outcome in 'then' step in 'Scenario 777'  log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI AFTER HELLO	PASSED	0.000 s

### Scenario Other Symbols




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Hello background  background	PASSED	0.250 s
2	* Write a 'given' step with precondition in 'Scenario 777'  log HATE THIS	PASSED	1.000 s
3	And Complete action in 'when' step in 'Scenario 777'  log HATE THIS	PASSED	1.000 s

#	Step / Hook Details	Status	Duration
4	But Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.001 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

## Screenshots




## Scenario screenshot GIT




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario) HELLO THERE!!!	PASSED	6.848 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2() GOOD BYE!!!	PASSED	0.000 s
1	When Go to https://github.com/ scenario website name - https://github.com/	PASSED	7.380 s


#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefs.Stepdefs.afterSite()  HELLO THERE!!! <a href="https://github.com/">https://github.com/</a> <a href="https://github.com/">https://github.com/</a>  	PASSED	28.283 s
	AFTER_STEP - stepdefs.Stepdefs.afterSite2()  GOOD BYE!!! <a href="https://github.com/">https://github.com/</a>	PASSED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI AFTER HELLO	PASSED	0.000 s

**Scenario screenshot STACK**


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI BEFORE HELLO	PASSED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)  HELLO THERE!!!	PASSED	7.028 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2()  GOOD BYE!!!	PASSED	0.000 s
1	Given Go to <a href="https://stackoverflow.com/">https://stackoverflow.com/</a>  scenario website name - <a href="https://stackoverflow.com/">https://stackoverflow.com/</a>	PASSED	3.025 s
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	0.870 s

#	Step / Hook Details	Status	Duration
	HELLO THERE!!! https://stackoverflow.com/ https://stackoverflow.com/ 		
	AFTER_STEP - stepdefs.Stepdefs.afterSite2()	PASSED	0.000 s
	GOOD BYE!!! https://stackoverflow.com/		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI AFTER HELLO		

## Scenarios With No Step Definitions




## No Step defined



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s


#	Step / Hook Details	Status	Duration
1	Given No step definition methods	FAILED	0.000 s
	Step undefined		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

### Pending step



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Pending step definition	FAILED	0.000 s
	io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pendingStep(Stepdefs.java:181) at ?.Pending step definition(file:///D:/eclipse-workspace/maven.1646475191298/cuke6-extent-adapter-report/src/test/resources/stepdefs/skipdef.feature:13) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

### Skipped step





#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Skipped step definition  org.testng.SkipException: Skip it at stepdefs.Stepdefs.skippedStep(Stepdefs.java:186) at ?.Skipped step definition(file:///D:/eclipse-workspace/maven.1646475191298/cuke6-extent-adapter-report/src/test/resources/stepdefs/skipdef.feature:18) * Not displayable characters are replaced by '?'.  AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	SKIPPED	0.000 s
	AFTER HI AFTER HELLO	PASSED	0.000 s

## Two Screenshots



Scenario screenshot 2



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)  BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	When Go to capture 2 images in one step  github stackoverflow   	PASSED	21.940 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)  AFTER HI AFTER HELLO	PASSED	0.000 s