

Cucumber Report

May 11, 2022 2:51:38 PM

Start : May 11, 2:47:45.690 PM

End : May 11, 2:51:30.981 PM

Duration : 3 m 45.291 s

Features

Scenarios

Steps

PASSED - 7

FAILED - 3

SKIPPED - 0

PASSED - 22




FAILED - 6

SKIPPED - 1

PASSED - 58

FAILED - 4

SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>DataTable And DocString</u>	4.883 s	2	2	0	0	4	4	0	0
<u>Exception</u>	14.052 s	5	3	2	0	6	4	2	0
<u>Hook and step failures</u>	0.016 s	2	0	2	0	4	0	0	4
<u>Large Data</u>	1 m 38.161 s	1	1	0	0	2	2	0	0
<u>Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & *</u>	6.010 s	2	2	0	0	6	6	0	0
<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	15.100 s	5	5	0	0	15	15	0	0
<u>Scenario And Scenario Outline</u>	19.536 s	6	6	0	0	24	24	0	0
<u>Screenshots</u>	51.233 s	2	2	0	0	2	2	0	0
<u>Scenarios With No Step Definitions</u>	0.015 s	3	0	2	1	3	0	2	1
<u>Two Screenshots</u>	15.883 s	1	1	0	0	1	1	0	0

* The feature name has been cropped to fit in the available space.


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tabledoc	2	2	0	0	1	1	0	0
@exception	5	3	2	0	1	0	1	0
@failure	2	0	2	0	1	0	1	0
@large	1	1	0	0	1	1	0	0
@longlong	2	2	0	0	1	1	0	0
@lengthyfeature	2	2	0	0	1	1	0	0
@lengthyscenariolengthyscenarioscenario	1	1	0	0	1	1	0	0
@lengthyscenariolengthyscenario	1	1	0	0	1	1	0	0
@lengthyscenario	1	1	0	0	1	1	0	0
@longlonglonglong	1	1	0	0	1	1	0	0
@smallscenario	1	1	0	0	1	1	0	0
@dialect	5	5	0	0	1	1	0	0
@both	6	6	0	0	1	1	0	0
@scenout	4	4	0	0	1	1	0	0
@scen	1	1	0	0	1	1	0	0
@misc	1	1	0	0	1	1	0	0
@website	2	2	0	0	1	1	0	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@git	1	1	0	0	1	1	0	0
@stack	1	1	0	0	1	1	0	0
@skip	3	0	2	1	1	0	1	0
@twoimg	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	2	2	0	0	4.883 s
2	<u>Exception</u>	5	3	2	0	14.052 s
3	<u>Hook and step failures</u>	2	0	2	0	0.016 s
4	<u>Large Data</u>	1	1	0	0	1 m 38.161 s
5	<u>Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names *</u>	2	2	0	0	6.010 s
6	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	5	5	0	0	15.100 s
7	<u>Scenario And Scenario Outline</u>	6	6	0	0	19.536 s
8	<u>Screenshots</u>	2	2	0	0	51.233 s
9	<u>Scenarios With No Step Definitions</u>	3	0	2	1	0.015 s
10	<u>Two Screenshots</u>	1	1	0	0	15.883 s

* The feature name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	<u>DataTable Scenario</u>	2	2	0	0	2.346 s
2	<u>DataTable And DocString</u>	<u>Doc String to Custom Object</u>	2	2	0	0	2.498 s
3	<u>Exception</u>	<u>Exception</u>	1	0	1	0	2.508 s
4	<u>Exception</u>	<u>No Exception</u>	1	1	0	0	1.506 s
5	<u>Exception</u>	<u>Other Exception</u>	2	2	0	0	5.003 s
6	<u>Exception</u>	<u>Check exception 1</u>	1	1	0	0	2.504 s
7	<u>Exception</u>	<u>Check exception 2</u>	1	0	1	0	2.503 s
8	<u>Hook and step failures</u>	<u>Before Hook</u>	2	0	0	2	0.006 s
9	<u>Hook and step failures</u>	<u>After Hook</u>	2	0	0	2	0.004 s
10	<u>Large Data</u>	<u>Large data scenario</u>	2	2	0	0	1 m 38.161 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Long long feature & Scenario Names</u> <u>Long long feature & Scenario Names *</u>	<u>Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario Long Name Scenario *</u>	3	3	0	0	3.003 s
12	<u>Long long feature & Scenario Names</u> <u>Long long feature & Scenario Names *</u>	<u>Scenario Normal Name</u>	3	3	0	0	3.001 s
13	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 300</u>	3	3	0	0	3.072 s
14	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 500</u>	3	3	0	0	3.002 s
15	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 400</u>	3	3	0	0	3.002 s
16	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 600</u>	3	3	0	0	3.004 s

* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
17	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Number Seven Seven Seven</u>	3	3	0	0	3.001 s
18	<u>Scenario And Scenario Outline</u>	<u>SO Row 300</u>	4	4	0	0	3.254 s
19	<u>Scenario And Scenario Outline</u>	<u>SO Row 500</u>	4	4	0	0	3.252 s
20	<u>Scenario And Scenario Outline</u>	<u>SO Row 400</u>	4	4	0	0	3.252 s
21	<u>Scenario And Scenario Outline</u>	<u>SO Row 600</u>	4	4	0	0	3.252 s
22	<u>Scenario And Scenario Outline</u>	<u>Scenario Number Seven Seven Seven</u>	4	4	0	0	3.253 s
23	<u>Scenario And Scenario Outline</u>	<u>Scenario Other Symbols</u>	4	4	0	0	3.254 s
24	<u>Screenshots</u>	<u>Scenario screenshot GIT</u>	1	1	0	0	41.495 s
25	<u>Screenshots</u>	<u>Scenario screenshot STACK</u>	1	1	0	0	9.735 s
26	<u>Scenarios With No Step Definitions</u>	<u>No Step defined</u>	1	0	1	0	0.001 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>Scenarios With No Step Definitions</u>	<u>Pending step</u>	1	0	1	0	0.004 s
28	<u>Scenarios With No Step Definitions</u>	<u>Skipped step</u>	1	0	0	1	0.002 s
29	<u>Two Screenshots</u>	<u>Scenario screenshot 2</u>	1	1	0	0	15.883 s

DataTable And DocString



PASSED	DURATION - 4.883 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:47:45.690 PM // 2:47:50.573 PM /					

DataTable Scenario

PASSED	DURATION - 2.346 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 2:47:45.714 PM // 2:47:48.060 PM /				
DataTable And DocString				
@tabledoc				



#	Step / Hook Details	Status	Duration																																																																																				
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.012 s																																																																																				
1	Given Hello background background																																																																																						
2	Given Customer orders the dishes <table><tr><td>one cell Customer orders t*</td><td>two cell</td><td>three cell</td><td>four cell</td><td>five cell</td><td>six cell</td><td>seven cell</td><td>eight cell</td><td>nine cell</td><td>ten cell</td><td>eleven cell</td><td>twelve cell</td></tr><tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td></tr><tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td></tr><tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td></tr><tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td></tr><tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td><td>11</td><td>12</td></tr><tr><td colspan="12">* The data cell text(s) have been cropped to fit in the available space.</td></tr></table>	one cell Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	* The data cell text(s) have been cropped to fit in the available space.												PASSED	2.027 s
one cell Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell																																																																												
1	2	3	4	5	6	7	8	9	10	11	12																																																																												
1	2	3	4	5	6	7	8	9	10	11	12																																																																												
1	2	3	4	5	6	7	8	9	10	11	12																																																																												
1	2	3	4	5	6	7	8	9	10	11	12																																																																												
1	2	3	4	5	6	7	8	9	10	11	12																																																																												
* The data cell text(s) have been cropped to fit in the available space.																																																																																							
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO																																																																																						

Doc String to Custom Object



<div>PASSED</div> <div>DURATION - 2.498 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:47:48.075 PM // 2:47:50.573 PM /</div>			
<div>DataTable And DocString</div>			
<div>@tabledoc</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Hello background background	PASSED	0.251 s
2	Given the doc string is Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?	PASSED	2.244 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI AFTER HELLO		

Exception



FAILED	DURATION - 14.052 s	Scenarios Total - 5 Pass - 3 Fail - 2 Skip - 0		Steps Total - 6 Pass - 4 Fail - 2 Skip - 0	
/ 2:47:50.581 PM // 2:48:04.633 PM /					

Exception

<div>FAILED</div> <div>DURATION - 2.508 s</div>		<div></div>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:47:50.582 PM // 2:47:53.090 PM /</div>				
<div>Exception</div>				
<div>@exception</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	FAILED	2.505 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:108) at ?.Raise exception(classpath:stepdefs/exceptions.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

No Exception

<div>PASSED</div>	<div>DURATION - 1.506 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 2:47:53.102 PM // 2:47:54.608 PM /</div>				
<div>Exception</div>				
<div>@exception</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.004 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Do not raise exception	PASSED	1.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI		
	AFTER HELLO		

Other Exception

PASSED	DURATION - 5.003 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 2:47:54.612 PM // 2:47:59.615 PM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	PASSED	2.500 s
2	Given Raise exception	PASSED	2.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI		



#	Step / Hook Details	Status	Duration
	AFTER HELLO		

Check exception 1

<div>PASSED</div>	<div>DURATION - 2.504 s</div>	<div></div>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:47:59.622 PM // 2:48:02.126 PM /</div>				
<div>Exception</div>				
<div>@exception</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	PASSED	2.501 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI		
	AFTER HELLO		



Check exception 2

FAILED	DURATION - 2.503 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 2:48:02.130 PM // 2:48:04.633 PM /				
Exception				
@exception				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		

#	Step / Hook Details	Status	Duration
1	Given Raise exception <pre>java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:108) at ?.Raise exception(classpath:stepdefs/exceptions.feature:16) * Not displayable characters are replaced by '?'. </pre>	FAILED	2.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Hook and step failures

FAILED	DURATION - 0.016 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 2:48:04.639 PM // 2:48:04.655 PM /					

Before Hook

FAILED	DURATION - 0.006 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 2:48:04.639 PM // 2:48:04.645 PM /				
Hook and step failures				
@failure				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	FAILURE HI FAILURE HELLO java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:57)		
1	Given Hook failure step	SKIPPED	0.000 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure() FAILURE HI FAILURE HELLO java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:64)	FAILED	0.001 s



After Hook

FAILED	DURATION - 0.004 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 2:48:04.650 PM // 2:48:04.654 PM /				
Hook and step failures				
@failure				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario) FAILURE HI FAILURE HELLO java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:57)	FAILED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure() FAILURE HI FAILURE HELLO java.lang.RuntimeException	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	at stepdefs.Stepdefs.afterFailure(Stepdefs.java:64)		

Large Data


PASSED	DURATION - 1 m 38.161 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 2:48:04.672 PM // 2:49:42.833 PM /					



Large data scenario

PASSED	DURATION - 1 m 38.161 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 2:48:04.672 PM // 2:49:42.833 PM /				
Large Data				
@large				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	56.178 s
	HELLO THERE!!!		
1	Given the doc string is	PASSED	2.002 s
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?		

[illegible]

#	Step / Hook Details	Status	Duration
	<p>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p> <p>Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Doing great. Spicy Meatballs for food and drink italian sicily</p> <p>Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p>		
	<p>AFTER_STEP - stepdefs.Stepdefs.afterSite()</p> <p>HELLO THERE!!! null</p>	PASSED	1.054 s
	<p>BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)</p> <p>HELLO THERE!!!</p>	PASSED	3.392 s
2	<p>When Go to https://github.com/</p> <p>scenario website name - https://github.com/</p>	PASSED	6.605 s
	<p>AFTER_STEP - stepdefs.Stepdefs.afterSite()</p> <p>HELLO THERE!!! https://github.com/</p> <p>https://github.com/</p> 	PASSED	28.927 s
	<p>AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)</p> <p>AFTER HI</p> <p>AFTER HELLO</p>	PASSED	0.001 s



PASSED	DURATION - 6.010 s	Scenarios		Steps	
/ 2:49:42.840 PM // 2:49:48.850 PM /		Total - 2		Total - 6	
		Pass - 2		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

[illegible]

PASSED	DURATION - 3.003 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:49:42.840 PM // 2:49:45.843 PM /				
Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario *				
@longlong @lengthyfeature @lengthyscenariolengthyscenarioscenario @lengthyscenariolengthyscenario @lengthyscenario *				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.000 s
2	When Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.000 s
3	Then Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.001 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



Scenario Normal Name

<div>PASSED</div> <div>DURATION - 3.001 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:49:45.849 PM // 2:49:48.850 PM /				
Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario *				
@longlong @lengthyfeature @smallscenario				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		

#	Step / Hook Details	Status	Duration
	BEFORE HELLO		
1	Given Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.000 s
2	When Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.000 s
3	Then Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Polish Założenia Scenariusz And Szablon scenariusza

PASSED	DURATION - 15.100 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 2:49:48.862 PM // 2:50:03.962 PM /					



Scenario Outline Row 300

PASSED	DURATION - 3.072 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:49:48.862 PM // 2:49:51.934 PM /				
Polish Założenia Scenariusz And Szablon scenariusza				
@dialect				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.001 s
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	1.000 s



#	Step / Hook Details	Status	Duration
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline One300'	PASSED	1.000 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Outline Row 500

PASSED		DURATION - 3.002 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:49:51.938 PM // 2:49:54.940 PM /						
Polish Założenia Scenariusz And Szablon scenariusza						
@dialect						



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	1.000 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	1.000 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	1.001 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Outline Row 400

<div>PASSED</div>	<div>DURATION - 3.002 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:49:54.945 PM // 2:49:57.947 PM /				
Polish Założenia Scenariusz And Szablon scenariusza				
@dialect				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	1.000 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline One400'	PASSED	1.000 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



Scenario Outline Row 600

<div>PASSED</div> <div>DURATION - 3.004 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 2:49:57.953 PM // 2:50:00.957 PM /</div>			
<div>Polish Założenia Scenariusz And Szablon scenariusza</div>			
<div>@dialect</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		



#	Step / Hook Details	Status	Duration
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	1.001 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	1.000 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	1.001 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Number Seven Seven Seven



PASSED	DURATION - 3.001 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:50:00.961 PM // 2:50:03.962 PM /				
Polish Założenia Scenariusz And Szablon scenariusza				
@dialect				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario And Scenario Outline



PASSED	DURATION - 19.536 s	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0		Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	
/ 2:50:03.970 PM // 2:50:23.506 PM /					

SO Row 300

<div>PASSED</div> <div>DURATION - 3.254 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:50:03.970 PM // 2:50:07.224 PM /				
Scenario And Scenario Outline				
@both @scenout				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	1.001 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline One300'	PASSED	1.000 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI		
	AFTER HELLO		

SO Row 500

<div>PASSED</div> <div>DURATION - 3.252 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:50:07.227 PM // 2:50:10.479 PM /</div>			
<div>Scenario And Scenario Outline</div>			
<div>@both @scenout</div>			



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.251 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	1.000 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	1.000 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

SO Row 400

<div>PASSED</div>	<div>DURATION - 3.252 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 2:50:10.483 PM // 2:50:13.735 PM /</div>				
<div>Scenario And Scenario Outline</div>				
<div>@both @scenout</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	1.001 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline One400'	PASSED	1.000 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



SO Row 600

PASSED		DURATION - 3.252 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 2:50:13.739 PM // 2:50:16.991 PM /						
Scenario And Scenario Outline						
@both @scenout						

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.251 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	1.000 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	1.000 s
	log HATE THIS		



#	Step / Hook Details	Status	Duration
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	1.000 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Number Seven Seven Seven

PASSED		DURATION - 3.253 s			Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:50:16.995 PM // 2:50:20.248 PM /						
Scenario And Scenario Outline						
@both @scen						



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
3	When Complete action in 'when' step in 'Scenario 777'	PASSED	1.001 s
	log HATE THIS		
4	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.001 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Other Symbols



<div>PASSED</div> <div>DURATION - 3.254 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:50:20.252 PM // 2:50:23.506 PM /</div>			
<div>Scenario And Scenario Outline</div>			
<div>@both @misc</div>			


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	* Write a 'given' step with precondition in 'Scenario 777'	PASSED	1.000 s
	log HATE THIS		
3	And Complete action in 'when' step in 'Scenario 777'	PASSED	1.001 s
	log HATE THIS		
4	But Validate the outcome in 'then' step in 'Scenario 777'	PASSED	1.001 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Screenshots



<div>PASSED</div>	<div>DURATION - 51.233 s</div>	<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:50:23.511 PM // 2:51:14.744 PM /</div>					


Scenario screenshot GIT

<div>PASSED</div>	<div>DURATION - 41.495 s</div>	<div></div>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:50:23.511 PM // 2:51:05.006 PM /</div>				
<div>Screenshots</div>				
<div>@website @git</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	7.655 s
	HELLO THERE!!!		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2()	PASSED	0.000 s
	GOOD BYE!!!		
1	When Go to https://github.com/	PASSED	4.477 s
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	29.360 s
	HELLO THERE!!! https://github.com/		
	https://github.com/		
			
	AFTER_STEP - stepdefs.Stepdefs.afterSite2()	PASSED	0.000 s
	GOOD BYE!!! https://github.com/		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario screenshot STACK



<div>PASSED</div>	<div>DURATION - 9.735 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 2:51:05.009 PM // 2:51:14.744 PM /</div>				
<div>Screenshots</div>				
<div>@website @stack</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	3.373 s
	HELLO THERE!!!		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2()	PASSED	0.000 s
	GOOD BYE!!!		
1	Given Go to https://stackoverflow.com/	PASSED	5.369 s
	scenario website name - https://stackoverflow.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite()	PASSED	0.991 s
	HELLO THERE!!! https://stackoverflow.com/		
	https://stackoverflow.com/		
			
	AFTER_STEP - stepdefs.Stepdefs.afterSite2()	PASSED	0.000 s
	GOOD BYE!!! https://stackoverflow.com/		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s
	AFTER HI		
	AFTER HELLO		

Scenarios With No Step Definitions



FAILED	DURATION - 0.015 s	Scenarios		Steps	
/ 2:51:15.079 PM // 2:51:15.094 PM /		Total - 3		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 1		Skip - 1	

No Step defined

<div><div>FAILED</div><div>DURATION - 0.001 s</div></div>			Steps		
/ 2:51:15.079 PM // 2:51:15.080 PM /			Total - 1		
			Pass - 0		
			Fail - 1		
Scenarios With No Step Definitions			Skip - 0		
@skip					



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given No step definition methods	FAILED	0.000 s
	Step undefined		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Pending step

FAILED	DURATION - 0.004 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 2:51:15.084 PM // 2:51:15.088 PM /				
Scenarios With No Step Definitions				
@skip				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Pending step definition io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pendingStep(Stepdefs.java:181) at ?.Pending step definition(classpath:stepdefs/skipdef.feature:13) * Not displayable characters are replaced by '?'. 	FAILED	0.002 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



Skipped step

SKIPPED	DURATION - 0.002 s		<div>Steps</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 1</div>	
/ 2:51:15.092 PM // 2:51:15.094 PM /				
Scenarios With No Step Definitions				
@skip				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		

#	Step / Hook Details	Status	Duration
1	Given Skipped step definition org.testng.SkipException: SKip it at stepdefs.Stepdefs.skippedStep(Stepdefs.java:186) at ?.Skipped step definition(classpath:stepdefs/skipdef.feature:18) * Not displayable characters are replaced by '?'. AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	SKIPPED	0.001 s
		PASSED	0.000 s


Two Screenshots

PASSED	DURATION - 15.883 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 2:51:15.098 PM // 2:51:30.981 PM /					

Scenario screenshot 2

PASSED	DURATION - 15.883 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 2:51:15.098 PM // 2:51:30.981 PM /				
Two Screenshots				
@twoimg				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	When Go to capture 2 images in one step github stackoverflow	PASSED	15.882 s

#	Step / Hook Details	Status	Duration
			
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		