



FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|----|---|---|---|---|---|----------|
| 1 | DataTable And DocString | 2 | 2 | 0 | 0 | 4.785 s |
| 2 | Exception | 5 | 4 | 1 | 0 | 11.558 s |
| 3 | Hook and step failures | 2 | 0 | 2 | 0 | 0.015 s |
| 4 | Large Data | 1 | 1 | 0 | 0 | 13.696 s |
| 5 | Long long feature & Scenario Names * | 2 | 2 | 0 | 0 | 6.021 s |
| 6 | Polish Założenia Scenariusz And Szablon scenariusza | 5 | 5 | 0 | 0 | 15.064 s |
| 7 | Scenario And Scenario Outline | 6 | 6 | 0 | 0 | 19.596 s |
| 8 | Screenshots | 2 | 2 | 0 | 0 | 16.168 s |
| 9 | Scenarios With No Step Definitions | 3 | 0 | 2 | 1 | 0.025 s |
| 10 | Two Screenshots | 1 | 1 | 0 | 0 | 12.369 s |

^{*} The feature name has been cropped to fit in the available space.


SCENARIOS SUMMARY -- 3 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-------------------------|-----------------------------|---|---|---|---|----------|
| 1 | DataTable And DocString | DataTable Scenario | 2 | 2 | 0 | 0 | 2.291 s |
| 2 | DataTable And DocString | Doc String to Custom Object | 2 | 2 | 0 | 0 | 2.474 s |
| 3 | Exception | Exception | 1 | 1 | 0 | 0 | 2.505 s |
| 4 | Exception | No Exception | 1 | 1 | 0 | 0 | 1.505 s |
| 5 | Exception | Other Exception | 2 | 0 | 1 | 1 | 2.510 s |
| 6 | Exception | Check exception 1 | 1 | 1 | 0 | 0 | 2.503 s |
| 7 | Exception | Check exception 2 | 1 | 1 | 0 | 0 | 2.510 s |
| 8 | Hook and step failures | Before Hook | 2 | 0 | 0 | 2 | 0.005 s |
| 9 | Hook and step failures | After Hook | 2 | 0 | 0 | 2 | 0.005 s |
| 10 | Large Data | Large data scenario | 2 | 2 | 0 | 0 | 13.696 s |

^{*} The feature name and/or scenario name has been cropped to fit in the available space.


SCENARIOS SUMMARY -- 4 -



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--|---|---|---|---|---|----------|
| 11 | Long long feature & Scenario Names Long long feature & Scenario Names * | Scenario Long Name Scenario Long Name Scenario Long Name Scenario * | 3 | 3 | 0 | 0 | 3.003 s |
| 12 | Long long feature & Scenario Names Long long feature & Scenario Names * | Scenario Normal Name | 3 | 3 | 0 | 0 | 3.013 s |
| 13 | Polish Założenia Scenariusz And Szablon scenariusza | Scenario Outline Row 300 | 3 | 3 | 0 | 0 | 3.018 s |
| 14 | Polish Założenia Scenariusz And Szablon scenariusza | Scenario Outline Row 500 | 3 | 3 | 0 | 0 | 3.011 s |
| 15 | Polish Założenia Scenariusz And Szablon scenariusza | Scenario Outline Row 400 | 3 | 3 | 0 | 0 | 3.004 s |
| 16 | Polish Założenia Scenariusz And Szablon scenariusza | Scenario Outline Row 600 | 3 | 3 | 0 | 0 | 3.006 s |


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

SCENARIOS SUMMARY



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|------------------------------------|-----------------------------|---|---|---|---|----------|
| 17 | Polish Założenia Scenariusz And | Scenario Number Seven Seven | 3 | 3 | 0 | 0 | 3.015 s |
| | Szablon scenariusza | | | | | | |
| 18 | Scenario And Scenario Outline | SO Row 300 | 4 | 4 | 0 | 0 | 3.270 s |
| 19 | Scenario And Scenario Outline | SO Row 500 | 4 | 4 | 0 | 0 | 3.258 s |
| 20 | Scenario And Scenario Outline | SO Row 400 | 4 | 4 | 0 | 0 | 3.260 s |
| 21 | Scenario And Scenario Outline | SO Row 600 | 4 | 4 | 0 | 0 | 3.270 s |
| 22 | Scenario And Scenario Outline | Scenario Number Seven Seven | 4 | 4 | 0 | 0 | 3.265 s |
| 23 | Scenario And Scenario Outline | Scenario Other Symbols | 4 | 4 | 0 | 0 | 3.263 s |
| 24 | Screenshots | Scenario screenshot GIT | 1 | 1 | 0 | 0 | 9.467 s |
| 25 | Screenshots | Scenario screenshot STACK | 1 | 1 | 0 | 0 | 6.701 s |
| 26 | Scenarios With No Step Definitions | No Step defined | 1 | 0 | 1 | 0 | 0.005 s |

SCENARIOS SUMMARY -- 6 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|------------------------------------|-----------------------|---|---|---|---|----------|
| 27 | Scenarios With No Step Definitions | Pending step | 1 | 0 | 1 | 0 | 0.010 s |
| 28 | Scenarios With No Step Definitions | Skipped step | 1 | 0 | 0 | 1 | 0.000 s |
| 29 | Two Screenshots | Scenario screenshot 2 | 1 | 1 | 0 | 0 | 12.369 s |

DataTable And DocString


| PASSED | DURATION - 4.785 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|-----|-----------|---|
| | | Total - 2 | | Total - 4 | |
| / 5:03:23.395 PM | 1 // 5:03:28.180 PM / | Pass - 2 | 2 | Pass - 4 | 4 |
| | | Fail - 0 | - / | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

DataTable Scenario




| # | | | | | Step / I | Hook [| Details | | | | | | Status | Duration |
|---|--------------------------------|------------|---------------|------------|-----------|----------|------------|------------|-----------|----------|-------------|-------------|--------|----------|
| | BEFORE - stepdefs.Stepde | efs.befor | e(io.cucuı | mber.jav | a.Scena | rio) | | | | | | | PASSED | 0.015 s |
| | BEFORE HI | | | | | | | | | | | | | |
| | BEFORE HELLO | | | | | | | | | | | | | |
| 1 | Given Hello background | | | | | | | | | PASSED | 0.251 s | | | |
| | background | | | | | | | | | | | | | |
| 2 | Given Customer orders the | dishes | | | | | | | | | | | PASSED | 2.000 s |
| | one cell Customer orders t* | two cell | three cell | four cell | five cell | six cell | seven cell | eight cell | nine cell | ten cell | eleven cell | twelve cell | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | |
| | * The data cell text(s) have b | een cropp | oed to fit in | the availa | able spac | e. | | | | | | | | |
| | AFTER - stepdefs.Stepdef | s.after(io | .cucumbe | r.java.So | cenario) | | | | | | | | PASSED | 0.000 s |
| | AFTER HI | | | | | | | | | 1 | | | | |
| | AFTER HELLO | | | | | | | | | | | | | |

Doc String to Custom Object



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.005 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Hello background | PASSED | 0.250 s |
| | background | | |
| 2 | Given the doc string is | PASSED | 2.219 s |
| | Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Hello there how r u? | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

Exception




Exception

| PASSED | DURATION - 2.505 s | 3 - | | Steps | |
|------------------|-----------------------|-----|---|----------------------|---|
| / 5:03:28.190 PI | M // 5:03:30.695 PM / | 2 - | | Total - 1 | |
| Exception | | 1 - | | Pass - 1 Fail - 0 | 1 |
| Ехесрион | | | | Skip - 0 | |
| @exception | | 0 - | 1 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Raise exception | PASSED | 2.505 s |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |


No Exception



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Do not raise exception | PASSED | 1.505 s |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

DETAILED SECTION -- 10 --

Other Exception




| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Raise exception | FAILED | 2.505 s |
| | java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:819) at org.testng.Assert.assertEquals(Assert.java:829) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:108) at ?.Raise exception(classpath:stepdefs/exceptions.feature:11) * Not displayable characters are replaced by '?'. | | |
| 2 | Given Raise exception | SKIPPED | 0.005 s |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

Check exception 1

| PASSED DURATION - 2.503 s | 3 Steps |
|--|-------------------------|
| / 5:03:34.735 PM // 5:03:37.238 PM / | |
| 7 0.00.04.700 1 10777 0.00.07.200 1 1077 | Pass - 1 |
| Exception | 1 Fail - 0 Skip - 0 |
| @exception | |
| | 1 |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Raise exception | PASSED | 2.503 s |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

Check exception 2




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Raise exception | PASSED | 2.505 s |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

DETAILED SECTION -- 12 --

Hook and step failures

| FAILED | DURATION - 0.015 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|-----------|-------|
| | | Total - 2 | | Total - 4 | |
| / 5:03:39.753 PM | 1 // 5:03:39.768 PM / | Pass - 0 | 2 | Pass - 0 | 4 |
| | | Fail - 2 | | Fail - 0 | Total |
| | | Skip - 0 | | Skip - 4 | |
| | | | | | |


Before Hook



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario) | | 0.000 s |
| | FAILURE HI | | |
| | FAILURE HELLO | | |
| | java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:57) | | |
| 1 | Given Hook failure step | SKIPPED | 0.000 s |
| 2 | When Skip hook failure step | SKIPPED | 0.000 s |
| | AFTER - stepdefs.Stepdefs.afterFailure() | FAILED | 0.000 s |
| | FAILURE HI | | |
| | FAILURE HELLO | | |
| | java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:64) | | |


After Hook

DETAILED SECTION -- 13 --



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | FAILURE HI | | |
| | FAILURE HELLO | | |
| | java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:57) | | |
| 1 | Given Hook failure step | SKIPPED | 0.000 s |
| 2 | Then Skip hook failure step | SKIPPED | 0.000 s |
| | AFTER - stepdefs.Stepdefs.afterFailure() | FAILED | 0.000 s |
| | FAILURE HI | | |
| | FAILURE HELLO | | |
| | java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:64) | | |

Large Data



Large data scenario

| PASSED DURATION - 13.696 s | 47 | Steps |
|--------------------------------------|-----|------------|
| / 5:03:39.815 PM // 5:03:53.511 PM / | 3 | Total - 2 |
| 7 3.03.39.013 FW // 3.03.33.311 FW/ | 2 | Pass - 2 |
| Large Data | 1 | Fail - 0 2 |
| @large | | Skip - 0 |
| | 1 2 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | 1 | |
| | BEFORE HELLO | | |
| | BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario) | PASSED | 3.232 s |
| | HELLO THERE!!! | | |
| | Given the doc string is | PASSED | 2.002 s |
| | Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Dainy great Chiny Maathalla fay food and drink italian sisik. | | |
| | Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | | | |
| | Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Hello there how r u? | | |
| | Hello there how r u? | | |
| | Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Doing great. Spicy Meatballs for food and drink italian sicily | | |
| | Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink | | |
| | italian sicily | | |
| | Hello there how r u? | | |
| | Hello there how r u? | | |
| | Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Doing great. Spicy Meatballs for food and drink italian sicily | | |
| | Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink | | |
| | italian sicily | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily | | |
| | Hello there how r u? | | |
| | AFTER_STEP - stepdefs.Stepdefs.afterSite() | PASSED | 0.772 s |
| | HELLO THERE!!! null | | |

DETAILED SECTION --- 16 --


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | | | |
| | BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario) | PASSED | 1.921 s |
| | HELLO THERE!!! | | |
| 2 | When Go to https://github.com/ | PASSED | 3.318 s |
| | scenario website name - https://github.com/ | | |
| | AFTER_STEP - stepdefs.Stepdefs.afterSite() | PASSED | 2.451 s |
| | HELLO THERE!!! https://github.com/ | | |
| | https://github.com/ | | |
| | Where the world builds software Were always of the software the softw | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

Long long feature & Scenario Names Long long featur


DETAILED SECTION -- 17 --

| PASSED | DURATION - 6.021 s | Scenarios | | Steps | |
|-----------------------|--------------------|-----------|---|-----------|---|
| | | Total - 2 | | Total - 6 | |
| / 5:03:53.516 PM // 5 | :03:59.537 PM / | Pass - 2 | 2 | Pass - 6 | 6 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Scenario Long Name Scenario Long




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI |] | |
| | BEFORE HELLO | | |
| 1 | Given Write a 'given' step with precondition in 'Scenario 777' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 2 | When Complete action in 'when' step in 'Scenario 777' | PASSED | 1.000 s |
| | log HATE THIS | | |
| 3 | Then Validate the outcome in 'then' step in 'Scenario 777' | PASSED | 1.002 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI |] | |
| | AFTER HELLO | | |




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Write a 'given' step with precondition in 'Scenario 777' | PASSED | 1.005 s |
| | log HATE THIS | | |
| 2 | When Complete action in 'when' step in 'Scenario 777' | PASSED | 1.005 s |
| | log HATE THIS | | |
| 3 | Then Validate the outcome in 'then' step in 'Scenario 777' | PASSED | 1.003 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

Polish Założenia Scenariusz And Szablon scenariusza



Scenario Outline Row 300



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One300' | PASSED | 1.008 s |
| | log HATE THIS | | |
| 2 | Kiedy Complete action in 'when' step in 'Scenario Outline One300' | PASSED | 1.000 s |
| | log HATE THIS | | |
| 3 | Wtedy Validate the outcome in 'then' step in 'Scenario Outline One300' | | 1.005 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

Scenario Outline Row 500


| PASSED | DURATION - 3.011 s | 2] | | Steps | |
|-------------------|--------------------------------------|-------|-------|----------------------|---|
| /5:04:02 565 P | M // 5:04:05.576 PM / | 1.5 - | | Total - 3 | |
| 7 3.04.02.303 1 1 | W/// 3.04.03.370 / W// | 1 - | | Pass - 3 | |
| Polish Założenia | a Scenariusz And Szablon scenariusza | 0.5 | | Fail - 0 Skip - 0 | 3 |
| @dialect | | 0 - | | - Sкiр - U | |
| Guidioot | | | 1 2 3 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two500' | PASSED | 1.000 s |

DETAILED SECTION -- 20 --


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | log HATE THIS | | |
| 2 | Kiedy Complete action in 'when' step in 'Scenario Outline Two500' | PASSED | 1.004 s |
| | log HATE THIS | | |
| 3 | Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two500' | PASSED | 1.002 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

Scenario Outline Row 400



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One400' | PASSED | 1.000 s |
| | log HATE THIS | | |
| 2 | Kiedy Complete action in 'when' step in 'Scenario Outline One400' | PASSED | 1.004 s |
| | log HATE THIS | | |
| 3 | Wtedy Validate the outcome in 'then' step in 'Scenario Outline One400' | PASSED | 1.000 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

Scenario Outline Row 600



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two600' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 2 | Kiedy Complete action in 'when' step in 'Scenario Outline Two600' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 3 | Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two600' | | 1.004 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

Scenario Number Seven Seven Seven

| PASSED | DURATION - 3.015 s | 2] | Step | ps | |
|------------------|--------------------------------------|-------|-------|--------|---|
| / F:04:11 F06 D | M // 5:04:14.611 PM / | 1.5 - | Tota | al - 3 | |
| 7 5.04.11.590 FI | W // 3.04.14.011 FW/ | 1 - | Pas | | |
| Polish Założenia | a Scenariusz And Szablon scenariusza | 0.5 | Fail | | 3 |
| Odialast | | 0 - | Skip | 0 - 0 | |
| @dialect | | | 1 2 3 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.005 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Zakładając Write a 'given' step with precondition in 'Scenario 777' | PASSED | 1.004 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | log HATE THIS | | |
| 2 | Kiedy Complete action in 'when' step in 'Scenario 777' | PASSED | 1.003 s |
| | log HATE THIS | | |
| 3 | Wtedy Validate the outcome in 'then' step in 'Scenario 777' | PASSED | 1.003 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

Scenario And Scenario Outline

| Scenarios | | Steps | |
|-----------|-----------------------------|-----------------------------|--|
| Total - 6 | | Total - 24 | |
| Pass - 6 | 6 | Pass - 24 | 24 |
| Fail - 0 | · · | Fail - 0 | |
| Skip - 0 | | Skip - 0 | |
| | Total - 6 Pass - 6 Fail - 0 | Total - 6 Pass - 6 Fail - 0 | Total - 6 Pass - 6 Fail - 0 Total - 24 Pass - 24 Fail - 0 |

SO Row 300


| PASSED DURATION - 3.270 s | 2 Steps | |
|---|---------------------------|--|
| / 5:04:14.621 PM // 5:04:17.891 PM / | 1.5 Total - 4 | |
| 7 0.0 1.1 1.021 7 1117 0.0 1.1 1.001 7 1117 | 1 Pass - 4 | |
| Scenario And Scenario Outline | 0.5 Fail - 0 Skip - 0 | |
| @both @scenout | | |
| | 1 2 3 4 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Hello background | PASSED | 0.250 s |
| | background | | |
| 2 | Given Write a 'given' step with precondition in 'Scenario Outline One300' | PASSED | 1.005 s |
| | log HATE THIS | | |
| 3 | When Complete action in 'when' step in 'Scenario Outline One300' | PASSED | 1.006 s |

DETAILED SECTION -- 23 --


| # | Step / Hook Details | Status | Duration | | |
|---|---|--------|----------|--|--|
| | log HATE THIS | | | | |
| 4 | Then Validate the outcome in 'then' step in 'Scenario Outline One300' | PASSED | 1.004 s | | |
| | log HATE THIS | | | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s | | |
| | AFTER HI | | | | |
| | AFTER HELLO | | | | |

SO Row 500



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | 1 | |
| | BEFORE HELLO | | |
| 1 | Given Hello background | PASSED | 0.253 s |
| | background | | |
| 2 | Given Write a 'given' step with precondition in 'Scenario Outline Two500' | PASSED | 1.001 s |
| | log HATE THIS |] | |
| 3 | When Complete action in 'when' step in 'Scenario Outline Two500' | PASSED | 1.003 s |
| | log HATE THIS | 1 | |
| 4 | Then Validate the outcome in 'then' step in 'Scenario Outline Two500' | PASSED | 1.001 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | 1 | |
| | AFTER HELLO | | |

SO Row 400



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Hello background | PASSED | 0.251 s |
| | background | | |
| 2 | Given Write a 'given' step with precondition in 'Scenario Outline One400' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 3 | When Complete action in 'when' step in 'Scenario Outline One400' | PASSED | 1.007 s |
| | log HATE THIS | | |
| 4 | Then Validate the outcome in 'then' step in 'Scenario Outline One400' | PASSED | 1.001 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | 7 | |
| | AFTER HELLO | | |


SO Row 600

| PASSED DURATION - 3.2 | 270 s 2 - | | | | Steps | |
|-----------------------------------|-----------|---|----------|---|-----------|---|
| / 5:04:24.419 PM // 5:04:27.689 F | 1.5 | 5 | | | Total - 4 | |
| 7 3.04.24.419 FW // 3.04.27.009 F | 1 - | | <u> </u> | | Pass - 4 | |
| Scenario And Scenario Outline | 0.5 | 5 | | | Fail - 0 | 4 |
| @both @scenout | 0 - | | | | Skip - 0 | |
| | | 1 | 2 3 | 4 | | |

| | # | Step / Hook Details | Status | Duration | | |
|---|--|---------------------|--------|----------|--|--|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | | PASSED | 0.000 s | | |
| L | | BEFORE HI | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE HELLO | | |
| 1 | Given Hello background | PASSED | 0.255 s |
| | background | | |
| 2 | Given Write a 'given' step with precondition in 'Scenario Outline Two600' | PASSED | 1.005 s |
| | log HATE THIS | | |
| 3 | When Complete action in 'when' step in 'Scenario Outline Two600' | PASSED | 1.002 s |
| | log HATE THIS | | |
| 4 | Then Validate the outcome in 'then' step in 'Scenario Outline Two600' | PASSED | 1.003 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI |] | |
| | AFTER HELLO | | |


Scenario Number Seven Seven Seven



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.005 s |
| | BEFORE HI |] | |
| | BEFORE HELLO | | |
| 1 | Given Hello background | PASSED | 0.255 s |
| | background | | |
| 2 | Given Write a 'given' step with precondition in 'Scenario 777' | PASSED | 1.000 s |
| | log HATE THIS | | |
| 3 | When Complete action in 'when' step in 'Scenario 777' | PASSED | 1.004 s |
| | log HATE THIS | | |
| 4 | Then Validate the outcome in 'then' step in 'Scenario 777' | PASSED | 1.001 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | AFTER HI | | |
| | AFTER HELLO | | |

Scenario Other Symbols



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Hello background | PASSED | 0.255 s |
| | background | | |
| 2 | * Write a 'given' step with precondition in 'Scenario 777' | PASSED | 1.001 s |
| | log HATE THIS | | |
| 3 | And Complete action in 'when' step in 'Scenario 777' | PASSED | 1.006 s |
| | log HATE THIS | | |
| 4 | But Validate the outcome in 'then' step in 'Scenario 777' | PASSED | 1.001 s |
| | log HATE THIS | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI |] | |
| | AFTER HELLO | | |

Screenshots

| PASSED | DURATION - 16.168 s | Scenarios Total - 2 | | | Steps Total - 2 | |
|---------------------|---------------------|------------------------|---|---|--------------------|---|
| / 5:04:34.217 PM // | 5:04:50.385 PM / | Pass - 2 | | 2 | Pass - 2 | 2 |
| | | Skip - 0 | _ | | Skip - 0 | |

DETAILED SECTION -- 27 --


Scenario screenshot GIT

| PASSED | DURATION - 9.467 s | 5 | 1 | | | - | _ | - | - | _ | | - | - | - | _ | - | - | | _ | - | | | Steps | | | | | |
|-----------------|-----------------------|-----|----|-------|-------|---|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----------|---|-----|---|---|---|
| /= 0/ 0/ 0/ = D | | 4 | ╂- | - | - | - | - | - | | | | - | | | - | | - | - | - | - | | - | Total - 2 | 1 | | | | |
| / 5:04:34.217 P | M // 5:04:43.684 PM / | 3 - | ╢- | | - | | - | | | | | | | | - | | | - | - | | | - | Pass - 1 | 1 | | | | |
| Screenshots | | 2 - | ╢- | | - | | - | | | | | | | | - | | | - | - | | | - | Fail - 0 | | | 1 | | |
| Screensnots | | 1 - | ╢- | - | - | - | - | - | | | | - | | - | - | - | - | - | - | - | - | - | Skip - 0 |) | N | | 4 | , |
| @website @git | | 0 - | - | | | | | | _ | | - | | | _ | | | _ | | _ | | | - | | | · ` | | | |
| | | | | | | | | | | | 1 | | | | | | | | | | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|----------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.005 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| | BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario) | PASSED | 2.354 s |
| | HELLO THERE!!! | | |
| | BEFORE_STEP - stepdefs.Stepdefs.beforeSite2() | PASSED | 0.000 s |
| | GOOD BYE!!! | | |
| 1 | When Go to https://github.com/ | PASSED | 4.859 s |
| | scenario website name - https://github.com/ | | |
| | AFTER_STEP - stepdefs.Stepdefs.afterSite() | PASSED | 2.249 s |
| | HELLO THERE!!! https://github.com/ | | |
| | https://github.com/ | | |
| | Where the world builds software More foreigness and conservation of this Assertion of the More and the More | | |
| | AFTER_STEP - stepdefs.Stepdefs.afterSite2() | PASSED | 0.000 s |
| | GOOD BYE!!! https://github.com/ | <u> </u> | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI |] | |
| | AFTER HELLO | | |

Scenario screenshot STACK

DETAILED SECTION -- 28 --




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | 1 | |
| | BEFORE HELLO | | |
| | BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario) | PASSED | 2.949 s |
| | HELLO THERE!!! | | |
| | BEFORE_STEP - stepdefs.Stepdefs.beforeSite2() | PASSED | 0.000 s |
| | GOOD BYE!!! | | |
| 1 | Given Go to https://stackoverflow.com/ | PASSED | 2.859 s |
| | scenario website name - https://stackoverflow.com/ | | |
| | AFTER_STEP - stepdefs.Stepdefs.afterSite() | PASSED | 0.888 s |
| | HELLO THERE!!! https://stackoverflow.com/ | | |
| | https://stackoverflow.com/ | | |
| | A Standardine and the stan | | |
| | AFTER_STEP - stepdefs.Stepdefs.afterSite2() | PASSED | 0.000 s |
| | GOOD BYE!!! https://stackoverflow.com/ | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

Scenarios With No Step Definitions

DETAILED SECTION -- 29 --


| FAILED | DURATION - 0.025 s | Scenarios | | Steps | |
|-----------------------|--------------------|-----------|---|-----------|---|
| | | Total - 3 | | Total - 3 | |
| / 5:04:50.430 PM // s | 5:04:50.455 PM / | Pass - 0 | 3 | Pass - 0 | 3 |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 1 | | Skip - 1 | |

No Step defined



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given No step definition methods | FAILED | 0.000 s |
| | Step undefined | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |


Pending step



DETAILED SECTION -- 30 -

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Pending step definition | FAILED | 0.005 s |
| | io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pendingStep(Stepdefs.java:181) at ?.Pending step definition(classpath:stepdefs/skipdef.feature:13) * Not displayable characters are replaced by '?'. | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |


Skipped step



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | Given Skipped step definition | SKIPPED | 0.000 s |
| | org.testng.SkipException: SKip it at stepdefs.Stepdefs.skippedStep(Stepdefs.java:186) at ?.Skipped step definition(classpath:stepdefs/skipdef.feature:18) * Not displayable characters are replaced by '?'. | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI | | |
| | AFTER HELLO | | |

| PASSED | DURATION - 12.369 s | Scenarios | | | Steps | |
|-----------------------|---------------------|-----------|---|---|----------------------|---|
| / 5:04:50.460 PM // 5 | 5:05:02.829 PM / | Total - 1 | | | Total - 1 | |
| | | Pass - 1 | | 1 | Pass - 1 Fail - 0 | 1 |
| | | Skip - 0 | • | | Skip - 0 | |

Scenario screenshot 2



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | BEFORE HI | | |
| | BEFORE HELLO | | |
| 1 | When Go to capture 2 images in one step | PASSED | 12.369 s |
| | github | | |
| | stackoverflow | | |
| | Where the world builds software Miner tensor for the same of the | | |
| | AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER HI |] | |
| | AFTER HELLO | | |