

Cucumber Report

May 12, 2022 11:56:41 AM

Start : May 12, 11:54:32.853 AM

End : May 12, 11:56:38.971 AM

Duration : 2 m 6.118 s

Features







PASSED - 8
FAILED - 3
SKIPPED - 0

Scenarios

PASSED - 22
FAILED - 8
SKIPPED - 0

Steps

PASSED - 59
FAILED - 6
SKIPPED - 5




Feature		Duration	Scenario				Step			
			T	P	F	S	T	P	F	S
Name										
<u>DataTable And DocString</u>		4.860 s	2	2	0	0	4	4	0	0
<u>Exception</u>		11.563 s	5	1	4	0	6	1	4	1
<u>Hook and step failures</u>		0.031 s	2	0	2	0	4	0	0	4
<u>Large Data</u>		35.095 s	1	1	0	0	2	2	0	0
<u>Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & *</u>		6.075 s	2	2	0	0	6	6	0	0
<u>No tag feature</u>		3.010 s	1	1	0	0	3	3	0	0
<u>Polish Założenia Scenariusz And Szablon scenariusza</u>		15.146 s	5	5	0	0	15	15	0	0
<u>Scenario And Scenario Outline</u>		19.659 s	6	6	0	0	24	24	0	0
<u>Screenshots</u>		18.070 s	2	2	0	0	2	2	0	0
<u>Scenarios With No Step Definitions</u>		0.015 s	3	1	2	0	3	1	2	0
<u>Two Screenshots</u>		12.485 s	1	1	0	0	1	1	0	0

* The feature name has been cropped to fit in the available space.


Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@tabledoc		2	2	0	0	1	1	0	0
@exception		5	1	4	0	1	0	1	0
@failure		2	0	2	0	1	0	1	0
@large		1	1	0	0	1	1	0	0
@longlong		2	2	0	0	1	1	0	0
@lengthyfeature		2	2	0	0	1	1	0	0
@lengthyscenariolengthyscenarioscenario		1	1	0	0	1	1	0	0
@lengthyscenariolengthyscenario		1	1	0	0	1	1	0	0
@lengthyscenario		1	1	0	0	1	1	0	0
@longlonglonglong		1	1	0	0	1	1	0	0
@smallscenario		1	1	0	0	1	1	0	0
@dialect		5	5	0	0	1	1	0	0
@both		6	6	0	0	1	1	0	0
@scenout		4	4	0	0	1	1	0	0
@scen		1	1	0	0	1	1	0	0
@misc		1	1	0	0	1	1	0	0
@website		2	2	0	0	1	1	0	0

Tag	Scenario				Feature			
	T	P	F	S	T	P	F	S
Name								
@git	1	1	0	0	1	1	0	0
@stack	1	1	0	0	1	1	0	0
@skip	3	1	2	0	1	0	1	0
@twoimg	1	1	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	2	2	0	0	4.860 s
2	<u>Exception</u>	5	1	4	0	11.563 s
3	<u>Hook and step failures</u>	2	0	2	0	0.031 s
4	<u>Large Data</u>	1	1	0	0	35.095 s
5	<u>Long long feature & Scenario Names Long long feature & Scenario Names * Long long feature & Scenario Names Long long feature & Scenario Names *</u>	2	2	0	0	6.075 s
6	<u>No tag feature</u>	1	1	0	0	3.010 s
7	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	5	5	0	0	15.146 s
8	<u>Scenario And Scenario Outline</u>	6	6	0	0	19.659 s
9	<u>Screenshots</u>	2	2	0	0	18.070 s
10	<u>Scenarios With No Step Definitions</u>	3	1	2	0	0.015 s

* The feature name has been cropped to fit in the available space.




#	Feature Name	T	P	F	S	Duration
11	<u>Two Screenshots</u>	1	1	0	0	12.485 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	DataTable And DocString	DataTable Scenario	2	2	0	0	2.375 s
2	DataTable And DocString	Doc String to Custom Object	2	2	0	0	2.469 s
3	Exception	Exception	1	0	1	0	2.515 s
4	Exception	No Exception	1	1	0	0	1.500 s
5	Exception	Other Exception	2	0	1	1	2.500 s
6	Exception	Check exception 1	1	0	1	0	2.500 s
7	Exception	Check exception 2	1	0	1	0	2.500 s
8	Hook and step failures	Before Hook	2	0	0	2	0.015 s
9	Hook and step failures	After Hook	2	0	0	2	0.000 s
10	Large Data	Large data scenario	2	2	0	0	35.095 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Long long feature & Scenario Names</u> <u>Long long feature & Scenario Names *</u>	<u>Scenario Long Name Scenario *</u>	3	3	0	0	3.038 s
12	<u>Long long feature & Scenario Names</u> <u>Long long feature & Scenario Names *</u>	<u>Scenario Normal Name</u>	3	3	0	0	3.021 s
13	<u>No tag feature</u>	<u>No tag scenario</u>	3	3	0	0	3.010 s
14	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 300</u>	3	3	0	0	3.028 s
15	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 500</u>	3	3	0	0	3.015 s
16	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 400</u>	3	3	0	0	3.035 s
17	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Outline Row 600</u>	3	3	0	0	3.022 s

* The feature name and/or scenario name has been cropped to fit in the available space.



#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Polish Założenia Scenariusz And Szablon scenariusza</u>	<u>Scenario Number Seven Seven Seven</u>	3	3	0	0	3.031 s
19	<u>Scenario And Scenario Outline</u>	<u>SO Row 300</u>	4	4	0	0	3.279 s
20	<u>Scenario And Scenario Outline</u>	<u>SO Row 500</u>	4	4	0	0	3.278 s
21	<u>Scenario And Scenario Outline</u>	<u>SO Row 400</u>	4	4	0	0	3.284 s
22	<u>Scenario And Scenario Outline</u>	<u>SO Row 600</u>	4	4	0	0	3.268 s
23	<u>Scenario And Scenario Outline</u>	<u>Scenario Number Seven Seven Seven</u>	4	4	0	0	3.279 s
24	<u>Scenario And Scenario Outline</u>	<u>Scenario Other Symbols</u>	4	4	0	0	3.268 s
25	<u>Screenshots</u>	<u>Scenario screenshot GIT</u>	1	1	0	0	11.003 s
26	<u>Screenshots</u>	<u>Scenario screenshot STACK</u>	1	1	0	0	7.067 s
27	<u>Scenarios With No Step Definitions</u>	<u>No Step defined</u>	1	0	1	0	0.000 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>Scenarios With No Step Definitions</u>	<u>Pending step</u>	1	0	1	0	0.015 s
29	<u>Scenarios With No Step Definitions</u>	<u>Skipped step</u>	1	1	0	0	0.000 s
30	<u>Two Screenshots</u>	<u>Scenario screenshot 2</u>	1	1	0	0	12.485 s

DataTable And DocString


PASSED	DURATION - 4.860 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:54:32.853 AM // 11:54:37.713 AM /					

DataTable Scenario

PASSED	DURATION - 2.375 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 11:54:32.869 AM // 11:54:35.244 AM /			
DataTable And DocString			
@tabledoc			

#	Step / Hook Details	Status	Duration																																																												
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s																																																												
1	Given Hello background background	PASSED	0.297 s																																																												
2	Given Customer orders the dishes <table border="1"> <tr> <td>one cell Customer orders t*</td> <td>two cell</td> <td>three cell</td> <td>four cell</td> <td>five cell</td> <td>six cell</td> <td>seven cell</td> <td>eight cell</td> <td>nine cell</td> <td>ten cell</td> <td>eleven cell</td> <td>twelve cell</td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> </tr> <tr> <td>1</td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> </tr> </table> * The data cell text(s) have been cropped to fit in the available space.	one cell Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12	PASSED	2.047 s
one cell Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell																																																				
1	2	3	4	5	6	7	8	9	10	11	12																																																				
1	2	3	4	5	6	7	8	9	10	11	12																																																				
1	2	3	4	5	6	7	8	9	10	11	12																																																				
1	2	3	4	5	6	7	8	9	10	11	12																																																				
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s																																																												

Doc String to Custom Object




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Hello background background	PASSED	0.250 s
2	Given the doc string is Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?	PASSED	2.204 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Exception




Exception




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Raise exception java.lang.AssertionError: expected:<false> but was:<true> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:120) at org.junit.Assert.assertEquals(Assert.java:146) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:111) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1646470268944/cuke7-extent-adaptor-report/src/test/resources/stepdefs/exceptions.feature:5) * Not displayable characters are replaced by '?'.	FAILED	2.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

No Exception



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Do not raise exception	PASSED	1.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s


Other Exception



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Raise exception java.lang.AssertionError: expected:<false> but was:<true> at org.junit.Assert.failAssert.java:89) at org.junit.Assert.failNotEqualsAssert.java:835)	FAILED	2.500 s

#	Step / Hook Details	Status	Duration
	at org.junit.Assert.assertEquals(Assert.java:120) at org.junit.Assert.assertEquals(Assert.java:146) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:111) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1646470268944/cuke7-extent-adaptor-report/src/test/resources/stepdefs/exceptions.feature:11) * Not displayable characters are replaced by '?'.		
2	Given Raise exception	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		


Check exception 1



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception java.lang.AssertionError: expected:<false> but was:<true> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:120) at org.junit.Assert.assertEquals(Assert.java:146) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:111) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1646470268944/cuke7-extent-adaptor-report/src/test/resources/stepdefs/exceptions.feature:16) * Not displayable characters are replaced by '?'.	FAILED	2.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		


#	Step / Hook Details	Status	Duration
	AFTER HELLO		

Check exception 2




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Raise exception <pre>java.lang.AssertionError: expected:<false> but was:<true> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:120) at org.junit.Assert.assertEquals(Assert.java:146) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:111) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1646470268944/cuke7-extent-adapter-report/src/test/resources/stepdefs/exceptions.feature:16) * Not displayable characters are replaced by '?'. </pre>	FAILED	2.500 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Hook and step failures

**Before Hook**

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.015 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:60)		
1	Given Hook failure step	SKIPPED	0.000 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:67)		

After Hook




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:60)		
1	Given Hook failure step	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.afterFailure(Stepdefs.java:67)		

Large Data



Large data scenario





#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario) HELLO THERE!!!	PASSED	18.863 s
1	Given the doc string is Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink	PASSED	2.010 s

#	Step / Hook Details	Status	Duration
	HELLO THERE!!! null		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	2.285 s
	HELLO THERE!!!		
2	When Go to https://github.com/ scenario website name - https://github.com/	PASSED	9.618 s
	AFTER_STEP - stepdefs.Stepdefs.afterSite() HELLO THERE!!! https://github.com/ https://github.com/	PASSED	1.320 s
			
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		



Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long feature
& Scenario Names Long long feature & Scenario Names Long long feature & Scenario Names Long long
feature & Scenario Names Long long feature & Scenario Names Long long Long long feature & Scenario
Names Long long feature Long long feature & Scenario Names Long long feature & Scenario Names

PASSED	DURATION - 6.075 s		
/ 11:55:24.433 AM // 11:55:30.508 AM /		Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0	Steps Total - 6 Pass - 6 Fail - 0 Skip - 0

PASSED	DURATION - 3.038 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:55:24.433 AM // 11:55:27.471 AM /				
<i>Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario *</i>				
@longlong @lengthyfeature @lengthyscenario@lengthyscenarioscenario @lengthyscenario@lengthyscenario @lengthyscenario *				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.016 s
2	When Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.009 s
3	Then Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.013 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Normal Name

PASSED	DURATION - 3.021 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:55:27.487 AM // 11:55:30.508 AM /				
<i>Long long feature & Scenario Names Long long feature & Scenario Names Long long feature & Scenario *</i>				
@longlong @lengthyfeature @smallscenario				


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		

#	Step / Hook Details	Status	Duration
	BEFORE HELLO		
1	Given Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.009 s
2	When Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.012 s
3	Then Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

No tag feature




No tag scenario




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Write a 'given' step with precondition in 'Scenario No tag'	PASSED	1.000 s

#	Step / Hook Details	Status	Duration
	log HATE THIS		
2	When Complete action in 'when' step in 'Scenario No tag'	PASSED	1.000 s
	log HATE THIS		
3	Then Validate the outcome in 'then' step in 'Scenario No tag'	PASSED	1.010 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Polish Założenia Scenariusz And Szablon scenariusza




Scenario Outline Row 300



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	1.006 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline One300'	PASSED	1.010 s



#	Step / Hook Details	Status	Duration
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	1.012 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Outline Row 500





#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	1.010 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	1.000 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	1.005 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Outline Row 400

PASSED	DURATION - 3.035 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:55:39.623 AM // 11:55:42.658 AM /				
Polish Założenia Scenariusz And Szablon scenariusza				
@dialect				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	1.010 s
	log HATE THIS		
2	Kiedy Complete action in 'when' step in 'Scenario Outline One400'	PASSED	1.010 s
	log HATE THIS		
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	1.015 s
	log HATE THIS		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		


Scenario Outline Row 600

PASSED	DURATION - 3.022 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:55:42.658 AM // 11:55:45.680 AM /				
Polish Założenia Scenariusz And Szablon scenariusza				
@dialect				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		


#	Step / Hook Details	Status	Duration
	BEFORE HELLO		
1	Zakładając, że Write a 'given' step with precondition in 'Scenario Outline Two600' log HATE THIS	PASSED	1.000 s
2	Kiedy Complete action in 'when' step in 'Scenario Outline Two600' log HATE THIS	PASSED	1.012 s
3	Wtedy Validate the outcome in 'then' step in 'Scenario Outline Two600' log HATE THIS	PASSED	1.010 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario Number Seven Seven Seven




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Zakładając Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.009 s
2	Kiedy Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.013 s
3	Wtedy Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.009 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Scenario And Scenario Outline


PASSED	DURATION - 19.659 s	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0		Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	
/ 11:55:48.711 AM // 11:56:08.370 AM /					

SO Row 300


PASSED	DURATION - 3.279 s	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:55:48.711 AM // 11:55:51.990 AM /					
Scenario And Scenario Outline					
@both @scenout					

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Hello background background	PASSED	0.253 s
2	Given Write a 'given' step with precondition in 'Scenario Outline One300' log HATE THIS	PASSED	1.009 s
3	When Complete action in 'when' step in 'Scenario Outline One300' log HATE THIS	PASSED	1.007 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline One300' log HATE THIS	PASSED	1.010 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s


SO Row 500



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Hello background background	PASSED	0.250 s
2	Given Write a 'given' step with precondition in 'Scenario Outline Two500' log HATE THIS	PASSED	1.012 s
3	When Complete action in 'when' step in 'Scenario Outline Two500' log HATE THIS	PASSED	1.009 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two500' log HATE THIS	PASSED	1.007 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

SO Row 400


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Hello background background	PASSED	0.253 s
2	Given Write a 'given' step with precondition in 'Scenario Outline One400' log HATE THIS	PASSED	1.003 s
3	When Complete action in 'when' step in 'Scenario Outline One400' log HATE THIS	PASSED	1.013 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline One400' log HATE THIS	PASSED	1.015 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

SO Row 600

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Hello background background	PASSED	0.254 s
2	Given Write a 'given' step with precondition in 'Scenario Outline Two600' log HATE THIS	PASSED	1.003 s
3	When Complete action in 'when' step in 'Scenario Outline Two600' log HATE THIS	PASSED	1.000 s


#	Step / Hook Details	Status	Duration
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two600' log HATE THIS	PASSED	1.011 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Scenario Number Seven Seven Seven



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Hello background background	PASSED	0.250 s
2	Given Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.007 s
3	When Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.007 s
4	Then Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.015 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Scenario Other Symbols




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Hello background background	PASSED	0.253 s
2	* Write a 'given' step with precondition in 'Scenario 777' log HATE THIS	PASSED	1.003 s
3	And Complete action in 'when' step in 'Scenario 777' log HATE THIS	PASSED	1.001 s
4	But Validate the outcome in 'then' step in 'Scenario 777' log HATE THIS	PASSED	1.011 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Screenshots




Scenario screenshot GIT



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario) HELLO THERE!!!	PASSED	3.319 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2() GOOD BYE!!!	PASSED	0.000 s
1	When Go to https://github.com/ scenario website name - https://github.com/	PASSED	6.471 s
	AFTER_STEP - stepdefs.Stepdefs.afterSite() HELLO THERE!!! https://github.com/ https://github.com/ 	PASSED	1.212 s
	AFTER_STEP - stepdefs.Stepdefs.afterSite2() GOOD BYE!!! https://github.com/	PASSED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Scenario screenshot STACK




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario) HELLO THERE!!!	PASSED	1.866 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite2() GOOD BYE!!!	PASSED	0.000 s
1	Given Go to https://stackoverflow.com/ scenario website name - https://stackoverflow.com/	PASSED	4.289 s
	AFTER_STEP - stepdefs.Stepdefs.afterSite() HELLO THERE!!! https://stackoverflow.com/ https://stackoverflow.com/ 	PASSED	0.912 s
	AFTER_STEP - stepdefs.Stepdefs.afterSite2() GOOD BYE!!! https://stackoverflow.com/	PASSED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Scenarios With No Step Definitions




No Step defined




#	Step / Hook Details	Status	Duration
1	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
	Given No step definition methods Step undefined		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s

Pending step



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s
1	Given Pending step definition io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pendingStep(Stepdefs.java:191) at ?.Pending step definition(file:///D:/eclipse-workspace/maven.1646470268944/cuke7-extent-adapter-report/src/test/resources/stepdefs/skipdef.feature:13) * Not displayable characters are replaced by '?'. AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	FAILED	0.000 s
	AFTER HI AFTER HELLO	PASSED	0.015 s

Skipped step




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario) BEFORE HI BEFORE HELLO	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
1	Given Skipped step definition	PASSED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s
	AFTER HI		
	AFTER HELLO		

Two Screenshots



Scenario screenshot 2



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	When Go to capture 2 images in one step github stackoverflow	PASSED	12.485 s
	 		

#	Step / Hook Details	Status	Duration
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario) AFTER HI AFTER HELLO	PASSED	0.000 s