

Grasshopper PDF Report

Mar 6, 2021 12:22:51 AM

Start : Mar 06, 12:21:39.630 AM

End : Mar 06, 12:22:44.197 AM

Duration : 1 m 4.567 s

Features




Scenarios


Steps

PASSED - 4
FAILED - 3
SKIPPED - 0

PASSED - 15
FAILED - 5
SKIPPED - 0


PASSED - 32
FAILED - 3
SKIPPED - 4






#	Feature Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	2	2	0	0	1.772 s
2	<u>Exception</u>	5	4	1	0	3.272 s
3	<u>Hook and step failures</u>	2	0	2	0	0.016 s
4	<u>Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Ti *</u>	1	1	0	0	2.602 s
5	<u>Scenario And Scenario Outline</u>	6	6	0	0	16.144 s
6	<u>Screenshots</u>	2	2	0	0	39.001 s
7	<u>Scenarios With No Step Definitions</u>	2	0	2	0	1.107 s

* The feature name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	<u>DataTable Scenario</u>	2	2	0	0	0.855 s
2	<u>DataTable And DocString</u>	<u>Doc String to Custom Object</u>	2	2	0	0	0.802 s
3	<u>Exception</u>	<u>Exception</u>	1	1	0	0	0.551 s
4	<u>Exception</u>	<u>No Exception</u>	1	1	0	0	0.501 s
5	<u>Exception</u>	<u>Other Exception</u>	2	2	0	0	0.801 s
6	<u>Exception</u>	<u>Check exception 1</u>	1	1	0	0	0.500 s
7	<u>Exception</u>	<u>Check exception 2</u>	1	0	1	0	0.502 s
8	<u>Hook and step failures</u>	<u>Before Hook</u>	2	0	0	2	0.008 s
9	<u>Hook and step failures</u>	<u>After Hook</u>	2	0	0	2	0.000 s
10	<u>Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature *</u>	<u>Wrapped up Scenario Title Name Longer the Better Title rapped up Scenario Title Name Longer the Better Title *</u>	3	3	0	0	2.602 s

* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 300</u>	3	3	0	0	2.603 s
12	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 500</u>	3	3	0	0	2.602 s
13	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 400</u>	3	3	0	0	2.605 s
14	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 600</u>	3	3	0	0	2.601 s
15	<u>Scenario And Scenario Outline</u>	<u>Scenario Number Seven Seven Seven</u>	3	3	0	0	2.603 s
16	<u>Scenario And Scenario Outline</u>	<u>Scenario Number Eight Eight Eight</u>	3	3	0	0	2.606 s
17	<u>Screenshots</u>	<u>Scenario screenshot GIT</u>	1	1	0	0	27.655 s
18	<u>Screenshots</u>	<u>Scenario screenshot STACK</u>	1	1	0	0	11.234 s
19	<u>Scenarios With No Step Definitions</u>	<u>No Step defined</u>	1	0	1	0	0.501 s
20	<u>Scenarios With No Step Definitions</u>	<u>Pending step</u>	1	0	1	0	0.501 s

(F)- DataTable And DocString

PASSED	DURATION - 1.772 s	Scenarios		Steps	
/ 12:21:39.630 AM // 12:21:41.402 AM /		Total - 2		Total - 4	
@tabledoc		Pass - 2		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- DataTable Scenario

PASSED	DURATION - 0.855 s		Steps	
/ 12:21:39.630 AM // 12:21:40.485 AM /			Total - 2	
DataTable And DocString			Pass - 2	
@tabledoc			Fail - 0	
		Skip - 0		

#	Step / Hook Details	Status	Duration																																																																						
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.115 s																																																																						
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s																																																																						
1	Given - Hello background	PASSED	0.000 s																																																																						
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s																																																																						
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s																																																																						
2	Given - Customer orders the dishes	PASSED	0.025 s																																																																						
	<table border="1"> <thead> <tr> <th>one cell</th> <th>Customer orders t*</th> <th>two cell</th> <th>three cell</th> <th>four cell</th> <th>five cell</th> <th>six cell</th> <th>seven cell</th> <th>eight cell</th> <th>nine cell</th> <th>ten cell</th> <th>eleven cell</th> <th>twelve cell</th> <th>*</th> </tr> </thead> <tbody> <tr> <td>1</td> <td></td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> <td></td> </tr> <tr> <td>1</td> <td></td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> <td></td> </tr> <tr> <td>1</td> <td></td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> <td></td> </tr> <tr> <td>1</td> <td></td> <td>2</td> <td>3</td> <td>4</td> <td>5</td> <td>6</td> <td>7</td> <td>8</td> <td>9</td> <td>10</td> <td>11</td> <td>12</td> <td></td> </tr> </tbody> </table>	one cell	Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell	*	1		2	3	4	5	6	7	8	9	10	11	12		1		2	3	4	5	6	7	8	9	10	11	12		1		2	3	4	5	6	7	8	9	10	11	12		1		2	3	4	5	6	7	8	9	10	11	12			
one cell	Customer orders t*	two cell	three cell	four cell	five cell	six cell	seven cell	eight cell	nine cell	ten cell	eleven cell	twelve cell	*																																																												
1		2	3	4	5	6	7	8	9	10	11	12																																																													
1		2	3	4	5	6	7	8	9	10	11	12																																																													
1		2	3	4	5	6	7	8	9	10	11	12																																																													
1		2	3	4	5	6	7	8	9	10	11	12																																																													
	* The data row(s), maximum 5, and data cell text(s) and extra column(s) have been cropped to fit in the available space.																																																																								
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s																																																																						
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.115 s																																																																						

(S)- Doc String to Custom Object

PASSED	DURATION - 0.802 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 12:21:40.600 AM // 12:21:41.402 AM /				
DataTable And DocString				
@tabledoc				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given - Hello background	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Given - the doc string is Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? * Maximum of 4 lines are displayed. ^ Tabs, spaces, new line has been trimmed to fit in the available space.	PASSED	0.001 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s

(F)- Exception

FAILED	DURATION - 3.272 s	Scenarios Total - 5 Pass - 4 Fail - 1 Skip - 0		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 12:21:41.509 AM // 12:21:44.781 AM /					
@exception					

(S)- Exception

PASSED	DURATION - 0.551 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 12:21:41.509 AM // 12:21:42.060 AM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.101 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given - Raise exception	PASSED	0.048 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.101 s

(S)- No Exception

PASSED	DURATION - 0.501 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 12:21:42.164 AM // 12:21:42.665 AM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given - Do not raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s

(S)- Other Exception

PASSED	DURATION - 0.801 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 12:21:42.769 AM // 12:21:43.570 AM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given - Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	Given - Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s

(S)- Check exception 1

PASSED	DURATION - 0.500 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 12:21:43.675 AM // 12:21:44.175 AM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given - Raise exception	PASSED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s

(S)- Check exception 2

FAILED	DURATION - 0.502 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 12:21:44.279 AM // 12:21:44.781 AM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given - Raise exception java.lang.AssertionError: expected:<false> but was:<true> at org.junit.Assert.fail(Assert.java:88) at org.junit.Assert.failNotEquals(Assert.java:834) at org.junit.Assert.assertEquals(Assert.java:118) at org.junit.Assert.assertEquals(Assert.java:144) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:110) at ?.Raise exception(classpath:stepdefs/exceptions.feature:15)	FAILED	0.001 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s

(F)- Hook and step failures

FAILED	DURATION - 0.016 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 12:21:44.893 AM // 12:21:44.909 AM /					
@failure					

(S)- Before Hook

FAILED	DURATION - 0.008 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 12:21:44.893 AM // 12:21:44.901 AM /				
Hook and step failures				
@failure				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.004 s
	FAILURE HI FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:67)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
1	Given - Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	When - Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.004 s
	FAILURE HI FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:67)		

(S)- After Hook



FAILED	DURATION - 0.000 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 12:21:44.909 AM // 12:21:44.909 AM /				
Hook and step failures				
@failure				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:67)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
1	Given - Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	SKIPPED	0.000 s
2	Then - Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:67)		

(F)- Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the Better Title



PASSED	DURATION - 2.602 s	Scenarios		Steps	
/ 12:21:44.952 AM // 12:21:47.554 AM /		Total - 1		Total - 3	
@longname		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Wrapped up Scenario Title Name Longer the Better Title rapped up Scenario Title Name Longer the Better Title Wrapped up Scenario Title Name Longer the Better Title



PASSED	DURATION - 2.602 s		Steps	
/ 12:21:44.952 AM // 12:21:47.554 AM /			Total - 3	
Wrapped up Feature Title Name Longer the Better Title Wrapped up Feature Title Name Longer the *			Pass - 3	
@longname		Fail - 0	Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given - Write a 'given' step with precondition in 'Scenario Long Name'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When - Complete action in 'when' step in 'Scenario Long Name'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then - Validate the outcome in 'then' step in 'Scenario Long Name'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s

(F)- Scenario And Scenario Outline

PASSED	DURATION - 16.144 s	Scenarios		Steps	
/ 12:21:47.661 AM // 12:22:03.805 AM /		Total - 6		Total - 18	
@both		Pass - 6		Pass - 18	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Scenario Outline Row 300

PASSED	DURATION - 2.603 s		Steps	
/ 12:21:47.661 AM // 12:21:50.264 AM /			Total - 3	
Scenario And Scenario Outline			Pass - 3	
@both @sout @soodd			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given - Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
2	When - Complete action in 'when' step in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then - Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.202 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s

(S)- Scenario Outline Row 500

PASSED	DURATION - 2.602 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:21:50.368 AM // 12:21:52.970 AM /				
Scenario And Scenario Outline				
@both @sout @soodd				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given - Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When - Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then - Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s



(S)- Scenario Outline Row 400

PASSED	DURATION - 2.605 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:21:53.076 AM // 12:21:55.681 AM /				
Scenario And Scenario Outline				
@both @sout @soeven				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s

#	Step / Hook Details	Status	Duration
1	Given - Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
2	When - Complete action in 'when' step in 'Scenario Outline One400'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then - Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s

(S)- Scenario Outline Row 600

PASSED	<i>DURATION - 2.601 s</i>		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:21:55.785 AM // 12:21:58.386 AM /				
Scenario And Scenario Outline				
@both @sout @soeven				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
1	Given - Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When - Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then - Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s

(S)- Scenario Number Seven Seven Seven

PASSED	DURATION - 2.603 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:21:58.491 AM // 12:22:01.094 AM /				
Scenario And Scenario Outline				
@both @scen				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given - Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s
2	When - Complete action in 'when' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then - Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.500 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s



(S)- Scenario Number Eight Eight Eight

PASSED	DURATION - 2.606 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:22:01.199 AM // 12:22:03.805 AM /				
Scenario And Scenario Outline				
@both @scen				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.101 s

#	Step / Hook Details	Status	Duration
1	Given - Write a 'given' step with precondition in 'Scenario 888'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
2	When - Complete action in 'when' step in 'Scenario 888'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
3	Then - Validate the outcome in 'then' step in 'Scenario 888'	PASSED	0.501 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s


(F)- Screenshots

PASSED	DURATION - 39.001 s	Scenarios		Steps	
/ 12:22:03.908 AM // 12:22:42.909 AM /		Total - 2	2	Total - 2	2
@website @skip		Pass - 2		Pass - 2	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



(S)- Scenario screenshot GIT


PASSED	DURATION - 27.655 s		Steps		
/ 12:22:03.908 AM // 12:22:31.563 AM /			Total - 1		1
Screenshots			Pass - 1		
@website @skip		Fail - 0			
		Skip - 0			

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.101 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	17.408 s
1	Given - Go to https://github.com/	PASSED	7.965 s
	scenario website name - https://github.com/		



#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefs.Stepdefs.afterSite() 	PASSED	1.780 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.200 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.101 s

(S)- Scenario screenshot STACK



PASSED	<i>DURATION - 11.234 s</i>		Steps	
/ 12:22:31.675 AM // 12:22:42.909 AM /			Total - 1	
Screenshots			Pass - 1	
@website @skip			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.102 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	1.644 s
1	Given - Go to https://stackoverflow.com/ scenario website name - https://stackoverflow.com/	PASSED	7.519 s
	AFTER_STEP - stepdefs.Stepdefs.afterSite() 	PASSED	1.566 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.102 s

(F)- Scenarios With No Step Definitions



FAILED	DURATION - 1.107 s	Scenarios		Steps	
/ 12:22:43.090 AM // 12:22:44.197 AM /		Total - 2		Total - 2	
		Pass - 0		Pass - 0	
@skip		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

(S)- No Step defined

FAILED	DURATION - 0.501 s		Steps	
/ 12:22:43.090 AM // 12:22:43.591 AM /			Total - 1	
Scenarios With No Step Definitions			Pass - 0	
@skip @skipscenario			Fail - 1	
		Skip - 0		

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given - No step definition methods	FAILED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s

(S)- Pending step

FAILED	DURATION - 0.501 s		Steps	
/ 12:22:43.696 AM // 12:22:44.197 AM /			Total - 1	
Scenarios With No Step Definitions			Pass - 0	
@skip			Fail - 1	
		Skip - 0		

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before()	PASSED	0.100 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStep()	PASSED	0.100 s
1	Given - Pending step definition	FAILED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStep()	PASSED	0.201 s
	AFTER - stepdefs.Stepdefs.before()	PASSED	0.100 s