

Cucumber Report

May 12, 2022 12:56:58 PM

Start : May 12, 12:56:02.819 PM

End : May 12, 12:56:51.257 PM

Duration : 48.438 s

Features

Scenarios

Steps

PASSED - 6

FAILED - 3

SKIPPED - 0

PASSED - 20



FAILED - 6

SKIPPED - 1

PASSED - 43

FAILED - 4


SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>DataTable And DocString</u>	0.042 s	2	2	0	0	4	4	0	0
<u>Exception</u>	0.063 s	5	3	2	0	6	3	2	1
<u>Hook and step failures</u>	0.014 s	2	0	2	0	4	0	0	4
<u>Large Data</u>	18.983 s	1	1	0	0	2	2	0	0
<u>Text and table logs</u>	0.031 s	5	5	0	0	5	5	0	0
<u>No tag feature</u>	1.201 s	1	1	0	0	3	3	0	0
<u>Scenario And Scenario Outline</u>	8.742 s	6	6	0	0	24	24	0	0
<u>Screenshots</u>	19.251 s	2	2	0	0	2	2	0	0
<u>Scenarios With No Step Definitions</u>	0.019 s	3	0	2	1	3	0	2	1

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tabledoc	2	2	0	0	1	1	0	0
@datatable	1	1	0	0	1	1	0	0
@docstring	1	1	0	0	1	1	0	0
@exception	5	3	2	0	1	0	1	0
@failure	2	0	2	0	1	0	1	0
@large	1	1	0	0	1	1	0	0
@logs	5	5	0	0	1	1	0	0
@textlog	1	1	0	0	1	1	0	0
@tablelog	1	1	0	0	1	1	0	0
@bothlog	1	1	0	0	1	1	0	0
@megatablelog	1	1	0	0	1	1	0	0
@spanslog	1	1	0	0	1	1	0	0
@both	6	6	0	0	1	1	0	0
@scenout	4	4	0	0	1	1	0	0
@scen	1	1	0	0	1	1	0	0
@misc	1	1	0	0	1	1	0	0
@website	2	2	0	0	1	1	0	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@skip	3	0	2	1	1	0	1	0




#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>DataTable And DocString</u>	2	2	0	0	0.042 s
2	<u>Exception</u>	5	3	2	0	0.063 s
3	<u>Hook and step failures</u>	2	0	2	0	0.014 s
4	<u>Large Data</u>	1	1	0	0	18.983 s
5	<u>Text and table logs</u>	5	5	0	0	0.031 s
6	<u>No tag feature</u>	1	1	0	0	1.201 s
7	<u>Scenario And Scenario Outline</u>	6	6	0	0	8.742 s
8	<u>Screenshots</u>	2	2	0	0	19.251 s
9	<u>Scenarios With No Step Definitions</u>	3	0	2	1	0.019 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>DataTable And DocString</u>	<u>DataTable Scenario</u>	2	2	0	0	0.004 s
2	<u>DataTable And DocString</u>	<u>Doc String to Custom Object</u>	2	2	0	0	0.001 s
3	<u>Exception</u>	<u>Exception</u>	1	0	1	0	0.005 s
4	<u>Exception</u>	<u>No Exception</u>	1	1	0	0	0.000 s
5	<u>Exception</u>	<u>Other Exception</u>	2	0	1	1	0.001 s
6	<u>Exception</u>	<u>Check exception 1</u>	1	1	0	0	0.000 s
7	<u>Exception</u>	<u>Check exception 2</u>	1	1	0	0	0.000 s
8	<u>Hook and step failures</u>	<u>Before Hook</u>	2	0	0	2	0.000 s
9	<u>Hook and step failures</u>	<u>After Hook</u>	2	0	0	2	0.000 s
10	<u>Large Data</u>	<u>Large data scenario</u>	2	2	0	0	18.983 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Text and table logs</u>	<u>Text log</u>	1	1	0	0	0.000 s
12	<u>Text and table logs</u>	<u>Table log</u>	1	1	0	0	0.000 s
13	<u>Text and table logs</u>	<u>Both logs</u>	1	1	0	0	0.000 s
14	<u>Text and table logs</u>	<u>Mega Content Table log</u>	1	1	0	0	0.000 s
15	<u>Text and table logs</u>	<u>Span other than 1</u>	1	1	0	0	0.000 s
16	<u>No tag feature</u>	<u>No tag scenario</u>	3	3	0	0	1.201 s
17	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 300</u>	4	4	0	0	1.452 s
18	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 500</u>	4	4	0	0	1.450 s
19	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 400</u>	4	4	0	0	1.451 s
20	<u>Scenario And Scenario Outline</u>	<u>Scenario Outline Row 600</u>	4	4	0	0	1.451 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Scenario And Scenario Outline</u>	<u>Scenario Number Seven Seven Seven</u>	4	4	0	0	1.451 s
22	<u>Scenario And Scenario Outline</u>	<u>Scenario Other Symbols</u>	4	4	0	0	1.450 s
23	<u>Screenshots</u>	<u>Scenario screenshot GIT</u>	1	1	0	0	10.497 s
24	<u>Screenshots</u>	<u>Scenario screenshot STACK</u>	1	1	0	0	8.746 s
25	<u>Scenarios With No Step Definitions</u>	<u>No Step defined</u>	1	0	1	0	0.000 s
26	<u>Scenarios With No Step Definitions</u>	<u>Pending step</u>	1	0	1	0	0.002 s
27	<u>Scenarios With No Step Definitions</u>	<u>Skipped step</u>	1	0	0	1	0.001 s

DataTable And DocString

PASSED	<i>DURATION - 0.042 s</i>	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:56:02.819 PM // 12:56:02.861 PM /					
@tabledoc					

DataTable Scenario

PASSED	<i>DURATION - 0.004 s</i>		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 12:56:02.819 PM // 12:56:02.823 PM /				
<i>DataTable And DocString</i>				
@tabledoc @datatable				

#	Step / Hook Details							Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)							PASSED	0.002 s
	BEFORE HI								
	BEFORE HELLO								
1	Given 'Hello' background							PASSED	0.000 s
2	Given Customer orders the dishes							PASSED	0.002 s
	dish	quantity	description	area of origin	description	area of origin	description		
	Spicy Meatballs	2	meatballs in spicy sauce hot h*	rome	meatballs in spicy sauce	rome	meatballs in spicy sauce		
	Fried Gnocchi	2	gnocchi in hot oil	milan	gnocchi in hot oil	milan	gnocchi in hot oil		
	Espresso	3	hot hot coffee hot hot coffee	sicily	hot hot coffee	sicily	hot hot coffee		
	Spicy Meatballs	2	meatballs in spicy sauce	rome	meatballs in spicy sauce	rome	meatballs in spicy sauce		
	Fried Gnocchi	2	gnocchi in hot oil	milan	gnocchi in hot oil	milan	gnocchi in hot oil		
	Espresso	3	hot hot coffee gnocchi in hot o*	sicily	hot hot coffee	sicily	hot hot coffee		
	Spicy Meatballs	2	meatballs in spicy sauce	rome	meatballs in spicy sauce	rome	meatballs in spicy sauce		
	Fried Gnocchi	2	gnocchi in hot oil	milan	gnocchi in hot oil	milan	gnocchi in hot oil		
	Espresso	3	hot hot coffee	sicily	hot hot coffee	sicily	hot hot coffee		
	Spicy Meatballs	2	meatballs in spicy sauce	rome	meatballs in spicy sauce	rome	meatballs in spicy sauce		
	Fried Gnocchi	2	gnocchi in hot oil	milan	gnocchi in hot oil	milan	gnocchi in hot oil		



#	Step / Hook Details							Status	Duration
	Espresso	3	hot hot coffee gnocchi in hot o*	sicily	hot hot coffee	sicily	hot hot coffee		
	Spicy Meatballs	2	meatballs in spicy sauce	rome	meatballs in spicy sauce	rome	meatballs in spicy sauce		
	Fried Gnocchi	2	gnocchi in hot oil	milan	gnocchi in hot oil	milan	gnocchi in hot oil		
	Espresso	3	hot hot coffee	sicily	hot hot coffee	sicily	hot hot coffee		
	* The data cell text(s) have been cropped to fit in the available space.								
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)							PASSED	0.000 s

Doc String to Custom Object



PASSED		DURATION - 0.001 s			Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 12:56:02.860 PM // 12:56:02.861 PM /						
DataTable And DocString						
@tabledoc @docstring						

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given 'Hello' background	PASSED	0.000 s
2	Given the doc string is	PASSED	0.001 s
	Hello there how r u?		
	Doing great. Whats new?		
	Nothing much.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Exception



FAILED	DURATION - 0.063 s	Scenarios Total - 5 Pass - 3 Fail - 2 Skip - 0		Steps Total - 6 Pass - 3 Fail - 2 Skip - 1	
/ 12:56:02.872 PM // 12:56:02.935 PM /					
@exception					

Exception

FAILED	DURATION - 0.005 s		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
/ 12:56:02.872 PM // 12:56:02.877 PM /				
Exception				
@exception				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	FAILED	0.005 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:111) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1645199391150/extentreports-cucumberjson-report/src/test/resources/stepdefs/exceptions.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

No Exception

<div>PASSED</div>	<div>DURATION - 0.000 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 12:56:02.897 PM // 12:56:02.897 PM /</div>				
<div>Exception</div>				
<div>@exception</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Do not raise exception	PASSED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s



Other Exception

FAILED	DURATION - 0.001 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 12:56:02.914 PM // 12:56:02.915 PM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	FAILED	0.001 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131)		



#	Step / Hook Details	Status	Duration
	<pre>at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:111) at ?.Raise exception(file:///D:/eclipse-workspace/maven.1645199391150/extentreports-cucumberjson-report/src/test/resources/stepdefs/exceptions.feature:11) * Not displayable characters are replaced by '?'. </pre>		
2	Given Raise exception	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Check exception 1

PASSED	DURATION - 0.000 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 12:56:02.925 PM // 12:56:02.925 PM /				
Exception				
@exception				


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given Raise exception	PASSED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Check exception 2



PASSED	DURATION - 0.000 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 12:56:02.935 PM // 12:56:02.935 PM /				
Exception				
@exception				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	PASSED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Hook and step failures

FAILED	DURATION - 0.014 s	Scenarios		Steps
/ 12:56:02.944 PM // 12:56:02.958 PM /		Total - 2		Total - 4
@failure		Pass - 0		Pass - 0
		Fail - 2		Fail - 0
		Skip - 0		Skip - 4



Before Hook

FAILED	DURATION - 0.000 s		Steps	
/ 12:56:02.944 PM // 12:56:02.944 PM /			Total - 2	
Hook and step failures			Pass - 0	
@failure			Fail - 0	
			Skip - 2	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException: at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:59)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStepFailure()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStepFailure()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStepFailure()	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStepFailure()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	PASSED	0.000 s
	FAILURE HI		
	FAILURE HELLO		

After Hook



FAILED	DURATION - 0.000 s		Steps Total - 2 Pass - 0 Fail - 0 Skip - 2	
/ 12:56:02.958 PM // 12:56:02.958 PM /				
Hook and step failures				
@failure				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException: at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:59)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStepFailure()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStepFailure()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStepFailure()	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStepFailure()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	PASSED	0.000 s
	FAILURE HI		
	FAILURE HELLO		

Large Data


PASSED	DURATION - 18.983 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 12:56:02.972 PM // 12:56:21.955 PM /					
@large					

Large data scenario



PASSED	DURATION - 18.983 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 12:56:02.972 PM // 12:56:21.955 PM /				
Large Data				
@large				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	5.800 s
	HELLO THERE!!!		
1	Given the doc string is	PASSED	0.000 s
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily		
	Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?		
	Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?		
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily		
	Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		



[illegible]

#	Step / Hook Details	Status	Duration
	<p>Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Doing great. Spicy Meatballs for food and drink italian sicily</p> <p>Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p> <p>Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u? Hello there how r u?</p>		
	AFTER_STEP - stepdefs.Stepdefs.afterSite(io.cucumber.java.Scenario)	PASSED	0.963 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	1.293 s
	HELLO THERE!!!		
2	When Go to https://github.com/	PASSED	10.140 s
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite(io.cucumber.java.Scenario)	PASSED	0.787 s
	https://github.com/		
			
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Text and table logs



PASSED	DURATION - 0.031 s	Scenarios		Steps	
/ 12:56:21.961 PM // 12:56:21.992 PM /		Total - 5		Total - 5	
@logs		Pass - 5		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Text log

<div>PASSED</div>	<div>DURATION - 0.000 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:56:21.961 PM // 12:56:21.961 PM /				
Text and table logs				
@logs @textlog				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Only text log	PASSED	0.000 s
	Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Table log

<div>PASSED</div>	<div>DURATION - 0.000 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 12:56:21.968 PM // 12:56:21.968 PM /</div>				
<div>Text and table logs</div>				
<div>@logs @tablelog</div>				

#	Step / Hook Details	Status	Duration			
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s			
	BEFORE HI					
	BEFORE HELLO					
1	Given Only table log	PASSED	0.000 s			
	<table><tr><td>1</td><td>2</td></tr><tr><td>A</td><td>B</td></tr><tr><td>C</td><td>D</td></tr></table>			1	2	A
1	2					
A	B					
C	D					

#	Step / Hook Details	Status	Duration
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Both logs


PASSED

DURATION - 0.000 s

/ 12:56:21.977 PM // 12:56:21.977 PM /

Text and table logs

@logs @bothlog



Steps

Total - 1

Pass - 1



Fail - 0

Skip - 0





#	Step / Hook Details	Status	Duration	
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s	
	BEFORE HI			
	BEFORE HELLO			
1	Given Both logs	PASSED	0.000 s	
	Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text.			
	Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text. Text log is just text.			
	Text log is just text. Text log is just text.			
	heading 1			Heading 2
	hi			Hello
	hi 2			Hello Two
Real big cell details. Real big cell details. Real big cell details. Real big cell details. Real big cell details. Real big cell details. Real big cell details. Real big cell details. R*	Hello Two			
* The data cell text(s) have been cropped to fit in the available space.				
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s	

Mega Content Table log

<div>PASSED</div>	<div>DURATION - 0.000 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:56:21.984 PM // 12:56:21.984 PM /				
Text and table logs				
@logs @megatablelog				

#	Step / Hook Details	Status	Duration
1	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
	Given Mega table log	PASSED	0.000 s
	heading 1		
	hi		
	hi 2		
	Real big cell details. Real big cell details. Real big cell details. Real big cell details. Real big cell details.*		
	Real big cell details. Real big cell details. Real big cell details. Real big cell details. Real big cell details.*		
	* The data cell text(s) have been cropped to fit in the available space.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s



Span other than 1

<div>PASSED</div>	<div>DURATION - 0.000 s</div>		<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:56:21.992 PM // 12:56:21.992 PM /				
Text and table logs				
@spanslog @logs				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		

#	Step / Hook Details	Status	Duration
1	Given Wrong span table log Rowspan greater than 1 is not supported. Displaying original content. <table><tr><th rowspan=1>heading 1</th><th colspan=1>Heading 2</th></tr><tr><td rowspan=2>hi</td><td colspan=3>Hello</td></tr><tr><td>111</td><td>222</td></tr></table>	PASSED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

No tag feature



PASSED	DURATION - 1.201 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:56:21.999 PM // 12:56:23.200 PM /					

No tag scenario



PASSED	DURATION - 1.201 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:56:21.999 PM // 12:56:23.200 PM /				
No tag feature				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Write a 'given' step with precondition in 'Scenario No tag'	PASSED	0.400 s
2	When Complete action in 'when' step in 'Scenario No tag'	PASSED	0.400 s
3	Then Validate the outcome in 'then' step in 'Scenario No tag'	PASSED	0.400 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Scenario And Scenario Outline



PASSED	DURATION - 8.742 s	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0		Steps Total - 24 Pass - 24 Fail - 0 Skip - 0	
/ 12:56:23.206 PM // 12:56:31.948 PM /					
@both					

Scenario Outline Row 300

<div>PASSED</div>	<div>DURATION - 1.452 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:56:23.206 PM // 12:56:24.658 PM /				
Scenario And Scenario Outline				
@both @scenout				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given Hello background	PASSED	0.251 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	0.400 s
3	When Complete action in 'when' step in 'Scenario Outline One300'	PASSED	0.400 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	0.401 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Scenario Outline Row 500

<div>PASSED</div>	<div>DURATION - 1.450 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:56:24.667 PM // 12:56:26.117 PM /				
Scenario And Scenario Outline				
@both @scenout				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	0.400 s
3	When Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	0.400 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	0.400 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s



Scenario Outline Row 400

<div>PASSED</div>	<div>DURATION - 1.451 s</div>	<div></div>	<div><div>Steps</div><div>Total - 4</div><div>Pass - 4</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 12:56:26.125 PM // 12:56:27.576 PM /</div>				
<div>Scenario And Scenario Outline</div>				
<div>@both @scenout</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		



#	Step / Hook Details	Status	Duration
2	Given Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	0.400 s
3	When Complete action in 'when' step in 'Scenario Outline One400'	PASSED	0.400 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	0.401 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Scenario Outline Row 600

PASSED		DURATION - 1.451 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>			
/ 12:56:27.584 PM // 12:56:29.035 PM /								
Scenario And Scenario Outline								
@both @scenout								



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	0.400 s
3	When Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	0.400 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	0.400 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Scenario Number Seven Seven Seven

<div>PASSED</div>	<div>DURATION - 1.451 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:56:29.041 PM // 12:56:30.492 PM /</div>				
<div>Scenario And Scenario Outline</div>				
<div>@both @scen</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.251 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.400 s
3	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.400 s
4	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.400 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s



Scenario Other Symbols

<div>PASSED</div>	<div>DURATION - 1.450 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:56:30.498 PM // 12:56:31.948 PM /</div>				
<div>Scenario And Scenario Outline</div>				
<div>@both @misc</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		

#	Step / Hook Details	Status	Duration
2	* Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.400 s
3	And Complete action in 'when' step in 'Scenario 777'	PASSED	0.400 s
4	But Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.400 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s


Screenshots

PASSED	DURATION - 19.251 s	Scenarios		Steps	
/ 12:56:31.954 PM // 12:56:51.205 PM /		Total - 2		Total - 2	
		Pass - 2		Pass - 2	
		Fail - 0		Fail - 0	
@website		Skip - 0		Skip - 0	


Scenario screenshot GIT


PASSED	DURATION - 10.497 s		Steps	
/ 12:56:31.954 PM // 12:56:42.451 PM /			Total - 1	
Screenshots			Pass - 1	
@website			Fail - 0	
		Skip - 0		

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	1.253 s
	HELLO THERE!!!		
1	Given Go to https://github.com/	PASSED	8.103 s
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite(io.cucumber.java.Scenario)	PASSED	1.141 s
	https://github.com/		



#	Step / Hook Details	Status	Duration
			
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Scenario screenshot STACK



PASSED	DURATION - 8.746 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 12:56:42.459 PM // 12:56:51.205 PM /				
Screenshots				
@website				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	1.321 s
	HELLO THERE!!!		
1	Given Go to https://stackoverflow.com/	PASSED	6.582 s
	scenario website name - https://stackoverflow.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite(io.cucumber.java.Scenario)	PASSED	0.842 s
	https://stackoverflow.com/		
			
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Scenarios With No Step Definitions



FAILED	DURATION - 0.019 s	Scenarios		Steps	
/ 12:56:51.238 PM // 12:56:51.257 PM /		Total - 3		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
@skip		Skip - 1		Skip - 1	

No Step defined

FAILED	DURATION - 0.000 s		Steps	
/ 12:56:51.238 PM // 12:56:51.238 PM /			Total - 1	
Scenarios With No Step Definitions			Pass - 0	
@skip			Fail - 1	
			Skip - 0	



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given No step definition methods	FAILED	0.000 s
	java.lang.Exception: Generic Exception - Step is undefined		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Pending step

FAILED	DURATION - 0.002 s		Steps	
/ 12:56:51.246 PM // 12:56:51.248 PM /			Total - 1	
Scenarios With No Step Definitions			Pass - 0	
@skip			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Pending step definition	FAILED	0.002 s
	java.lang.Exception: Generic Exception for io.cucumber.java.PendingException : TODO: implement me at stepdefs.Stepdefs.pendingStep(Stepdefs.java:167) at ?.Pending step definition(file:///D:/eclipse-workspace/maven.1645199391150/extentreports-cucumberjson-report/src/test/resources/stepdefs/skipdef.feature:13) * Not displayable characters are replaced by '?'. 		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)		

Skipped step

SKIPPED	DURATION - 0.001 s		Steps Total - 1 Pass - 0 Fail - 0 Skip - 1	
/ 12:56:51.256 PM // 12:56:51.257 PM /				
Scenarios With No Step Definitions				
@skip				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Skipped step definition	SKIPPED	0.001 s
	org.testng.SkipException: Skip it at stepdefs.Stepdefs.skippedStep(Stepdefs.java:172) at ?.Skipped step definition(file:///D:/eclipse-workspace/maven.1645199391150/extentreports-cucumberjson-report/src/test/resources/stepdefs/skipdef.feature:18) * Not displayable characters are replaced by '?'. 		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)		