


Feature	Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S		
DataTable And DocString	0.037 s	2	2	0	0	4	4	0	0		
Exception	0.057 s	5	1	4	0	6	1	4	1		
Hook and step failures	0.012 s	2	0	2	0	4	0	0	4		
Large Data	58.824 s	1	1	0	0	2	2	0	0		
Text and table logs	0.065 s	5	5	0	0	5	5	0	0		
Scenario And Scenario Outline	8.873 s	6	6	0	0	24	24	0	0		
Screenshots	1 m 5.243 s	2	2	0	0	2	2	0	0		
Scenarios With No Step Definitions	0.015 s	3	0	2	1	3	0	2	1		

Тад		Scenario					Feature					
Name	τ	P	F	S	Т	P	F	S				
@tabledoc	2	2	0	0	1	1	0	0				
@datatable	1	1	0	0	1	1	0	0				
@docstring	1	1	0	0	1	1	0	0				
@exception	5	1	4	0	1	0	1	0				
@failure	2	0	2	0	1	0	1	0				
@large	1	1	0	0	1	1	0	0				
@logs	5	5	0	0	1	1	0	0				
@textlog	1	1	0	0	1	1	0	0				
@tablelog	1	1	0	0	1	1	0	0				
@bothlog	1	1	0	0	1	1	0	0				
@megatablelog	1	1	0	0	1	1	0	0				
@spanslog	1	1	0	0	1	1	0	0				
@both	6	6	0	0	1	1	0	0				
@scenout	4	4	0	0	1	1	0	0				
@scen	1	1	0	0	1	1	0	0				
@misc	1	1	0	0	1	1	0	0				
@website	2	2	0	0	1	1	0	0				


Tag	Scenario					Feature		
Name	T	P	F	S	T	P	F	S
@skip	3	0	2	1	1	0	1	0

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	DataTable And DocString	2	2	0	0	0.037 s
2	Exception	5	1	4	0	0.057 s
3	Hook and step failures	2	0	2	0	0.012 s
4	Large Data	1	1	0	0	58.824 s
5	Text and table logs	5	5	0	0	0.065 s
6	Scenario And Scenario Outline	6	6	0	0	8.873 s
7	Screenshots	2	2	0	0	1 m 5.243 s
8	Scenarios With No Step Definitions	3	0	2	1	0.015 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	DataTable And DocString	DataTable Scenario	2	2	0	0	0.007 s
2	DataTable And DocString	Doc String to Custom Object	2	2	0	0	0.001 s
3	Exception	Exception	1	0	1	0	0.004 s
4	Exception	No Exception	1	1	0	0	0.000 s
5	Exception	Other Exception	2	0	1	1	0.001 s
6	Exception	Check exception 1	1	0	1	0	0.000 s
7	Exception	Check exception 2	1	0	1	0	0.001 s
8	Hook and step failures	Before Hook	2	0	0	2	0.000 s
9	Hook and step failures	After Hook	2	0	0	2	0.000 s
10	Large Data	Large data scenario	2	2	0	0	58.824 s

SCENARIOS SUMMARY -- 7 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Text and table logs	<u>Text log</u>	1	1	0	0	0.000 s
12	Text and table logs	<u>Table log</u>	1	1	0	0	0.001 s
13	Text and table logs	Both logs	1	1	0	0	0.000 s
14	Text and table logs	Mega Content Table log	1	1	0	0	0.000 s
15	Text and table logs	Span other than 1	1	1	0	0	0.001 s
16	Scenario And Scenario Outline	Scenario Outline Row 300	4	4	0	0	1.453 s
17	Scenario And Scenario Outline	Scenario Outline Row 500	4	4	0	0	1.451 s
18	Scenario And Scenario Outline	Scenario Outline Row 400	4	4	0	0	1.452 s
19	Scenario And Scenario Outline	Scenario Outline Row 600	4	4	0	0	1.451 s
20	Scenario And Scenario Outline	Scenario Number Seven Seven	4	4	0	0	1.451 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Scenario And Scenario Outline	Scenario Other Symbols	4	4	0	0	1.450 s
22	Screenshots	Scenario screenshot GIT	1	1	0	0	45.514 s
23	Screenshots	Scenario screenshot STACK	1	1	0	0	19.723 s
24	Scenarios With No Step Definitions	No Step defined	1	0	1	0	0.000 s
25	Scenarios With No Step Definitions	Pending step	1	0	1	0	0.002 s
26	Scenarios With No Step Definitions	Skipped step	1	0	0	1	0.001 s

DETAILED SECTION -- 9 --

DataTable And DocString

7 s	Scenarios		Steps	
	Total - 2		Total - 4	
	Pass - 2	2	Pass - 4	4
	Fail - 0		Fail - 0	
	Skip - 0		Skip - 0	
7	7 s	Total - 2 Pass - 2 Fail - 0	Total - 2 Pass - 2 Fail - 0	Total - 2 Pass - 2 Fail - 0 Coeficitios Total - 4 Pass - 4 Fail - 0

DataTable Scenario




#				Step / Hook	Details			Status	Duration
	BEFORE - step	defs.Ste	pdefs.before(io.cucumber.java	a.Scenario)				PASSED	0.003 s
	BEFORE HI							1	
	BEFORE HELLO								
1	Given 'Hello' ba	ckgroun	d					PASSED	0.002 s
2	Given Custome	r orders	the dishes					PASSED	0.002 s
	dish	quantity	description	area of origin	description	area of origin	description	1	
	Spicy Meatballs		meatballs in spicy sauce hot h*	rome	meatballs in spicy sauce		meatballs in spicy sauce		
	Fried Gnocchi		gnocchi in hot oil	milan	gnocchi in hot oil	milan	gnocchi in hot oil		
	Espresso	3	hot hot coffee hot hot coffee	sicily	hot hot coffee	sicily	hot hot coffee		
	Spicy Meatballs	2	meatballs in spicy sauce	rome	meatballs in spicy sauce	rome	meatballs in spicy sauce		
	Fried Gnocchi	2	gnocchi in hot oil	milan	gnocchi in hot oil	milan	gnocchi in hot oil		
	Espresso	3	hot hot coffee gnocchi in hot o*	sicily	hot hot coffee	sicily	hot hot coffee		
	Spicy Meatballs	2	meatballs in spicy sauce	rome	meatballs in spicy sauce	rome	meatballs in spicy sauce		
	Fried Gnocchi	2	gnocchi in hot oil	milan	gnocchi in hot oil	milan	gnocchi in hot oil		
	Espresso	3	hot hot coffee	sicily	hot hot coffee	sicily	hot hot coffee		
	Spicy Meatballs	2	meatballs in spicy sauce	rome	meatballs in spicy sauce	rome	meatballs in spicy sauce		
	Fried Gnocchi	2	gnocchi in hot oil	milan	gnocchi in hot oil	milan	gnocchi in hot oil		

DETAILED SECTION -- 10 --

#				Step / Hook	Details			Status	Duration
	Espresso	3	hot hot coffee gnocchi in hot o*	sicily	hot hot coffee	sicily	hot hot coffee		
	Spicy Meatballs	2	meatballs in spicy sauce	rome	meatballs in spicy sauce	rome	meatballs in spicy sauce		
	Fried Gnocchi	2	gnocchi in hot oil	milan	gnocchi in hot oil	milan	gnocchi in hot oil		
	Espresso	3	hot hot coffee	sicily	hot hot coffee	sicily	hot hot coffee		
	* The data cell te	ext(s) hav	e been cropped to fit in the availa	ble space.					
	AFTER - stepde	PASSED	0.000 s						


Doc String to Custom Object




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given 'Hello' background	PASSED	0.000 s
2	Given the doc string is	PASSED	0.001 s
	Hello there how r u?		
	Doing great. Whats new?		
	Nothing much.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Exception

DETAILED SECTION -- 11 --




Exception



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI]	
	BEFORE HELLO		
1	Given Raise exception	FAILED	0.004 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:111) at ?.Raise exception(classpath:stepdefs/exceptions.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

No Exception

DETAILED SECTION -- 12 --



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Do not raise exception	PASSED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Other Exception


FAILED	DURATION - 0.001 s	0.15		Steps
/ 10 17 05 000 1				Total - 2
/ 12:47:35.383 F	PM // 12:47:35.384 PM /			Pass - 0
Exception				Fail - 1 2
,				Skip - 1
@exception		0 -		
			1 2	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	FAILED	0.000 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131)		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:111) at ?.Raise exception(classpath:stepdefs/exceptions.feature:11) * Not displayable characters are replaced by '?'.		
2	Given Raise exception	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s


Check exception 1



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Raise exception	FAILED	0.000 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:111) at ?.Raise exception(classpath:stepdefs/exceptions.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s


Check exception 2

DETAILED SECTION -- 14 --




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI]	
	BEFORE HELLO		
1	Given Raise exception	FAILED	0.000 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1413) at org.testng.Assert.assertEqualsImpl(Assert.java:149) at org.testng.Assert.assertEquals(Assert.java:131) at org.testng.Assert.assertEquals(Assert.java:976) at org.testng.Assert.assertEquals(Assert.java:1010) at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:111) at ?.Raise exception(classpath:stepdefs/exceptions.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Hook and step failures




Before Hook



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException: at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:59)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStepFailure()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStepFailure()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStepFailure()	SKIPPED	0.000 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStepFailure()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	PASSED	0.000 s
	FAILURE HI		
	FAILURE HELLO		

After Hook




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.000 s
	FAILURE HI		
	FAILURE HELLO		
	java.lang.RuntimeException: at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:59)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStepFailure()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStepFailure()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStepFailure()	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStepFailure()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	PASSED	0.000 s
	FAILURE HI		
	FAILURE HELLO		

Large Data

PASSED	DURATION - 58.824 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 12:47:35.446 PN	M // 12:48:34.270 PM /	Pass - 1	1	Pass - 2	2
		Fail - 0		Fail - 0	
@large		Skip - 0		Skip - 0	

Large data scenario



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	14.718 s
	HELLO THERE!!!		
1	Given the doc string is	PASSED	0.000 s
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		

#	Step / Hook Details	Status	Duration
	Hello there how r u?		
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Doing great. Spicy Meatballs for food and drink italian sicily Whats new? Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Nothing much. Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily Spicy Meatballs for food and drink italian sicily		
	Hello there how r u?		
	AFTER_STEP - stepdefs.Stepdefs.afterSite(io.cucumber.java.Scenario)	PASSED	1.012 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	2.505 s
	HELLO THERE!!!	DACCED	22.020.5
2	When Go to https://github.com/	PASSED	33.626 s


DETAILED SECTION -- 19 --

#	Step / Hook Details	Status	Duration
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite(io.cucumber.java.Scenario)	PASSED	6.963 s
	https://github.com/		
	Where the world builds software Many of many on the Many of M		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Text and table logs

PASSED	DURATION - 0.065 s	Scenarios		Steps	
		Total - 5		Total - 5	
/ 12:48:34.279 PM // 1	12:48:34.344 PM /	Pass - 5	5	Pass - 5	5
		Fail - 0		Fail - 0	
@logs		Skip - 0		Skip - 0	


Text log



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Only text log	PASSED	0.000 s
	Text log is just text.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s


DETAILED SECTION -- 20 --

Table log



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI]	
	BEFORE HELLO		
1	Given Only table log	PASSED	0.000 s
	1 2 A B C D		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Both logs




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Both logs	PASSED	0.000 s
	Text log is just text.		

DETAILED SECTION -- 21 --


#	Step / Hook Details		Status	Duration
	Text log is just text.			
	heading 1	Heading 2		
	hi	Hello		
	hi 2	Hello Two		
	Real big cell details.	Hello Two		
	* The data cell text(s) have been cropped to fit in the available space.			
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)		PASSED	0.000 s

Mega Content Table log



#	Step / Hook Details				Status	Duration
	EFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)					0.000 s
	BEFORE HI					
	BEFORE HELLO					
1	Given Mega table log			PASSED	0.000 s	
	heading 1	Heading 2	heading 3	Heading 4		
	hi	Hello	hi	Hello		
	hi 2	Hello Two	hi 3	Hello Four		
	Real big cell details.	Hello Two	Hello Three	Hello Four Hello 4 Hello 4		
	Real big cell details.	Hello Two	Hello Three	Hello Four Hello 4 Hello 4 *		
	* The data cell text(s) have been cropped to fit in the available space.					
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)				PASSED	0.000 s

Span other than 1




-- 22 --

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Wrong span table log	PASSED	0.000 s
	Rowspan greater than 1 is not supported. Displaying original content. heading 1colspan=1>Heading 2rowspan=2>hicolspan=3>Hello111222 <th></th> <th></th>		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Scenario And Scenario Outline

PASSED	DURATION - 8.873 s	Scenarios		Steps	
		Total - 6		Total - 24	
/ 12:48:34.441 PI	M // 12:48:43.314 PM /	Pass - 6	6	Pass - 24	24
		Fail - 0		Fail - 0	
@both		Skip - 0		Skip - 0	


Scenario Outline Row 300



DETAILED SECTION -- 23 --


#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	0.400 s
3	When Complete action in 'when' step in 'Scenario Outline One300'	PASSED	0.401 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	0.401 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Scenario Outline Row 500



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	0.400 s
3	When Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	0.401 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	0.400 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Scenario Outline Row 400



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	0.401 s
3	When Complete action in 'when' step in 'Scenario Outline One400'	PASSED	0.401 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	0.400 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Scenario Outline Row 600


PASSED DURATION - 1.451 s	0.6 - Steps	
/ 12:48:38.825 PM // 12:48:40.276 PM /	0.4 - Pass - 4	
Scenario And Scenario Outline	02 Fail - 0 Skip - 0	4
@both @scenout	1 2 3 4	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.251 s
	background]	

DETAILED SECTION -- 25 --

#	Step / Hook Details	Status	Duration
2	Given Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	0.400 s
3	When Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	0.400 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	0.400 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s


Scenario Number Seven Seven Seven



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.251 s
	background		
2	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.400 s
3	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.400 s
4	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.400 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Scenario Other Symbols

DETAILED SECTION -- 26 --




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Hello background	PASSED	0.250 s
	background		
2	* Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.400 s
3	And Complete action in 'when' step in 'Scenario 777'	PASSED	0.400 s
4	But Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.400 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Screenshots


PASSED	DURATION - 1 m 5.243 s	Scenarios		Steps	
		Total - 2		Total - 2	
/ 12:48:43.319 PM //	12:49:48.562 PM /	Pass - 2	2	Pass - 2	2
		Fail - 0		Fail - 0	
@website		Skip - 0		Skip - 0	

Scenario screenshot GIT



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	2.074 s
	HELLO THERE!!!		
1	Given Go to https://github.com/	PASSED	12.821 s
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite(io.cucumber.java.Scenario)	PASSED	30.619 s
	https://github.com/		
	Where the world builds software Management for other the growth of the		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Scenario screenshot STACK




#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	11.403 s
	HELLO THERE!!!		
1	Given Go to https://stackoverflow.com/	PASSED	7.452 s
	scenario website name - https://stackoverflow.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite(io.cucumber.java.Scenario)	PASSED	0.868 s
	https://stackoverflow.com/		
	The state of the s		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Scenarios With No Step Definitions

Scenarios		Steps	
Total - 3		Total - 3	
Pass - 0	3	Pass - 0	3
Fail - 2	, ĭ	Fail - 2	
Skip - 1		Skip - 1	
	Total - 3 Pass - 0 Fail - 2	Total - 3 Pass - 0 Fail - 2	Total - 3 Pass - 0 Fail - 2 Total - 3 Pass - 0 Fail - 2


No Step defined



DETAILED SECTION -- 29 --

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI		
	BEFORE HELLO		
1	Given No step definition methods	FAILED	0.000 s
	java.lang.Exception: Generic Exception - Step is undefined		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s


Pending step



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Pending step definition	FAILED	0.001 s
	java.lang.Exception: Generic Exception for io.cucumber.java.PendingException: TODO: implement me at stepdefs.Stepdefs.pendingStep(Stepdefs.java:167) at ?.Pending step definition(classpath:stepdefs/skipdef.feature:13) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

Skipped step

DETAILED SECTION -- 30 -



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI		
	BEFORE HELLO		
1	Given Skipped step definition	SKIPPED	0.000 s
	org.testng.SkipException: Skip it at stepdefs.Stepdefs.skippedStep(Stepdefs.java:172) at ?.Skipped step definition(classpath:stepdefs/skipdef.feature:18) * Not displayable characters are replaced by '?'.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s