Grasshopper PDF Report

| Start : Apr 19, 11:10:16.041 PM	End : Apr 19, 11:10:52.976 PM	Duration : 36.935 s
Features	Scenarios	Steps
PASSED - 3 FAILED - 3 SKIPPED - 0	PASSED - 13 FAILED - 5 SKIPPED - 1	PASSED - 31 FAILED - 3 SKIPPED - 5

6

19

39

Pass % 50 %

Pass % 68 %

Pass % 79 %

#	Feature Name	T	P	F	S	Duration
1	DataTable And DocString	2	2	0	0	0.042 s
2	Exception	5	4	1	0	0.058 s
3	Hook and step failures	2	0	2	0	0.013 s
4	Scenario And Scenario Outline	5	5	0	0	6.030 s
5	Screenshots	2	2	0	0	30.724 s
6	Scenarios With No Step Definitions	3	0	2	1	0.011 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	DataTable And DocString	DataTable Scenario	2	2	0	0	0.010 s
2	DataTable And DocString	Doc String to Custom Object	2	2	0	0	0.002 s
3	Exception	Exception	1	1	0	0	0.015 s
4	Exception	No Exception	1	1	0	0	0.000 s
5	Exception	Other Exception	2	1	1	0	0.004 s
6	Exception	Check exception 1	1	1	0	0	0.001 s
7	Exception	Check exception 2	1	1	0	0	0.000 s
8	Hook and step failures	Before Hook	2	0	0	2	0.001 s
9	Hook and step failures	After Hook	2	0	0	2	0.001 s
10	Scenario And Scenario Outline	Scenario_Outline-Row 300	4	4	0	0	1.203 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Scenario And Scenario Outline	Scenario_Outline-Row 500	4	4	0	0	1.203 s
12	Scenario And Scenario Outline	Scenario_Outline-Row 400	4	4	0	0	1.201 s
13	Scenario And Scenario Outline	Scenario_Outline-Row 600	4	4	0	0	1.200 s
14	Scenario And Scenario Outline	Scenario Number Seven Seven Seven	4	4	0	0	1.202 s
15	Screenshots	Scenario screenshot GIT	1	1	0	0	21.737 s
16	Screenshots	Scenario screenshot STACK	1	1	0	0	8.983 s
17	Scenarios With No Step Definitions	No Step defined	1	0	1	0	0.000 s
18	Scenarios With No Step Definitions	Pending step	1	0	1	0	0.002 s
19	Scenarios With No Step Definitions	Skipped step	1	0	0	1	0.000 s

(F)- DataTable And DocString

PASSED	DURATION - 0.042 s	Scenarios		Steps	
		Total - 2		Total - 4	
/ 11:10:16.041 PM // 11:10:16.083 PM /		Pass - 2	2	Pass - 4	4
		Fail - 0		Fail - 0	
@tabledoc		Skip - 0		Skip - 0	

(S)- DataTable Scenario

PASSED	DURATION - 0.010 s		Steps	
			Total - 2	
/ 11:10:16.041 PM // 11:10:16.051 PM /			Pass - 2	2
DataTable And DocString			Fail - 0	
@tabledoc @datatable			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.006 s
	BEFORE HI BEFORE HELLO		
1	Given 'Hello' background	PASSED	0.002 s
2	Given Customer orders the dishes	PASSED	0.002 s
	<table><tr><td>dish</td><td>quantity</td></tr><tr><td>Spicy Meatballs</td><td>2</td></tr><tr><td>Fried Gnocchi</td><td>2</td></tr><tr><td>Espresso</td><td>3</td></tr></table>		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(S)- Doc String to Custom Object

PASSED	DURATION - 0.002 s		Steps	
/ 11:10:16.081 PM // 11:10:16.083 PM /			Total - 2	
DataTable And DocString			Pass - 2	2
@tabledoc @docstring			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given 'Hello' background	PASSED	0.000 s
2	Given the doc string is	PASSED	0.002 s
	Hello there how r u? Doing great. Whats new? Nothing much.		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(F)- Exception

FAILED	DURATION - 0.058 s		Scenarios		Steps	
/ 11:10:16.089 PM // 11:10:16.147 PM /			Total - 5		Total - 6	
@exception			Pass - 4	5	Pass - 5	6
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 0	

(S)- Exception

PASSED	DURATION - 0.015 s

/ 11:10:16.089 PM // 11:10:16.104 PM /

Exception

@exception

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given Raise exception	PASSED	0.014 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.001 s

(S)- No Exception

PASSED	DURATION - 0.000 s

/ 11:10:16.109 PM // 11:10:16.109 PM /

Exception

@exception

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given Do not raise exception	PASSED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(S)- Other Exception

FAILED	DURATION - 0.004 s		Steps	
			Total - 2	
/ 11:10:16.119 PM // 11:10:16.123 PM /			Pass - 1	
Exception			Fail - 1	
@exception			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Raise exception	PASSED	0.000 s
2	Given Raise exception	FAILED	0.003 s

	java.lang.AssertionError: expected [true] but found [false]
	   at org.testng.Assert.fail(Assert.java:99)
	   at org.testng.Assert.failNotEquals(Assert.java:1037)
	   at org.testng.Assert.assertEqualsImpl(Assert.java:140)
	   at org.testng.Assert.assertEquals(Assert.java:122)
	   at org.testng.Assert.assertEquals(Assert.java:819)
	   at org.testng.Assert.assertEquals(Assert.java:829)
	   at stepdefs.Stepdefs.raiseExcep(Stepdefs.java:105)
	   at ?.Raise exception(classpath:stepdefs/exceptions.feature:12)
	* Not displayable characters are replaced by '?'.		

	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(S)- Check exception 1

PASSED	DURATION - 0.001 s		Steps	
			Total - 1	
/ 11:10:16.140 PM // 11:10:16.141 PM /			Pass - 1	
Exception			Fail - 0	
@exception			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Raise exception	PASSED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(S)- Check exception 2

PASSED	DURATION - 0.000 s		Steps	
/ 11:10:16.147 PM // 11:10:16.147 PM /			Total - 1	
Exception			Pass - 1	
			Fail - 0	
@exception			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given Raise exception	PASSED	0.000 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(F)- Hook and step failures

FAILED	DURATION - 0.013 s	Scenarios		Steps	
/ 11:10:16.153 PM // 11:10:16.166 PM /		Total - 2		Total - 4	
		Pass - 0		Pass - 0	
@failure		Fail - 2		Fail - 0	
		Skip - 0		Skip - 4	

(S)- Before Hook

FAILED	DURATION - 0.001 s
/ 11:10:16.153 PM // 11:10:16.154 PM /	
Hook and step failures	
@failure	

Steps
Total - 2
Pass - 0
Fail - 0
Skip - 2

2

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.001 s
	FAILURE HI FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:53)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStepFailure()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStepFailure()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStepFailure()	SKIPPED	0.000 s
2	When Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStepFailure()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	PASSED	0.000 s
	FAILURE HI FAILURE HELLO		

(S)- After Hook

FAILED	DURATION - 0.001 s
/ 11:10:16.165 PM // 11:10:16.166 PM /	
Hook and step failures	
@failure	

Steps
Total - 2
Pass - 0
Fail - 0
Skip - 2

2

| #	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.beforeFailure(io.cucumber.java.Scenario)	FAILED	0.001 s
	FAILURE HI FAILURE HELLO		
	java.lang.RuntimeException at stepdefs.Stepdefs.beforeFailure(Stepdefs.java:53)		
	BEFORE_STEP - stepdefs.Stepdefs.beforeStepFailure()	SKIPPED	0.000 s
1	Given Hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStepFailure()	SKIPPED	0.000 s
	BEFORE_STEP - stepdefs.Stepdefs.beforeStepFailure()	SKIPPED	0.000 s
2	Then Skip hook failure step	SKIPPED	0.000 s
	AFTER_STEP - stepdefs.Stepdefs.afterStepFailure()	SKIPPED	0.000 s
	AFTER - stepdefs.Stepdefs.afterFailure()	PASSED	0.000 s
	FAILURE HI FAILURE HELLO		

(F)- Scenario And Scenario Outline

PASSED	DURATION - 6.030 s	Scenarios		Steps	
/ 11:10:16.174 PM // 11:10:22.204 PM /		Total - 5 Pass - 5 Fail - 0 Skip - 0	5	Total - 20 Pass - 20 Fail - 0 Skip - 0	20
@both					

(S)- Scenario_Outline-Row 300

PASSED	DURATION - 1.203 s		Steps	
/ 11:10:16.174 PM // 11:10:17.377 PM /			Total - 4 Pass - 4 Fail - 0 Skip - 0	4
Scenario And Scenario Outline				
@both				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given 'Hello' background	PASSED	0.000 s
2	Given Write a 'given' step with precondition in 'Scenario Outline One300'	PASSED	0.403 s
3	When Complete action in 'when' step in 'Scenario Outline One300'	PASSED	0.400 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline One300'	PASSED	0.400 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(S)- Scenario_Outline-Row 500

PASSED	DURATION - 1.203 s		Steps	
/ 11:10:17.383 PM // 11:10:18.586 PM /			Total - 4	
Scenario And Scenario Outline			Pass - 4	4
@both			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given 'Hello' background	PASSED	0.000 s
2	Given Write a 'given' step with precondition in 'Scenario Outline Two500'	PASSED	0.402 s
3	When Complete action in 'when' step in 'Scenario Outline Two500'	PASSED	0.400 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two500'	PASSED	0.401 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(S)- Scenario_Outline-Row 400

PASSED	DURATION - 1.201 s
/ 11:10:18.592 PM // 11:10:19.793 PM /	
Scenario And Scenario Outline	
@both	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

| #	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given 'Hello' background	PASSED	0.001 s
2	Given Write a 'given' step with precondition in 'Scenario Outline One400'	PASSED	0.400 s
3	When Complete action in 'when' step in 'Scenario Outline One400'	PASSED	0.400 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline One400'	PASSED	0.400 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(S)- Scenario_Outline-Row 600

PASSED	DURATION - 1.200 s
/ 11:10:19.797 PM // 11:10:20.997 PM /	
Scenario And Scenario Outline	
@both	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given 'Hello' background	PASSED	0.000 s
2	Given Write a 'given' step with precondition in 'Scenario Outline Two600'	PASSED	0.400 s

| #	Step / Hook Details	Status	Duration
3	When Complete action in 'when' step in 'Scenario Outline Two600'	PASSED	0.400 s
4	Then Validate the outcome in 'then' step in 'Scenario Outline Two600'	PASSED	0.400 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(S)- Scenario Number Seven Seven Seven

PASSED	DURATION - 1.202 s

/ 11:10:21.002 PM // 11:10:22.204 PM /

Scenario And Scenario Outline

@both

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given 'Hello' background	PASSED	0.001 s
2	Given Write a 'given' step with precondition in 'Scenario 777'	PASSED	0.400 s
3	When Complete action in 'when' step in 'Scenario 777'	PASSED	0.400 s
4	Then Validate the outcome in 'then' step in 'Scenario 777'	PASSED	0.401 s
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(F)- Screenshots

PASSED	DURATION - 30.724 s

/ 11:10:22.208 PM // 11:10:52.932 PM /

@website

Scenarios
Total - 2
Pass - 2
Fail - 0
Skip - 0

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

(S)- Scenario screenshot GIT

PASSED	*DURATION - 21.737 s*

/ 11:10:22.208 PM // 11:10:43.945 PM /

Screenshots

@website

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	8.556 s
	HELLO THERE!!!		
1	Given Go to https://github.com/	PASSED	11.058 s
	scenario website name - https://github.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite(io.cucumber.java.Scenario)	PASSED	2.123 s
	https://github.com/		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(S)- Scenario screenshot STACK

PASSED	*DURATION - 8.983 s*

/ 11:10:43.949 PM // 11:10:52.932 PM /

Screenshots

@website

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
	BEFORE_STEP - stepdefs.Stepdefs.beforeSite(io.cucumber.java.Scenario)	PASSED	2.300 s
	HELLO THERE!!!		
1	Given Go to https://stackoverflow.com/	PASSED	5.693 s
	scenario website name - https://stackoverflow.com/		
	AFTER_STEP - stepdefs.Stepdefs.afterSite(io.cucumber.java.Scenario)	PASSED	0.990 s
	https://stackoverflow.com/		
	+		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(F)- Scenarios With No Step Definitions

FAILED	DURATION - 0.011 s	Scenarios		Steps	
/ 11:10:52.965 PM // 11:10:52.976 PM /		Total - 3		Total - 3	
		Pass - 0		Pass - 0	
@skip		Fail - 2		Fail - 2	
		Skip - 1		Skip - 1	

(S)- No Step defined

FAILED	DURATION - 0.000 s		Steps	
/ 11:10:52.965 PM // 11:10:52.965 PM /			Total - 1	
Scenarios With No Step Definitions			Pass - 0	
			Fail - 1	
@skip			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given No step definition methods	FAILED	0.000 s
	Step is undefined		
	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(S)- Pending step

FAILED	DURATION - 0.002 s		Steps	
/ 11:10:52.970 PM // 11:10:52.972 PM /			Total - 1	
Scenarios With No Step Definitions			Pass - 0	
			Fail - 1	1
@skip			Skip - 0	

| #	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE HI BEFORE HELLO		
1	Given Pending step definition	FAILED	0.001 s

	io.cucumber.java.PendingException: TODO: implement me
	   at stepdefs.Stepdefs.pendingStep(Stepdefs.java:160)
	   at ?.Pending step definition(classpath:stepdefs/skipdef.feature:13)
	* Not displayable characters are replaced by '?'.		

	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(S)- Skipped step

SKIPPED	DURATION - 0.000 s
/ 11:10:52.976 PM // 11:10:52.976 PM /	
Scenarios With No Step Definitions	
@skip	

Steps
Total - 1
Pass - 0
Fail - 0
Skip - 1

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefs.Stepdefs.before(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE HI BEFORE HELLO		
1	Given Skipped step definition	SKIPPED	0.000 s

	org.testng.SkipException: SKip it
	   at stepdefs.Stepdefs.skippedStep(Stepdefs.java:165)
	   at ?.Skipped step definition(classpath:stepdefs/skipdef.feature:18)
	* Not displayable characters are replaced by '?'.		

	AFTER - stepdefs.Stepdefs.after(io.cucumber.java.Scenario)	PASSED	0.000 s

(Step) AFTER_STEP - stepdefs.Stepdefs.afterSite(io.cucumber.java.Scenario)

(S) Scenario screenshot GIT

(F) Screenshots

(Step) AFTER_STEP - stepdefs.Stepdefs.afterSite(io.cucumber.java.Scenario)

(S) Scenario screenshot STACK

(F) Screenshots