

Cucumber Report

Jan 5, 2022 6:14:54 PM

Start : Jan 05, 6:12:08.940 PM

End : Jan 05, 6:14:47.606 PM

Duration : 2 m 38.666 s

Features

Scenarios

Steps

PASSED - 5

FAILED - 0

SKIPPED - 0

PASSED - 28




FAILED - 0


SKIPPED - 0

PASSED - 266


FAILED - 0

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Change status details from Vacant status</u>	2	2	0	0	33.907 s
2	<u>Change orders details from Ordered status</u>	8	8	0	0	37.391 s
3	<u>Change orders details from Preparing status</u>	7	7	0	0	31.033 s
4	<u>Change status details from Ready and Served statuses</u>	2	2	0	0	6.919 s
5	<u>Order change messages to be synced across browser windows</u>	9	9	0	0	49.344 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Change status details from Vacant status</u>	<u>Create new order</u>	9	9	0	0	31.361 s
2	<u>Change status details from Vacant status</u>	<u>Create new order without any dish</u>	8	8	0	0	2.422 s
3	<u>Change orders details from Ordered status</u>	<u>Promote order from Ordered to Preparing status</u>	9	9	0	0	4.011 s
4	<u>Change orders details from Ordered status</u>	<u>Cancel order from Ordered status</u>	8	8	0	0	4.055 s
5	<u>Change orders details from Ordered status</u>	<u>Cancel order cancellation from Ordered status</u>	8	8	0	0	3.494 s
6	<u>Change orders details from Ordered status</u>	<u>Add order dish quantity in Ordered status</u>	9	9	0	0	5.244 s
7	<u>Change orders details from Ordered status</u>	<u>Add new dish in Ordered status</u>	9	9	0	0	5.718 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Change orders details from Ordered status</u>	<u>Subtract order dish quantity in Ordered status</u>	9	9	0	0	4.680 s
9	<u>Change orders details from Ordered status</u>	<u>Remove order dishes in Ordered status</u>	9	9	0	0	4.323 s
10	<u>Change orders details from Ordered status</u>	<u>Remove order dishes by subtracting dishes in Ordered status</u>	9	9	0	0	5.701 s
11	<u>Change orders details from Preparing status</u>	<u>Promote order from Preparing to Ready status</u>	9	9	0	0	3.436 s
12	<u>Change orders details from Preparing status</u>	<u>Cancel(Billed) order from Preparing status</u>	8	8	0	0	3.539 s
13	<u>Change orders details from Preparing status</u>	<u>Cancel order cancellation from Preparing status</u>	8	8	0	0	4.757 s
14	<u>Change orders details from Preparing status</u>	<u>Add order dish quantity in Preparing status</u>	9	9	0	0	5.015 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Change orders details from Preparing status</u>	<u>Add new dish in Preparing status</u>	9	9	0	0	5.444 s
16	<u>Change orders details from Preparing status</u>	<u>Subtract order dish quantity in Preparing status</u>	9	9	0	0	4.374 s
17	<u>Change orders details from Preparing status</u>	<u>Remove order dishes in Preparing status</u>	9	9	0	0	4.344 s
18	<u>Change status details from Ready and Served statuses</u>	<u>Promote order from Ready to Served status</u>	8	8	0	0	2.982 s
19	<u>Change status details from Ready and Served statuses</u>	<u>Promote order from Served to Billed status</u>	9	9	0	0	3.916 s
20	<u>Order change messages to be synced across browser windows</u>	<u>1 browser - Promote order status with same order selected</u>	7	7	0	0	1.921 s
21	<u>Order change messages to be synced across browser windows</u>	<u>1 browser - Promote order status with another order selected</u>	7	7	0	0	1.605 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<u>Order change messages to be synced across browser windows</u>	<u>2 browser - Promote order status with same order selected in control browser</u>	13	13	0	0	6.977 s
23	<u>Order change messages to be synced across browser windows</u>	<u>2 browser - Update order details with same order selected in control browser</u>	8	8	0	0	3.134 s
24	<u>Order change messages to be synced across browser windows</u>	<u>2 browser - Update order details with another table selected in control browser</u>	8	8	0	0	3.047 s
25	<u>Order change messages to be synced across browser windows</u>	<u>2+1 browser - Promote order status with same order selected in both control browsers</u>	19	19	0	0	20.517 s
26	<u>Order change messages to be synced across browser windows</u>	<u>2+1 browser - Update order details with same order selected in both control browsers</u>	13	13	0	0	4.167 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>Order change messages to be synced across browser windows</u>	<u>2+1 browser - Update order details with same order selected in similar control browsers and another order in *</u>	13	13	0	0	3.994 s
28	<u>Order change messages to be synced across browser windows</u>	<u>2+1 browser - Update order details with another order selected in both control browsers</u>	13	13	0	0	3.862 s

* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- Change status details from Vacant status

PASSED	DURATION - 33.907 s	Scenarios		Steps	
/ 6:12:08.940 PM // 6:12:42.847 PM /		Total - 2		Total - 17	
		Pass - 2		Pass - 17	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Create new order

<div>PASSED</div> <div>DURATION - 31.361 s</div>		<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 6:12:08.940 PM // 6:12:40.301 PM /			
Change status details from Vacant status			
@Table5			

#	Step / Hook Details	Status	Duration										
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	2.433 s										
1	Given User navigates to home page	PASSED	14.484 s										
2	When User selects vacant table	PASSED	1.198 s										
3	And User creates new order by selecting dishes	PASSED	9.172 s										
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Fried Gnocchi</td><td>3</td></tr><tr><td>Margherita</td><td>1</td></tr><tr><td>Tagliatelle Bolognese</td><td>4</td></tr><tr><td>Chicken Alla Diavola</td><td>2</td></tr></table>			dish	qty	Fried Gnocchi	3	Margherita	1	Tagliatelle Bolognese	4	Chicken Alla Diavola	2
dish	qty												
Fried Gnocchi	3												
Margherita	1												
Tagliatelle Bolognese	4												
Chicken Alla Diavola	2												
4	Then Alert is displayed with order creation message												
5	And Created order details should be displayed												
6	And Order status in table list should be Ordered												
7	And Order should be available in Ordered status in search	PASSED	1.447 s										
8	And Order should be available in Ordered status in kitchen	PASSED	0.902 s										
9	And Order should not be available in server	PASSED	0.561 s										
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.126 s										


(S)- Create new order without any dish

<div><div>PASSED</div><div>DURATION - 2.422 s</div></div>	<div><table><thead><tr><th>Step</th><th>Duration</th></tr></thead><tbody><tr><td>1</td><td>0.15</td></tr><tr><td>2</td><td>0.50</td></tr><tr><td>3</td><td>0.45</td></tr><tr><td>4</td><td>0.00</td></tr><tr><td>5</td><td>0.10</td></tr><tr><td>6</td><td>0.15</td></tr><tr><td>7</td><td>0.55</td></tr><tr><td>8</td><td>0.50</td></tr></tbody></table></div>	Step	Duration	1	0.15	2	0.50	3	0.45	4	0.00	5	0.10	6	0.15	7	0.55	8	0.50	<div><div>Steps</div><div>Total - 8</div><div>Pass - 8</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
Step		Duration																		
1		0.15																		
2		0.50																		
3	0.45																			
4	0.00																			
5	0.10																			
6	0.15																			
7	0.55																			
8	0.50																			
<div>/ 6:12:40.425 PM // 6:12:42.847 PM /</div>																				
<div>Change status details from Vacant status</div>																				
<div>@Table6</div>																				


#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
1	Given User navigates to home page	PASSED	0.142 s
2	When User selects vacant table	PASSED	0.484 s
3	And User creates new order without selecting dish	PASSED	0.437 s
4	Then Alert is displayed with order creation warning	PASSED	0.000 s
5	And Order should not be created	PASSED	0.092 s
6	And Table should be vacant in table list	PASSED	0.139 s
7	And Order should not be available in kitchen	PASSED	0.512 s
8	And Order should not be available in server	PASSED	0.506 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.110 s

(F)- Change orders details from Ordered status

<div>PASSED</div>	<div>DURATION - 37.391 s</div>	<div>Scenarios</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>8</div></div>	<div>Steps</div> <div>Total - 70</div> <div>Pass - 70</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>70</div></div>
/ 6:12:42.869 PM // 6:13:20.260 PM /					

(S)- Promote order from Ordered to Preparing status



#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.079 s
2	And User selects order in Ordered status	PASSED	0.521 s
3	When User promotes order to Preparing status in kitchen	PASSED	0.984 s
4	Then Order status in table list should be Preparing	PASSED	0.155 s
5	And User selects table	PASSED	0.429 s
6	And Promoted order details should be displayed	PASSED	0.159 s
7	And Order should be available in Preparing status in kitchen	PASSED	0.202 s
8	And Order should be available in Preparing status in search	PASSED	0.899 s
9	And Order should not be available in server	PASSED	0.490 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.092 s

(S)- Cancel order from Ordered status

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.060 s



#	Step / Hook Details	Status	Duration
2	And User selects order in Ordered status	PASSED	0.581 s
3	When User cancels the order	PASSED	1.134 s
4	Then Updated order details should be displayed	PASSED	0.184 s
5	And Table should be vacant in table list	PASSED	0.120 s
6	And Order should be available in Cancelled status in search	PASSED	0.781 s
7	And Order should be available in Cancelled status in kitchen	PASSED	0.594 s
8	And Order should not be available in server	PASSED	0.484 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.116 s

(S)- Cancel order cancellation from Ordered status

<div>PASSED</div> <div>DURATION - 3.494 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:12:51.008 PM // 6:12:54.502 PM /</div>				
<div>Change orders details from Ordered status</div>				
<div>@Table10</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
1	Given User navigates to home page	PASSED	0.056 s
2	And User selects order in Ordered status	PASSED	0.544 s
3	And User cancels the order cancellation	PASSED	0.416 s
4	Then Order details should not be updated	PASSED	0.261 s
5	And Order status in table list should be Ordered	PASSED	0.115 s
6	And Order should be available in Ordered status in search	PASSED	0.876 s
7	And Order should be available in Ordered status in kitchen	PASSED	0.607 s
8	And Order should not be available in server	PASSED	0.507 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.112 s

(S)- Add order dish quantity in Ordered status

<div>PASSED</div> <div>DURATION - 5.244 s</div>	<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:12:54.525 PM // 6:12:59.769 PM /</div>			
<div>Change orders details from Ordered status</div>			
<div>@Table11</div>			



#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s						
1	Given User navigates to home page	PASSED	0.055 s						
2	And User selects order in Ordered status	PASSED	0.664 s						
3	When User adds following quantity to existing dishes	PASSED	1.859 s						
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Tiramisu</td><td>2</td></tr><tr><td>Sausage Pappardelle</td><td>3</td></tr></table>			dish	qty	Tiramisu	2	Sausage Pappardelle	3
dish	qty								
Tiramisu	2								
Sausage Pappardelle	3								
4	Then Alert is displayed with order updation message								
5	And Updated order details should be displayed								
6	And Order status in table list should be Ordered	PASSED	0.119 s						
7	And Order should be available in Ordered status in search	PASSED	0.892 s						
8	And Order should be available in Ordered status in kitchen	PASSED	0.708 s						
9	And Order should not be available in server	PASSED	0.522 s						
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.117 s						

(S)- Add new dish in Ordered status

PASSED		DURATION - 5.718 s			<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>		
/ 6:12:59.786 PM // 6:13:05.504 PM /							
Change orders details from Ordered status							
@Table12							

#	Step / Hook Details	Status	Duration								
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s								
1	Given User navigates to home page	PASSED	0.058 s								
2	And User selects order in Ordered status	PASSED	0.581 s								
3	And User adds following new dishes	PASSED	2.193 s								
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Spaghetti Aglio E Olio</td><td>3</td></tr><tr><td>Chicken Alla Diavola</td><td>1</td></tr><tr><td>Cannoli</td><td>2</td></tr></table>			dish	qty	Spaghetti Aglio E Olio	3	Chicken Alla Diavola	1	Cannoli	2
dish	qty										
Spaghetti Aglio E Olio	3										
Chicken Alla Diavola	1										
Cannoli	2										
4	Then Alert is displayed with order updation message										
5	And Updated order details should be displayed										
6	And Order status in table list should be Ordered										
7	And Order should be available in Ordered status in search	PASSED	0.845 s								
8	And Order should be available in Ordered status in kitchen	PASSED	0.877 s								
9	And Order should not be available in server	PASSED	0.505 s								
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.110 s								



(S)- Subtract order dish quantity in Ordered status

<div><div>PASSED</div><div>DURATION - 4.680 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 9</div><div>Pass - 9</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 6:13:05.524 PM // 6:13:10.204 PM /				
Change orders details from Ordered status				
@Table13				

#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s						
1	Given User navigates to home page	PASSED	0.054 s						
2	And User selects order in Ordered status	PASSED	0.637 s						
3	When User subtracts following quantity from existing dishes <table><tr><td>dish</td><td>qty</td></tr><tr><td>Chicken Milanese</td><td>1</td></tr><tr><td>Sausage Pappardelle</td><td>2</td></tr></table>	dish	qty	Chicken Milanese	1	Sausage Pappardelle	2	PASSED	1.341 s
dish	qty								
Chicken Milanese	1								
Sausage Pappardelle	2								
4	Then Alert is displayed with order updation message	PASSED	0.000 s						

#	Step / Hook Details	Status	Duration
5	And Updated order details should be displayed	PASSED	0.304 s
6	And Order status in table list should be Ordered	PASSED	0.119 s
7	And Order should be available in Ordered status in search	PASSED	0.879 s
8	And Order should be available in Ordered status in kitchen	PASSED	0.718 s
9	And Order should not be available in server	PASSED	0.516 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.111 s

(S)- Remove order dishes in Ordered status

<div><div>PASSED</div><div>DURATION - 4.323 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 9</div><div>Pass - 9</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 6:13:10.222 PM // 6:13:14.545 PM /				
Change orders details from Ordered status				
@Table14				

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
1	Given User navigates to home page	PASSED	0.052 s
2	And User selects order in Ordered status	PASSED	0.610 s
3	When User removes following existing dishes	PASSED	1.139 s
	<div>Tiramisu</div> <div>Sausage Pappardelle</div>		
4	Then Alert is displayed with order updation message	PASSED	0.000 s
5	And Updated order details should be displayed	PASSED	0.218 s
6	And Order status in table list should be Ordered	PASSED	0.116 s
7	And Order should be available in Ordered status in search	PASSED	0.957 s
8	And Order should be available in Ordered status in kitchen	PASSED	0.605 s
9	And Order should not be available in server	PASSED	0.517 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.109 s

(S)- Remove order dishes by subtracting dishes in Ordered status

PASSED	DURATION - 5.701 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 6:13:14.559 PM // 6:13:20.260 PM /				
Change orders details from Ordered status				
@Table15				

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
1	Given User navigates to home page	PASSED	0.054 s
2	And User selects order in Ordered status	PASSED	0.629 s
3	When User subtracts quantity till zero from following existing dishes	PASSED	2.564 s
	<div>Chicken Milanese</div> <div>Sausage Pappardelle</div>		
4	Then Alert is displayed with order updation message	PASSED	0.000 s
5	And Updated order details should be displayed	PASSED	0.217 s
6	And Order status in table list should be Ordered	PASSED	0.115 s
7	And Order should be available in Ordered status in search	PASSED	0.897 s
8	And Order should be available in Ordered status in kitchen	PASSED	0.605 s
9	And Order should not be available in server	PASSED	0.498 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.122 s

(F)- Change orders details from Preparing status

PASSED	DURATION - 31.033 s	Scenarios Total - 7 Pass - 7 Fail - 0 Skip - 0		Steps Total - 61 Pass - 61 Fail - 0 Skip - 0	
/ 6:13:20.278 PM // 6:13:51.311 PM /					

(S)- Promote order from Preparing to Ready status

PASSED	DURATION - 3.436 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 6:13:20.278 PM // 6:13:23.714 PM /				
Change orders details from Preparing status				
@Table18				

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.063 s
2	And User selects order in Preparing status	PASSED	0.540 s
3	When User promotes order to Ready status in kitchen	PASSED	0.635 s
4	Then Order status in table list should be Ready	PASSED	0.149 s
5	And User selects table	PASSED	0.376 s
6	And Promoted order details should be displayed	PASSED	0.149 s
7	And Order should be available in Ready status in kitchen	PASSED	0.199 s
8	And Order should be available in Ready status in search	PASSED	0.647 s
9	And Order should be available in Ready status in server	PASSED	0.583 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.094 s



(S)- Cancel(Billed) order from Preparing status

PASSED	DURATION - 3.539 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 6:13:23.743 PM // 6:13:27.282 PM /				
Change orders details from Preparing status				
@Table19				

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
1	Given User navigates to home page	PASSED	0.054 s



#	Step / Hook Details	Status	Duration
2	And User selects order in Preparing status	PASSED	0.541 s
3	When User cancels the order	PASSED	1.005 s
4	Then Updated order details should be displayed	PASSED	0.182 s
5	And Table should be vacant in table list	PASSED	0.118 s
6	And Order should be available in Billed status in search	PASSED	0.698 s
7	And Order should be available in Billed status in server	PASSED	0.366 s
8	And Order should not be available in kitchen	PASSED	0.478 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.097 s

(S)- Cancel order cancellation from Preparing status

<div>PASSED</div> <div>DURATION - 4.757 s</div>	<div></div>	<div><div>Steps</div><div>Total - 8</div><div>Pass - 8</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 6:13:27.304 PM // 6:13:32.061 PM /</div>		
<div>Change orders details from Preparing status</div>		
<div>@Table20</div>		



#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
1	Given User navigates to home page	PASSED	0.050 s
2	And User selects order in Preparing status	PASSED	0.565 s
3	And User cancels the order cancellation	PASSED	0.387 s
4	Then Order details should not be updated	PASSED	0.225 s
5	And Order status in table list should be Preparing	PASSED	0.116 s
6	And Order should be available in Preparing status in search	PASSED	0.708 s
7	And Order should be available in Preparing status in kitchen	PASSED	0.596 s
8	And Order should not be available in server	PASSED	1.995 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.115 s

(S)- Add order dish quantity in Preparing status

PASSED	DURATION - 5.015 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 6:13:32.077 PM // 6:13:37.092 PM /				
Change orders details from Preparing status				
@Table21				



#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s						
1	Given User navigates to home page	PASSED	0.053 s						
2	And User selects order in Preparing status	PASSED	0.638 s						
3	When User adds following quantity to existing dishes	PASSED	1.883 s						
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Tiramisu</td><td>2</td></tr><tr><td>Sausage Pappardelle</td><td>3</td></tr></table>			dish	qty	Tiramisu	2	Sausage Pappardelle	3
dish	qty								
Tiramisu	2								
Sausage Pappardelle	3								
4	Then Alert is displayed with order updation message								
5	And Updated order details should be displayed								
6	And Order status in table list should be Preparing	PASSED	0.122 s						
7	And Order should be available in Preparing status in search	PASSED	0.692 s						
8	And Order should be available in Preparing status in kitchen	PASSED	0.706 s						
9	And Order should not be available in server	PASSED	0.489 s						
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.108 s						

(S)- Add new dish in Preparing status

PASSED	DURATION - 5.444 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 6:13:37.112 PM // 6:13:42.556 PM /				
Change orders details from Preparing status				
@Table22				

#	Step / Hook Details	Status	Duration	
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s	
1	Given User navigates to home page	PASSED	0.051 s	
2	And User selects order in Preparing status	PASSED	0.641 s	
3	And User adds following new dishes	PASSED	2.161 s	
	dish			qty
	Spaghetti Aglio E Olio			3
	Chicken Alla Diavola			1
	Cannoli			2
4	Then Alert is displayed with order updation message	PASSED	0.000 s	
5	And Updated order details should be displayed	PASSED	0.456 s	
6	And Order status in table list should be Preparing	PASSED	0.116 s	
7	And Order should be available in Preparing status in search	PASSED	0.738 s	
8	And Order should be available in Preparing status in kitchen	PASSED	0.883 s	
9	And Order should not be available in server	PASSED	0.280 s	
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.117 s	



(S)- Subtract order dish quantity in Preparing status

PASSED		DURATION - 4.374 s			<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>		
/ 6:13:42.578 PM // 6:13:46.952 PM /							
Change orders details from Preparing status							
@Table23							

#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.007 s						
1	Given User navigates to home page	PASSED	0.070 s						
2	And User selects order in Preparing status	PASSED	0.662 s						
3	When User subtracts following quantity from existing dishes <div><table><tr><td>dish</td><td>qty</td></tr><tr><td>Chicken Milanese</td><td>1</td></tr><tr><td>Sausage Pappardelle</td><td>2</td></tr></table></div>	dish	qty	Chicken Milanese	1	Sausage Pappardelle	2	PASSED	1.205 s
dish	qty								
Chicken Milanese	1								
Sausage Pappardelle	2								
4	Then Alert is displayed with illegal dish quantity removal warning	PASSED	0.000 s						



#	Step / Hook Details	Status	Duration
5	And Order details should not be updated	PASSED	0.292 s
6	And Order status in table list should be Preparing	PASSED	0.116 s
7	And Order should be available in Preparing status in search	PASSED	0.678 s
8	And Order should be available in Preparing status in kitchen	PASSED	0.737 s
9	And Order should not be available in server	PASSED	0.494 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.113 s

(S)- Remove order dishes in Preparing status



PASSED <i>DURATION - 4.344 s</i>			Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
<i>/ 6:13:46.967 PM // 6:13:51.311 PM /</i>				
Change orders details from Preparing status				
@Table24				

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
1	Given User navigates to home page	PASSED	0.056 s
2	And User selects order in Preparing status	PASSED	0.644 s
3	When User removes following existing dishes	PASSED	1.221 s
	<div>Tiramisu</div> <div>Sausage Pappardelle</div>		
4	Then Alert is displayed with illegal dish removal warning	PASSED	0.000 s
5	And Order details should not be updated	PASSED	0.279 s
6	And Order status in table list should be Preparing	PASSED	0.114 s
7	And Order should be available in Preparing status in search	PASSED	0.725 s
8	And Order should be available in Preparing status in kitchen	PASSED	0.693 s
9	And Order should not be available in server	PASSED	0.516 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.096 s

(F)- Change status details from Ready and Served statuses

PASSED	DURATION - 6.919 s	Scenarios		Steps	
/ 6:13:51.329 PM // 6:13:58.248 PM /		Total - 2		Total - 17	
		Pass - 2		Pass - 17	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Promote order from Ready to Served status

<div>PASSED</div> <div>DURATION - 2.982 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.05</td></tr><tr><td>2</td><td>0.65</td></tr><tr><td>3</td><td>0.63</td></tr><tr><td>4</td><td>0.23</td></tr><tr><td>5</td><td>0.53</td></tr><tr><td>6</td><td>0.15</td></tr><tr><td>7</td><td>0.48</td></tr><tr><td>8</td><td>0.21</td></tr></tbody></table></div>	Step	Duration (s)	1	0.05	2	0.65	3	0.63	4	0.23	5	0.53	6	0.15	7	0.48	8	0.21	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div> <div></div>
Step		Duration (s)																		
1		0.05																		
2		0.65																		
3	0.63																			
4	0.23																			
5	0.53																			
6	0.15																			
7	0.48																			
8	0.21																			
<div>/ 6:13:51.329 PM // 6:13:54.311 PM /</div>																				
<div>Change status details from Ready and Served statuses</div>																				
<div>@Table27</div>																				



#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
1	Given User navigates to home page	PASSED	0.051 s
2	And User selects order in Ready status	PASSED	0.634 s
3	When User promotes order to Served status in server	PASSED	0.614 s
4	Then Order should be available in Served status in server	PASSED	0.226 s
5	And Order should not be available in kitchen	PASSED	0.514 s
6	And Order status in table list should be Served	PASSED	0.136 s
7	And User selects table	PASSED	0.478 s
8	And Promoted order details should be displayed	PASSED	0.207 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.122 s

(S)- Promote order from Served to Billed status



<div>PASSED</div> <div>DURATION - 3.916 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.001</td></tr><tr><td>2</td><td>0.057</td></tr><tr><td>3</td><td>0.656</td></tr><tr><td>4</td><td>0.211</td></tr><tr><td>5</td><td>0.532</td></tr><tr><td>6</td><td>0.138</td></tr><tr><td>7</td><td>0.732</td></tr><tr><td>8</td><td>0.078</td></tr><tr><td>9</td><td>0.492</td></tr></tbody></table></div>	Step	Duration (s)	1	0.001	2	0.057	3	0.656	4	0.211	5	0.532	6	0.138	7	0.732	8	0.078	9	0.492	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div> <div></div>
Step		Duration (s)																				
1		0.001																				
2		0.057																				
3	0.656																					
4	0.211																					
5	0.532																					
6	0.138																					
7	0.732																					
8	0.078																					
9	0.492																					
<div>/ 6:13:54.332 PM // 6:13:58.248 PM /</div>																						
<div>Change status details from Ready and Served statuses</div>																						
<div>@Table28</div>																						

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.057 s
2	And User selects order in Served status	PASSED	0.656 s
3	When User promotes order to Billed status in server	PASSED	0.853 s
4	And Order should be available in Billed status in server	PASSED	0.211 s
5	Then Order should not be available in kitchen	PASSED	0.532 s
6	And Table should be vacant in table list	PASSED	0.138 s
7	And Order should be available in Billed status in search	PASSED	0.732 s
8	And User selects Billed order from search	PASSED	0.078 s
9	And Promoted order details should be displayed	PASSED	0.492 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.166 s

(F)- Order change messages to be synced across browser windows



<div>PASSED</div>	<div>DURATION - 49.344 s</div>	<div>Scenarios</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 101</div> <div>Pass - 101</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:13:58.262 PM // 6:14:47.606 PM /</div>					

(S)- 1 browser - Promote order status with same order selected

<div>PASSED</div> <div>DURATION - 1.921 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:13:58.262 PM // 6:14:00.183 PM /</div>				
<div>Order change messages to be synced across browser windows</div>				
<div>@Table31</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
1	Given User navigates to home page	PASSED	0.062 s
2	And User selects order in Ordered status	PASSED	0.790 s
3	When User promotes order to Preparing status in kitchen	PASSED	0.616 s
4	Then Order status in table list should be Preparing	PASSED	0.172 s
5	And Order status text in table list should be highlighted	PASSED	0.034 s
6	And Modification message should be displayed in order details	PASSED	0.107 s
7	And Order modify and cancel buttons should be disabled	PASSED	0.074 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.066 s



(S)- 1 browser - Promote order status with another order selected

<div>PASSED</div> <div>DURATION - 1.605 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:14:00.208 PM // 6:14:01.813 PM /</div>			
<div>Order change messages to be synced across browser windows</div>			
<div>@Table32</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
1	Given User navigates to home page	PASSED	0.065 s
2	And User selects control order	PASSED	0.157 s
3	When User promotes order to Preparing status in kitchen	PASSED	1.055 s

#	Step / Hook Details	Status	Duration
4	Then Order status in table list should be Preparing	PASSED	0.131 s
5	And Order status text in table list should not be highlighted	PASSED	0.028 s
6	And Modification message should not be displayed in order details	PASSED	0.093 s
7	And Order modify and cancel buttons should not be disabled	PASSED	0.032 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.044 s

(S)- 2 browser - Promote order status with same order selected in control browser

<div>PASSED</div> <div>DURATION - 6.977 s</div>	<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:14:01.832 PM // 6:14:08.809 PM /</div>			
<div>Order change messages to be synced across browser windows</div>			
<div>@Table33 @Similar</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
	BEFORE - ristorante.steps.DataSetup.setupSimilarBrowser()	PASSED	1.598 s
1	Given User navigates to home page in similar control browser	PASSED	3.318 s
2	And User selects order in Ordered status in similar control browser	PASSED	0.168 s
3	And User navigates to home page	PASSED	0.064 s
4	And User selects order in Ordered status	PASSED	0.570 s
5	When User promotes order to Preparing status in kitchen	PASSED	0.666 s
6	Then Order status in table list should be Preparing	PASSED	0.150 s
7	And Order status text in table list should be highlighted	PASSED	0.028 s
8	And Modification message should be displayed in order details	PASSED	0.097 s
9	And Order modify and cancel buttons should be disabled	PASSED	0.032 s
10	And Order status in table list should be Preparing in similar control browser	PASSED	0.055 s
11	And Order status text in table list should be highlighted in similar control browser	PASSED	0.046 s
12	And Modification message should be displayed in order details in similar control browser	PASSED	0.069 s
13	And Order modify and cancel buttons should be disabled in similar control browser	PASSED	0.067 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.048 s

(S)- 2 browser - Update order details with same order selected in control browser

PASSED	DURATION - 3.134 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 6:14:08.827 PM // 6:14:11.961 PM /				
Order change messages to be synced across browser windows				
@Table34 @Similar				



#	Step / Hook Details	Status	Duration	
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s	
	BEFORE - ristorante.steps.DataSetup.setupSimilarBrowser()	PASSED	0.000 s	
1	Given User navigates to home page in similar control browser	PASSED	0.235 s	
2	And User selects order in Ordered status in similar control browser	PASSED	0.155 s	
3	And User navigates to home page	PASSED	0.072 s	
4	And User selects order in Ordered status	PASSED	0.633 s	
5	When User adds following quantitiy to existing dishes	PASSED	1.851 s	
	dish			qty
	Tiramisu			2
	Sausage Pappardelle			3
6	And Order status text in table list should be highlighted in similar control browser	PASSED	0.060 s	
7	And Modification message should be displayed in order details in similar control browser	PASSED	0.064 s	
8	And Order modify and cancel buttons should be disabled in similar control browser	PASSED	0.060 s	
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.003 s	

(S)- 2 browser - Update order details with another table selected in control browser

PASSED	DURATION - 3.047 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 6:14:11.971 PM // 6:14:15.018 PM /				
Order change messages to be synced across browser windows				
@Table35 @Similar				

#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s						
	BEFORE - ristorante.steps.DataSetup.setupSimilarBrowser()	PASSED	0.000 s						
1	Given User navigates to home page in similar control browser	PASSED	0.194 s						
2	And User selects control order in similar control browser	PASSED	0.140 s						
3	And User navigates to home page	PASSED	0.068 s						
4	And User selects order in Ordered status	PASSED	0.565 s						
5	When User adds following quantity to existing dishes	PASSED	1.902 s						
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Tiramisu</td><td>2</td></tr><tr><td>Sausage Pappardelle</td><td>3</td></tr></table>			dish	qty	Tiramisu	2	Sausage Pappardelle	3
	dish			qty					
	Tiramisu			2					
Sausage Pappardelle	3								
6	And Order status text in table list should not be highlighted in similar control browser	PASSED	0.063 s						
7	And Modification message should not be displayed in order details in similar control browser	PASSED	0.054 s						
8	And Order modify and cancel buttons should not be disabled in similar control browser	PASSED	0.055 s						
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.006 s						



(S)- 2+1 browser - Promote order status with same order selected in both control browsers

<div>PASSED</div> <div>DURATION - 20.517 s</div>	<div></div>	<div>Steps</div> <div>Total - 19</div> <div>Pass - 19</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:14:15.026 PM // 6:14:35.543 PM /</div>			
<div>Order change messages to be synced across browser windows</div>			
<div>@Table36 @Similar @Different</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE - ristorante.steps.DataSetup.setupSimilarBrowser()	PASSED	0.000 s
	BEFORE - ristorante.steps.DataSetup.setupDifferentBrowser(io.cucumber.java.Scenario)	PASSED	14.753 s
1	Given User navigates to home page in similar control browser	PASSED	0.493 s
2	And User selects order in Ordered status in similar control browser	PASSED	0.239 s
3	And User navigates to home page in different control browser	PASSED	2.474 s
4	And User selects order in Ordered status in different control browser	PASSED	0.173 s
5	And User navigates to home page	PASSED	0.125 s
6	And User selects order in Ordered status	PASSED	0.604 s

#	Step / Hook Details	Status	Duration
7	When User promotes order to Preparing status in kitchen	PASSED	0.775 s
8	Then Order status in table list should be Preparing	PASSED	0.161 s
9	And Order status text in table list should be highlighted	PASSED	0.031 s
10	And Modification message should be displayed in order details	PASSED	0.106 s
11	And Order modify and cancel buttons should be disabled	PASSED	0.044 s
12	And Order status in table list should be Preparing in similar control browser	PASSED	0.061 s
13	And Order status text in table list should be highlighted in similar control browser	PASSED	0.050 s
14	And Modification message should be displayed in order details in similar control browser	PASSED	0.058 s
15	And Order modify and cancel buttons should be disabled in similar control browser	PASSED	0.063 s
16	And Order status in table list should be Preparing in different control browser	PASSED	0.059 s
17	And Order status text in table list should be highlighted in different control browser	PASSED	0.046 s
18	And Modification message should be displayed in order details in different control browser	PASSED	0.075 s
19	And Order modify and cancel buttons should be disabled in different control browser	PASSED	0.074 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.053 s



(S)- 2+1 browser - Update order details with same order selected in both control browsers

<div>PASSED</div> <div>DURATION - 4.167 s</div>		<div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 6:14:35.563 PM // 6:14:39.730 PM /</div>			
<div>Order change messages to be synced across browser windows</div>			
<div>@Table37 @Similar @Different</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE - ristorante.steps.DataSetup.setupSimilarBrowser()	PASSED	0.000 s
	BEFORE - ristorante.steps.DataSetup.setupDifferentBrowser(io.cucumber.java.Scenario)	PASSED	0.000 s
1	Given User navigates to home page in similar control browser	PASSED	0.291 s
2	And User selects order in Ordered status in similar control browser	PASSED	0.183 s
3	And User navigates to home page in different control browser	PASSED	0.366 s
4	And User selects order in Ordered status in different control browser	PASSED	0.171 s
5	And User navigates to home page	PASSED	0.087 s
6	And User selects order in Ordered status	PASSED	0.693 s

#	Step / Hook Details	Status	Duration	
7	When User adds following quantity to existing dishes	PASSED	2.016 s	
	dish			qty
	Tiramisu			2
	Sausage Pappardelle			3
8	And Order status text in table list should be highlighted in similar control browser	PASSED	0.061 s	
9	And Modification message should be displayed in order details in similar control browser	PASSED	0.061 s	
10	And Order modify and cancel buttons should be disabled in similar control browser	PASSED	0.060 s	
11	And Order status text in table list should be highlighted in different control browser	PASSED	0.054 s	
12	And Modification message should be displayed in order details in different control browser	PASSED	0.061 s	
13	And Order modify and cancel buttons should be disabled in different control browser	PASSED	0.058 s	
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.005 s	



(S)- 2+1 browser - Update order details with same order selected in similar control browsers and another order in different browser

<div>PASSED</div> <div>DURATION - 3.994 s</div>	<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:14:39.739 PM // 6:14:43.733 PM /</div>			
<div>Order change messages to be synced across browser windows</div>			
<div>@Table38 @Similar @Different</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
	BEFORE - ristorante.steps.DataSetup.setupSimilarBrowser()	PASSED	0.000 s
	BEFORE - ristorante.steps.DataSetup.setupDifferentBrowser(io.cucumber.java.Scenario)	PASSED	0.000 s
1	Given User navigates to home page in similar control browser	PASSED	0.212 s
2	And User selects order in Ordered status in similar control browser	PASSED	0.259 s
3	And User navigates to home page in different control browser	PASSED	0.331 s
4	And User selects control order in different control browser	PASSED	0.161 s
5	Given User navigates to home page	PASSED	0.101 s
6	And User selects order in Ordered status	PASSED	0.737 s
7	When User adds following quantity to existing dishes	PASSED	1.818 s

#	Step / Hook Details	Status	Duration						
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Tiramisu</td><td>2</td></tr><tr><td>Sausage Pappardelle</td><td>3</td></tr></table>	dish	qty	Tiramisu	2	Sausage Pappardelle	3		
dish	qty								
Tiramisu	2								
Sausage Pappardelle	3								
8	And Order status text in table list should be highlighted in similar control browser	PASSED	0.055 s						
9	And Modification message should be displayed in order details in similar control browser	PASSED	0.061 s						
10	And Order modify and cancel buttons should be disabled in similar control browser	PASSED	0.055 s						
11	And Order status text in table list should not be highlighted in different control browser	PASSED	0.063 s						
12	And Modification message should not be displayed in order details in different control browser	PASSED	0.064 s						
13	And Order modify and cancel buttons should not be disabled in different control browser	PASSED	0.071 s						
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.006 s						

(S)- 2+1 browser - Update order details with another order selected in both control browsers

<div>PASSED</div> <div>DURATION - 3.862 s</div>	<div></div>	<div><div>Steps</div><div>Total - 13</div><div>Pass - 13</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 6:14:43.744 PM // 6:14:47.606 PM /</div>		
<div>Order change messages to be synced across browser windows</div>		
<div>@Table39 @Similar @Different</div>		

#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s						
	BEFORE - ristorante.steps.DataSetup.setupSimilarBrowser()	PASSED	0.001 s						
	BEFORE - ristorante.steps.DataSetup.setupDifferentBrowser(io.cucumber.java.Scenario)	PASSED	0.000 s						
1	Given User navigates to home page in similar control browser	PASSED	0.257 s						
2	And User selects control order in similar control browser	PASSED	0.151 s						
3	And User navigates to home page in different control browser	PASSED	0.363 s						
4	And User selects control order in different control browser	PASSED	0.158 s						
5	Given User navigates to home page	PASSED	0.071 s						
6	And User selects order in Ordered status	PASSED	0.607 s						
7	When User adds following quantity to existing dishes	PASSED	1.913 s						
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Tiramisu</td><td>2</td></tr><tr><td>Sausage Pappardelle</td><td>3</td></tr></table>	dish	qty	Tiramisu	2	Sausage Pappardelle	3		
dish	qty								
Tiramisu	2								
Sausage Pappardelle	3								

#	Step / Hook Details	Status	Duration
8	And Order status text in table list should not be highlighted in similar control browser	PASSED	0.051 s
9	And Modification message should not be displayed in order details in similar control browser	PASSED	0.078 s
10	And Order modify and cancel buttons should not be disabled in similar control browser	PASSED	0.053 s
11	And Order status text in table list should not be highlighted in different control browser	PASSED	0.048 s
12	And Modification message should not be displayed in order details in different control browser	PASSED	0.052 s
13	And Order modify and cancel buttons should not be disabled in different control browser	PASSED	0.055 s
	AFTER - ristorante.steps.DataSetup.teardown(io.cucumber.java.Scenario)	PASSED	0.004 s