

Cucumber Report

Jan 5, 2022 4:28:09 PM

Start : Jan 05, 4:25:32.619 PM

End : Jan 05, 4:28:02.716 PM

Duration : 2 m 30.097 s

Features

Scenarios

Steps

PASSED - 5

FAILED - 0

SKIPPED - 0

PASSED - 28




FAILED - 0


SKIPPED - 0

PASSED - 266


FAILED - 0

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Change status details from Vacant status</u>	2	2	0	0	16.645 s
2	<u>Change orders details from Ordered status</u>	8	8	0	0	37.181 s
3	<u>Change orders details from Preparing status</u>	7	7	0	0	29.465 s
4	<u>Change status details from Ready and Served statuses</u>	2	2	0	0	10.454 s
5	<u>Order change messages to be synced across browser windows</u>	9	9	0	0	56.263 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Change status details from Vacant status</u>	<u>Create new order</u>	9	9	0	0	14.051 s
2	<u>Change status details from Vacant status</u>	<u>Create new order without any dish</u>	8	8	0	0	2.394 s
3	<u>Change orders details from Ordered status</u>	<u>Promote order from Ordered to Preparing status</u>	9	9	0	0	4.072 s
4	<u>Change orders details from Ordered status</u>	<u>Cancel order from Ordered status</u>	8	8	0	0	3.900 s
5	<u>Change orders details from Ordered status</u>	<u>Cancel order cancellation from Ordered status</u>	8	8	0	0	3.476 s
6	<u>Change orders details from Ordered status</u>	<u>Add order dish quantity in Ordered status</u>	9	9	0	0	5.159 s
7	<u>Change orders details from Ordered status</u>	<u>Add new dish in Ordered status</u>	9	9	0	0	5.748 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Change orders details from Ordered status</u>	<u>Subtract order dish quantity in Ordered status</u>	9	9	0	0	4.675 s
9	<u>Change orders details from Ordered status</u>	<u>Remove order dishes in Ordered status</u>	9	9	0	0	4.329 s
10	<u>Change orders details from Ordered status</u>	<u>Remove order dishes by subtracting dishes in Ordered status</u>	9	9	0	0	5.652 s
11	<u>Change orders details from Preparing status</u>	<u>Promote order from Preparing to Ready status</u>	9	9	0	0	3.484 s
12	<u>Change orders details from Preparing status</u>	<u>Cancel(Billed) order from Preparing status</u>	8	8	0	0	3.643 s
13	<u>Change orders details from Preparing status</u>	<u>Cancel order cancellation from Preparing status</u>	8	8	0	0	3.173 s
14	<u>Change orders details from Preparing status</u>	<u>Add order dish quantity in Preparing status</u>	9	9	0	0	4.977 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Change orders details from Preparing status</u>	<u>Add new dish in Preparing status</u>	9	9	0	0	5.586 s
16	<u>Change orders details from Preparing status</u>	<u>Subtract order dish quantity in Preparing status</u>	9	9	0	0	4.244 s
17	<u>Change orders details from Preparing status</u>	<u>Remove order dishes in Preparing status</u>	9	9	0	0	4.248 s
18	<u>Change status details from Ready and Served statuses</u>	<u>Promote order from Ready to Served status</u>	8	8	0	0	3.012 s
19	<u>Change status details from Ready and Served statuses</u>	<u>Promote order from Served to Billed status</u>	9	9	0	0	7.423 s
20	<u>Order change messages to be synced across browser windows</u>	<u>1 browser - Promote order status with same order selected</u>	7	7	0	0	1.870 s
21	<u>Order change messages to be synced across browser windows</u>	<u>1 browser - Promote order status with another order selected</u>	7	7	0	0	1.649 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<u>Order change messages to be synced across browser windows</u>	<u>2 browser - Promote order status with same order selected in control browser</u>	13	13	0	0	28.774 s
23	<u>Order change messages to be synced across browser windows</u>	<u>2 browser - Update order details with same order selected in control browser</u>	8	8	0	0	3.438 s
24	<u>Order change messages to be synced across browser windows</u>	<u>2 browser - Update order details with another table selected in control browser</u>	8	8	0	0	3.045 s
25	<u>Order change messages to be synced across browser windows</u>	<u>2+1 browser - Promote order status with same order selected in both control browsers</u>	19	19	0	0	4.744 s
26	<u>Order change messages to be synced across browser windows</u>	<u>2+1 browser - Update order details with same order selected in both control browsers</u>	13	13	0	0	4.896 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
27	<u>Order change messages to be synced across browser windows</u>	<u>2+1 browser - Update order details with same order selected in similar control browsers and another order in *</u>	13	13	0	0	3.906 s
28	<u>Order change messages to be synced across browser windows</u>	<u>2+1 browser - Update order details with another order selected in both control browsers</u>	13	13	0	0	3.804 s

* The feature name and/or scenario name has been cropped to fit in the available space.

(F)- Change status details from Vacant status

PASSED	DURATION - 16.645 s	Scenarios		Steps	
/ 4:25:32.619 PM // 4:25:49.264 PM /		Total - 2		Total - 17	
		Pass - 2		Pass - 17	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Create new order

<div>PASSED</div> <div>DURATION - 14.051 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.3</td></tr><tr><td>2</td><td>1.2</td></tr><tr><td>3</td><td>8.05</td></tr><tr><td>4</td><td>0.8</td></tr><tr><td>5</td><td>0.5</td></tr><tr><td>6</td><td>0.2</td></tr><tr><td>7</td><td>1.2</td></tr><tr><td>8</td><td>1.0</td></tr><tr><td>9</td><td>0.7</td></tr></tbody></table></div>	Step	Duration (s)	1	0.3	2	1.2	3	8.05	4	0.8	5	0.5	6	0.2	7	1.2	8	1.0	9	0.7	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div> <div></div>
Step		Duration (s)																				
1		0.3																				
2		1.2																				
3	8.05																					
4	0.8																					
5	0.5																					
6	0.2																					
7	1.2																					
8	1.0																					
9	0.7																					
<div>/ 4:25:32.619 PM // 4:25:46.670 PM /</div>																						
<div>Change status details from Vacant status</div>																						
<div>@Table5</div>																						

#	Step / Hook Details	Status	Duration	
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.077 s	
1	Given User navigates to home page	PASSED	0.249 s	
2	When User selects vacant table	PASSED	1.149 s	
3	And User creates new order by selecting dishes	PASSED	8.053 s	
	dish			qty
	Fried Gnocchi			3
	Margherita			1
	Tagliatelle Bolognese			4
	Chicken Alla Diavola			2
4	Then Alert is displayed with order creation message	PASSED	0.829 s	
5	And Created order details should be displayed	PASSED	0.545 s	
6	And Order status in table list should be Ordered	PASSED	0.132 s	
7	And Order should be available in Ordered status in search	PASSED	1.268 s	
8	And Order should be available in Ordered status in kitchen	PASSED	0.978 s	
9	And Order should not be available in server	PASSED	0.656 s	
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.115 s	


(S)- Create new order without any dish

PASSED	DURATION - 2.394 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 4:25:46.870 PM // 4:25:49.264 PM /				
Change status details from Vacant status				
@Table6				


#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.002 s
1	Given User navigates to home page	PASSED	0.065 s
2	When User selects vacant table	PASSED	0.519 s
3	And User creates new order without selecting dish	PASSED	0.399 s
4	Then Alert is displayed with order creation warning	PASSED	0.001 s
5	And Order should not be created	PASSED	0.124 s
6	And Table should be vacant in table list	PASSED	0.131 s
7	And Order should not be available in kitchen	PASSED	0.510 s
8	And Order should not be available in server	PASSED	0.539 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.104 s

(F)- Change orders details from Ordered status

PASSED	DURATION - 37.181 s	Scenarios Total - 8 Pass - 8 Fail - 0 Skip - 0		Steps Total - 70 Pass - 70 Fail - 0 Skip - 0	
/ 4:25:49.297 PM // 4:26:26.478 PM /					

(S)- Promote order from Ordered to Preparing status

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.062 s
2	And User selects order in Ordered status	PASSED	0.556 s
3	When User promotes order to Preparing status in kitchen	PASSED	0.937 s
4	Then Order status in table list should be Preparing	PASSED	0.192 s
5	And User selects table	PASSED	0.494 s
6	And Promoted order details should be displayed	PASSED	0.158 s
7	And Order should be available in Preparing status in kitchen	PASSED	0.201 s
8	And Order should be available in Preparing status in search	PASSED	0.877 s
9	And Order should not be available in server	PASSED	0.482 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.112 s

(S)- Cancel order from Ordered status

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.063 s

#	Step / Hook Details	Status	Duration
2	And User selects order in Ordered status	PASSED	0.519 s
3	When User cancels the order	PASSED	1.057 s
4	Then Updated order details should be displayed	PASSED	0.200 s
5	And Table should be vacant in table list	PASSED	0.120 s
6	And Order should be available in Cancelled status in search	PASSED	0.721 s
7	And Order should be available in Cancelled status in kitchen	PASSED	0.609 s
8	And Order should not be available in server	PASSED	0.507 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.103 s

(S)- Cancel order cancellation from Ordered status

PASSED <i>DURATION - 3.476 s</i>		<table border="1"><thead><tr><th>Step</th><th>Duration</th></tr></thead><tbody><tr><td>1</td><td>0.05</td></tr><tr><td>2</td><td>0.52</td></tr><tr><td>3</td><td>0.40</td></tr><tr><td>4</td><td>0.20</td></tr><tr><td>5</td><td>0.12</td></tr><tr><td>6</td><td>0.72</td></tr><tr><td>7</td><td>0.61</td></tr><tr><td>8</td><td>0.51</td></tr></tbody></table>	Step	Duration	1	0.05	2	0.52	3	0.40	4	0.20	5	0.12	6	0.72	7	0.61	8	0.51	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div> <div></div>
Step	Duration																				
1	0.05																				
2	0.52																				
3	0.40																				
4	0.20																				
5	0.12																				
6	0.72																				
7	0.61																				
8	0.51																				
/ 4:25:57.329 PM // 4:26:00.805 PM /																					
Change orders details from Ordered status																					
@Table10																					

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.002 s
1	Given User navigates to home page	PASSED	0.054 s
2	And User selects order in Ordered status	PASSED	0.582 s
3	And User cancels the order cancellation	PASSED	0.387 s
4	Then Order details should not be updated	PASSED	0.221 s
5	And Order status in table list should be Ordered	PASSED	0.115 s
6	And Order should be available in Ordered status in search	PASSED	0.907 s
7	And Order should be available in Ordered status in kitchen	PASSED	0.601 s
8	And Order should not be available in server	PASSED	0.497 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.110 s

(S)- Add order dish quantity in Ordered status

PASSED	DURATION - 5.159 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 4:26:00.825 PM // 4:26:05.984 PM /				
Change orders details from Ordered status				
@Table11				



#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s						
1	Given User navigates to home page	PASSED	0.048 s						
2	And User selects order in Ordered status	PASSED	0.659 s						
3	When User adds following quantity to existing dishes	PASSED	1.833 s						
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Tiramisu</td><td>2</td></tr><tr><td>Sausage Pappardelle</td><td>3</td></tr></table>			dish	qty	Tiramisu	2	Sausage Pappardelle	3
dish	qty								
Tiramisu	2								
Sausage Pappardelle	3								
4	Then Alert is displayed with order updation message	PASSED	0.000 s						
5	And Updated order details should be displayed	PASSED	0.322 s						
6	And Order status in table list should be Ordered	PASSED	0.116 s						
7	And Order should be available in Ordered status in search	PASSED	0.864 s						
8	And Order should be available in Ordered status in kitchen	PASSED	0.705 s						
9	And Order should not be available in server	PASSED	0.495 s						
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.116 s						

(S)- Add new dish in Ordered status

PASSED	DURATION - 5.748 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 4:26:06.014 PM // 4:26:11.762 PM /				
Change orders details from Ordered status				
@Table12				

#	Step / Hook Details	Status	Duration								
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s								
1	Given User navigates to home page	PASSED	0.100 s								
2	And User selects order in Ordered status	PASSED	0.626 s								
3	And User adds following new dishes	PASSED	2.151 s								
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Spaghetti Aglio E Olio</td><td>3</td></tr><tr><td>Chicken Alla Diavola</td><td>1</td></tr><tr><td>Cannoli</td><td>2</td></tr></table>			dish	qty	Spaghetti Aglio E Olio	3	Chicken Alla Diavola	1	Cannoli	2
dish	qty										
Spaghetti Aglio E Olio	3										
Chicken Alla Diavola	1										
Cannoli	2										
4	Then Alert is displayed with order updation message										
5	And Updated order details should be displayed										
6	And Order status in table list should be Ordered										
7	And Order should be available in Ordered status in search	PASSED	0.888 s								
8	And Order should be available in Ordered status in kitchen	PASSED	0.868 s								
9	And Order should not be available in server	PASSED	0.488 s								
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.079 s								



(S)- Subtract order dish quantity in Ordered status

<div>PASSED</div> <div>DURATION - 4.675 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:26:11.782 PM // 4:26:16.457 PM /</div>				
<div>Change orders details from Ordered status</div>				
<div>@Table13</div>				

#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s						
1	Given User navigates to home page	PASSED	0.054 s						
2	And User selects order in Ordered status	PASSED	0.624 s						
3	When User subtracts following quantity from existing dishes <table><tr><td>dish</td><td>qty</td></tr><tr><td>Chicken Milanese</td><td>1</td></tr><tr><td>Sausage Pappardelle</td><td>2</td></tr></table>	dish	qty	Chicken Milanese	1	Sausage Pappardelle	2	PASSED	1.356 s
dish	qty								
Chicken Milanese	1								
Sausage Pappardelle	2								
4	Then Alert is displayed with order updation message	PASSED	0.002 s						

#	Step / Hook Details	Status	Duration
5	And Updated order details should be displayed	PASSED	0.301 s
6	And Order status in table list should be Ordered	PASSED	0.116 s
7	And Order should be available in Ordered status in search	PASSED	0.858 s
8	And Order should be available in Ordered status in kitchen	PASSED	0.690 s
9	And Order should not be available in server	PASSED	0.531 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.142 s

(S)- Remove order dishes in Ordered status

<div>PASSED</div> <div>DURATION - 4.329 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 4:26:16.481 PM // 4:26:20.810 PM /				
Change orders details from Ordered status				
@Table14				

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.063 s
2	And User selects order in Ordered status	PASSED	0.652 s
3	When User removes following existing dishes	PASSED	1.110 s
	<div>Tiramisu</div> <div>Sausage Pappardelle</div>		
4	Then Alert is displayed with order updation message	PASSED	0.000 s
5	And Updated order details should be displayed	PASSED	0.203 s
6	And Order status in table list should be Ordered	PASSED	0.114 s
7	And Order should be available in Ordered status in search	PASSED	0.903 s
8	And Order should be available in Ordered status in kitchen	PASSED	0.604 s
9	And Order should not be available in server	PASSED	0.572 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.107 s

(S)- Remove order dishes by subtracting dishes in Ordered status

PASSED	DURATION - 5.652 s		Steps	
/ 4:26:20.826 PM // 4:26:26.478 PM /			Total - 9	
Change orders details from Ordered status			Pass - 9	
@Table15			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.060 s
2	And User selects order in Ordered status	PASSED	0.608 s
3	When User subtracts quantity till zero from following existing dishes	PASSED	2.557 s
	Chicken Milanese		
	Sausage Pappardelle		
4	Then Alert is displayed with order updation message	PASSED	0.000 s
5	And Updated order details should be displayed	PASSED	0.197 s
6	And Order status in table list should be Ordered	PASSED	0.112 s
7	And Order should be available in Ordered status in search	PASSED	0.848 s
8	And Order should be available in Ordered status in kitchen	PASSED	0.662 s
9	And Order should not be available in server	PASSED	0.501 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.106 s

(F)- Change orders details from Preparing status

PASSED	DURATION - 29.465 s	Scenarios Total - 7 Pass - 7 Fail - 0 Skip - 0		Steps Total - 61 Pass - 61 Fail - 0 Skip - 0	
/ 4:26:26.503 PM // 4:26:55.968 PM /					

(S)- Promote order from Preparing to Ready status

PASSED	DURATION - 3.484 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 4:26:26.503 PM // 4:26:29.987 PM /				
Change orders details from Preparing status				
@Table18				

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.075 s
2	And User selects order in Preparing status	PASSED	0.550 s
3	When User promotes order to Ready status in kitchen	PASSED	0.602 s
4	Then Order status in table list should be Ready	PASSED	0.150 s
5	And User selects table	PASSED	0.378 s
6	And Promoted order details should be displayed	PASSED	0.147 s
7	And Order should be available in Ready status in kitchen	PASSED	0.194 s
8	And Order should be available in Ready status in search	PASSED	0.706 s
9	And Order should be available in Ready status in server	PASSED	0.577 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.104 s



(S)- Cancel(Billed) order from Preparing status

PASSED	DURATION - 3.643 s		Steps Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 4:26:30.012 PM // 4:26:33.655 PM /				
Change orders details from Preparing status				
@Table19				

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.048 s



#	Step / Hook Details	Status	Duration
2	And User selects order in Preparing status	PASSED	0.521 s
3	When User cancels the order	PASSED	0.987 s
4	Then Updated order details should be displayed	PASSED	0.178 s
5	And Table should be vacant in table list	PASSED	0.112 s
6	And Order should be available in Billed status in search	PASSED	0.665 s
7	And Order should be available in Billed status in server	PASSED	0.565 s
8	And Order should not be available in kitchen	PASSED	0.486 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.080 s

(S)- Cancel order cancellation from Preparing status

<div>PASSED</div> <div>DURATION - 3.173 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 4:26:33.670 PM // 4:26:36.843 PM /				
Change orders details from Preparing status				
@Table20				



#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.054 s
2	And User selects order in Preparing status	PASSED	0.590 s
3	And User cancels the order cancellation	PASSED	0.377 s
4	Then Order details should not be updated	PASSED	0.209 s
5	And Order status in table list should be Preparing	PASSED	0.116 s
6	And Order should be available in Preparing status in search	PASSED	0.695 s
7	And Order should be available in Preparing status in kitchen	PASSED	0.577 s
8	And Order should not be available in server	PASSED	0.475 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.079 s

(S)- Add order dish quantity in Preparing status

<div><div>PASSED</div><div>DURATION - 4.977 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 9</div><div>Pass - 9</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 4:26:36.860 PM // 4:26:41.837 PM /				
Change orders details from Preparing status				
@Table21				



#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.002 s						
1	Given User navigates to home page	PASSED	0.063 s						
2	And User selects order in Preparing status	PASSED	0.613 s						
3	When User adds following quantity to existing dishes	PASSED	1.853 s						
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Tiramisu</td><td>2</td></tr><tr><td>Sausage Pappardelle</td><td>3</td></tr></table>			dish	qty	Tiramisu	2	Sausage Pappardelle	3
dish	qty								
Tiramisu	2								
Sausage Pappardelle	3								
4	Then Alert is displayed with order updation message								
5	And Updated order details should be displayed								
6	And Order status in table list should be Preparing	PASSED	0.121 s						
7	And Order should be available in Preparing status in search	PASSED	0.757 s						
8	And Order should be available in Preparing status in kitchen	PASSED	0.678 s						
9	And Order should not be available in server	PASSED	0.477 s						
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.106 s						

(S)- Add new dish in Preparing status

<div>PASSED</div>	<div>DURATION - 5.586 s</div>	<div></div>	<div><div>Steps</div><div>Total - 9</div><div>Pass - 9</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 4:26:41.859 PM // 4:26:47.445 PM /</div>			
<div>Change orders details from Preparing status</div>			
<div>@Table22</div>			

#	Step / Hook Details	Status	Duration	
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s	
1	Given User navigates to home page	PASSED	0.051 s	
2	And User selects order in Preparing status	PASSED	0.630 s	
3	And User adds following new dishes	PASSED	2.159 s	
	dish			qty
	Spaghetti Aglio E Olio			3
	Chicken Alla Diavola			1
	Cannoli			2
4	Then Alert is displayed with order updation message	PASSED	0.001 s	
5	And Updated order details should be displayed	PASSED	0.456 s	
6	And Order status in table list should be Preparing	PASSED	0.112 s	
7	And Order should be available in Preparing status in search	PASSED	0.748 s	
8	And Order should be available in Preparing status in kitchen	PASSED	0.844 s	
9	And Order should not be available in server	PASSED	0.480 s	
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.104 s	

(S)- Subtract order dish quantity in Preparing status

<div>PASSED</div> <div>DURATION - 4.244 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 9</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 4:26:47.461 PM // 4:26:51.705 PM /				
Change orders details from Preparing status				
@Table23				

#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s						
1	Given User navigates to home page	PASSED	0.062 s						
2	And User selects order in Preparing status	PASSED	0.626 s						
3	When User subtracts following quantity from existing dishes	PASSED	1.196 s						
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Chicken Milanese</td><td>1</td></tr><tr><td>Sausage Pappardelle</td><td>2</td></tr></table>			dish	qty	Chicken Milanese	1	Sausage Pappardelle	2
dish	qty								
Chicken Milanese	1								
Sausage Pappardelle	2								
4	Then Alert is displayed with illegal dish quantity removal warning	PASSED	0.001 s						



#	Step / Hook Details	Status	Duration
5	And Order details should not be updated	PASSED	0.273 s
6	And Order status in table list should be Preparing	PASSED	0.119 s
7	And Order should be available in Preparing status in search	PASSED	0.697 s
8	And Order should be available in Preparing status in kitchen	PASSED	0.676 s
9	And Order should not be available in server	PASSED	0.487 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.106 s

(S)- Remove order dishes in Preparing status



<div><div>PASSED</div><div>DURATION - 4.248 s</div></div>		<div><div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div><div>1</div><div>2</div><div>3</div><div>4</div><div>5</div><div>6</div><div>7</div><div>8</div><div>9</div></div></div><div><div>Steps</div><div>Total - 9</div><div>Pass - 9</div><div>Fail - 0</div><div>Skip - 0</div></div><div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div><div>9</div></div></div>
/ 4:26:51.720 PM // 4:26:55.968 PM /		
Change orders details from Preparing status		
@Table24		

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.058 s
2	And User selects order in Preparing status	PASSED	0.623 s
3	When User removes following existing dishes	PASSED	1.191 s
	<div>Tiramisu</div> <div>Sausage Pappardelle</div>		
4	Then Alert is displayed with illegal dish removal warning	PASSED	0.001 s
5	And Order details should not be updated	PASSED	0.273 s
6	And Order status in table list should be Preparing	PASSED	0.118 s
7	And Order should be available in Preparing status in search	PASSED	0.701 s
8	And Order should be available in Preparing status in kitchen	PASSED	0.686 s
9	And Order should not be available in server	PASSED	0.481 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.115 s

(F)- Change status details from Ready and Served statuses

PASSED	DURATION - 10.454 s	Scenarios		Steps	
/ 4:26:55.988 PM // 4:27:06.442 PM /		Total - 2		Total - 17	
		Pass - 2		Pass - 17	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Promote order from Ready to Served status

<div><div>PASSED</div><div>DURATION - 3.012 s</div></div>	<div><table><thead><tr><th>Step</th><th>Duration</th></tr></thead><tbody><tr><td>1</td><td>0.08</td></tr><tr><td>2</td><td>0.63</td></tr><tr><td>3</td><td>0.64</td></tr><tr><td>4</td><td>0.23</td></tr><tr><td>5</td><td>0.53</td></tr><tr><td>6</td><td>0.15</td></tr><tr><td>7</td><td>0.49</td></tr><tr><td>8</td><td>0.21</td></tr></tbody></table></div>	Step	Duration	1	0.08	2	0.63	3	0.64	4	0.23	5	0.53	6	0.15	7	0.49	8	0.21	<div><div>Steps</div><div>Total - 8</div><div>Pass - 8</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
Step		Duration																			
1		0.08																			
2		0.63																			
3	0.64																				
4	0.23																				
5	0.53																				
6	0.15																				
7	0.49																				
8	0.21																				
<div>/ 4:26:55.988 PM // 4:26:59.000 PM /</div>																					
<div>Change status details from Ready and Served statuses</div>																					
<div>@Table27</div>																					

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.002 s
1	Given User navigates to home page	PASSED	0.062 s
2	And User selects order in Ready status	PASSED	0.622 s
3	When User promotes order to Served status in server	PASSED	0.626 s
4	Then Order should be available in Served status in server	PASSED	0.225 s
5	And Order should not be available in kitchen	PASSED	0.516 s
6	And Order status in table list should be Served	PASSED	0.136 s
7	And User selects table	PASSED	0.484 s
8	And Promoted order details should be displayed	PASSED	0.208 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.131 s

(S)- Promote order from Served to Billed status

PASSED	DURATION - 7.423 s		Steps	
/ 4:26:59.019 PM // 4:27:06.442 PM /			Total - 9	
Change status details from Ready and Served statuses			Pass - 9	
@Table28			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.058 s
2	And User selects order in Served status	PASSED	2.531 s
3	When User promotes order to Billed status in server	PASSED	0.902 s
4	And Order should be available in Billed status in server	PASSED	0.218 s
5	Then Order should not be available in kitchen	PASSED	0.507 s
6	And Table should be vacant in table list	PASSED	0.140 s
7	And Order should be available in Billed status in search	PASSED	2.440 s
8	And User selects Billed order from search	PASSED	0.081 s
9	And Promoted order details should be displayed	PASSED	0.430 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.115 s

(F)- Order change messages to be synced across browser windows

PASSED	DURATION - 56.263 s	Scenarios Total - 9 Pass - 9 Fail - 0 Skip - 0		Steps Total - 101 Pass - 101 Fail - 0 Skip - 0	
/ 4:27:06.453 PM // 4:28:02.716 PM /					

(S)- 1 browser - Promote order status with same order selected

PASSED	DURATION - 1.870 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 4:27:06.453 PM // 4:27:08.323 PM /				
Order change messages to be synced across browser windows				
@Table31				

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page	PASSED	0.053 s
2	And User selects order in Ordered status	PASSED	0.565 s
3	When User promotes order to Preparing status in kitchen	PASSED	0.684 s
4	Then Order status in table list should be Preparing	PASSED	0.195 s
5	And Order status text in table list should be highlighted	PASSED	0.032 s
6	And Modification message should be displayed in order details	PASSED	0.122 s
7	And Order modify and cancel buttons should be disabled	PASSED	0.131 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.087 s



(S)- 1 browser - Promote order status with another order selected

PASSED	DURATION - 1.649 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 4:27:08.360 PM // 4:27:10.009 PM /				
Order change messages to be synced across browser windows				
@Table32				

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s
1	Given User navigates to home page	PASSED	0.079 s
2	And User selects control order	PASSED	0.374 s
3	When User promotes order to Preparing status in kitchen	PASSED	0.831 s



#	Step / Hook Details	Status	Duration
4	Then Order status in table list should be Preparing	PASSED	0.140 s
5	And Order status text in table list should not be highlighted	PASSED	0.030 s
6	And Modification message should not be displayed in order details	PASSED	0.096 s
7	And Order modify and cancel buttons should not be disabled	PASSED	0.035 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.064 s

(S)- 2 browser - Promote order status with same order selected in control browser

PASSED	DURATION - 28.774 s		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 4:27:10.022 PM // 4:27:38.796 PM /				
Order change messages to be synced across browser windows				
@Table33				



#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page in similar control browser	PASSED	26.399 s
2	And User selects order in Ordered status in similar control browser	PASSED	0.167 s
3	And User navigates to home page	PASSED	0.102 s
4	And User selects order in Ordered status	PASSED	0.732 s
5	When User promotes order to Preparing status in kitchen	PASSED	0.743 s
6	Then Order status in table list should be Preparing	PASSED	0.160 s
7	And Order status text in table list should be highlighted	PASSED	0.026 s
8	And Modification message should be displayed in order details	PASSED	0.103 s
9	And Order modify and cancel buttons should be disabled	PASSED	0.042 s
10	And Order status in table list should be Preparing in similar control browser	PASSED	0.059 s
11	And Order status text in table list should be highlighted in similar control browser	PASSED	0.050 s
12	And Modification message should be displayed in order details in similar control browser	PASSED	0.067 s
13	And Order modify and cancel buttons should be disabled in similar control browser	PASSED	0.067 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.056 s

(S)- 2 browser - Update order details with same order selected in control browser

<div>PASSED</div> <div>DURATION - 3.438 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
/ 4:27:38.830 PM // 4:27:42.268 PM /				
Order change messages to be synced across browser windows				
@Table34				



#	Step / Hook Details	Status	Duration	
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s	
1	Given User navigates to home page in similar control browser	PASSED	0.293 s	
2	And User selects order in Ordered status in similar control browser	PASSED	0.174 s	
3	And User navigates to home page	PASSED	0.087 s	
4	And User selects order in Ordered status	PASSED	0.712 s	
5	When User adds following quantitiy to existing dishes	PASSED	1.914 s	
	dish			qty
	Tiramisu			2
	Sausage Pappardelle			3
6	And Order status text in table list should be highlighted in similar control browser	PASSED	0.061 s	
7	And Modification message should be displayed in order details in similar control browser	PASSED	0.064 s	
8	And Order modify and cancel buttons should be disabled in similar control browser	PASSED	0.128 s	
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.005 s	

(S)- 2 browser - Update order details with another table selected in control browser

<div>PASSED</div> <div>DURATION - 3.045 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:27:42.280 PM // 4:27:45.325 PM /</div>				
<div>Order change messages to be synced across browser windows</div>				
<div>@Table35</div>				

#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s						
1	Given User navigates to home page in similar control browser	PASSED	0.230 s						
2	And User selects control order in similar control browser	PASSED	0.168 s						
3	And User navigates to home page	PASSED	0.070 s						
4	And User selects order in Ordered status	PASSED	0.581 s						
5	When User adds following quantity to existing dishes	PASSED	1.816 s						
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Tiramisu</td><td>2</td></tr><tr><td>Sausage Pappardelle</td><td>3</td></tr></table>			dish	qty	Tiramisu	2	Sausage Pappardelle	3
	dish			qty					
	Tiramisu			2					
Sausage Pappardelle	3								
6	And Order status text in table list should not be highlighted in similar control browser	PASSED	0.054 s						
7	And Modification message should not be displayed in order details in similar control browser	PASSED	0.066 s						
8	And Order modify and cancel buttons should not be disabled in similar control browser	PASSED	0.054 s						
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.005 s						



(S)- 2+1 browser - Promote order status with same order selected in both control browsers

<div>PASSED</div> <div>DURATION - 4.744 s</div>	<div></div>	<div>Steps</div> <div>Total - 19</div> <div>Pass - 19</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:27:45.333 PM // 4:27:50.077 PM /</div>			
<div>Order change messages to be synced across browser windows</div>			
<div>@Table36</div>			

#	Step / Hook Details	Status	Duration
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s
1	Given User navigates to home page in similar control browser	PASSED	0.185 s
2	And User selects order in Ordered status in similar control browser	PASSED	0.139 s
3	And User navigates to home page in different control browser	PASSED	0.391 s
4	And User selects order in Ordered status in different control browser	PASSED	1.547 s
5	And User navigates to home page	PASSED	0.092 s
6	And User selects order in Ordered status	PASSED	0.563 s
7	When User promotes order to Preparing status in kitchen	PASSED	0.764 s
8	Then Order status in table list should be Preparing	PASSED	0.150 s
9	And Order status text in table list should be highlighted	PASSED	0.030 s

#	Step / Hook Details	Status	Duration
10	And Modification message should be displayed in order details	PASSED	0.102 s
11	And Order modify and cancel buttons should be disabled	PASSED	0.034 s
12	And Order status in table list should be Preparing in similar control browser	PASSED	0.057 s
13	And Order status text in table list should be highlighted in similar control browser	PASSED	0.064 s
14	And Modification message should be displayed in order details in similar control browser	PASSED	0.054 s
15	And Order modify and cancel buttons should be disabled in similar control browser	PASSED	0.058 s
16	And Order status in table list should be Preparing in different control browser	PASSED	0.098 s
17	And Order status text in table list should be highlighted in different control browser	PASSED	0.172 s
18	And Modification message should be displayed in order details in different control browser	PASSED	0.071 s
19	And Order modify and cancel buttons should be disabled in different control browser	PASSED	0.094 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.078 s



(S)- 2+1 browser - Update order details with same order selected in both control browsers

<div>PASSED</div> <div>DURATION - 4.896 s</div>	<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:27:50.091 PM // 4:27:54.987 PM /</div>			
<div>Order change messages to be synced across browser windows</div>			
<div>@Table37</div>			

#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s						
1	Given User navigates to home page in similar control browser	PASSED	0.752 s						
2	And User selects order in Ordered status in similar control browser	PASSED	0.208 s						
3	And User navigates to home page in different control browser	PASSED	0.721 s						
4	And User selects order in Ordered status in different control browser	PASSED	0.189 s						
5	And User navigates to home page	PASSED	0.107 s						
6	And User selects order in Ordered status	PASSED	0.686 s						
7	When User adds following quantity to existing dishes	PASSED	1.873 s						
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Tiramisu</td><td>2</td></tr><tr><td>Sausage Pappardelle</td><td>3</td></tr></table>			dish	qty	Tiramisu	2	Sausage Pappardelle	3
dish	qty								
Tiramisu	2								
Sausage Pappardelle	3								
8	And Order status text in table list should be highlighted in similar control browser	PASSED	0.058 s						

#	Step / Hook Details	Status	Duration
9	And Modification message should be displayed in order details in similar control browser	PASSED	0.066 s
10	And Order modify and cancel buttons should be disabled in similar control browser	PASSED	0.060 s
11	And Order status text in table list should be highlighted in different control browser	PASSED	0.053 s
12	And Modification message should be displayed in order details in different control browser	PASSED	0.057 s
13	And Order modify and cancel buttons should be disabled in different control browser	PASSED	0.062 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.003 s



(S)- 2+1 browser - Update order details with same order selected in similar control browsers and another order in different browser

<div>PASSED</div> <div>DURATION - 3.906 s</div>	<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:27:54.999 PM // 4:27:58.905 PM /</div>			
<div>Order change messages to be synced across browser windows</div>			
<div>@Table38</div>			

#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.001 s						
1	Given User navigates to home page in similar control browser	PASSED	0.247 s						
2	And User selects order in Ordered status in similar control browser	PASSED	0.180 s						
3	And User navigates to home page in different control browser	PASSED	0.406 s						
4	And User selects control order in different control browser	PASSED	0.155 s						
5	Given User navigates to home page	PASSED	0.081 s						
6	And User selects order in Ordered status	PASSED	0.665 s						
7	When User adds following quantity to existing dishes <table><tr><td>dish</td><td>qty</td></tr><tr><td>Tiramisu</td><td>2</td></tr><tr><td>Sausage Pappardelle</td><td>3</td></tr></table>	dish	qty	Tiramisu	2	Sausage Pappardelle	3	PASSED	1.833 s
dish	qty								
Tiramisu	2								
Sausage Pappardelle	3								
8	And Order status text in table list should be highlighted in similar control browser	PASSED	0.055 s						
9	And Modification message should be displayed in order details in similar control browser	PASSED	0.061 s						
10	And Order modify and cancel buttons should be disabled in similar control browser	PASSED	0.057 s						
11	And Order status text in table list should not be highlighted in different control browser	PASSED	0.048 s						

#	Step / Hook Details	Status	Duration
12	And Modification message should not be displayed in order details in different control browser	PASSED	0.054 s
13	And Order modify and cancel buttons should not be disabled in different control browser	PASSED	0.059 s
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.004 s

(S)- 2+1 browser - Update order details with another order selected in both control browsers

<div>PASSED</div> <div>DURATION - 3.804 s</div>	<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 13</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:27:58.912 PM // 4:28:02.716 PM /</div>			
<div>Order change messages to be synced across browser windows</div>			
<div>@Table39</div>			

#	Step / Hook Details	Status	Duration						
	BEFORE - ristorante.steps.DataSetup.setup(io.cucumber.java.Scenario)	PASSED	0.000 s						
1	Given User navigates to home page in similar control browser	PASSED	0.236 s						
2	And User selects control order in similar control browser	PASSED	0.136 s						
3	And User navigates to home page in different control browser	PASSED	0.366 s						
4	And User selects control order in different control browser	PASSED	0.229 s						
5	Given User navigates to home page	PASSED	0.065 s						
6	And User selects order in Ordered status	PASSED	0.604 s						
7	When User adds following quantitiy to existing dishes	PASSED	1.832 s						
	<table><tr><td>dish</td><td>qty</td></tr><tr><td>Tiramisu</td><td>2</td></tr><tr><td>Sausage Pappardelle</td><td>3</td></tr></table>			dish	qty	Tiramisu	2	Sausage Pappardelle	3
dish	qty								
Tiramisu	2								
Sausage Pappardelle	3								
8	And Order status text in table list should not be highlighted in similar control browser								
9	And Modification message should not be displayed in order details in similar control browser								
10	And Order modify and cancel buttons should not be disabled in similar control browser	PASSED	0.055 s						
11	And Order status text in table list should not be highlighted in different control browser	PASSED	0.051 s						
12	And Modification message should not be displayed in order details in different control browser	PASSED	0.058 s						
13	And Order modify and cancel buttons should not be disabled in different control browser	PASSED	0.057 s						
	AFTER - ristorante.steps.DataSetup.teardown()	PASSED	0.004 s						