

General User Interface Configuration

For the share.war

Page Header

- **Configuration file:** share-config-custom.xml

- **Properties:**

```
<alfresco-config>
...

  <!-- Global config section -->
  <config>
    ...
    <header>

      <!-- The number of sites to display in the recent history group of the sites menu -->
      <max-recent-sites>5</max-recent-sites>

      <!-- The number of sites page links (e.g. "Dashboard", "Document Library", "Calendar", etc
           that will be displayed on any site page for navigation. All other site pages will be
           displayed under a "More" drop down menu. The current site page will always be displayed -->
      <max-displayed-site-pages>5</max-displayed-site-pages>

    </header>
  </config>
```

- **Default config:** webapps/share/WEB-INF/classes/alfresco/share-config.xml

Page Footer

- **Configuration file:** share-config-custom.xml
- **Properties:**

```
<alfresco-config>

...
  <config evaluator="string-compare" condition="Edition">
    <!-- footer logo and copyright text -->
    <footer>
      <logo>alfresco-logo.svg</logo>
      <alt-text>Alfresco Share</alt-text>
      <css-class>footer-com</css-class>
      <label>label.copyright</label>
    </footer>
    <about>
      <css-class>logo-com</css-class>
    </about>
    <login>
      <css-class>logo-com</css-class>
    </login>
  </config>
```

-
- **Default config:** webapps/share/WEB-INF/classes/alfresco/share-config.xml

Site Pages

- **Configuration file:** share-config-custom.xml

- **Properties:**

```
<alfresco-config>
...
  <config evaluator="string-compare" condition="SitePages">
    <pages>
      <page id="dashboard">dashboard</page>
      <page id="calendar">calendar</page>
      <page id="wiki-page">wiki-page?title=Main_Page</page>
      <page id="documentlibrary">documentlibrary</page>
      <page id="discussions-topiclist">discussions-topiclist</page>
      <page id="blog-postlist">blog-postlist</page>
      <page id="links">links</page>
      <page id="data-lists">data-lists</page>
    </pages>
    <!-- Pages not listed in navigation -->
    <additional-pages>
      <add-users>add-users</add-users>
    </additional-pages>
  </config>
```

-
- **Default config:** webapps/share/WEB-INF/classes/alfresco/share-config.xml

User passwords and external users

- **Configuration file:** share-config-custom.xml
- **Properties:**

```
<alfresco-config>
...
  <config evaluator="string-compare" condition="Users">
    <users>
      <!-- minimum length for username and password -->
      <username-min-length>2</username-min-length>
      <password-min-length>3</password-min-length>
      <show-authorization-status>false</show-authorization-status>
    </users>
    <!-- This enables/disables the Add External Users Panel on the Add Users page. -->
    <enable-external-users-panel>false</enable-external-users-panel>
  </config>
```

- **Default config:** webapps/share/WEB-INF/classes/alfresco/share-config.xml

Dashboard

- **Configuration file:** share-config-custom.xml
- **Properties:**

```
<alfresco-config>
...
  <config evaluator="string-compare" condition="Dashboard">
    <dashboard>
      <!-- The suggested maximum list size for summary dashlets on the dashboards.
           If dashlets have been configured to use this value then they will restrict list sizes -->
      <summary-list-size>100</summary-list-size>
    </dashboard>
  </config>
```

- **Default config:** webapps/share/WEB-INF/classes/alfresco/share-config.xml

Search

- **Configuration file:**
- share-config-custom.xml
- **Properties:**

- **Default config:**
- webapps/share/WEB-INF/classes/alfresco/share-config.xml

```
<alfresco-config>
...
  <config evaluator="string-compare" condition="Search">
    <search>
      <!-- default minimum length for search terms -->
      <min-search-term-length>1</min-search-term-length>

      <!-- default maximum number of results for a search -->
      <max-search-results>250</max-search-results>

      <!-- default maximum number of results for user search -->
      <max-users-search-results>20</max-users-search-results>

      <!-- Repository search configuration option -->
      <!--
        The 'repository-search' config element value can be
        none - disable repository wide search option
        context - search depending on current context, incl
        always - always search full repository no matter wh
        always-options - always search full repository no m
      -->
      <repository-search>always-options</repository-search>

      <!-- default option to display filter pane. Override if
      <display-facets>true</display-facets>
    </search>
  </config>
</alfresco-config>
```


Sorting

- **Configuration file:**

- share-config-custom ...

- **Properties:**

```
<alfresco-config>
```

```
<sorting>
```

```
<sort labelId="search.sort.relevance" isSortable="false"></sort>
<sort labelId="label.name" isSortable="true">cm:name</sort>
<sort labelId="label.title" isSortable="true">cm:title</sort>
<sort labelId="label.description" isSortable="false">cm:description</sort>
<sort labelId="label.author" isSortable="false">cm:author</sort>
<sort labelId="label.modifier" isSortable="true">cm:modifier</sort>
<sort labelId="label.modified" isSortable="true">cm:modified|false</sort>
<sort labelId="label.creator" isSortable="true">cm:creator</sort>
<sort labelId="label.created" isSortable="true">cm:created|false</sort>
<sort labelId="search.sort.size" isSortable="true">.size|true</sort>
<sort labelId="search.sort.mimetype" isSortable="true">.mimetype</sort>
<sort labelId="search.sort.type" isSortable="true">TYPE</sort>
```

```
</sorting>
```

```
</config>
```

- **Default config:**

- webapps/share/WEB-INF/classes/alfresco/share-config.xml

Workflow

- **Configuration file:**
- share-config-custom.xml
- **Properties:**
- **Default config:**
- webapps/share/WEB-INF/classes/alfresco/share-config.xml

```
<alfresco-config>
...

<!-- Workflow config section -->
<config evaluator="string-compare" condition="Workflow">
  <!-- A list of workflow definitions that are NOT displayed in Share -->
  <hidden-workflows>
    <!-- Hide all WCM related workflows -->
    <workflow name="jbpm$wcmwf:*/>
    <workflow name="jbpm$wf:articleapproval"/>
    <!-- Hide publishing workflows -->
    <workflow name="activiti$publishWebContent"/>
    <workflow name="jbpm$publishWebContent"/>
    <!-- Hide invitation workflows -->
    <workflow name="jbpm$inwf:invitation-nominated"/>
    <workflow name="jbpm$imwf:invitation-moderated"/>
    <workflow name="activiti$activitiInvitationModerated"/>
    <workflow name="activiti$activitiInvitationNominated"/>
    <workflow name="activiti$activitiInvitationNominatedAddDirect"/>
  </hidden-workflows>

  <!-- A list of workflow tasks that are NOT displayed in Share -->
  <hidden-tasks>
    <!-- Hide all WCM related tasks -->
    <task type="wcmwf:*/>
  </hidden-tasks>
</config>
```

Social

- Configuration file
- share-config-custom
- Properties:
- Default config:
- webapps/share

```
alfresco-config>
```

```
...  
  
<config evaluator="string-compare" condition="Social">  
  <!-- Alfresco QuickShare social widget - for creating public url that can be shared -->  
  <quickshare>  
    <!--  
      Will be available as Alfresco.constants.QUICKSHARE_URL using javascript in the browser.  
      If changing this, make sure this url matches the quickshare rule in urlrewrite.xml  
    -->  
    <url>{context}/s/{sharedId}</url>  
  </quickshare>  
  
  <!-- Alfresco LinkShare social widget - share a link to social sites -->  
  <linkshare>  
    <!--  
      These actions will be available as Alfresco.constants.LINKSHARE_ACTIONS using javascript in the browser.  
      Labels will be retrieved from msg key "linkshare.action.<id>.label" unless explicitly provided.  
      attribute to the action element.  
      Each param value accepts the following input: {shareUrl}, {displayName} or a msg key that  
      I.e. {body} for the email action's href param will be retrieved using "linkshare.action.email.body"  
    -->  
    <action id="email" type="link" index="10">  
      <param name="href">mailto:?subject={subject}&amp;body={body}</param>  
      <param name="target">new</param>  
    </action>  
    <action id="facebook" type="link" index="20">  
      <param name="href">https://www.facebook.com/sharer/sharer.php?u={shareUrl}&amp;t={message}</param>  
      <param name="target">new</param>  
    </action>  
    <action id="twitter" type="link" index="30">  
      <param name="href">https://twitter.com/intent/tweet?text={message}&amp;url={shareUrl}</param>  
      <param name="target">new</param>  
    </action>  
    <action id="google-plus" type="link" index="40">  
      <param name="href">https://plus.google.com/share?url={shareUrl}</param>  
      <param name="target">new</param>  
    </action>  
  </linkshare>
```