

```
C:\Windows\System32\cmd.exe
Microsoft Windows [Versión 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. Reservados todos los derechos.

C:\CLASES\ejemplo\flexbox\flexbox>git config user.email
thenewgravity@gmail.com

C:\CLASES\ejemplo\flexbox\flexbox>git init
Initialized empty Git repository in C:/CLASES/ejemplo/flexbox/flexbox/.git/

C:\CLASES\ejemplo\flexbox\flexbox>git status
starting fsmonitor-daemon in 'C:/CLASES/ejemplo/flexbox/flexbox'
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    estilos.css
    producto2.html
    style3.css

nothing added to commit but untracked files present (use "git add" to track)
C:\CLASES\ejemplo\flexbox\flexbox>
```

```
C:\Windows\System32\cmd.exe

C:\CLASES\ejemplo\flexbox\flexbox>git status
starting fsmonitor-daemon in 'C:/CLASES/ejemplo/flexbox/flexbox'
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    estilos.css
    producto2.html
    style3.css

nothing added to commit but untracked files present (use "git add" to track)
C:\CLASES\ejemplo\flexbox\flexbox>git add .

C:\CLASES\ejemplo\flexbox\flexbox>git commit -m "inicio del repositorio"
[main (root-commit) d4c6b5a] inicio del repositorio
 3 files changed, 140 insertions(+)
 create mode 100644 estilos.css
 create mode 100644 producto2.html
 create mode 100644 style3.css

C:\CLASES\ejemplo\flexbox\flexbox>
```

```
C:\Windows\System32\cmd.exe
Copyright (c) 2009 Microsoft Corporation. Reservados todos los derechos.

C:\CLASES\ejemplo\flexbox\flexbox>git config user.email
thenewgravity@gmail.com

C:\CLASES\ejemplo\flexbox\flexbox>git init
Initialized empty Git repository in C:/CLASES/ejemplo/flexbox/flexbox/.git/

C:\CLASES\ejemplo\flexbox\flexbox>git status
starting fsmonitor-daemon in 'C:/CLASES/ejemplo/flexbox/flexbox'
On branch main

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    estilos.css
    producto2.html
    style3.css

nothing added to commit but untracked files present (use "git add" to track)
C:\CLASES\ejemplo\flexbox\flexbox>git add .

C:\CLASES\ejemplo\flexbox\flexbox>
```

```
C:\Windows\System32\cmd.exe
C:\CLASES\ejemplo\flexbox\flexbox>git commit -m "inicio del repositorio"
[main (root-commit) d4c6b5a] inicio del repositorio
 3 files changed, 140 insertions(+)
 create mode 100644 estilos.css
 create mode 100644 producto2.html
 create mode 100644 style3.css

C:\CLASES\ejemplo\flexbox\flexbox>git log -oneline
fatal: unrecognized argument: -oneline

C:\CLASES\ejemplo\flexbox\flexbox>gitlog --oneline
"gitlog" no se reconoce como un comando interno o externo,
programa o archivo por lotes ejecutable.

C:\CLASES\ejemplo\flexbox\flexbox>git log --oneline
d4c6b5a <HEAD -> main inicio del repositorio

C:\CLASES\ejemplo\flexbox\flexbox>
C:\CLASES\ejemplo\flexbox\flexbox>git status
On branch main
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   producto2.html

no changes added to commit (use "git add" and/or "git commit -a")

C:\CLASES\ejemplo\flexbox\flexbox>
```

```
C:\Windows\System32\cmd.exe
C:\CLASES\ejemplo\flexbox\flexbox>gitlog --oneline
"gitlog" no se reconoce como un comando interno o externo,
programa o archivo por lotes ejecutable.

C:\CLASES\ejemplo\flexbox\flexbox>git log --oneline
d4c6b5a <HEAD -> main inicio del repositorio

C:\CLASES\ejemplo\flexbox\flexbox>
C:\CLASES\ejemplo\flexbox\flexbox>git status
On branch main
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   producto2.html

no changes added to commit (use "git add" and/or "git commit -a")

C:\CLASES\ejemplo\flexbox\flexbox>git add .

C:\CLASES\ejemplo\flexbox\flexbox>git commit -m "se agrego lorem"
[main 4ac68d8] se agrego lorem
 1 file changed, 3 insertions(+), 3 deletions(-)

C:\CLASES\ejemplo\flexbox\flexbox>git log --oneline
4ac68d8 <HEAD -> main se agrego lorem
d4c6b5a inicio del repositorio

C:\CLASES\ejemplo\flexbox\flexbox>
```

```
C:\Windows\System32\cmd.exe

C:\CLASES\ejemplo\flexbox\flexbox>git log --oneline
4ac68d8 (HEAD -> main) se agrego lorem
d4c6b5a inicio del repositorio

C:\CLASES\ejemplo\flexbox\flexbox>git checkout
C:\CLASES\ejemplo\flexbox\flexbox>git checkout d4c6b5a
Note: switching to 'd4c6b5a'.

You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:

    git switch -c <new-branch-name>

Or undo this operation with:

    git switch -

Turn off this advice by setting config variable advice.detachedHead to false

HEAD is now at d4c6b5a inicio del repositorio
C:\CLASES\ejemplo\flexbox\flexbox>
```

```
C:\CLASES\ejemplo\flexbox\flexbox>git branch -l
* (HEAD detached at d4c6b5a)
  develop
  main

C:\CLASES\ejemplo\flexbox\flexbox>git checkout develop
Switched to branch 'develop'
M      producto2.html

C:\CLASES\ejemplo\flexbox\flexbox>
```

```
C:\CLASES\ejemplo\flexbox\flexbox>git commit -m "nav"
[develop ac2500d] nav
 1 file changed, 7 insertions(+), 7 deletions(-)

C:\CLASES\ejemplo\flexbox\flexbox>git checkout main
Switched to branch 'main'

C:\CLASES\ejemplo\flexbox\flexbox>git status
On branch main
nothing to commit, working tree clean
```

```
C:\CLASES\ejemplo\flexbox\flexbox>git branch -l
  develop
* main
  new

C:\CLASES\ejemplo\flexbox\flexbox>git marge new
git: 'marge' is not a git command. See 'git --help'.

The most similar command is
    merge

C:\CLASES\ejemplo\flexbox\flexbox>git merge new
Already up to date.

C:\CLASES\ejemplo\flexbox\flexbox>
```