

WELCOME TO THE APP

REGISTER

username: password:

Login

username: password:

```
[nodemon] starting `node index.js`
(node:21382) DeprecationWarning: current URL string parser is deprecated, and will be removed in a future version. To use the new parser, pass option { useNewUrlParser: true } to MongoClient.connect.
APP IS GO
MONGOOSE ACTIVE
[nodemon] restarting due to changes...
[nodemon] starting `node index.js`
(node:21387) DeprecationWarning: current URL string parser is deprecated, and will be removed in a future version. To use the new parser, pass option { useNewUrlParser: true } to MongoClient.connect.
APP IS GO
MONGOOSE ACTIVE
TRYING TO LOG IN
{ username: 'robotdevil', password: 'hahaha' }
WELCFOME BACK OLD BUDDY
WOOO
TRYING TO LOG IN
{ username: 'robotdevil',
  password: 'dlkjfa;lk sdfjkl dsa;lk f dslk asd' }
GETOUT OF HERE YOU FAKE USER
```

Studio Code to apply the latest update.


Update Now

Later

Release Notes

Ln 42, Col 1 Spaces: 4 UTF-8 LF JavaScript

Component_one_vue gitmo_compare_0 Component_vue_vue p_two_mojo ranches p_three_mojo



hash-demo — node • node /usr/local/bin/nodemon — 80x22
[nodemon] starting `node index.js`
(node:21387) DeprecationWarning: current URL string parser is deprecated, and will be removed in a future version. To use the new parser, pass option { useNewUrlParser: true } to MongoClient.connect.

Document x G how to use bcrypt to hash a p x Hashing Pass

EXPLORER

- OPEN EDITOR... 1 UNSAVED
 - JS index.js
 - JS user.js models
 - <> index.ejs views
 - JS db.js db
- HASH-DEMO
 - db
 - models
 - JS user.js
 - node_modules
 - views
 - <> index.ejs
- JS index.js
- package-lock.json
- package.json

JS index.js

```
const newUser = await User.create(req.body)
const newPassword = await bcrypt.hash(req.body.password, 10);
newUser.password = newPassword;
await newUser.save()
res.redirect('/')
})

app.post('/login', async (req, res) => {
  console.log("TRYING TO LOG IN")
  console.log(req.body)
  const userTryingToLogin = await User.findOne({username: req.body.username})
  const validLogin = await bcrypt.compare(req.body.password, userTryingToLogin.password)
  if(!validLogin || !userTryingToLogin){
    console.log("GETOUT OF HERE YOU " + userTryingToLogin)
    res.redirect("/")
  } else {
    console.log("WELCOME BACK OLD BUDDY")
    res.redirect('/success')
  }
})

app.get('/success', (req, res) => {
  console.log("WUDD")
  res.send("congratulations")
})
```

Restart Visual Studio Code to apply the latest update.

Update Now Later Release Notes

Ln 34, Col 41 Spaces: 4 UTF-8 LF JavaScript

